

Hydraulic Cement

Material Producer List

Materials & Tests Division



Hydraulic Cement

The following cements are prequalified in accordance with DMS-4600, "Hydraulic Cement."

The Department reserves the right to conduct random sampling of prequalified materials for testing and to perform random audits of test reports. Department representatives may sample material from the manufacturing plant, terminal, shipping container, and concrete plant. The Materials & Tests Division (MTD) reserves the right to test samples to verify compliance with DMS-4600.

For more information, contact MTD's Rigid Pavements and Concrete Materials Section at (512) 506-5858.

Producer Code	Certified Producer/Suppliers & Location			Portland Cement Types & Designations (See Key)						
	Producer/Supplier	Plant	Location	I	II	I/II*	III	V	Blended	White
98348	ACEMA	Medcem	Mersin, Turkey			Low				
98354		Nuh	Hereke, Turkey			Low				
98359		Tudela	Ovieada, Spain			Low				
99317	Alamo Cement	San Antonio, TX	San Antonio, TX			Low**	Low, MS		IL(10)	
98115	Argos Cement, LLC	Cartagena	Cartagena, Colombia			Low				
98104		Milaki	Evia Island-Greece			Low				
99399	Ash Grove Cement Co.	Chanute	Chanute, KS			Low				
99304		Foreman	Foreman, AR			Low				
98078		Jiangsu	Conch-Zhangyang, China		High					
99308		Midlothian	Midlothian, TX			Low				
99602	Buzzi Unicem	Cape Girardeau	Girardeau, MO			Low				
99315		Maryneal	Maryneal, TX			Low	Low			
99327		Pryor	Pryor, OK			Low**				
99300		Selma	Festus, MO			Low				
99386		Signal Mtn	Chattanooga, TN			Low**				
98362	CalPortland Cement	Drake	Paulden, AZ		Low			Low		
98321		Oro Grande	Oro Grande, CA			Low		Low		
98291		Rillito	Rillito, AZ		Low					

Producer Code	Certified Producer/Suppliers & Location			Portland Cement Types & Designations (See Key)						
	Producer/Supplier	Plant	Location	I	II	I/II*	III	V	Blended	White
99301	Capitol Cement	San Antonio, TX	San Antonio, TX	Low		Low	Low		IP(25), IL(15) ¹	
98379	Cemex USA	CAYCEM	Nuh			Low				
98345			Alcanar	Alcanar, Spain			Low			
99332			Balcones	New Braunfels, TX			Low			
99655			Demopolis	Demopolis, AL	Low	Low				
98110			Louisville	Louisville, KY			Low**			
98169			Lyons	Lyons, CO			Low			
98365			McInnis/Port Daniel Gascons	Gaspesie,Quebec, Canada			Low			
98370			Nuh	Hereke, Turkey			Low			
98143			Tamuin	San Luis Potosi, Mexico			Low			
98364			Valles	San Luis Potosi, Mexico			Low			
98263		Victorville	Victorville, CA		Low			Low		
98344	Central Plains Cement Co.	Sugar Creek	Sugar Creek, MO			Low				
98152		Tulsa	Tulsa, OK			High				
98107	Continental Cement	Hannibal	Hannibal, MO			Low				
99320	GCC	El Toro	Odessa, TX		Low	Low	Low	Low		
98165		Pueblo	Pueblo, CO			Low				
99343		Rio Grande	Samalayuca, Mexico			Low	Low			
99313		Tijeras	Tijeras, NM			Low	Low	Low		
99312		Ada	Ada, OK			Low				
99348	Holcim (US), Inc.	Midlothian	Midlothian, TX			High			IL(10)	
99703		Portland	Florence, CO			Low**			IP(20)	
98206		St. Genevieve	Bloomdsdale, MO			Low				
99302		Theodore	Theodore, AL			Low	Low			
98318	Houston Cement Co.	Buzzi Augusta	Augusta, Italy			Low				
99422		Canakkale Cement Co.	Istanbul, Turkey			Low				
98092		Conch	Zhangjiagang, Jiangsu, China			Low				

Producer Code	Certified Producer/Suppliers & Location			Portland Cement Types & Designations (See Key)						
	Producer/Supplier	Plant	Location	I	II	I/II*	III	V	Blended	White
98086	Houston Cement Co. (Continued)	Hualien Asia Cement Co.	Singcheng, Taiwan			Low				
98368		Medcem	Mersin, Turkey			Low				
98374		Nuh	Hereke, Turkey			Low				
99207		Samchok, Tong Yang Cement Co.	Seoul, Korea			Low				
99325		Titan Cement Co.	Athens, Greece			Low				
98134	Lehigh Cement	Leeds	Leeds, AL			Low				
99371		Lehigh White	Waco, TX							Low
99331	Martin Marietta	Hunter	New Braunfels, TX			Low	Low			
99321		Midlothian	Midlothian, TX			Low	Low, MS			
98360	South Texas Cement	Nuh	Hereke, Turkey			Low				
99330	Texas Lehigh Cement	Buda	Buda, TX	High**		Low	High**	Low		

* Type I/II meets both Type I and II specifications.

** Both high and low alkali available. Customer must specify.

1. Sold under the name EcoMent Spec.

NOTE:

- Only cement types shown are pre-qualified. Job samples are not required for pre-qualified cements.
- Cements not on this pre-qualified list must be sampled in accordance with the Department's [Guide Schedule of Sampling and Testing for Design-Bid-Build Projects](#) or [Guide Schedule of Sampling and Testing for Design-Build Projects](#), as applicable.

▪ **Key:**

High: > 0.60% Na₂O_e

Low: ≤ 0.60% Na₂O_e

Na₂O_e = %Na₂O + 0.658(%K₂O)

IP(XX): Portland cement blended with a minimum of XX% Class F fly ash.

MS: Moderate Sulfate Resistance