




<b>Highway:</b> Loop 1604 <b>TxDOT Project No.:</b> 15-3XXP1004	<b>Station Name:</b> <b>H0150263</b>
<b>County:</b> Bexar <b>State:</b> TX <b>TxDOT Quality Level of Survey:</b> 2	<b>Established By:</b> CDS/Muery Services <b>Date Established:</b> Sept., 2004
<b>Intervisible Stations:</b> H0150263AZ <b>Units of Measure:</b> US Survey Feet	<b>Survey Method Hor.:</b> GPSOBS <b>Survey Method Vert.:</b> GPSOBS
<b>Horizontal Datum:</b> NAD83 <b>Horizontal Adj.:</b> 1986 <b>Projection Zone:</b> Texas South Central 4204	<b>Vertical Datum:</b> NAVD88 <b>Vertical Adjustment:</b> 1988 <b>Geoid Model Used:</b> GEOID03
<b>Mark Logo:</b> TxDOT Access Cover	<b>NGS PID (If applic.):</b> N/A
<b>Stamping:</b> H0150263	<b>Northing:</b> 13733487.201
<b>Condition:</b> Good	<b>Easting:</b> 2065204.818
<b>Marker:</b> 3/4" Alum. Rod to Refusal	<b>Elevation:</b> 903.027'
<b>Stability:</b> B	<b>Scale Factor:</b> 0.9998679516
<b>Latitude:</b> 29°30'39.82652"N	<b>Elevation Factor:</b> 0.99996076
<b>Longitude:</b> 98°41'45.41186"W	<b>Combined Factor:</b> 0.99982871
<b>Ellipsoid Height:</b>	<b>Convergence:</b> 0°08'56"
<b><u>To Reach Description</u></b>	
<p>From the intersection of Shaenfield Road and Loop 1604 travel 0.2 of a mile South to station on the East side of Loop 1604 and North of Culebra Road (F.M. 471). The monument is located 139.0 feet Northeast from a traffic sign, 95.0 feet East from the edge of asphalt of Loop 1604 and 5.0 feet West from the East right-of-way fence line. (Dated Description 2003).</p>	
<b>Notes:</b>	


<b>Highway:</b> Loop 1604 <b>TxDOT Project No.:</b> 15-3XXP1004	<b>Station Name:</b> <b>H0150263</b>
--	---

**Station Sketch**



**Photo 1 – Station Detail**

**Photo 2 – Station Area Picture**



**Point Information Disclaimer:** This data has been supplied by state statute. No expressed or implied warranties are made by TxDOT for the accuracy, completeness, reliability, usability, or suitability of the point data. The department assumes no responsibility for incorrect results or damages resulting from the use of data.

<b>Highway:</b> Loop 1604 <b>TxDOT Project No.:</b> 15-3XXP1004	<b>Station Name:</b> <b>H0150263AZ</b>
<b>County:</b> Bexar <b>State:</b> TX <b>TxDOT Quality Level of Survey:</b> 2	<b>Established By:</b> CDS/Muery Services <b>Date Established:</b> Sept., 2004
<b>Intervisible Stations:</b> H0150263 <b>Units of Measure:</b> US Survey Feet	<b>Survey Method Hor.:</b> GPSOBS <b>Survey Method Vert.:</b> GPSOBS
<b>Horizontal Datum:</b> NAD83 <b>Horizontal Adj.:</b> 1986 <b>Projection Zone:</b> Texas South Central 4204	<b>Vertical Datum:</b> NAVD88 <b>Vertical Adjustment:</b> 1988 <b>Geoid Model Used:</b> GEOID03
<b>Mark Logo:</b> TxDOT Access Cover	<b>NGS PID (If applic.):</b> N/A
<b>Stamping:</b> H0150263AZ	<b>Northing:</b> 13736022.977
<b>Condition:</b> Good	<b>Easting:</b> 2065966.999
<b>Marker:</b> 3/4" Alum. Rod to Refusal	<b>Elevation:</b> 905.928'
<b>Stability:</b> B	<b>Scale Factor:</b> 0.9998683314
<b>Latitude:</b> 29°31'04.91248"N	<b>Elevation Factor:</b> 0.99996062
<b>Longitude:</b> 98°41'36.70967"W	<b>Combined Factor:</b> 0.99982896
<b>Ellipsoid Height:</b>	<b>Convergence:</b> 0°09'01"
<b><u>To Reach Description</u></b>	
<p>The azimuth mark is 0.3 of a mile North of the intersection of Shaenfield Road and Loop 1604 on the West side of the right-of-way. The monument is located 130.0 feet South of a Westbound crossover at the entrance to Fertile Garden Supply and 15.0 feet Southeast from the edge of asphalt of Loop 1604 Westbound access road. (Dated Description 2003).</p>	
<b>Notes:</b>	

<b>Highway:</b> Loop 1604 <b>TxDOT Project No.:</b> 15-3XXP1004	<b>Station Name:</b> <b>H0150263AZ</b>
--	---


**Station Sketch**



**Photo 1 – Station Detail**



**Photo 2 – Station Area Picture**




**Point Information Disclaimer:** This data has been supplied by state statute. No expressed or implied warranties are made by TxDOT for the accuracy, completeness, reliability, usability, or suitability of the point data. The department assumes no responsibility for incorrect results or damages resulting from the use of data.


<b>Highway:</b> Loop 1604 <b>TxDOT Project No.:</b> 15-3XXP1004	<b>Station Name:</b> <b>H0150273</b>
<b>County:</b> Bexar <b>State:</b> TX <b>TxDOT Quality Level of Survey:</b> 2	<b>Established By:</b> CDS/Muery Services <b>Date Established:</b> Sept., 2004
<b>Intervisible Stations:</b> H0150273AZ <b>Units of Measure:</b> US Survey Feet	<b>Survey Method Hor.:</b> GPSOBS <b>Survey Method Vert.:</b> GPSOBS
<b>Horizontal Datum:</b> NAD83 <b>Horizontal Adj.:</b> 1986 <b>Projection Zone:</b> Texas South Central 4204	<b>Vertical Datum:</b> NAVD88 <b>Vertical Adjustment:</b> 1988 <b>Geoid Model Used:</b> GEOID03
<b>Mark Logo:</b> TxDOT Access Cover	<b>NGS PID (If applic.):</b> N/A
<b>Stamping:</b> H0150273	<b>Northing:</b> 13724098.696
<b>Condition:</b> Good	<b>Easting:</b> 2061144.273
<b>Marker:</b> 3/4" Alum. Rod to Refusal	<b>Elevation:</b> 933.032'
<b>Stability:</b> B	<b>Scale Factor:</b> 0.999866674
<b>Latitude:</b> 29°29'06.97684"N	<b>Elevation Factor:</b> 0.99995932
<b>Longitude:</b> 98°42'31.63701"W	<b>Combined Factor:</b> 0.999826
<b>Ellipsoid Height:</b>	<b>Convergence:</b> 0°08'34"
<b><u>To Reach Description</u></b>	
<p>From the intersection of Potranco Road and Loop 1604 travel 3.4 miles East along Loop 1604 to station on top of a hill before entrance ramp from S.H. 151 and 0.6 of a mile South of intersection of Loop 1604 and Culebra Road (F.M. 471). The monument is located 66.25 feet North from a fence corner, 61.9 feet East from a corner of concrete and 39.35 feet West from the extended fence line at the East right-of-way. (Dated Description 2003).</p>	
<b>Notes:</b>	

<p><b>Highway:</b> Loop 1604 <b>TxDOT Project No.:</b> 15-3XXP1004</p>	<p><b>Station Name:</b> <b>H0150273</b></p>
--	---

**Station Sketch**



**Photo 1 – Station Detail**



**Photo 2 – Station Area Picture**




**Point Information Disclaimer:** This data has been supplied by state statute. No expressed or implied warranties are made by TxDOT for the accuracy, completeness, reliability, usability, or suitability of the point data. The department assumes no responsibility for incorrect results or damages resulting from the use of data.

<b>Highway:</b> Loop 1604 <b>TxDOT Project No.:</b> 15-3XXP1004	<b>Station Name:</b> <b>H0150273AZ</b>
<b>County:</b> Bexar <b>State:</b> TX <b>TxDOT Quality Level of Survey:</b> 2	<b>Established By:</b> CDS/Muery Services <b>Date Established:</b> Sept., 2004
<b>Intervisible Stations:</b> H0150273 <b>Units of Measure:</b> US Survey Feet	<b>Survey Method Hor.:</b> GPSOBS <b>Survey Method Vert.:</b> GPSOBS
<b>Horizontal Datum:</b> NAD83 <b>Horizontal Adj.:</b> 1986 <b>Projection Zone:</b> Texas South Central 4204	<b>Vertical Datum:</b> NAVD88 <b>Vertical Adjustment:</b> 1988 <b>Geoid Model Used:</b> GEOID03
<b>Mark Logo:</b> TxDOT Access Cover	<b>NGS PID (If applic.):</b> N/A
<b>Stamping:</b> H0150273AZ	<b>Northing:</b> 13729760.158
<b>Condition:</b> Good	<b>Easting:</b> 2063212.167
<b>Marker:</b> 3/4" Alum. Rod to Refusal	<b>Elevation:</b> 892.897'
<b>Stability:</b> B	<b>Scale Factor:</b> 0.9998674204
<b>Latitude:</b> 29°30'02.97731"N	<b>Elevation Factor:</b> 0.99996124
<b>Longitude:</b> 98°42'08.07370"W	<b>Combined Factor:</b> 0.99982866
<b>Ellipsoid Height:</b>	<b>Convergence:</b> 0°08'45"
<b><u>To Reach Description</u></b>	
<p>The azimuth mark is along Loop 1604 Westbound access road, 0.75 of a mile South of Leslie Road and 1.1 miles South of the intersection of Shaenfield Road and Loop 1604 in front of Wal-Mart. The monument is located 25.8 feet Southeast of a Cypress tree; 18.3 feet Northeast of another Cypress tree, both 3 inches in diameter and 2.5 feet West from the edge of concrete of a sidewalk. (Dated Description 2003).</p>	
<b>Notes:</b>	

<b>Highway:</b> Loop 1604 <b>TxDOT Project No.:</b> 15-3XXP1004	<b>Station Name:</b> <b>H0150273AZ</b>
--	---

**Station Sketch**



**Photo 1 – Station Detail**




**Photo 2 – Station Area Picture**




**Point Information Disclaimer:** This data has been supplied by state statute. No expressed or implied warranties are made by TxDOT for the accuracy, completeness, reliability, usability, or suitability of the point data. The department assumes no responsibility for incorrect results or damages resulting from the use of data.




<b>Project:</b> LOOP 1604
<b>County:</b> BEXAR
<b>Survey Method</b> Horizontal: N/A Vertical: Digital Leveling
<b>Horizontal Datum:</b> N/A
<b>TXDOT CSJ No:</b> 15-76-2452-01-042-150
<b>TXDOT Contract No:</b> 15-6XXP1011
<b>Established By:</b> Pollok and Sons Surveying, Inc.
<b>Date Established:</b> June 2007
<b>Vertical Datum:</b> NAVD88





<b>Vertical Adjustment:</b>
<i>US Feet (Surface)</i>
<b>Station Name</b> NT27986111
<b>Northing</b>
<b>Easting</b>
<b>Elevation</b> 982.45'
<b>Monument Description</b> 4' of 3/4" Berntsen set with access cover and stamped NT27986111.



**Route Description to Station**  
From the intersection of loop 1604 and Hwy 151, travel south along loop 1604 1000' to the monument in the west r.o.w. of loop 1604. The monument is located 150' west of loop 1604 and 4' southwest firehydrant.




# Benchmark: NT28035816

<b>Project:</b> LOOP 1604	<b>Station Sketch</b>
<b>County:</b> BEXAR	
<b>Survey Method</b> Horizontal: N/A Vertical: Digital Leveling	
<b>Horizontal Datum:</b> N/A	
<b>TXDOT CSJ No:</b> 15-76-2452-01-042-150	
<b>TXDOT Contract No:</b> 15-6XXP1011	
<b>Established By:</b> Pollok and Sons Surveying, Inc.	
<b>Date Established:</b> June 2007	
<b>Vertical Datum:</b> NAVD88	
<b>Vertical Adjustment:</b>	<b>Photo 1 – Station (Monument Detail)</b>
<i>US Feet (Surface)</i>	
<b>Station Name</b>	NT28035816
<b>Northing</b>	
<b>Easting</b>	
<b>Elevation</b>	917.76'
<b>Monument Description</b>	
6.5' feet of ¾" Berntsen with access cover stamped NT28035816	
<b>Route Description to Station</b>	<b>Photo 2 – Station (Area Picture)</b>
From the intersection of Highway 151 and Loop 1604 travel south along loop 1604 approximately 2 miles to the monument in the east right-of-way. The monument is located 15' feet east of loop 1604, 125' feet north of Oak Creek Subdivision entrance, and 6' southwest of power pole.	


Point Information Disclaimer: This data has been supplied by state statute. No expressed or implied warranties are made by TXDOT for the accuracy, completeness, reliability, usability, or suitability of the point data. The department assumes no responsibility for incorrect results or damages resulting from the use of data.



<b>Project:</b> LOOP 1604
<b>County:</b> BEXAR
<b>Survey Method</b> Horizontal: N/A Vertical: Digital Leveling
<b>Horizontal Datum:</b> N/A
<b>TXDOT CSJ No:</b> 15-76-2452-01-042-150
<b>TXDOT Contract No:</b> 15-6XXP1011
<b>Established By:</b> Pollok and Sons Surveying, Inc.
<b>Date Established:</b> June 2007
<b>Vertical Datum:</b> NAVD88




<b>Vertical Adjustment:</b>	
<i>US Feet (Surface)</i>	
<b>Station Name</b>	NT28045686
<b>Northing</b>	
<b>Easting</b>	
<b>Elevation</b>	841.18'
<b>Monument Description</b>	
5' of 3/4" Berntsen set with access cover and stamped NT28045686	






**Route Description to Station**




From the intersection of Potranco and Loop 1604 travel north along loop 1604 approximately 0.4 miles to the monument in the east right-of-way. The monument is located 20' feet east of loop 1604, 60' feet south of Church entrance, and 3' north of power pole.






Point Information Disclaimer: This data has been supplied by state statute. No expressed or implied warranties are made by TXDOT for the accuracy, completeness, reliability, usability, or suitability of the point data. The department assumes no responsibility for incorrect results or damages resulting from the use of data.

<b>Project:</b> LOOP 1604		<b>Station Sketch</b> 
<b>County:</b> BEXAR		
<b>Survey Method</b> Horizontal: N/A Vertical: Digital Leveling		
<b>Horizontal Datum:</b> N/A		
<b>TXDOT CSJ No:</b> 15-76-2452-01-042-150		
<b>TXDOT Contract No:</b> 15-6XXP1011		
<b>Established By:</b> Pollok and Sons Surveying, Inc.		
<b>Date Established:</b> June 2007		
<b>Vertical Datum:</b> NAVD88		
<b>Vertical Adjustment:</b>		
<i>US Feet (Surface)</i>		
<b>Station Name</b>	NT28055751	
<b>Northing</b>		
<b>Easting</b>		
<b>Elevation</b>	850.57'	
<b>Monument Description</b> 6" of 3/4" Berntsen set with access cover and stamped NT28055751		<b>Photo 2 – Station (Area Picture)</b> 
<b>Route Description to Station</b> From the intersection of loop 1604 and military drive west, travel south along loop 1604 500' south to the monument in the east r.o.w. The monument is located 20' east of loop 1604, and 5' southwest of power pole.		

Point Information Disclaimer: This data has been supplied by state statute. No expressed or implied warranties are made by TXDOT for the accuracy, completeness, reliability, usability, or suitability of the point data. The department assumes no responsibility for incorrect results or damages resulting from the use of data.

<b>Project:</b> LOOP 1604	<b>Station Sketch</b>	
<b>County:</b> BEXAR		
<b>Survey Method</b> Horizontal: N/A Vertical: Digital Leveling		
<b>Horizontal Datum:</b> N/A		
<b>TXDOT CSJ No:</b> 15-76-2452-01-042-150		
<b>TXDOT Contract No:</b> 15-6XXP1011		
<b>Established By:</b> Pollok and Sons Surveying, Inc.		
<b>Date Established:</b> June 2007		
<b>Vertical Datum:</b> NAVD88		
<b>Vertical Adjustment:</b>		
<i>US Feet (Surface)</i>		
<b>Station Name</b>	NT28055942	
<b>Northing</b>		
<b>Easting</b>		
<b>Elevation</b>	950.64'	
<b>Monument Description</b>		
5.5' of 3/4" Berntsen set with access cover and stamped NT28055942.		
<b>Photo 1 – Station (Monument Detail)</b>		
		
<b>Route Description to Station</b>		
At the intersection of loop 1604 and Wiseman, the monument is located in the southeast quadrant of intersection 20' east of loop 1604, 3' northwest of power pole and 40' south of Wiseman Road.		
<b>Photo 2 – Station (Area Picture)</b>		
		




<b>Project:</b> LOOP 1604	<b>Station Sketch</b>	
<b>County:</b> BEXAR		
<b>Survey Method</b> Horizontal: N/A Vertical: Digital Leveling		
<b>Horizontal Datum:</b> N/A		
<b>TXDOT CSJ No:</b> 15-76-2452-01-042-150		
<b>TXDOT Contract No:</b> 15-6XXP1011		
<b>Established By:</b> Pollok and Sons Surveying, Inc.		
<b>Date Established:</b> June 2007		
<b>Vertical Datum:</b> NAVD88		
<b>Vertical Adjustment:</b>		
<b>US Feet (Surface)</b>		
<b>Station Name</b>	NT28066009	
<b>Northing</b>		
<b>Easting</b>		
<b>Elevation</b>	975.81'	
<b>Monument Description</b>		
Aluminum disc set in concrete and stamped NT28066009.		
<b>Photo 1 – Station (Monument Detail)</b>		
		
<b>Route Description to Station</b>		
From the intersection of loop 1604 and north entrance of Northwest Vista college, the monument is located 80' south of entrance, 17' east of loop 1604, and 15' north of power pole at the end of a concrete retaining wall.		
<b>Photo 2 – Station (Area Picture)</b>		
		






<b>Project:</b> LOOP 1604	<b>Station Sketch</b>	
<b>County:</b> BEXAR		
<b>Survey Method</b>		
Horizontal: N/A		
Vertical: Digital Leveling		
<b>Horizontal Datum:</b>		
N/A		
<b>TXDOT CSJ No:</b> 15-76-2452-01-042-150		
<b>TXDOT Contract No:</b> 15-6XXP1011		
<b>Updated By:</b> Pollok & Sons Surveying Inc.		
<b>Date Updated:</b> June 2007		
<b>Vertical Datum:</b> NAVD 88		
<b>Vertical Adjustment:</b>	<b>Photo 1 – Station (Monument Detail)</b>	
<i>US Feet (Surface)</i>		
<b>Station Name</b>	L15(NT28226176)	
<b>Northing</b>		
<b>Easting</b>		
<b>Elevation</b>	934.97'	
<b>Monument Description</b>		
Brass Disc set in concrete and stamped L15.		
<b>Route Description to Station</b>		
At the intersection of Highway 151 and Loop 1604, the monument is located in the east right-of-way 126' east of loop 1604, 111' southeast of Culebra Rd. Exit sign, and 400' north of loop 1604 to 151 exit.		
<b>Route Description to Station</b>	<b>Photo 2 – Station (Area Picture)</b>	
(This cell is empty as the description is in the previous row)		

Point Information Disclaimer: This data has been supplied by state statute. No expressed or implied warranties are made by TXDOT for the accuracy, completeness, reliability, usability, or suitability of the point data. The department assumes no responsibility for incorrect results or damages resulting from the use of data.



# Benchmark: L15B

<b>Project:</b> LOOP 1604	<b>Station Sketch</b>	
<b>County:</b> BEXAR		
<b>Survey Method</b> Horizontal: N/A Vertical: Digital Leveling		
<b>Horizontal Datum:</b> N/A		
<b>TXDOT CSJ No:</b> 15-76-2452-01-042-150		
<b>TXDOT Contract No:</b> 15-6XXP1011		
<b>Updated By:</b> Pollok & Sons Surveying Inc.		
<b>Date Updated:</b> June 2007		
<b>Vertical Datum:</b> NAVD 88		
<b>Vertical Adjustment:</b> N/A		
<b>US Feet (Surface)</b>		
<b>Station Name</b>	L15B(NT28056158)	
<b>Northing</b>		
<b>Easting</b>		
<b>Elevation</b>	927.84'	
<b>Monument Description</b>		
Brass Disc set in concrete and stamped L15B.		
<b>Photo 1 – Station (Monument Detail)</b>		
		
<b>Route Description to Station</b>		
From the intersection of Highway 151 and Loop 1604, the monument is located +/-500' north of intersection, 80' west of loop 1604 in the west R.O.W. of loop 1604.		
<b>Photo 2 – Station (Area Picture)</b>		
		




# Benchmark: L17

<b>Project:</b> LOOP 1604	<b>Station Sketch</b>	
<b>County:</b> BEXAR		
<b>Survey Method</b> Horizontal: N/A Vertical: Digital Leveling		
<b>Horizontal Datum:</b> N/A		
<b>TXDOT CSJ No:</b> 15-76-2452-01-042-150		
<b>TXDOT Contract No:</b> 15-6XXP1011		
<b>Updated By:</b> Pollok & Sons Surveying Inc.		
<b>Date Updated:</b> June 2007	<b>Photo 1 – Station (Monument Detail)</b>	
<b>Vertical Datum:</b> NAVD 88		
<b>Vertical Adjustment:</b> N/A		
<i>US Feet (Surface)</i>		
<b>Station Name</b>		L17 (NT28086061)
<b>Northing</b>		
<b>Easting</b>		
<b>Elevation</b>	992.74'	
<b>Monument Description</b>		
Brass Disc set in concrete and stamped L17.		
<b>Route Description to Station</b>	<b>Photo 2 – Station (Area Picture)</b>	
From the intersection of loop 1604 and Highway 151, travel south along loop 1604 for 0.5 miles to the monument in the east R.O.W. of loop 1604. The monument is located 25' east of pavement, 3' south of power pole and directly east of highway 151 access, and loop 1604 division.		




# Benchmark: L20RESET

<b>Project:</b> LOOP 1604		<b>Station Sketch</b>	
<b>County:</b> BEXAR			
<b>Survey Method</b>			
Horizontal: N/A Vertical: Digital Leveling			
<b>Horizontal Datum:</b> N/A			
<b>TXDOT CSJ No:</b> 15-76-2452-01-042-150			
<b>TXDOT Contract No:</b> 15-6XXP1011			
<b>Updated By:</b> Pollok & Sons Surveying Inc.			
<b>Date Updated:</b> June 2007			
<b>Vertical Datum:</b> NAVD 88			
<b>Vertical Adjustment:</b> N/A			
<i>US Feet (Surface)</i>			
<b>Station Name</b>	L20RESET (NT28035881)		
<b>Northing</b>			
<b>Easting</b>			
<b>Elevation</b>	959.45'		
<b>Monument Description</b>		<b>Photo 2 – Station (Area Picture)</b>	
Brass Disc set in concrete and stamped L20 RESET.			
<b>Route Description to Station</b>			
From the intersection of highway 151 and loop 1604, travel south on loop 1604 1.6 miles to the monument in the east R.O.W. The monument is located 35' east of pavement, 125' north of Oak Creek Subdivision entrance, and 10' north and south of power poles.			

## Benchmark: L24

<b>Project:</b> LOOP 1604	<b>Station Sketch</b>	
<b>County:</b> BEXAR		
<b>Survey Method</b>		
Horizontal: N/A		
Vertical: Digital Leveling		
<b>Horizontal Datum:</b>		
N/A		
<b>TXDOT CSJ No:</b> 15-76-2452-01-042-150		
<b>TXDOT Contract No:</b> 15-6XXP1011		
<b>Established By:</b> Pollok & Sons Surveying Inc.		
<b>Date Updated:</b> June 2007		
<b>Vertical Datum:</b> NAVD 88		
<b>Vertical Adjustment:</b> N/A		
<b>Photo 1 – Station (Monument Detail)</b>		
		
<b>Monument Description</b> Brass Disc set in concrete and stamped L24.		
<b>Photo 2 – Station (Area Picture)</b>		
<b>Route Description to Station</b>		
From the intersection of loop 1604 and Potranco, the monument is locate 200' north of Potranco, 230' west of loop 1604 in the west R.O.W.		

## Benchmark: L25A

<b>Project:</b> LOOP 1604	<b>Station Sketch</b>											
<b>County:</b> BEXAR												
<b>Survey Method</b>												
Horizontal: N/A												
Vertical: Digital Leveling												
<b>Horizontal Datum:</b> N/A												
<b>TXDOT CSJ No:</b> 15-76-2452-01-042-150												
<b>TXDOT Contract No:</b> 15-6XXP1011												
<b>Updated By:</b> Pollok & Sons Surveying Inc.												
<b>Date Updated:</b> June 2007												
<b>Vertical Datum:</b> NAVD 88												
<b>Vertical Adjustment:</b> N/A												
<b>Photo 1 – Station (Monument Detail)</b>												
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="text-align: center;"><i>US Feet (Surface)</i></th> </tr> </thead> <tbody> <tr> <td style="width: 30%;"><b>Station Name</b></td> <td>L25A (NT28085621)</td> </tr> <tr> <td><b>Northing</b></td> <td></td> </tr> <tr> <td><b>Easting</b></td> <td></td> </tr> <tr> <td><b>Elevation</b></td> <td>803.51'</td> </tr> </tbody> </table> <p><b>Monument Description</b> Aluminum Disc set in concrete and stamped L25A.</p>		<i>US Feet (Surface)</i>		<b>Station Name</b>	L25A (NT28085621)	<b>Northing</b>		<b>Easting</b>		<b>Elevation</b>	803.51'	
<i>US Feet (Surface)</i>												
<b>Station Name</b>	L25A (NT28085621)											
<b>Northing</b>												
<b>Easting</b>												
<b>Elevation</b>	803.51'											
<b>Photo 2 – Station (Area Picture)</b>												
<b>Route Description to Station</b> At the intersection of loop 1604 and Potranco, the monument is located in the southeast quadrant of this intersection. 21' east of loop 1604, 2.5' southwest of metal power pole, and 3' northwest wire fence corner post. The monument is also located southwest of Valero corner store.												

<b>Highway:</b> Loop 1604 <b>TxDOT Project No.:</b> N/A	<b>Station Name:</b> <b>Z0151155</b>
<b>County:</b> Bexar <b>State:</b> TX <b>TxDOT Quality Level of Survey:</b> 2	<b>Established By:</b> TxDOT <b>Date Established:</b> Unknown
<b>Intervisible Stations:</b> Z0151155AZ <b>Units of Measure:</b> US Survey Feet	<b>Survey Method Hor.:</b> GPSOBS <b>Survey Method Vert.:</b> GPSOBS
<b>Horizontal Datum:</b> NAD83 <b>Horizontal Adj.:</b> 1993 <b>Projection Zone:</b> Texas South Central 4204	<b>Vertical Datum:</b> NAVD88 <b>Vertical Adjustment:</b> 1988 <b>Geoid Model Used:</b> GEOID03
<b>Mark Logo:</b> TxDOT Access Cover	<b>NGS PID (If applic.):</b> N/A
<b>Stamping:</b> Z0151155	<b>Northing:</b> 13745527.14
<b>Condition:</b> Good	<b>Easting:</b> 2071252.349
<b>Marker:</b> Aluminum Cap on Rod	<b>Elevation:</b> 1035.958'
<b>Stability:</b> B	<b>Scale Factor:</b> 0.9998698849
<b>Latitude:</b> 29°32'38.86803"N	<b>Elevation Factor:</b> 0.99995442
<b>Longitude:</b> 98°40'36.58447"W	<b>Combined Factor:</b> 0.99982431
<b>Ellipsoid Height:</b> 954.458'	<b>Convergence:</b> 0°09'30"
<b><u>To Reach Description</u></b>	
<p>From the intersection of Loop 1604 and Bandera Road (S.H. 16) travel 0.9 of a mile on Westbound Loop 1604 access road to a high point in front of "Bishop's Golf Academy" driving range. The monument is located 116.0 feet Southwest from the first fence post on the West side of the entrance to driving range and at a grass median between Westbound Loop 1604 main lanes and 3.9 feet South of the edge of pavement of the access road. (Dated Description 2003).</p>	
<b>Notes:</b>	

Highway: Loop 1604 TxDOT Project No.: N/A	Station Name: <b>Z0151155</b>
--	----------------------------------

Station Sketch




Photo 1 – Station Detail



Photo 2 – Station Area Picture



**Point Information Disclaimer:** This data has been supplied by state statute. No expressed or implied warranties are made by TxDOT for the accuracy, completeness, reliability, usability, or suitability of the point data. The department assumes no responsibility for incorrect results or damages resulting from the use of data.

Highway: Loop 1604 TxDOT Project No.: N/A	Station Name: <b>Z0151074</b>
County: Bexar State: TX TxDOT Quality Level of Survey: 2	Established By: TxDOT Date Established: 11/4/1994
Intervisible Stations: Z0151074AZ Units of Measure: US Survey Feet	Survey Method Hor.: GPSOBS Survey Method Vert.: GPSOBS
Horizontal Datum: NAD83 Horizontal Adj.: 1993 Projection Zone: Texas South Central 4204	Vertical Datum: NAVD88 Vertical Adjustment: 1988 Geoid Model Used: GEOID03
Mark Logo: Aluminum Control Disk	NGS PID (If applic.): N/A
Stamping: City Water Board Mon 4	Northing: 13704389.785
Condition: Good	Easting: 2060197.746
Marker: Aluminum Cap on Rod	Elevation: 818.466'
Stability: D	Scale Factor: 0.9998646472
Latitude: 29°25'51.86813"N	Elevation Factor: 0.99996481
Longitude: 98°42'42.89724"W	Combined Factor: 0.99982947
Ellipsoid Height: 736.91'	Convergence: 0°08'28"
<b><u>To Reach Description</u></b>	
<p>From the intersection of Loop 1604 and Potranco Road (West San Antonio) travel South on Loop 1604 for 0.15 of a mile to a gravel road on the West side of right-of-way, continue South on gravel road for another 0.15 of a mile to monument. The monument is located approximately 275.0 feet West from Loop 1604 centerline, 35.0 feet South of power pole S1212, also the monument is stamped "City Water Board" set under a black iron water valve box. (Dated Description 2003).</p>	
Notes:	


**Highway:** Loop 1604

**TxDOT Project No.:** N/A


**Station Name:**

**Z0151074**


**Station Sketch**




**Photo 1 – Station Detail**





**Photo 2 – Station Area Picture**



# Benchmark: L26

<b>Project:</b> LOOP 1604	<b>Station Sketch</b>
<b>County:</b> BEXAR	
<b>Survey Method</b> Horizontal: N/A Vertical: Digital Leveling	
<b>Horizontal Datum:</b> N/A	
<b>TXDOT CSJ No:</b> 15-76-2452-01-042-150	
<b>TXDOT Contract No:</b> 15-6XXP1011	
<b>Updated By:</b> Pollok & Sons Surveying Inc.	
<b>Date Updated:</b> June 2007	
<b>Vertical Datum:</b> NAVD 88	
<b>Vertical Adjustment:</b> N/A	<b>Photo 1 – Station (Monument Detail)</b>
<i>US Feet (Surface)</i>	
<b>Station Name</b>	L26 (NT28055562)
<b>Northing</b>	
<b>Easting</b>	
<b>Elevation</b>	816.18'
<b>Monument Description</b>	
Brass Disc set in concrete and stamped L26.	
<b>Route Description to Station</b>	<b>Photo 2 – Station (Area Picture)</b>
From the intersection of loop 1604 and Potranco, travel south on loop 1604 +/- 0.4 miles to the monument in the east R.O.W. The monument is located 21' east of loop 1604, 12' northwest of metal power pole, and 3' west of wire fence.	

<b>Project:</b> SH 16 – IH 410 to Loop 1604	<b>Station Sketch</b>	
<b>County:</b> Bexar		
<b>Survey Method</b> Horizontal: GPS RTK Vertical: Differential		
<b>Horizontal Datum:</b> NAD –83(93) TXSC Surface Coordinates Surface = Grid x 1.00017		
<b>TXDOT CSJ No:</b> 0291-10-055		
<b>TXDOT Contract No:</b> 15-5XXP1001		
<b>Established By:</b> CDS/Muery Services		
<b>Date Established:</b> August 2005		
<b>Vertical Datum:</b> NAVD88		
<b>Vertical Adjustment:</b> 1988		
<b>Photo 1 – Station (Monument Detail)</b>		
		
<b>Route Description to Station</b>		
<p>NT32326930 is located at the intersection of Bandera Road (SH 16) and Loop 1604 on the southeast quadrant of the intersection. The monument is 47.2 feet northeast from a "PI" of a concrete sidewalk, 24.5 west from a H.E.B. shopping center sign, and 6.5 feet northwest from the corner of a concrete sidewalk.</p>		
<b>Photo 2 – Station (Area Picture)</b>		
