



Commercial Laboratory Accreditation

Aviles Laboratory - Houston

POC: Ron Ortwerth, P.E.

Email: rortwerth@avilesengineering.com

Address: 5790 Windfern, Houston, TX 77041

Phone: (713) 895-7645

Quality Management System

Accredited laboratories undergo rigorous on-site assessments by the central lab. During these assessments, each test method is demonstrated in its entirety by the laboratory's technical staff, and the testing apparatus associated with each test is evaluated. The assessment also includes a thorough review of the laboratory's quality management system, including records of technician certification and proficiency requirements as well as equipment calibration records. Accreditation is an ongoing process conducted on a 3-year cycle.

Hotmix Asphalt – Central Lab Accredited since 5/7/2013

Tex-200-F (Parts I & II), 204-F, 206-F, Tex-207-F (Parts I,IV,VII), Tex-212-F (Parts II), 221-F, 222-F, 225-F, 226-F, 227-F, 233-F, 236-F, 239-F, 244-F

Soil – Central Lab Accredited since 5/7/2013

Tex-100-E, 101-E, 103-E, 104-E, 105-E, 106-E, 107-E, 110-E (Part I), 111-E, 113-E, 114-E, 115-E (Part I), 116-E, 117-E, 120-E, 121-E, 128-E, 129-E, 140-E, 145-E, 146-E

Aggregate – Central Lab Accredited since 5/7/2013

203-F, 217-F, 224-F, 280-F, 400-A, 401-A, 402-A, 403-A, 404-A, 405-A, 406-A (Part I), 408-A, 409-A, 413-A, 460-A

Concrete – Central Lab Accredited since 5/7/2013

Tex-407-A, 414-A, 415-A, 416-A, 417-A, 418-A, 422-A, 423-A, 424-A, 447-A, 448-A, 450-A

Asphalt and Chemical – Central Lab Accredited since 5/7/2013

Tex-500-C, 530-C

Texas Department of Transportation

Certificate of Accreditation

This is to signify that the

Aviles Laboratory - Houston ®

**Has met the minimum requirements set forth by
the TxDOT Quality Assurance Program for Construction.**

Presented by,

**Construction Division—Materials & Pavements Section
Texas Department of Transportation**

8/1/2017

DATE



CST M&P DIRECTOR

**This certificate should be verified with the Active Accreditation Directory for the Laboratory's current scope.*