



Hazardous Materials Initial Site Assessment (ISA)

September 2019

District: Beaumont

CSJs: 0028-13-135 & 0739-02-140; 10/69 Interchanges Project

The environmental review, consultation, and other actions required by applicable Federal environmental laws for this project are being, or have been, carried-out by TxDOT pursuant to 23 U.S.C. 327 and a Memorandum of Understanding dated December 16, 2014, and executed by FHWA and TxDOT.

Hazardous Materials Initial Site Assessment (ISA) Report

This ISA complies with the Federal Highway Administration's (FHWA's) policy dealing with hazardous materials discussed in FHWA's *Supplemental Hazardous Waste Guidance* (January 16, 1997) located at <http://www.environment.fhwa.dot.gov/guidebook/vol1/doc7b.pdf>.

FHWA's policy emphasizes three objectives: 1) identify and assess potentially contaminated sites early in project development, 2) coordinate early with federal/ state/ local agencies to assess the contamination and the cleanup needed; and 3) determine and implement measures early to avoid or minimize involvement with substantially contaminated properties.

In addition, completing the ISA will aid in identifying hazardous material issues early, avoiding construction delays, and reducing the department's liability associated with the purchase of contaminated right of way.

Maintain a copy of the completed ISA report with all applicable attachments in the project file.

For additional information, refer to TxDOT's online manual: *Hazardous Materials in Project Development*: <http://onlinemanuals.txdot.gov/txdotmanuals/haz/index.htm> and the Hazardous Materials Toolkit Site: <http://www.txdot.gov/inside-txdot/division/environmental/compliance-toolkits/haz-mat.html>

Abbreviations and Acronyms

CALF	Closed and Abandoned Landfill
CERCLIS	Comprehensive Environmental Response Compensation and Liability Information System
EA	Environmental Assessment
EIS	Environmental Impact Statement
ECOS	Environmental Compliance Oversight System
ERNS	Emergency Response Notification System
EPA	Environmental Protection Agency
ESA	Environmental Site Assessment
HAZMAT	Hazardous Materials
MS4	Municipal Separate Storm Sewer System
MSWLF	Municipal Solid Waste Landfill
NPL	National Priorities List
RCRA	Resource Conservation and Recovery Act
ROW	Right of Way
SEMS	Superfund Enterprise Management System
TCEQ	Texas Commission on Environmental Quality
TRRC	Texas Railroad Commission
US	United States
USGS	United States Geological Survey
VCP	Voluntary Cleanup Program

TxDOT Hazardous Materials Initial Site Assessment (ISA) Report

Project Information

CSJ No:0028-13-135 & 0739-02-140	City:Beaumont	Zip Code:77701, 77702, 77703, 77705, 77706, 77707, 77710	County:Jefferson
HWY:I-10 and US 69	Limits: I-10 from Walden Road (County Road 131) to 7th Street and US 69 from Fannett Road (State Highway 124) to 11th Street		

Section 1: Identify Previously Completed Environmental Site Assessments, Known Hazmat Conditions, Preliminary Project Design, and Right-of-Way Requirements

Note: Obtain information/comments from design, right-of-way, and/or environmental staff. Attach maps and/or details as appropriate.

<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Unknown	Are there any previous environmental assessments, testing, or studies performed within the proposed project area related to contamination issues (to include Phase I ESAs)? If yes, explain here if there are any concerns to the proposed project:
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Have the project schematics and/or plan-profile sheets (if available) been reviewed? * Look for substantial excavations (including utilities and storm sewer designs), new ROW and easements, and bridge demolitions or renovations.

* For consultants: this information shall be supplied by TxDOT.

Section 2: Demolition and Renovation Information Related to Asbestos and Lead-Containing-Paint

Yes No Are there proposed bridges or building demolitions or renovations for this project?

Note: If "Yes" is selected, buildings or structures being acquired through the acquisition process are assessed and mitigated for asbestos, as needed, within the ROW process according to the TxDOT ROW Manual ROW Vol. 6 Miscellaneous -Chapter 1 Section 5. Bridge structures being demolished or renovated are assessed and mitigated for asbestos and lead-containing-paint, as needed, within the construction process according to Standard Specification Item 6.10 (and applicable Provisions), and the TxDOT guidance document: Guidance for Handling Asbestos in Construction Projects, dated January 26, 2007.

Section 3: Project Screening

Note: Section 3.1 is only applicable for Categorically Excluded (CE) projects. If you are uncertain of the project type, select "No" and continue to Section 3.2.

Section 3.1 Determine if the proposed project has a low potential to encounter contamination. Refer to the preliminary schematics for project limits and internet-based maps for surrounding land use.

<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No or an EA or EIS Project	Are the limits of the proposed project within a historically undeveloped area and outside the boundaries of a designated MS4 permitted area? Historically undeveloped areas are locations where no commercial buildings are located within one-half (0.5) miles of the proposed project limits and the surrounding land use is historically agricultural, forest, or ranch lands.
--	---

If "Yes" is selected, the ISA is complete. The proposed project has a low potential to encounter contamination. Complete Sections 9 and 10 of this ISA and maintain a copy and all applicable attachments in the project file.

If "No" is selected, proceed to Section 3.2 of this ISA.

Section 3.2

Note: Determine if the project includes any of the activities listed below:

<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Project Excavations: Will the work consist of substantial excavation operations. Substantial excavation includes, but is not necessarily limited to: <ul style="list-style-type: none"> • Underpass construction, • Storm sewer installations, and • Trenching or tunneling that would require temporary or permanent shoring.
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Dewatering of Groundwater: Are there proposed de-watering operations. If yes, what is the estimated depth to groundwater?
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Encroachments: Are there known or potential encroachments into the project area? Encroachments include soil and groundwater contamination, dump sites, tanks, and other issues in the ROW.
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	ROW and Easements: Are there any acquisitions of new ROW, easements, temporary construction easements planned for the project?

3.3 Complete the appropriate box below:

- If Section 3.2 contains any "Yes" answers, please proceed to Section 4.
- If Section 3.2 contains all "No" answers, proceed to Section 6, Site Survey. Please perform a site survey documenting the results in Section 6 and then mark the appropriate box below. If a Phase I ESA has been prepared for this project, you may use the applicable site survey information from the Phase I ESA.
- The site survey did not identify evidence of any environmental concerns listed in Section 6. The ISA is complete. Complete Sections 9 and 10 and maintain a copy of the ISA and all applicable attachments in the project file.
- The site survey identified evidence of environmental concerns listed in Section 6. Continue with Section 4.

Section 4: Current and Past Land Use Information

Note: Review and assess current and past land use (up to 50 years) in the project area. Document and attach sources that were reviewed. If one or more Phase I ESAs were prepared for this project, please use applicable information from the Phase I ESAs to help complete this section of the ISA.

<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Available <input type="checkbox"/> Not Applicable	4.1 Review Current and Past USGS 7.5 Minute Topographic Maps of the project area: Look for oil & gas pipelines, tanks, landfills, or other industrial features. Describe any concerns: Three separate pipelines are shown transecting the project area on the 1960 and 1974 Beaumont West map. Oil and Gas Activity is further discussed in Section 8.1		
	List Topo Maps Reviewed:	Dates:	Comments:
	Beaumont East, Texas	1943, 1960, 1960 (photorevised 1970 and 1974), 2019	A topographic map has been included in the attachments as Figure 2.
	Beaumont West, Texas	1960, 1960 (photorevised 1970 and 1974), 2019	
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Available <input type="checkbox"/> Not Applicable	4.2 Review Current and Past Aerial Photographs of the project area: Look for oil & gas pipelines, tanks, landfills, or other industrial features. Describe any concerns: No concerns were identified on the aerial photographs.		
	List All Aerial Photos Reviewed:	Photo Dates:	Comments:

	<p>Google Earth Historical Aerials:</p> <p>NETR Online</p>	<p>1938, 1989, 1995, 1998, 2004, 2007, 2009, 2011, 2013, 2015, 2017, 2018</p> <p>1970, 2004, 2010</p>	<p>The 1938 aerial photograph depicts the majority of the land use in the proposed project area and area immediately adjacent to it as agricultural and forested. Additionally, the 1938 photograph shows residential and commercial development in the city of Beaumont to the east of the project area and oil and gas activities to the west of the project area. Between 1938 and 1970 residential and commercial development increased west of the proposed project. Additionally, the I-10 corridor was constructed between 1938 and 1970. Commercial development adjacent to and east of the project area has continued to increase from 1970 to present. Commercial development along Walden Road in the southern portion of the project area increased between 1989 and 1995. Current land use adjacent to the northern portion of the proposed project is residential and commercial and land use adjacent to the southern portion of the proposed project is commercial, agricultural, and forested.</p>
<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Available <input type="checkbox"/> Not Applicable	<p>4.3 Review Current and Past Right-of-Way Maps/Files*: Look for oil & gas pipelines, tanks, landfills, or other industrial features. Describe any concerns:</p>		
	List Maps/ Files & Dates Reviewed:	Comments:	
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Available <input type="checkbox"/> Not Applicable	<p>4.4 Review Sanborn Fire Insurance Maps/Files: Look for tanks, oil & gas pipelines, landfills, or other industrial features. Describe any concerns: No concerns identified.</p>		
	List Maps/ Files & Dates Reviewed:	Comments:	
<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Available <input checked="" type="checkbox"/> Not Applicable	<p>4.5 Review TxDOT As-Built Plans*: Were any concerns identified during previous work within the project limits? If yes, explain: If known, what is the previous Project CSJ:</p>		
<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Available <input checked="" type="checkbox"/> Not Applicable	<p>4.6 Review TxDOT Geotechnical Soil Boring Logs*: Were any concerns noted on the boring logs such as unusual odors, visible contamination, trash, waste or debris? If yes, explain:</p>		

<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Available	<p>4.7 Review TxDOT Temporary Use ROW Agreements (permits issued by the district to entities to occupy a portion of the ROW)*:</p> <p>Were any concerns such as monitor wells or treatment systems identified within the ROW? For consultants: this information shall be supplied by TxDOT.</p> <p>If yes, explain:</p>
<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Available	<p>4.8 Review Notifications of Contamination to TxDOT* (These are typically letters from TCEQ or third parties explaining the presence of contamination on TxDOT ROW):</p> <p>Were any concerns regarding contamination of ROW from off-site sources?</p> <p>If yes, explain:</p>

* For consultants: this information shall be supplied by TxDOT. If no information is supplied by TxDOT, then select Not Available.

Section 5: Complete a Regulatory Records Review (Database Search)

Note: Use the comment field in Section 5.1 to provide a synopsis of the total number of sites identified within the search distances of the regulatory record reviewed. No comments are required when no sites were identified or the regulatory record was not reviewed.

Select the appropriate box below:

A Database search was conducted through a contracted service. Indicate in Section 5.1, and if applicable, Section 5.2, the regulatory records searched. Maintain a complete copy of the database search findings (contractor's report deliverable) in the project file with the ISA.

A Database search was conducted in-house. For in-house database searches, not all databases need to be reviewed, but at a minimum the databases listed in Section 5.1 marked in **bold with a star(*)** must be reviewed. Include database records that list potential issues in the project file with the ISA. It is not necessary to include records of negative findings.

Section 5.1 Standard Database Sources of Environmental Information from Government Agency Records

Findings	Regulatory Record
<input type="checkbox"/> Sites Identified <input checked="" type="checkbox"/> No Sites Identified	<p>Federal Active NPL or Not NPL list (CERCLIS or SEMS sites)* https://cumulis.epa.gov/supercpad/CurSites/srchsites.cfm; and/or https://www.epa.gov/cleanups/cleanups-my-community (1 mile minimum search distance from project limits)</p>

Comments for Sites Identified:

<input checked="" type="checkbox"/> Sites Identified <input type="checkbox"/> No Sites Identified	<p>Federal Archived NPL or Not NPL list (CERCLIS or SEMS sites)* https://cumulis.epa.gov/supercpad/CurSites/srchsites.cfm (0.5 mile minimum search distance from project limits)</p>
--	--

Comments for Sites Identified: One site, Map ID 185, was identified within the specified search radius and is discussed in the attached Hazardous Materials Impact Evaluation.

<input checked="" type="checkbox"/> Sites Identified <input type="checkbox"/> No Sites Identified <input type="checkbox"/> Not Reviewed	<p>US EPA Brownfield Properties https://www.epa.gov/cleanups/cleanups-my-community (0.5 mile minimum search distance from project limits)</p>
---	---

Comments for Sites Identified: One site, Map ID 216, was identified within the specified search radius and is discussed in the attached Hazardous Materials Impact Evaluation.

<input checked="" type="checkbox"/> Sites Identified <input type="checkbox"/> No Sites Identified <input type="checkbox"/> Not Reviewed	<p>Federal RCRA Corrective Action (CORRACTS) list https://www.epa.gov/cleanups/cleanups-my-community, and/or http://www.epa.gov/enviro/ (1 mile minimum search distance from project limits)</p>
---	---

Comments for Sites Identified: One site, Map ID 4, was identified within the specified search radius and is discussed in the attached Hazardous Materials Impact Evaluation.

<input checked="" type="checkbox"/> Sites Identified <input type="checkbox"/> No Sites Identified <input type="checkbox"/> Not Reviewed	Federal RCRA non-CORRACTS Treatment Storage Disposal (TSD) facilities list http://www.envcap.org/statetools/tsdf/ and/or http://www.epa.gov/enviro/ (0.5 mile minimum search distance from project limits)
Comments for Sites Identified: One site, Map ID 4, was identified within the specified search radius and is discussed in the attached Hazardous Materials Impact Evaluation.	
<input checked="" type="checkbox"/> Sites Identified <input type="checkbox"/> No Sites Identified <input type="checkbox"/> Not Reviewed	Federal RCRA generators http://www.epa.gov/enviro/ (acquired property and adjoining properties)
Comments for Sites Identified: 20 sites were identified on the regulatory database report. Map IDs 75, 76, 80, 113, 115, 118, 121, 122, 123, 124, and 129 are situated between 106 ft to 597 ft from the project area and are not located on adjoining properties. These sites are therefore outside the specified search radius. Based on their distances, these eleven sites are not considered environmental concerns. Map IDs 11, 15, 48, 57, 58, 60, 65, 68, and 79 are discussed in the attached Hazardous Materials Impact Evaluation.	
<input checked="" type="checkbox"/> Sites Identified <input type="checkbox"/> No Sites Identified <input type="checkbox"/> Not Reviewed	Federal ERNS (or Responses) https://www.epa.gov/cleanups/cleanups-my-community (acquired property and adjoining properties)
Comments for Sites Identified: Eight sites were identified within the specified search radius. Map IDs 13, 14, 25, 36, 39, and 54 are discussed in the attached Hazardous Materials Impact Evaluation. Map IDs 36 and 39 each represent two sites. Six sites were identified in the regulatory database report as unlocated.	
<input checked="" type="checkbox"/> Sites Identified <input type="checkbox"/> No Sites Identified	TCEQ Industrial Hazardous Waste Corrective Action (IHWCA) sites only* http://www15.tceq.texas.gov/crpub/ (1 mile minimum search distance from project limits)
Comments for Sites Identified: Seven sites were identified within the specified search radius. Map IDs 3, 4, 115, 150, 157, 182, and 188 are discussed in the attached Hazardous Materials Impact Evaluation.	
<input type="checkbox"/> Sites Identified <input checked="" type="checkbox"/> No Sites Identified	TCEQ Superfund sites* http://www15.tceq.texas.gov/crpub/ and/or https://www.tceq.texas.gov/remediation/superfund/sites/index.html (1 mile minimum search distance from project limits)
Comments for Sites Identified:	
<input type="checkbox"/> Sites Identified <input checked="" type="checkbox"/> No Sites Identified	Closed and abandoned municipal solid waste landfill sites* http://www.tceq.texas.gov/permitting/waste_permits/msw_permits/msw-data (0.5 mile minimum search distance from project limits)
Comments for Sites Identified:	
<input checked="" type="checkbox"/> Sites Identified <input type="checkbox"/> No Sites Identified	TCEQ leaking petroleum storage tank remediation lists (LPST)* http://www15.tceq.texas.gov/crpub/ (0.5 mile minimum search distance from project limits)
Comments for Sites Identified: 108 sites were identified within the specified search radius. 74 sites are situated between 148 ft and 2,629 ft from the project area and are not located on adjacent properties. Based on their distance these 74 sites are not considered environmental concerns. 34 sites, Map IDs 1, 2, 3, 4, 5, 6, 7, 8, 28, 31, 32, 35, 37, 38, 42, 43, 46, 48, 49, 55, 57, 58, 64, 66, 67, 69, 70, 74, 78, 83, and 87, are discussed in the attached Hazardous Materials Impact Evaluation. Map ID 5, 35, and 78 each represent two sites.	
<input checked="" type="checkbox"/> Sites Identified <input type="checkbox"/> No Sites Identified	TCEQ registered petroleum storage tank lists (PST)* http://www15.tceq.texas.gov/crpub/ (acquired property and adjoining properties)

Comments for Sites Identified: 122 sites were identified on the regulatory database. 60 sites are situated between 148 ft and 1,436 ft from the project area. These sites not located on adjoining properties and are, therefore, outside the specified search radius. Based on their distance, these 60 sites are not considered environmental concerns.

62 sites, Map IDs 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 23, 26, 28, 31, 32, 33, 34, 35, 37, 38, 39, 40, 42, 43, 46, 48, 49, 51, 54, 55, 56, 57, 58, 59, 61, 63, 64, 65, 67, 68, 69, 70, 71, 72, 73, 74, 77, 78, 81, 82, 83, 84, 85, 87, and 89 are located within the specified search radius and are discussed in the attached Hazardous Materials Impact Evaluation. Map IDs 4, 6, 10, 51, and 68 each represent two sites.

<input checked="" type="checkbox"/> Sites Identified	TCEQ voluntary cleanup program (VCP) sites* http://www15.tceq.texas.gov/crpub/ (0.5 mile minimum search distance from project limits)
<input type="checkbox"/> No Sites Identified	

Comments for Sites Identified: Three sites were identified within the specified search radius. Map IDs 102, 157, and 182 are discussed in the attached Hazardous Materials Impact Evaluation.

<input checked="" type="checkbox"/> Sites Identified	TCEQ Innocent Owner/ Operator (IOP) sites http://www15.tceq.texas.gov/crpub/ (0.5 mile minimum search distance from project limits)
<input type="checkbox"/> No Sites Identified	
<input type="checkbox"/> Not Reviewed	

Comments for Sites Identified: Four sites were identified within the specified search radius. Map IDs 136 and 160 each represent two sites and are discussed in the attached Hazardous Materials Impact Evaluation.

<input type="checkbox"/> Sites Identified	TCEQ Dry Cleaners <u>remediation only</u> Database* http://www15.tceq.texas.gov/crpub/ (0.5 mile minimum search distance from project limits)
<input checked="" type="checkbox"/> No Sites Identified	

Comments for Sites Identified:

<input checked="" type="checkbox"/> Sites Identified	Texas Railroad Commission VCP sites* http://www.rrc.state.tx.us/oil-gas/environmental-cleanup-programs/site-remediation/voluntary-cleanup-program/ (0.5 mile minimum search distance from project limits)
<input type="checkbox"/> No Sites Identified	

Comments for Sites Identified: One site, Map ID 212, was identified within the specified search radius and is discussed in the attached Hazardous Materials Impact Evaluation.

Section 5.2 List below other pertinent records reviewed such as local records and/or additional state records

Record Source and Comments:

Record Source and Comments:

APAR: Five sites were identified on the regulatory database. Map IDs 4, 102, 157, 182, 188 are associated with other regulatory listings and are discussed in the attached Hazardous Materials Impact Evaluation.

GWCC: Nine sites were identified on the regulatory database. Map IDs 4, 31, 38, 48, 49, 55, 58, 66, and 74 are associated with other regulatory listings and are discussed in the attached Hazardous Materials Impact Evaluation.

IHW: 76 sites were identified on the regulatory database. 38 sites, Map IDs 3, 4, 5, 6, 9, 10, 11, 20, 24, 27, 30, 33, 35, 39, 46, 47, 52, 53, 59, 65, 67, 68, 70, 79, 83, 86, 87, 90, 98, and 130, are located adjacent to the project area and are discussed in the attached Hazardous Materials Impact Evaluation. Map IDs 11, 20, 24, 33, 59, 83, 90, 130 each represent two IHW sites. 38 sites are situated between 322 and 1,299 ft away from the project area and are not located on adjacent parcels. Sites that are not adjacent are not considered an environmental concern.

MSWLF: Four sites were identified within the specified search radius. Map IDs 180 and 205 are associated with other regulatory listings and are discussed in the attached Hazardous Materials Impact Evaluation. Map IDs 180 and 205 each represent two sites.

RCRASUBC: One site, Map ID 4, was identified on the regulatory database report. The listing is associated with a RCRAC site and is discussed in the attached Hazardous Materials Impact Evaluation.

TIER II: Three sites were identified on the regulatory database. Map IDs 10, 11, and 68 are associated with other regulatory listings and are discussed in the attached Hazardous Materials Impact Evaluation.

Section 6: Complete a Project Site Survey

Note: Do not document site survey concerns that were previously identified by the regulatory list search, by the Current and Past Land Use review, or both. In Section 6.1, describe the location and size of the concern. Attach site maps and photographs, as appropriate. If a Phase I ESA has been prepared for this project, you may use the applicable site survey information from the Phase I ESA and updated current site conditions, as needed.

Possible Site Survey Concerns: The following items are to be used as a guide to help identify potential hazardous material issues during a site survey.

- underground storage tanks
- aboveground storage tanks
- injection wells, cisterns, sumps, dry wells
- floor drains, walls stained by substances other than water or emitting foul odors
- stockpiling, storage of material
- surface dumping of trash, garbage, refuse, rubbish, debris half exposed/buried, etc.
- stained, discolored, barren, exposed or foreign (fill) soil
- oil sheen or film on surface water, seeps, lagoons, ponds, or drainage basins
- changes in drainage patterns from possible fill areas
- Dead animals (fish, birds, etc.)
- vent pipes, fill pipes, or access ways indicating a fill pipe protruding from the ground
- electrical and transformer equipment storage or evidence of release
- groundwater monitoring wells and groundwater treatment systems
- vats, 55-gallon drums (labeled/unlabeled), canisters, barrels, bottles, etc.
- evidence of liquid spills
- damaged or discarded automotive or industrial batteries
- dead, damaged, or stressed vegetation
- pits, ponds, or lagoons associated with waste treatment or waste disposal
- security fencing, protected areas, placards, warning signs

Site Survey Date(s): May and June 2019

6.1 Describe Concerns Observed During the Site Survey. **Do not** include concerns previously identified during the regulatory list search, the current and past land use review or both. Indicate if the concern is associated with existing ROW, proposed ROW, adjacent property, or easements. Provide address location (or relative location) and any additional information about the evidence identified; include photographs as an attachment to the ISA.

Comments or Concerns Identified: During the site visit ten exposed pipelines were observed crossing Hillebrandt Bayou approximately 1,030 feet north of the Port Arthur Canal. The regulatory database only identified four pipeline crossings in this specific location. Markers for these pipelines were observed southeast of Hillebrandt Bayou through the project area. Formal utilities location and advance planning would be required to facilitate pipeline and utilities adjustments and to otherwise avoid associated impacts. TxDOT Beaumont District SUE Coordinator and ROW will be responsible for the adjustments and displacements.

Section 7: Interviews

Section 7.1 Were interviews conducted? Yes No

Possible interviewees include local residents, TxDOT staff, fire department personnel, city or county department of health/environmental staff, city or county planning staff, TCEQ staff, TRRC staff, and current and former property owners or operators.

If one or more Phase I ESAs were prepared for this project, please use applicable interview information from the Phase I ESAs to help complete this section of the ISA.

Section 7.2 Interview Summary: Complete this section if interviews were conducted. Add additional rows as needed. Attach record of communications to the ISA.

Name:	Title:	Date:
Describe any potential concerns:		
Name:	Title:	Date:
Describe any potential concerns:		
Name:	Title:	Date:
Describe any potential concerns:		

Section 8: Hazardous Material Concerns

On the list below, indicate if a concern is resolved or unresolved. "Unresolved" indicates additional investigation or research is required. "Resolved" indicates the concern has been resolved during the preparation of this ISA. If a concern is "Unresolved" or "Resolved", include a statement explaining the planned next steps to resolve the issue. If no concerns were identified, select "No Issue".

For additional information regarding scheduling considerations, internal/external coordination and recommended practices for resolving hazmat issues please refer to TxDOT's *Environmental Tool Kit* web site.

Contact TxDOT ENV Hazardous Material Management (HMM) for additional assistance.

8.1 Identify Type of Hazardous Material Concerns

Resolution	Type of Concern
<input type="checkbox"/> Unresolved <input type="checkbox"/> Resolved <input checked="" type="checkbox"/> No Issue	Current or Past Land Use Concerns: These concerns are associated with hazardous material issues identified in Section 4 that were not discovered during the database search in Section 5.1 or during the Site Survey in Section 6.1. Note: For ECOS IIR development, the Available Contaminated Media would be "Other".
Explain Unresolved or Resolved Issues:	
<input type="checkbox"/> Unresolved <input checked="" type="checkbox"/> Resolved <input type="checkbox"/> No Issue	Site Visit Concerns: These concerns are associated with hazardous material issues discovered following the completion of Section 6 that were not previously discovered during the database search in Section 5.1 or during the current and past land use review in Section 4. Note: For ECOS IIR development, the Available Contaminated Media would be "Other".
Explain Unresolved or Resolved Issues: During the site visit ten exposed pipelines were observed crossing Hillebrandt Bayou approximately 1,030 feet north of the Port Arthur Canal. The regulatory database only identified four pipeline crossings in this specific location. Markers for these pipelines were observed southeast of Hillebrandt Bayou through the project area. Formal utilities location and advance planning would be required to facilitate pipeline and utilities adjustments and to otherwise avoid associated impacts. TxDOT Beaumont District SUE Coordinator and ROW will be responsible for the adjustments and displacements.	
<input type="checkbox"/> Unresolved <input type="checkbox"/> Resolved <input type="checkbox"/> No Issue <input checked="" type="checkbox"/> N/A	Interview Concerns: These concerns are associated with any hazardous material issues discovered during an interview listed in Section 7, that were not previously discovered during the database search in Section 5.1, during the current and past land use review in Section 4, or during the Site Survey in Section 6.1. Note: For ECOS IIR development, the Available Contaminated Media would be "Other".
Explain Unresolved or Resolved Issues:	

<input checked="" type="checkbox"/> Unresolved <input type="checkbox"/> Resolved <input type="checkbox"/> No Issue	Petroleum Storage Tanks (PSTs) Concerns discovered during the database search: PSTs are underground or aboveground storage tanks used to store fuel or other petroleum substances. Typically, these are found at gasoline and diesel refueling facilities. Select below all that apply.	
	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	ROW acquisition or partial acquisition of a parcel with one or more PSTs.
	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Other- Describe:
<p>Explain Unresolved or Resolved Issues: ROW would be acquired from five PST sites, Map IDs 6, 7, 9, and 40 (Map ID 6 represents two sites).</p> <p>Map IDs 9 and 40 are considered low environmental concerns, Map ID 6 is considered a moderate environmental risk, and Map ID 7 is considered a high environmental risk. All sites are discussed in the attached Hazardous Materials Impact Evaluation.</p>		
<input checked="" type="checkbox"/> Unresolved <input type="checkbox"/> Resolved <input type="checkbox"/> No Issue	Leaking Petroleum Storage Tanks (LPSTs) Concerns discovered during the database search: LPSTs are PSTs that have caused or are suspected to have caused a release of fuel or other petroleum substances to the environment.	
	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Additional Research is needed or uncertain of impacts from one or more LPSTs. Request assistance from ENV.
	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	ROW acquisition or partial acquisition of a parcel with one or more LPSTs.
	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	One or more LPSTs are located within 0.25 miles of the project.
	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Other- Describe:
<p>Explain Unresolved or Resolved Issues: ROW would be acquired from two LPST sites, Map IDs 6 and 7. The project area is adjacent to three open LPST sites, Map ID 3, 48, and 49, and additional research is needed.</p> <p>Map IDs 3 and 6 are considered moderate environmental risks and Map IDs 7, 48, and 49 are considered high environmental risks. All sites are discussed in the attached Hazardous Materials Impact Evaluation.</p>		
<input type="checkbox"/> Unresolved <input checked="" type="checkbox"/> Resolved <input type="checkbox"/> No Issue	Oil and Gas Activity Concerns: TxDOT is concerned with the acquisition of oil and gas wells (and ancillary equipment) such as process, piping, production equipment, pipelines, etc. Select below all that apply.	
	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Additional Research needed or uncertain of impacts. Request assistance from ENV.
	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Database search identified TRRC VCP Site within 0.5 miles of project.
	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Oil/ Gas Wells within future ROW.
	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Spills or other Contamination Issues associated with ancillary equipment or pipelines.
	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Other- Describe: 11 oil/gas pipeline crossings were identified on the regulatory database transecting the project area.
<p>Explain Unresolved or Resolved Issues:</p> <p>Five "In Service" pipelines transecting the proposed project between Corley Ave and Milam St:</p> <ul style="list-style-type: none"> One ExxonMobile Oil Corporation 8.63-in diameter ethylene pipeline One ExxonMobile Oil Corporation 8.63-in diameter isobutane pipeline One Mobil Pipe Line Company 10.75-in diameter crude oil pipeline One Mobil Pipe Line Company 8.63-in diameter crude oil pipeline One Sunoco Pipeline L.P. 8.63-in diameter refined products pipeline <p>Four "In Service" pipelines transecting the proposed project approximately 1,030 ft north of the Port Arthur Canal:</p> <ul style="list-style-type: none"> One Centana Intrastate Pipeline LLC 12.75-in diameter natural gas pipeline 		

One Oneok NGL Pipeline, L.L.C 10.75-in diameter natural gas liquids
 One Sunoco Pipeline L.P. 8.63-in diameter crude oil pipeline
 One Kinder Morgan Texas Pipeline LLC 18-in diameter natural gas pipeline

One "Abandoned" Houston Pipeline Company LP 8.63-in diameter natural gas pipeline transecting the proposed project just south of the Port Arthur Canal.

One "Abandoned" Chevron Pipeline Company 8.63-in diameter refined products pipeline transecting the proposed project approximately 1,730 feet north of the Port Arthur Canal and again transecting the proposed project at Fannett Road.

One TRRC VCP site was identified within the specified search radius and is considered a low environmental concern. This site is discussed in the attached Hazardous Materials Impact Evaluation.

Based on the regulatory information on the pipelines, these features are not considered an environmental concern. Formal utilities location and advance planning would be required to facilitate pipeline and utilities adjustments and to otherwise avoid associated impacts. TxDOT Beaumont District SUE Coordinator and ROW will be responsible for the adjustments and displacements.

<input type="checkbox"/> Unresolved <input checked="" type="checkbox"/> Resolved <input type="checkbox"/> No Issue	Non-LPST Source Contamination Concerns discovered during the database search: These are sites or locations that have a potential for soil and groundwater contamination and are not associated with LPST sites. Select below all that apply.
--	---

<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Additional Research is needed or uncertain of impacts from a Non-LPST site. Request assistance from ENV.
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Database search identified SEMS Active NPL or Not NPL site(s) within 1 mile of the project. This may be identified on a database search as a CERCLIS or NPL site.
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Database search identified SEMS Archived NPL or Not NPL site(s) within 0.5 miles of the project. This may be identified on a database search as a CERCLIS NFRAP.
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Database search identified RCRA Corrective Action(s) site within 1 mile of project.
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Database search identified RCRA TSD facilities within 0.5 miles of project.
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Database search identified TCEQ IHW Corrective Action sites within 1 mile of project.
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Database search identified TCEQ Superfund sites within 1 mile of project.
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Database search identified TCEQ VCP sites within 0.5 miles of project.
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Database search identified TCEQ IOP sites within 0.5 miles of project.
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Other- Describe: APAR, ERNSTX, GWCC, IHW, RCRA Generator, RCRA Subject to Corrective Action, Tier II, and US Brownsfield

Explain Unresolved or Resolved Issues: Map ID 3 is considered a moderate environmental risk and Map ID 48 is considered a high environmental risk due to the LPST database listings.

All other Non-LPST sites are considered low environmental concerns. All sites are discussed in the attached Hazardous Materials Impact Evaluation.

<input type="checkbox"/> Unresolved <input checked="" type="checkbox"/> Resolved <input type="checkbox"/> No Issue	Landfills/Waste Pits/Dump Site Concerns: These concerns are associated with any known or suspected (based on visual observations) landfills, dump sites, or waste pits. These concerns may appear on a database search as CALF or MSWLF site. Additionally, the local Council of Governments (COG) maintains a list of closed and open landfills in your project area. Select below all that apply.
--	--

<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Additional research is needed or uncertain of impacts. Request assistance from ENV.
---	---

	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Database search identified active/closed/abandoned CALF or MSWLF landfill sites within .5 miles of the project.
	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Other- Describe:

Explain Unresolved or Resolved Issues: Four MSWLF sites are considered low environmental concerns. The sites are discussed in the attached Hazardous Materials Impact Evaluation.

8.3 Did the ISA identify any Unresolved Hazardous Material concerns?

No, unresolved hazardous materials concerns were identified and/or all potential concerns were resolved within the ISA. No further hazardous materials action is required. The ISA is complete for this project. Any unanticipated hazardous materials impacts encountered during the project construction phase shall be addressed in accordance with regulatory requirements and TxDOT standard specifications. Complete Sections 9 and 10 and maintain a copy of the ISA and all applicable attachments in the project file.

Yes, the ISA identified one or more unresolved hazardous materials concerns requiring additional investigations or assessments. An Issues, Identification, and Resolution (IIR) form shall be completed in ECOS to track the additional investigations and assessments. Complete Sections 9 and 10 and maintain a copy of the ISA and all applicable attachments in the project file.

Section 9: Reference Materials Utilized (Identify any referenced materials and attach them to the ISA or in the project file.

Referenced Materials Used	<input checked="" type="checkbox"/> Project Map	<input checked="" type="checkbox"/> USGS Topo Maps	<input checked="" type="checkbox"/> Aerial Photographs
	<input checked="" type="checkbox"/> ROW Maps/Files	<input checked="" type="checkbox"/> Sanborn Fire Insurance Maps	<input type="checkbox"/> Temporary Use Agreements
	<input type="checkbox"/> TxDOT As-Built Plans	<input type="checkbox"/> Notifications	<input type="checkbox"/> Photographs
	<input checked="" type="checkbox"/> Project Schematics/Profiles	<input checked="" type="checkbox"/> Regulatory Database	<input type="checkbox"/> Record of Interviews
	<input type="checkbox"/> Other:		

Section 10: Contact/Completed by

Name:	Sally Clark	Tel: 832.399.3400
Title:	Environmental Scientist	
Firm (District Section):	Ecosystem Planning and Restoration (EPR)	
Address:	17575 North Eldridge Parkway, Building C, Tomball, TX 77373	
Signature:		Date:09/03/2019

Appendix A

The following table shows the revision history for this guidance document.

Revision History	
Effective Date	Reason for and Description of the Change
April 2017	<p>Version 5</p> <p>The cover page has additional fields related to specific project information. This is added to personalize the ISA to a project.</p> <p>Section 2 was modified to acknowledge that asbestos or lead-in-paint issues might exist on our construction projects, but the identification and resolution to these issues are outside of the ISA process and are handled programmatically by TxDOT (usually in CST or the ROW processes).</p> <p>Section 3 was modified by adding an additional screening option. You are now able to screen out of performing a full ISA if your project meets the parameters described.</p> <p>Section 6 was reformatted to remove the numerous selections related to the Possible Site Survey Concerns. Additionally, redundant questions were removed to make the section easier to use. Under the new format, the preparer is required to insert the survey dates and a description of what was identified during the survey.</p> <p>Minor changes were made to terminology throughout the ISA, this was performed to clarify and streamline the process.</p> <p>Section 8.1 has been modified to provide resolution to potential hazardous materials issues that can be resolved easily during the ISA process. Additionally, a comment field was added to provide direction related to issues requiring further action to resolve. This will streamline the process in reducing the amount of IIR entries requires in ECOS and will reduce the time required to review a project.</p>
June 2016	<p>Version 4</p> <p>Modifications to Section 5: Web links and database names were modified based on changes made by regulatory agency websites.</p>
October 2014	<p>Version 3</p> <p>Modifications to Section 2: Clarified this section to better define what are asbestos and lead-in-paint concerns. Changes were made due to numerous comments from the end-user.</p> <p>An additional note was added to this section. This note directs end-users to ENV-HMM for further assistance related to lead-in-paint issues.</p> <p>Modifications to Section 3: The question concerning Project Excavations in Section 3.1 was modified to match the definition used in Scoping Procedure for Categorical Excluded TxDOT Projects for Hazardous Materials found in the NEPA and Project Development Toolkit.</p> <p>Modifications to Section 5: Web links were modified based on changes made by regulatory agency websites.</p> <p>Modifications to 8.2: Clarified the “Yes” answer in 8.2 to remove the need for additional assessments for all identified hazardous materials concerns. The question was modified due to comments by the end-user.</p>

August 2014	Version 2 Removed introductory note describing ISA threshold criteria. Note was removed because the ISA threshold criteria are located in other TxDOT guidance.
April 2014	Version 1 Released

Appendix A
HAZARDOUS MATERIALS IMPACT EVALUATION

Section 1.0 Introduction

The presence of hazardous materials within a project study area can create issues affecting right-of-way (ROW) acquisition, project development, and construction. This Hazardous Materials Project Impact Evaluation Report identifies the potential hazardous materials concerns as they relate to project construction and/or ROW acquisition for concerns identified by the project Hazardous Materials Initial Site Assessment (ISA).

Section 2.0 Project Description

The project area is located in Jefferson County, Texas. A map depicting the location of the project area is included as Figure 1. The approximate 5-mile project would widen the existing I-10 from Walden Road (County Road 131) to 7th Street and existing US 69 from Fannett Road (State Highway 124) to 11th Street. Between the Cardinal Drive and Eastex Freeway interchanges, the roadway would be widened in each direction from four lanes to five lanes. The roadway approaches to the Cardinal Drive and Eastex Freeway interchanges on I-10 and US 69 would be widened in each direction from two lanes to three lanes. The project also includes new frontage roads for continuity throughout the limits, relocating I-10 ramps, and constructing two-lane direct connectors in each direction where I-10 and US 69 converge within the project limits. In addition, the project includes changes to the Maury Meyers Bridge (Liberty/Laurel Overpass) to address a height constraint for freight movements and includes upgrading drainage infrastructure to current design standards.

Approximately 11 acres of additional right of way is anticipated as part of the proposed project, including potential easements or right of way for drainage. This project is addressing an existing roadway facility, no new location or new alignment is anticipated. The proposed project is anticipated to be ready to let as a design-build project.

Section 3.0 Sites with Potential Hazardous Materials Concerns

An ISA was prepared to identify sites of potential hazardous materials concerns within the project study area. The components of the ISA included reviewing project design and ROW requirements, reviewing existing and previous land use, reviewing federal and state regulatory databases and files, conducting project site visits or field investigations, and conducting interviews, if possible.

As part of the ISA, a review of selected environmental regulatory databases published by federal and state agencies was conducted to determine the potential for hazardous material issues within and near the project study area. A review of the regulatory database report dated June 08, 2019 was performed in general accordance with the ASTM Standard E1527 and TxDOT guidelines, which defines the environmental record sources to be reviewed and their minimum search distances from the project study area.

Figure 1, attached to this report, is the Project Location map. Figure 2, attached to this report, is the U.S. Geological Survey (USGS) Project Location Topographic Map showing the proposed project area. Figure 3, attached to this report, identifies the potential hazardous materials concerns on an aerial base map.

Section 4.0 Evaluation of Potential Hazardous Materials Concerns

Each resolved and unresolved hazardous material concern identified by the ISA was evaluated for the following:

- Site name, address, and parcel number (if available)
- Database or discovery tool (ex: LPST, site survey, current/past land use, etc.)
- Regulatory identifier (i.e. database or regulatory number or other identifier used by regulatory agency)
- Potential ROW requirements from affected parcels
- Description of site and any potential hazardous material concerns on affected parcel
- Potential impact to the project related to hazardous material concerns

The evaluations will draw conclusions about potential impacts for each concern identified during preparation of the ISA within a category as follows:

1. Low Potential Project Impacts (Green): The issue has a low potential to affect the proposed project and no further investigations are required.
2. Possible (Moderate) Project Impacts (Yellow): Not enough information is currently known about the project and/or issue to determine potential impacts. Further investigation and/or additional project design and ROW information is required.
3. Anticipated (High) Project Impacts (Red): The issue has a high potential to impact the proposed project and further investigations, coordination, or contingencies may be required.

The regulatory sites are associated with automotive service stations/convenience stores, medical facilities, and commercial and industrial facilities. The presence of petroleum storage tanks within proposed ROW and leaking petroleum storage tanks adjacent to the proposed project represent a potential risk for encountering soil and groundwater contamination during the construction phase of the project (Refer to Section 4.0 Table 1).

See Figure 3 for the location of identified regulatory database sites and facilities and graphical evaluation of potential issues of concern. The mapped sites are classified in accordance with the criteria shown above.

218 regulatory sites were evaluated during the HAZMAT ISA. Table 1 presents a summary of the 89 hazardous materials sites of possible concern (resolved and unresolved) associated with the proposed 10/69 Interchanges Project. Two regulatory database sites were determined to be moderate environmental risk and three sites were determined to be high environmental risk to the proposed project.

Table 1: Summary of Hazardous Materials Sites

Map ID	Site Information	Location in Reference to Project	Regulatory Database Listing(s)	Environmental Concern Summary	Potential to Impact Project
1	Chevron Products 50 IH 10 N & Calder Ave	Adjacent N of Rusk St, E of I-10	LPST PST	<p>The site formerly contained five underground PSTs (UST). One UST was permanently filled in place in 1977, three USTs were permanently filled in place in 1983 and one UST was removed from ground in 1988. Groundwater was impacted with no apparent threats or impacts to receptors. Final concurrence was issued for the LPST in 1988.</p> <p>The PST site is inactive and the LPST site is closed, no ROW will be acquired from this site; therefore, this site is considered a low environmental concern.</p>	Low
2	Golf Ball Warehouse 90 IH 10 N, Beaumont, TX 77702	Adjacent N of Rusk St, E of I-10	LPST PST	<p>The site previously contained four USTs. Three USTs were removed from the ground in 1995 and one UST was removed from the ground in 1990. Final concurrence was issued for the LPST in 1996 and no apparent receptors have been impacted.</p> <p>The PST site is inactive and the LPST site is closed, and no ROW will be acquired from this site; therefore, this site is considered a low environmental concern.</p>	Low

HAZARDOUS MATERIALS IMPACT EVALUATION

Map ID	Site Information	Location in Reference to Project	Regulatory Database Listing(s)	Environmental Concern Summary	Potential to Impact Project
3	Dowell Schlumberger (Currently utilized by S.T.A.R. Concrete) 5155 W Cardinal Drive, Beaumont, TX, 77705	Adjacent W of Fannett Rd and S of US69	IHW IHWCA LPST PST	<p>The site appears to be a storage yard for S.T.A.R. Concrete. The site is an inactive IHW Large Quantity Generator, last updated in 2003. This site is an inactive IHWCA with a completed workload reported 8/18/2009. The site formerly contained five USTS, which were removed from the ground in 1989. Groundwater was impacted. Final concurrence for the LPST is pending a well plug, reported in 2005.</p> <p>No ROW will be acquired from this site; however, the LPST site is open and located adjacent to the project area; therefore, this site is considered a moderate environmental risk.</p>	Moderate

HAZARDOUS MATERIALS IMPACT EVALUATION

Map ID	Site Information	Location in Reference to Project	Regulatory Database Listing(s)	Environmental Concern Summary	Potential to Impact Project
4	<p>Groendyke Transport Inc (Currently Interstate Tire and Mechanical) 4510 Washington Blvd, Beaumont, TX 77707</p>	<p>N of Washington Blvd, W of IH 10</p>	<p>APAR GWCC IHW IHWCA LPST PST PST RCRAC RCRAT RCRASUBC</p>	<p>The IHW located at this site is an inactive Conditionally Exempt Small Quantity Generator (CESQG), last updated 2005. The IHWCA located at this site is a non-generator subject to corrective action universe, reported 12/06/2005. The APAR was reported as ongoing workload and is associated with the IHWCA site. The GWCC site reported VOC contaminants in 2002 and no enforcement was reported. The RCRAC, RCRAT, and RCRASUBC are reported as a Non-Generator subject to corrective action, last reported in 2005. The site formerly utilized two USTs, which were removed from the ground in 1990. Final concurrence was issued for the LPST in 1990. Soil contamination occurred. The site is adjacent to a section of the project area that includes Washington Ave. However no work for the proposed project will occur on Washington Ave, all work in this section of the project area will occur on the I-10/US 69 mainlanes and frontage roads. The site is approximately 540 ft from the frontage roads, no ROW will be acquired from this site. Additionally, an approximately 90 ft wide concrete lined, channelized tributary of Hillebrandt Bayou runs parallel to the project area between the site and the proposed work.</p> <p>Based on the distance and because no work will take place adjacent to site, this site is considered a low environmental concern.</p>	<p>Low</p>

HAZARDOUS MATERIALS IMPACT EVALUATION

Map ID	Site Information	Location in Reference to Project	Regulatory Database Listing(s)	Environmental Concern Summary	Potential to Impact Project
5	Borden dairy Products 650 IH 10 S, Beaumont, TX 77707	Adjacent S of Hollywood Ave, W of I-10	IHW LPST LPST PST	<p>The IHW is a inactive and is not a hazardous waste generator (HWG). The site formerly contained three USTs, which were removed from the ground in 1991. Two LPSTs were reported at this site. Final concurrence was issued for the LPST in 1991, soil contamination occurred. Groundwater was impacted and no apparent threats or impacts to receptors was reported. Final concurrence was issued for the second LPST in 2004.</p> <p>The PST site is inactive and the LPST sites are closed, and no ROW will be acquired from this site; therefore, this site is considered a low environmental concern.</p>	Low
6	Chevyland/Beaumont Motor 1000 Interstate 10 N, Beaumont, TX 77702	Proposed ROW	IHW LPST PST PST	<p>The IHW site is an inactive SQG. Two PST sites were reported at this location. One PST site formerly contained four USTs. Three USTs were permanently filled in place in 1987 and one UST was removed from the ground in 1990. The second PST site formerly utilized one UST which was removed from the ground in 1997. Final concurrence was issued for the LPST in 1991 and soil was contaminated. Approximately 0.31 acres of proposed ROW would be acquired from this 0.52 acre parcel. The location of the PST and LPST could not be determined from aerial photographs. Access to the site was not available at the time of the site visit. Further evaluation would be required to determine exact location of the PST and LPST systems.</p> <p>ROW would be acquired from two inactive PST sites and one closed LPST site; therefore, this site is considered a moderate environmental risk.</p>	Moderate

HAZARDOUS MATERIALS IMPACT EVALUATION

Map ID	Site Information	Location in Reference to Project	Regulatory Database Listing(s)	Environmental Concern Summary	Potential to Impact Project
7	KFDM TV Transmitter Tower 2955 IH 10 E, Beaumont, TX 77702	Proposed ROW	LPST PST	The site has one active UST. Final concurrence was issued for the LPST in 2011. No apparent receptors were impacted. Approximately 1.50 acres of proposed ROW would be acquired from this 1.57 acre parcel. The location of the PST and LPST could not be determined from aerial photographs. Access to the site was not available at the time of the site visit. Further evaluation would be required to determine exact location of the PST and LPST systems. ROW would be acquired from an active PST site and a closed LPST; therefore, this site is considered a high environmental risk.	High
8	I-10 Warehouse Storage 3250 IH 10, Beaumont, TX 77706	Adjacent S of the Port Arthur Canal, W of I-10	LPST PST	The site formerly contained two USTs which were removed from the ground in 1989. Final concurrence was issued in for the LPST in 1989 and soil was contaminated. The PST site is inactive and the LPST site is closed, and no ROW will be acquired from this site; therefore, this site is considered a low environmental concern.	Low
9	Kinsel Pontiac-Cadillac-GMC Trucks 1140 IH 10 N, Beaumont, TX 77702	Proposed ROW	IHW PST	The IHW site is an inactive SQG. The site formerly contained two USTs which were removed from the ground in 1988. No releases were reported from this site. Approximately 2.54 acres of proposed ROW would be acquired from this 4.13 acre parcel. Access to the site was not available at the time of the site visit. Further evaluation would be required to determine exact location of the PST system. ROW would be acquired from an inactive PST site with no reported releases; therefore, this site is considered a low environmental concern.	Low

HAZARDOUS MATERIALS IMPACT EVALUATION

Map ID	Site Information	Location in Reference to Project	Regulatory Database Listing(s)	Environmental Concern Summary	Potential to Impact Project
10	Sun Coast Resources 5255 W Cardinal Dr, Beaumont, TX 77705	Adjacent S of US 69 E of an unnamed tributary of Hillebrandt Bayou	IHW PST PST TIER II	<p>The IHW site is an inactive CESQG. The site formerly contained two USTs which were removed from the ground in 1988. The site currently utilizes seven above ground PSTs (AST). No releases were reported with these sites. Tier II indicates the presence of potentially hazardous chemicals; however, it is not an indicator that they have been released or leaked into the environment.</p> <p>There is one active and one inactive PST site with no reported releases, and no ROW will be acquired from this site; therefore, this site is considered a low environmental concern.</p>	Low
11	The Wall Street Journal 5355 W Cardinal Drive, Beaumont, TX 77705	Adjacent S of the Cardinal Drive Interchanges	IHW IHW RCRAGR06 PST TIER II	<p>There are two IHWs reported at this location. The first IHW is a merged site and the amount of waste generated is not reported. The second IHW is an active CESQG. RCRAGR site is a CESQG reported 12/10/2018. The site formerly contained one UST which was removed from the ground in 1994. Tier II indicates the presence of potentially hazardous chemicals; however, it is not an indicator that they have been released or leaked into the environment.</p> <p>The PST site is inactive and the the RCRAGR is a CESQG, and no ROW will be acquired from this site; therefore, this site is considered a low environmental concern.</p>	Low
12	Hamilton Pools 305 IH 10 S, Beaumont, TX 77702	Adjacent S of Cedar St, E of I-10	PST	<p>The site formerly contained one UST which was removed from the ground in 1991. No releases were reported with this site.</p> <p>The PST is inactive, with no reported releases, and no ROW would be acquire from this site; therefore, this site is considered a low environmental concern.</p>	Low

HAZARDOUS MATERIALS IMPACT EVALUATION

Map ID	Site Information	Location in Reference to Project	Regulatory Database Listing(s)	Environmental Concern Summary	Potential to Impact Project
13	390 I-10, Beaumont, TX 77705	Within the project area	ERNSTX	<p>This incident was identified on the regulatory database as within existing ROW. The incident reported in 2017 was a call to report dumping of 10-gallons of motor oil. The incident was identified as fixed and no remedial action was reported.</p> <p>Based on the regulatory information and the size of the release, this site is considered a low environmental concern.</p>	Low
14	West Side of HWY 69 AND I-10 Beaumont, TX	Adjacent W of I-10	ERNSTX	<p>The incident was reported on the west side of US 69 and I-10. The incident reported in 2005 was an equipment failure that resulted in crude oil spilled into the Lower Neches Valley Canal, outside of the project area, during a hydrostatic test on a pipeline. Remedial action was completed.</p> <p>Based on the regulatory information and the located of the incident, this site is considered a low environmental concern.</p>	Low
15	Lamar Advertising 2810 Laurel, Beaumont, TX 77726	Adjacent N of Laurel Ave, W of 11 th St	RCRAGR06	<p>This RCRAGR is a Small Quantity Generator (SQG) reported 09/02/2000. No violations or enforcements are reported for this site.</p> <p>Based on no ROW being acquired from the SQG and no reported enforcements or violations, this site is considered a low environmental concern.</p>	Low
20	Beaumont Oil 871 IH 10 N Suite 150, Beaumont, TX 77706	Adjacent S of Harrison Ave, W of I-10	IHW IHW	<p>There are two IHWs reported at this location. The first IHW is inactive and is not an HWG. The second IHW is a merged site and not an HWG. No ROW will be acquired from this site; therefore, this site is considered a low environmental concern.</p>	Low

HAZARDOUS MATERIALS IMPACT EVALUATION

Map ID	Site Information	Location in Reference to Project	Regulatory Database Listing(s)	Environmental Concern Summary	Potential to Impact Project
23	E-Z Mart 265 46 Interstate 10N, Beaumont, TX 77702	Adjacent N of Rusk, E of I-10	PST	The site formerly contained three USTs which were removed from the ground in 1999. No releases were reported with this site. The PST site is inactive, and no ROW will be acquired from this site; therefore, this site is considered a low environmental concern.	Low
24	Consolidated Switchgear & Electrical Systems 1710 IH 10 S, Beaumont, TX 77707	Adjacent S of Milam St, W of I-10	IHW IHW	There are two IHWs reported at this location. The first IHW is inactive and is not an HWG and the second IHW is a merged site and the amount of waste generated is not reported. No ROW being acquired from the IHWs, this site is considered a low environmental concern.	Low
25	1265 South I-10	Adjacent S of Milam St, E of I-10	ERNSTX	The incident was reported 11/01/1994 and the caller states that the company [Gulf Coast Hermetics] has spilled oil and will not clean it up. The caller also states that the company cleans their equipment with acid and then dump it. The incident was reported as fixed and no remedial action was reported. Based on the regulatory information, this site is considered a low environmental concern.	Low
26	PFI 7 1225 IH 10 S, Beaumont, TX 77701	Adjacent S of Milam St, E of I-10	PST	The site formerly contained two USTs which were removed from the ground in 2003, three USTs that were removed from the ground in 1995, and one UST that was removed from ground in 1984. No releases were reported with this site. The PST site is inactive, has no reported releases, and no ROW will be acquired from this site; therefore, this site is considered a low environmental concern.	Low

HAZARDOUS MATERIALS IMPACT EVALUATION

Map ID	Site Information	Location in Reference to Project	Regulatory Database Listing(s)	Environmental Concern Summary	Potential to Impact Project
27	Liquid Vacserv 2715 Laurel St, Beaumont, TX 77702	Adjacent S of Laurel Ave, W of 11 th St	IHW	The IHW site is active and the amount of waste generated is not reported No ROW will be acquired from this site; therefore, this site is considered a low environmental concern.	Low
28	ABF Freight System INC/Golden Corral 4450 Washington Blvd, Beaumont, TX 77707	Adjacent N of Washington Blvd, W of I-10	LPST PST	The site formerly contained one UST which was removed from the ground in 1987. Groundwater was impacted with no apparent threats or impacts to receptors. Final concurrence was issued for the LPST in 2002. The PST site is inactive and the LPST site is closed, and no ROW will be acquired from this site; therefore, this site is considered a low environmental concern.	Low
30	Maxim Technologies Southwestern Labs Beaumont 1850 IH 10 S Beaumont, TX 77707	Adjacent N of Washington Blvd, W of I-10	IHW	The IHW site is an inactive CESQG and no ROW will be acquired from this site; therefore, this site is considered a low environmental concern.	Low
31	Steinghagen Oil Co Inc/TEXACO Food Mart 8 1195 IH 10 S, Beaumont, TX 77701	Adjacent N of Milam St, E of I-10	GWCC LPST PST	The site formerly contained four USTs. Three USTs were removed from the ground in 1997 and one was removed from the ground in 1990. Gasoline and waste oil contaminated groundwater and the GWCC reported remedial action completed in 1997. Final concurrence was issued for the LPST in 1997. The PST site is inactive and the LPST site is closed, and no ROW will be acquired from this site; therefore, this site is considered a low environmental concern.	Low

HAZARDOUS MATERIALS IMPACT EVALUATION

Map ID	Site Information	Location in Reference to Project	Regulatory Database Listing(s)	Environmental Concern Summary	Potential to Impact Project
32	Fairmont Supply Co 1490 N 7 th St, Beaumont, TX 77702	Adjacent E of 7 th St, S of I-10	LPST PST	The site formerly contained one UST which was removed from the ground in 1991. Final concurrence was issued for the LPST in 1992. Minor soil contamination occurred. The PST site is inactive and the LPST site is closed, and no ROW will be acquired from this site; therefore, this site is considered a low environmental concern.	Low
33	Transport Service Company/Cleveland Mack Sales Inc. 3840 Beaumont 10 S, Beaumont, TX 77705	Adjacent N of Walden Rd, W of I-10	IHW IHW PST	There are two IHWs reported at this location. Both IHWs at this site are inactive CESQGs. The site currently contains one active AST and has one out-of-use AST reported in 2006. No releases were reported with this site. The PST site is active with no reported releases, and no ROW will be acquired from this site; therefore, this site is considered a low environmental concern.	Low
34	Fastlane 25 2245 Beaumont 10 S, Beaumont, TX 77705	Adjacent S of Washington, E of I-10	PST	The site currently contains three active USTs. No releases were reported with this site. The PST site is active, has no reported releases, and no ROW will be acquired from this site; therefore, this site is considered a low environmental concern.	Low

HAZARDOUS MATERIALS IMPACT EVALUATION

Map ID	Site Information	Location in Reference to Project	Regulatory Database Listing(s)	Environmental Concern Summary	Potential to Impact Project
35	Gateway Mobil 805 IH 10 S, Beaumont, TX 77701	Adjacent S of Stagg Dr, E of I-10	IHW LPST LPST PST	<p>The IHW site is an inactive CESQG. The site previously contained four USTs. Three USTs were removed from the ground in 2015 and one was removed in 1998. Two LPSTs were reported at this location. For both LPSTs, groundwater was impacted with no apparent threats or impacts to receptors. Final concurrence was issued for the first LPST in 1993. Final concurrence for the second LPST was issued in 2016.</p> <p>The PST site is inactive and the LPST sites are closed, and no ROW will be acquired from this site; therefore, this site is considered a low environmental concern.</p>	Low
36	585 I-10 N, Beaumont, TX	Adjacent S of Mcfaddin, W of I-10	ERNSTX ERNSTX	<p>The first incident was reported as equipment failure on 2/12/1992. The Fuel line burst, and 20 gallons of diesel was released. The incident was reported as fixed with no remedial action.</p> <p>The second incident was reported as equipment failure on 2/12/1992. The tractor trailer saddle tank/fitting broke and 15 gallons of diesel was released. The incident was reported as fixed and the remedial action was the VAC truck was sent to VAC the storm drain.</p> <p>Based on the regulatory information and the size of the release, this site is considered a low environmental concern.</p>	Low
37	Fastlane No 9 2810 Eastex Fwy, Beaumont, TX 77703	Adjacent N of Delaware, E of I-10	LPST PST	<p>The site currently contains four active USTs. Final concurrence was issued for the LPST in 1990 and soil contamination occurred.</p> <p>The PST site active and the LPST site is closed, and no ROW will be acquired from this site; therefore, this site is considered a low environmental concern.</p>	Low

HAZARDOUS MATERIALS IMPACT EVALUATION

Map ID	Site Information	Location in Reference to Project	Regulatory Database Listing(s)	Environmental Concern Summary	Potential to Impact Project
38	E-Z Mart 264 710 Interstate 10 S, Beaumont, TX 77707	Adjacent S of Hollywood Ave, W of I-10	GWCC LPST PST	<p>The site previously contained four USTs. Three USTs were removed from the ground in 1995 and one was removed from the ground in 1993. Gasoline and waste oil contaminated groundwater and the GWCC reported remedial action completed in 1996. Final concurrence was issued for the LPST in 1996.</p> <p>The PST site is inactive and the LPST site is closed, and no ROW will be acquired from this site; therefore, this site is considered a low environmental concern.</p>	Low
39	Beaumont Truck & Trailer 4925 W Cardinal Drive, Beaumont, TX 77705	Adjacent NW of Fannett Rd, S of US 69	IHW ERNSTX ERNSTX PST	<p>The IHW site is an inactive CESQG. The first ERNSTX incident was reported as equipment failure when the storage tank/valve failed, reported on 12/24/1991. Automotive gasoline was released, remedial action was taken by laying down absorbents, and the incident was reported as fixed. The second ERNSTX incident was reported as equipment failure when the storage tank/valve failed, reported on 12/31/1991. Automotive gasoline was released, remedial action was taken by recovered materials with sorbents, and the incident was reported as fixed. The site previously contained two USTs which were removed from the ground in 1998. No releases were reported with this site.</p> <p>The PST site is inactive, and no ROW will be acquired from this site; therefore, this site is considered a low environmental concern.</p>	Low
40	Felton Bldg 2490 IH 10 E, Beaumont, TX 77703	Proposed ROW	PST	<p>The site previously contained four USTs which were removed from the ground in 1996. No releases were reported with this site.</p> <p>ROW would be acquired from an inactive PST site with no reported releases; therefore, this site is considered a low environmental concern.</p>	Low

HAZARDOUS MATERIALS IMPACT EVALUATION

Map ID	Site Information	Location in Reference to Project	Regulatory Database Listing(s)	Environmental Concern Summary	Potential to Impact Project
42	Sports and Imports 3195 North St, Beaumont, TX 77702	Adjacent S of North St, E of I-10	LPST PST	The site previously contained four USTs which were removed from the ground in 1989. Final concurrence was issued for the LPST in 1989. Soil contamination occurred. The PST site is inactive and the LPST site is closed, and no ROW will be acquired from this site; therefore, this site is considered a low environmental concern.	Low
43	Premier High School of Beaumont 209 North 11 th St, Beaumont, TX 77702	Adjacent N of Laurel Ave, W of 11 th St	LPST PST	The site previously contained four USTs, which were removed from the ground in 1994. Groundwater was impacted with no apparent threats or impacts to receptors. Final concurrence was issued for the LPST in 1995. The PST site is inactive and the LPST site is closed, and no ROW will be acquired from this site; therefore, this site is considered a low environmental concern.	Low
46	Star Enterprises Inc 205 IH 10 Laurel, Beaumont, TX 77707	Adjacent S of Laurel Ave, W of I-10	IHW LPST PST	The IHW site is an inactive CESQG. The site previously contained four USTs, which were removed from the ground in 2018. Groundwater was impacted with no apparent threats or impacts to receptors. Final concurrence was issued for the LPST in 1986. The PST site is inactive and the LPST site is closed, and no ROW will be acquired from this site; therefore, this site is considered a low environmental concern.	Low
47	Univar USA Inc 2150 IH 10 E, Beaumont, TX 77703	Adjacent E of 7 th St, N of I-10	IHW	The IHW site is inactive and the amount of waste generated was not reported. No ROW will be acquired from this site; therefore, this site is considered a low environmental concern.	Low

HAZARDOUS MATERIALS IMPACT EVALUATION

Map ID	Site Information	Location in Reference to Project	Regulatory Database Listing(s)	Environmental Concern Summary	Potential to Impact Project
48	<p>Kevins Mobil</p> <p>(No longer in use gas station)</p> <p>2790 Eastex Fwy, Beaumont, TX 77703</p>	<p>Adjacent</p> <p>S of Delaware St, E of I-10</p>	<p>GWCC</p> <p>LPST</p> <p>PST</p> <p>RCRAGR06</p>	<p>The RCRAGR located at this site is a CESQG. No violations or enforcements have been reported for this site. The site previously contained four USTs. Three USTs were removed from the ground in 2014 and one was removed from the ground in 1986. Gasoline contaminated groundwater and the GWCC enforcement status was not reported as of 2014. Final concurrence has not been issued for the LPST, the site is still in Monitoring as last reported in 2015.</p> <p>The LPST site is open and is located adjacent to the project area; therefore, this site is considered a high environmental risk.</p>	High
49	<p>Exxpress Mar 10</p> <p>2210 IH 10 S, Beaumont, TX 77707</p>	<p>Adjacent</p> <p>S of Washington, W of I-10</p>	<p>GWCC</p> <p>LPST</p> <p>PST</p>	<p>The site previously contained four USTs which were removed from the ground in 2016. The site currently contains one active UST. Gasoline and diesel contaminated groundwater and the GWCC enforcement status was not reported as of 2016. Final concurrence has not been issued for the LPST, the site is still undergoing Site Assessment as last reported in 2016.</p> <p>The LPST site is open and located adjacent to the project area; therefore, this site is considered a high environmental risk.</p>	High
51	<p>RAS 6 3139</p> <p>2795 Eastex Fwy, Beaumont, TX 77706</p>	<p>Adjacent</p> <p>S of Delaware, W of I-10</p>	<p>PST</p> <p>PST</p>	<p>There are two PSTs sites reported at this location. One site previously contained three USTs which were removed from the ground in 1998. The second site previously contained four USTs which were removed from the ground in 1987. No releases were reported from these sites.</p> <p>The PSTs have been removed from the ground, and the site has no reported releases, and no ROW will be acquired from this site; therefore, this site is considered a low environmental concern.</p>	Low

HAZARDOUS MATERIALS IMPACT EVALUATION

Map ID	Site Information	Location in Reference to Project	Regulatory Database Listing(s)	Environmental Concern Summary	Potential to Impact Project
52	BMW Beaumont 1855 Interstate 10 S, Beaumont, TX 77701	Adjacent N of Washington, E of I-10	IHW	The IHW site is an inactive CESQG and no ROW will be acquired from this site; therefore, this site is considered a low environmental concern.	Low
53	Lamar Advertising 4520 W Cardinal, Beaumont, TX 77705	Adjacent W of Fannett Rd, N of US 69	IHW	The IHW site is an inactive SQG and no ROW will be acquired from this site; therefore, this site is considered a low environmental concern.	Low
54	Fastlane No 5 (Active Shell gas station) 3950 I-10 S. Parking lot of Holiday Inn, Beaumont, TX	Adjacent N of Walder Rd, W of I-10	ERNSTX	The incident was a discovered spill observed in the parking lot of the Holiday Inn, located behind the Shell gas station. Remedial action was completed. Based on the regulatory information and distance, this site is considered a low environmental concern.	Low
55	Darby Gas & Oil Co Inc. 2015 N 11th, Beaumont, TX 77703	Adjacent E of 11 th St, N of I-10	GWCC LPST PST	The site currently contains three active USTs. The site previously contained one UST which was permanently filled in place in 1996 and one UST which was removed from the ground in 1996. Gasoline contaminated groundwater and the GWCC reported remedial action completed in 1992. Final concurrence was issued for the LPST in 1992. The PST site is active and the LPST site is closed, and no ROW will be acquired from this site; therefore, this site is considered a low environmental concern.	Low

HAZARDOUS MATERIALS IMPACT EVALUATION

Map ID	Site Information	Location in Reference to Project	Regulatory Database Listing(s)	Environmental Concern Summary	Potential to Impact Project
56	Birdsong Fuels & Services 860 IH 10 S Beaumont, TX 77707	Adjacent N of College St, W of I-10	PST	<p>The site previously contained six USTs. Two USTs were removed from the ground in 2011 and four were removed in 1995. No releases were reported with this site.</p> <p>The PSTs were removed from the ground, no releases were reported, and no ROW will be acquired from this site; therefore, this site is considered a low environmental concern.</p>	Low
57	Porter Shell (Currently an Orthodontic Specialist office) 3190 North St, Beaumont, TX 77702	Adjacent N of North St, E of I-10	LPST PST RCRAGR06	<p>The RCRAGR site is a CESQG. No violations or enforcements have been reported for this site. The site previously contained seven USTs which were removed from the ground in 1990. Groundwater was impacted with no apparent threats or impacts to receptors. Final concurrence was issued for the LPST in 1990.</p> <p>The PST site is inactive and the LPST site is closed, no violations or enforcements have been reported for the RCRAGR site and no ROW will be acquired from this site; therefore, this site is considered a low environmental concern.</p>	Low
58	Heath Vaughn Enterprises/Jr Chevron 3355 Gladys, Beaumont, TX 77706	Adjacent S of Gladys, W of I-10	GWCC LPST PST RCRAGR06	<p>The RCRAGR site is a CESQG. No violations or enforcements have been reported for this site. The site previously contained six USTs, which were removed from the ground in 1998. Unknown contaminants contaminated groundwater and the GWCC reported remedial action completed in 1987. Final concurrence was issued for the LPST in 1987.</p> <p>The PST site is inactive and the LPST site is closed, no violations or enforcements have been reported for the RCRAGR site and no ROW will be acquired from this site; therefore, this site is considered a low environmental concern.</p>	Low

HAZARDOUS MATERIALS IMPACT EVALUATION

Map ID	Site Information	Location in Reference to Project	Regulatory Database Listing(s)	Environmental Concern Summary	Potential to Impact Project
59	Mike Smith Auto Plaza 1515 IH 10 S Beaumont, TX 77701	Adjacent N of Corley Ave, E of I-10	IHW IHW PST	There are two IHWs reported at this location. The first IHW at this site is a merged CESQG. The second IHW is an inactive CESQG. The site previously contained one UST which was removed from the ground in 1997. No releases were reported from this site. The PST site is inactive, no releases have been reported from this site and no ROW will be acquired from this site; therefore, this site is considered a low environmental concern.	Low
60	NTB No 689 1355 IH 10 S, Beaumont, TX 77701	Adjacent S of Milam St, E of I-10	RCRAGR06	The RCRAGR site is a CESQG, no violations or enforcements have been reported for this site and no ROW will be acquired from this site; therefore, this site is considered a low environmental concern.	Low
61	B & L Auto Brokers 4595 Fannett Rd, Beaumont, TX 77705	Adjacent SE of Fannett Rd, N of US 69	PST	The site previously contained four USTs which were removed from the ground in 1979. No releases were reported with this site. The PST site is inactive, no releases have been reported from this site and no ROW will be acquired from this site; therefore, this site is considered a low environmental concern.	Low
63	Hilton Beaumont 2355 Interstate 10 S, Beaumont, TX 77705	Adjacent N of Director's Row, E of I-10	PST	The site previously contained two USTs. One UST was removed from the ground in 1997 and one UST was removed in 2002. No releases were reported with this site. The PST site is inactive, no releases have been reported from this site and no ROW will be acquired from this site; therefore, this site is considered a low environmental concern.	Low

HAZARDOUS MATERIALS IMPACT EVALUATION

Map ID	Site Information	Location in Reference to Project	Regulatory Database Listing(s)	Environmental Concern Summary	Potential to Impact Project
64	C & L Express Market 3390 Harrison Ave, Beaumont, TX	Adjacent N of Harrison Ave, W of I-10	LPST PST	<p>The site previously contained three USTs which were removed from the ground in 1999. Groundwater was impacted with no apparent threats or impacts to receptors. Final concurrence was issued for the LPST in 1999.</p> <p>The PST site is inactive and the LPST site is closed, and no ROW will be acquired from this site; therefore, this site is considered a low environmental concern.</p>	Low
65	U-haul CO of Houston 3885 Milam, Beaumont, TX 77701	201 ft ESE of the project area	IHW PST RCRAGR06	<p>The IHW site is an inactive CESQG. The RCRAGR site is an SQG. No violation or enforcements have been reported for this site. The site previously contained three USTs. Two USTs were removed from the ground in 1998 and one was permanently filled in place in 1985. No releases were reported with this site.</p> <p>The PST site is inactive and no releases were reported; therefore, this site is considered a low environmental concern.</p>	Low
66	Former Burger King 1550 IH 10, Beaumont, TX 77705	Adjacent S of Milam Rd, W of I-10	GWCC LPST	<p>Gasoline contaminated groundwater and the GWCC enforcement status was not reported, however, final concurrence was issued for the LPST in 2008.</p> <p>The LPST site is closed and no ROW will be acquired from this site; therefore, this site is considered a low environmental concern.</p>	Low
67	Cabell Dairy 490 Interstate 10 S, Beaumont, TX 77707	Adjacent S of Hollywood Ave, W of I-10	IHW LPST PST	<p>The IHW site is an inactive SQG. The site previously contained one UST which was removed from the ground in 1988. Final concurrence was issued for the LPST in 1988.</p> <p>The PST site is inactive and the LPST site is closed, and no ROW will be acquired from this site; therefore, this site is considered a low environmental concern.</p>	Low

HAZARDOUS MATERIALS IMPACT EVALUATION

Map ID	Site Information	Location in Reference to Project	Regulatory Database Listing(s)	Environmental Concern Summary	Potential to Impact Project
68	Sams Club 1615 IH 10 S, Beaumont, TX, 77701	Adjacent S of Corley Ave, E of I-10	IHW PST PST RCRAGR06 TIER II	<p>The IHW site is an active CESQG. The RCRAGR site is an SQG. No violation or enforcements have been reported for this site. The site currently contains two active ASTs. The second PST site has no data reported. No releases were reported with this site. Tier II indicates the presence of potentially hazardous chemicals; however, it is not indicator that they have been released or leaked into the environment.</p> <p>The PST site is active, and no ROW would be acquired from this site. This site is considered a low environmental concern.</p>	Low
69	Steinhagen Oil Co Inc. 3850 Interstate 10 S, Beaumont, TX	Adjacent N of Walden Rd, W of I-10	LPST PST	<p>The site previously contained three USTs which were removed from the ground in 1996 and one AST which was reported as out of use. Groundwater was impacted with no apparent threats or impacts to receptors. Final concurrence was issued for the LPST in 1994.</p> <p>The PST site is inactive and the LPST site is closed, and no ROW will be acquired from this site; therefore, this site is considered a low environmental concern.</p>	Low
70	Chevron FAC 195 Interstate 10 N, Beaumont, TX	Adjacent S of Laurel Ave, W of I-10	IHW LPST PST	<p>The IHW site is an inactive SQG. The site currently contains three active USTs. Groundwater was impacted within 0.25 mi. Final concurrence was issued for the LPST in 1996.</p> <p>The PST site is active and the LPST site is closed, and no ROW will be acquired from this site; therefore, this site is considered a low environmental concern.</p>	Low
71	Stephanie Wiley Property 1240 IH 10 S, Beaumont, TX 77707	Adjacent S of College Ave, W of I-10	PST	<p>The site previously contained one UST which was removed from the ground in 1998. No releases were reported with this site and no ROW will be acquired from this site; therefore, this site is considered a low environmental concern.</p>	Low

HAZARDOUS MATERIALS IMPACT EVALUATION

Map ID	Site Information	Location in Reference to Project	Regulatory Database Listing(s)	Environmental Concern Summary	Potential to Impact Project
72	Environmental Oil Co 4610 Fannett, Beaumont, TX 77705	Adjacent W of Fannett Rd, S of US 69	PST	The site previously contained three USTs which were removed from the ground in 1986. No releases were reported with this site and no ROW will be acquired from this site; therefore, this site is considered a low environmental concern.	Low
73	Fastlane No 24 3875 Interstate 10 S, Beaumont, TX 77705	Adjacent N of Walden Rd, E of I-10	PST	The site currently contains four active USTs. No releases were reported with this site and no ROW will be acquired from this site; therefore, this site is considered a low environmental concern.	Low
74	Conn Appliances Warehouse 2815 Laurel ST, Beaumont, TX	Adjacent S of Laurel Ave, W of 11 th St	GWCC LPST PST	The site previously contained two USTs which were removed from the ground in 1998. Gasoline and diesel contaminated groundwater and the GWCC reported remedial action completed in 1998. Final concurrence was issued for the LPST in 1998. The PST site is inactive and the LPST site is closed, and no ROW will be acquired from this site; therefore, this site is considered a low environmental concern.	Low
77	Speedy Stop 18 1055 IH 10 S, Beaumont, TX 77701	Adjacent S of College St, E of I-10	PST	The site currently contains four active USTs. No releases were reported with this site and no ROW will be acquired from this site; therefore, this site is considered a low environmental concern.	Low

HAZARDOUS MATERIALS IMPACT EVALUATION

Map ID	Site Information	Location in Reference to Project	Regulatory Database Listing(s)	Environmental Concern Summary	Potential to Impact Project
78	Chambers Property 4610 Fannett RD, Beaumont, TX 77705	Adjacent E of Fannett Rd, S of US 69	LPST LPST PST	<p>The site currently contains five active USTs. Final concurrence was issued for the first LPST site in 1991 with minor soil contamination. Groundwater was impacted with no apparent threats or impacts to receptors and final concurrence was issued for the second LPST site in 2008.</p> <p>The PST site is active and the LPST sites are closed, and no ROW will be acquired from this site; therefore, this site is considered a low environmental concern.</p>	Low
79	Collision & Classics 550 S I-10 Ste 101, Beaumont, TX 77707	Adjacent N of College St, W of I-10	IHW RCRAGR06	<p>The IHW site is an inactive SQG. The RCRAGR site is a CESQG. No violations or enforcements have been reported for this site and no ROW will be acquired from this site; therefore, this site is considered a low environmental concern.</p>	Low
81	Beaumont VMF 5817 Walden RD, Beaumont, TX 77707	Adjacent S of Walden Rd, W of I-10	PST	<p>The site previously contained four USTs which were removed from the ground in 1994. No releases were reported with this site and no ROW will be acquired from this site; therefore, this site is considered a low environmental concern.</p>	Low
82	Beaumont Chevron 1050 IH 10 S, Beaumont, TX 77707	Adjacent S of College St, W of I-10	PST	<p>The site currently utilizes one UST. No releases were reported with this site and no ROW will be acquired from this site; therefore, this site is considered a low environmental concern.</p>	Low

HAZARDOUS MATERIALS IMPACT EVALUATION

Map ID	Site Information	Location in Reference to Project	Regulatory Database Listing(s)	Environmental Concern Summary	Potential to Impact Project
83	Jerry Allen Motors 10 IH 10 N, Beaumont, TX 77702	Adjacent N of Cedar St, E of I-10	IHW IHW LPST PST	<p>There are two IHWs reported at this location. The first IHW site is a merged site and the amount of waste generated was not reported. The second IHW site is an inactive CESQG. The site previously contained one UST which was removed from the ground in 1992. Final concurrence was issued for the LPST in 1992 with minor soil contamination.</p> <p>The PST site is inactive and the LPST site is closed, and no ROW will be acquired from this site; therefore, this site is considered a low environmental concern.</p>	Low
84	Joc-Stop 24 2190 IH 10 S, Beaumont, TX 77707	Adjacent N of Washington Blvd, W of I- 10	PST	<p>The site previously contained three USTs which were removed from the ground in 1998. No releases were reported with this site.</p> <p>The PST site is inactive, with no reported releases, and no ROW will be acquired from this site; therefore, this site is considered a low environmental concern.</p>	Low
85	American Recreational Vehicles I 4848 W Cardinal Dr, Beaumont, TX 77705	Adjacent W of Fannett Rd, N of US69	PST	<p>The site previously contained one UST which was removed from the ground in 1998. No releases were reported with this site and no ROW will be acquired from this site; therefore, this site is considered a low environmental concern.</p>	Low
86	John Crane Inc 5145 W Cardinal Dr, Beaumont, TX 77705	Adjacent E of Fannett Rd, S of US 69	IHW	<p>The IHW site is an inactive CESQG and no ROW will be acquired from this site; therefore, this site is considered a low environmental concern.</p>	Low

HAZARDOUS MATERIALS IMPACT EVALUATION

Map ID	Site Information	Location in Reference to Project	Regulatory Database Listing(s)	Environmental Concern Summary	Potential to Impact Project
87	American Transmission 510 IH 10 N, Beaumont, TX 77702	Adjacent N of Calder Ave, E of I-10	IHW LPST PST	The IHW site is an inactive SQG. The site previously contained three USTs which were removed from the ground in 1989. Groundwater was impacted with no apparent threats to receptors. Final concurrence was issued for the LPST in 1988. The PST site is inactive and the LPST site is closed, and no ROW will be acquired from this site; therefore, this site is considered a low environmental concern.	Low
89	Jake Mazzu Produce 3898 Hollywood St, Beaumont, TX 77701	Adjacent N of Hollywood St, E of I-10	PST	The site previously contained two USTs which were removed from the ground in 1994. No releases were reported for this site and no ROW will be acquired from this site; therefore, this site is considered a low environmental concern.	Low
90	Salvage Center Gulf States Utilities C 3105 Laurel St, Beaumont, TX 77702	Adjacent S of Laurel Ave, E of I-10	IHW IHW	There are two IHWs reported at this location. The first IHW site is a merged site and the amount of waste generated was not reported. The second IHW site is an inactive CESQG. No ROW will be acquired from this site; therefore, this site is considered a low environmental concern.	Low
98	Beaumont Distribution 5250 W Cardinal Dr, Beaumont, TX 77705	Adjacent N of US 69, W of Fannett Rd	IHW	The IHW site is an inactive CESQG and no ROW will be acquired from this site; therefore, this site is considered a low environmental concern.	Low
102	Proposed chick-fil-a restaurant 3312 3825 College St, Beaumont, TX 77701	264 ft ESE of the project area	APAR VCP	The site is a completed and inactive VCP site of 1.128 acres. The agreement acceptance was reported 10/21/2014. The APAR was reported as inactive and is associated with the VCP site. Based on the regulatory information and distance, this site is considered a low environmental concern.	Low

HAZARDOUS MATERIALS IMPACT EVALUATION

Map ID	Site Information	Location in Reference to Project	Regulatory Database Listing(s)	Environmental Concern Summary	Potential to Impact Project
115	Miller Transporters 4640 Washington Blvd, Beaumont, TX 77707	491 ft W of the project area	IHWCA RCRAGR06	<p>The site is listed as an active IHWCA with an ongoing workload reported 2/25/2019. The RCRAGR site is a CESQG. No violations or enforcements have been reported for this site. All work in this section of the project area will occur on the I-10/US 69 mainlanes and frontage roads. The site is approximately 1,020 ft from the frontage roads. Additionally, an approximately 90 ft wide concrete lined, channelized tributary of Hillebrandt Bayou runs parallel to the project area between the site and the proposed work.</p> <p>Based on the regulatory information and distance, this site is considered a low environmental concern.</p>	Low
130	Compliance Group Texas US Postal Admin 5815 Walden Rd STE 167, Beaumont, TX 77707	Adjacent W of Walden Rd, E of I-10	IHW IHW	<p>There are two IHWs reported at this location. Both IHWs are inactive CESQGs and no ROW will be acquired from this site; therefore, this site is considered a low environmental concern.</p>	Low
136	Haydn Cutler Company 3680 College St, Beaumont, TX 77701	845 ft E of the project area	IOP IOP	<p>The first IOP certificate (ID: 0152) was issued 4/7/2000. BTEX and TPH affected soils and groundwater. The site was reported as completed.</p> <p>The second IOP certificate (ID: 0184) was issued 9/15/2000. BTEX and TPH affected soils and groundwater on the 100x300 ft vacant lot. The site was reported as completed.</p> <p>Based on the regulatory information and distance, this site is considered a low environmental concern.</p>	Low

HAZARDOUS MATERIALS IMPACT EVALUATION

Map ID	Site Information	Location in Reference to Project	Regulatory Database Listing(s)	Environmental Concern Summary	Potential to Impact Project
150	A-1 Dry Cleaners 1115 N 11TH ST, Beaumont, TX 77702	945 ft S of the project area	IHWCA	The site is an inactive IHWCA with a completed workload reported on 3/20/2018. Based on the regulatory information and distance, this site is considered a low environmental concern.	Low
157	Rental Service 4790 Washington Blvd, Beaumont, TX 77707	1,077 ft WNW of the project area	APAR IHWCA VCP	The site is an inactive IHWCA with a completed workload reported on 1/22/2018. The site is an inactive, completed VCP site and the application acceptance was reported on 01/17/2006. The APAR was reported as an inactive and is associated with the VCP site. Based on the regulatory information and distance, this site is considered a low environmental concern.	Low
160	Super Shops Store 3655 Stagg Drive, Beaumont, TX 77701	1,114 ft ENE of the project area	IOP IOP	The first IOP (ID# 0067) was received 10/8/1998. The date the certificate was issued was not reported. Chlorinated solvents affected groundwater on the 1 acre property. The site was reported as a withdrawal. The second IOP certificate (ID# 0285) was issued 5/2/2002. Chlorinated solvents affected soils and groundwater on the 0.65 acre property. The site was reported as completed. Based on the regulatory information and distance, this site is considered a low environmental concern.	Low
180	JTB Recycling Transfer Station Facility 4895 Romeda Rd, Beaumont, TX 77705	0.256 mi S of the project area	MSWLF MSWLF	The first MSWLF site is listed as an active Liquid Transfer Station, Permit #: 40164. The second MSWLF site is listed as an active registered Liquid Waste Processing Facility, Permit #: 43000. Based on the distance, this site is considered a low environmental concern.	Low

HAZARDOUS MATERIALS IMPACT EVALUATION

Map ID	Site Information	Location in Reference to Project	Regulatory Database Listing(s)	Environmental Concern Summary	Potential to Impact Project
182	Steel by Dollinger 3690 Dollinger, Beaumont, TX 77701	0.272 mi. N of the project area	APAR IHWCA VCP	<p>The site is an active VCP site, with an agreement acceptance reported 03/28/2016. The 10.3 acre VCP site is in the investigation phase. The site is listed as an inactive IHWCA reported 11/12/2008. The APAR was reported as active and is associated with the VCP site.</p> <p>The site is located 0.27 miles north of the project area on an approximately 10.5 acre site. A Union Pacific railroad passes between the site and the project area. This site is considered a low environmental concern.</p>	Low
185	Baptist Hospital of Southeast Texas 3576 College St, Beaumont, TX 77701	0.282 mi. E of the project area	SEMSARCH	<p>The site is not an NPL and was archived in 1982.</p> <p>Based on the regulatory information and distance, this site is considered a low environmental concern.</p>	Low
188	Transport Services 6355 Walden Rd, Beaumont, TX 77707	0.292 mi. NW of the project area	APAR IHWCA	<p>The site is an active IHWCA reported 3/26/2015 with an ongoing workload. The APAR was reported as active and is associated with the IHWCA site.</p> <p>The IHWCA is located 0.34 miles northwest of the proposed work on an approximately 7 acre parcel, in a topographically flat area. This site is considered a low environmental concern.</p>	Low

HAZARDOUS MATERIALS IMPACT EVALUATION

Map ID	Site Information	Location in Reference to Project	Regulatory Database Listing(s)	Environmental Concern Summary	Potential to Impact Project
205	City of Beaumont Landfill 5895 Lafin Dr, Beaumont, TX 77705	0.416 mi SSW of the project area	MSWLF MSWLF	<p>The first MSWLF site was reported as a closed landfill facility, Permit# 213.</p> <p>The second MSWLF site was reported as an active City of Beaumont Landfill facility, Permit# 1486B. TCEQ's list of Active Municipal Solid Waste Landfills in Texas confirms this is an active facility.</p> <p>Based on the distance, this site is considered a low environmental concern.</p>	Low
212	12 acres near intersection of w. Lucas & Authur St, Beaumont, TX	0.472 mi WNW of the project area	RRCVCP	<p>The RRC of Texas List of Railroad Commission VCP and Brownfield Sites confirms the location as listed in the Radius Report. The site is located on 12 acres, south of the Classic Chevrolet Cadillac dealership and surrounded on three sides by residential neighborhoods. The site is a closed VCP site. The certification of completion was reported 4/29/2011.</p> <p>Based on the regulatory information and distance, this site is considered a low environmental concern.</p>	Low
216	Doctor's Building 3155 Stagg Drive, Beaumont, TX 77705	0.493 mi E of the project area	BF	<p>The site is listed as 4.6 acres formerly used as a hospital. A Phase II Environmental Assessment was completed in 05/09/2001 and no cleanup was reported.</p> <p>Based on the regulatory information and distance, this site is considered a low environmental concern.</p>	Low

Proposed Next Steps

Based on two sites being a potential moderate environmental risk and three sites being a potential high environmental risk, the following additional investigation and/or research is warranted.

1. Review of TCEQ data files, facility and property owner/operations records;
2. Interviews with current and past property owners/operators and adjoining property owners;
3. Continue the EA process, evaluate the proposed alternatives to determine final design, review ROW acquisition and construction details to determine exactly where soil disturbance will occur.

The interviews with former and current property owners, facility operators, TCEQ regulators, and neighboring facilities are recommended to be conducted at the same time as more detailed records and property owner research is conducted to help formulate the need for site investigations. The goal would be to identify, more specifically, the possible hazardous materials concerns at each site and develop an understanding of the location of areas of past releases as well as the areas with planned construction involving soil removal and/or groundwater dewatering during construction.

Combined with the understanding of the depth and area of potential disturbance and history of site operations of concern, a plan for soil and groundwater testing could be developed as warranted. Using these results, the level of past and estimated potential contamination at each of the sites with unresolved potential hazardous materials concerns could be understood.

Should unanticipated hazardous materials/substances be encountered during construction, TxDOT and/or the contractor would be notified and steps would be taken to protect personnel and the environment. Any unanticipated hazardous materials encountered during construction would be handled according to applicable federal, state, and local regulations per TxDOT Standard Specifications. The contractor would take appropriate measures to prevent, minimize, and control the spill of hazardous materials in the construction staging area. All construction materials used for the proposed project would be removed as soon as the work schedules permit. The contractor would initiate early regulatory agency coordination during project development.


Figure 3, Potential Hazardous Materials Concerns Aerial Maps, displays each site identified on the regulatory database report and includes the following information:

- Property buildings and other real property with project schematics overlay.
- Project area of evaluation and proposed ROW
- Potential hazardous material concern property color coded with their respective low concern, medium, or high risk level
- Each potential concern will include associated Map ID number


Appendix B

FIGURES

- FIGURE 1: PROJECT LOCATION MAP**
- FIGURE 2: PROJECT TOPOGRAPHIC MAP**
- FIGURE 3: HAZMAT SITES MAP**



PROJECT AREA



10/69 INTERCHANGES PROJECT
 CSJ: 0028-13-135 & 0739-02-140
 PROJECT LOCATION MAP
 JEFFERSON COUNTY, TEXAS





FIGURE 1

DATE:
SEPTEMBER 2019



-  1:24,000 USGS QUADRANGLE BOUNDARY
-  PROJECT AREA



10/69 INTERCHANGES PROJECT
 CSJ: 0028-13-135 & 0739-02-140
 USGS TOPOGRAPHIC MAP
 JEFFERSON COUNTY, TEXAS





FIGURE 2

DATE:
 SEPTEMBER 2019



- ▲ HIGH RISK
- ▲ LOW CONCERN
- ▲ MODERATE RISK
- ▲ NO CONCERN
- PROPOSED ROW
- PIPELINE
- PROJECT AREA



10/69 INTERCHANGES PROJECT
 CSJ: 0028-13-135 & 0739-02-140
 HAZMAT SITES OVERVIEW
 JEFFERSON COUNTY, TEXAS






FIGURE 3

DATE:
SEPTEMBER 2019



-  LOW CONCERN
-  NO CONCERN
-  PIPELINE
-  PROJECT AREA



10/69 INTERCHANGES PROJECT
 CSJ: 0028-13-135 & 0739-02-140
 HAZMAT SITES MAP

JEFFERSON COUNTY, TEXAS




FIGURE 3
 SHEET 1

DATE:
 SEPTEMBER 2019



- ▲ LOW CONCERN
- ▲ MODERATE RISK
- ▲ NO CONCERN
- PIPELINE
- PROJECT AREA



10/69 INTERCHANGES PROJECT
 CSJ: 0028-13-135 & 0739-02-140


HAZMAT SITES MAP

JEFFERSON COUNTY, TEXAS




FIGURE 3
 SHEET 2

DATE:
 SEPTEMBER 2019



- ▲ HIGH RISK
- ▲ LOW CONCERN
- ▲ MODERATE RISK
- ▲ NO CONCERN
- PIPELINE
- PROJECT AREA



10/69 INTERCHANGES PROJECT

CSJ: 0028-13-135 & 0739-02-140


HAZMAT SITES MAP

JEFFERSON COUNTY, TEXAS




FIGURE 3
SHEET 3

DATE:
SEPTEMBER 2019



- ▲ LOW CONCERN
- ▲ MODERATE RISK
- ▲ NO CONCERN
- PROPOSED ROW
- PROJECT AREA




10/69 INTERCHANGES PROJECT
 CSJ: 0028-13-135 & 0739-02-140
 HAZMAT SITES MAP

JEFFERSON COUNTY, TEXAS




FIGURE 3
 SHEET 4

DATE:
 SEPTEMBER 2019



- ▲ HIGH RISK
- ▲ LOW CONCERN
- ▲ NO CONCERN
- PROPOSED ROW
- PIPELINE
- PROJECT AREA




10/69 INTERCHANGES PROJECT
 CSJ: 0028-13-135 & 0739-02-140
 HAZMAT SITES MAP

JEFFERSON COUNTY, TEXAS




FIGURE 3
 SHEET 5

DATE:
 SEPTEMBER 2019



- ▲ LOW CONCERN
- ▲ MODERATE RISK
- ▲ NO CONCERN
- PIPELINE
- PROJECT AREA




10/69 INTERCHANGES PROJECT
 CSJ: 0028-13-135 & 0739-02-140
 HAZMAT SITES MAP

JEFFERSON COUNTY, TEXAS




FIGURE 3
 SHEET 6

DATE:
 SEPTEMBER 2019



- ▲ LOW CONCERN
- ▲ NO CONCERN
- PIPELINE
- PROJECT AREA




10/69 INTERCHANGES PROJECT
 CSJ: 0028-13-135 & 0739-02-140
 HAZMAT SITES MAP

JEFFERSON COUNTY, TEXAS




FIGURE 3
 SHEET 7

DATE:
 SEPTEMBER 2019



- ▲ HIGH RISK
- ▲ LOW CONCERN
- ▲ MODERATE RISK
- ▲ NO CONCERN
- PROPOSED ROW
- PROJECT AREA



10/69 INTERCHANGES PROJECT

CSJ: 0028-13-135 & 0739-02-140

HAZMAT SITES MAP

JEFFERSON COUNTY, TEXAS






FIGURE 3
SHEET 8

DATE:
SEPTEMBER 2019



- ▲ HIGH RISK
- ▲ LOW CONCERN
- ▲ NO CONCERN
- PROPOSED ROW
- PROJECT AREA




10/69 INTERCHANGES PROJECT
 CSJ: 0028-13-135 & 0739-02-140
 HAZMAT SITES MAP

JEFFERSON COUNTY, TEXAS




FIGURE 3
SHEET 9

DATE:
SEPTEMBER 2019



-  NO CONCERN
-  PROJECT AREA



10/69 INTERCHANGES PROJECT
 CSJ: 0028-13-135 & 0739-02-140
 HAZMAT SITES MAP

JEFFERSON COUNTY, TEXAS



FIGURE 3
SHEET 10

DATE:
SEPTEMBER 2019

Appendix C
SITE
PHOTOGRAPHS



Photo 1. Map ID# 3 (Dowell Schlumberger). No ROW will be acquired from this site; however, the LPST site is open and located adjacent to the project area; therefore, this site is considered a moderate environmental risk. Photo taken June 2019.



Photo 2. Map ID# 6 (Chevyland/Beaumont Motor). ROW would be acquired from two inactive PST sites and one closed LPST site; therefore, this site is considered a moderate environmental risk. Photo taken June 2019.



Photo 3. Map ID# 7 (KFDM TV Transmitter Tower). ROW would be acquired from an active PST site and a closed LPST; therefore, this site is considered a high environmental risk. Photo taken June 2019.



Photo 4. Map ID# 9 (Kinsel Pontiac-Cadillac-GMC Trucks). ROW would be acquired from an inactive PST site with no reported releases; therefore, this site is considered a low environmental concern. Photo taken June 2019.



Photo 5. Map ID# 40 (Felton Bldg). ROW would be acquired from an inactive PST site with no reported releases; therefore, this site is considered a low environmental concern. Photo taken July 2019.



Photo 6. Map ID# 48 (Kevins Mobil). The LPST site is open and is located adjacent to the project area; therefore, this site is considered a high environmental risk. Photo taken June 2019.



Photo 7. Map ID# 49 (Exxpress Mart 10) The LPST site is open and located adjacent to the project area; therefore, this site is considered a high environmental risk. Photo taken June 2019.

Appendix D

DESIGN SCHEMATICS



TEXAS DEPARTMENT OF TRANSPORTATION
 BEAUMONT DISTRICT
 TUCKER FERGUSON, P.E.
 DISTRICT ENGINEER
 DESIGN SCHEMATIC
 I-10 FROM CR 131
 (WALDEN RD. EAST) TO 7TH STREET
 CSI: 0028-13-132, ETC.
 NET LENGTH OF PROJECT: 4.91 MI
 ROADWAY: X,XXX MI
 BRIDGE: X,XXX MI
 JEFFERSON COUNTY
 CONSTRUCTION OF: WIDENING INTERSTATE 10 FROM 4 TO 6 MAINLANES
 AND RECONSTRUCTING EASTEX FREEWAY AND CARDINAL DRIVE INTERCHANGES.
 JUNE 2019



KEY MAP
 N.T.S.

- LEGEND**
- EXISTING ROW
 - PROPOSED FRONTAGE ROAD
 - PROPOSED MAIN LINES
 - CONSTRUCTION EASEMENT
 - PROPOSED RAMP
 - PROPERTY BOUNDARY
 - PROPOSED DIRECT CONNECTOR
 - RETAINING WALL
 - PROPOSED CROSS STREET
 - PROPOSED IMPROVEMENTS ON OTHER SHEETS
 - PROPOSED CULVERT
 - TEMPORARY PAVEMENT ON OTHER SHEETS
 - PROPOSED TRAFFIC ARROW
 - PROPOSED BRIDGE
 - EXISTING PAVEMENT TO BE REMOVED
 - 100 YEAR FLOODPLAIN
 - EXISTING LARGE SIDEWALK SIGN STRUCTURE
 - PROPOSED OVERHEAD SIGN BRIDGE
 - PROPOSED OVERHEAD SIGN BRIDGE
 - PROPOSED OVERHEAD SIGN BRIDGE
 - DIRECTION OF FLOW
 - CONTROL OF ACCESS

FUNCTIONAL CLASSIFICATION: INTERSTATE
 MAINLANE DESIGN SPEED: 70 MPH
 FRONTAGE ROAD DESIGN SPEED: 45 MPH
 RAMP DESIGN SPEED: 45 MPH
 DIRECT CONNECTOR DESIGN SPEED: 45 MPH - 60 MPH
 CROSS ROAD DESIGN SPEED: 45 MPH
 PROJECTED 2020 ADT: X,XXX VPH
 PROJECTED 2040 ADT: X,XXX VPH



TEXAS DEPARTMENT OF TRANSPORTATION
 BEAUMONT DISTRICT
 TUCKER FERGUSON, P.E.
 DISTRICT ENGINEER
 DESIGN SCHEMATIC
 I-10 FROM CR 131
 (WALDEN RD. EAST) TO 7TH STREET
 CSI: 0028-13-132, ETC.
 NET LENGTH OF PROJECT: 4.91 MI
 ROADWAY: X,XXX MI
 BRIDGE: X,XXX MI
 JEFFERSON COUNTY
 CONSTRUCTION OF: WIDENING INTERSTATE 10 FROM 4 TO 6 MAINLANES
 AND RECONSTRUCTING EASTEX FREEWAY AND CARDINAL DRIVE INTERCHANGES.
 JUNE 2019



KEY MAP
 N.T.S.

- LEGEND**
- EXISTING ROW
 - PROPOSED FRONTAGE ROAD
 - PROPOSED MAIN LINES
 - CONSTRUCTION EASEMENT
 - PROPOSED RAMP
 - PROPERTY BOUNDARY
 - PROPOSED DIRECT CONNECTOR
 - RETAINING WALL
 - PROPOSED CROSS STREET
 - PROPOSED IMPROVEMENTS ON OTHER SHEETS
 - PROPOSED CULVERT
 - TEMPORARY PAVEMENT ON OTHER SHEETS
 - PROPOSED TRAFFIC ARROW
 - PROPOSED BRIDGE
 - EXISTING PAVEMENT TO BE REMOVED
 - 100 YEAR FLOODPLAIN
 - EXISTING LARGE SIDEWALK SIGN STRUCTURE
 - PROPOSED OVERHEAD SIGN BRIDGE
 - PROPOSED OVERHEAD SIGN BRIDGE
 - PROPOSED OVERHEAD SIGN BRIDGE
 - DIRECTION OF FLOW
 - CONTROL OF ACCESS

FUNCTIONAL CLASSIFICATION: INTERSTATE
 MAINLANE DESIGN SPEED: 70 MPH
 FRONTAGE ROAD DESIGN SPEED: 45 MPH
 RAMP DESIGN SPEED: 45 MPH
 DIRECT CONNECTOR DESIGN SPEED: 45 MPH - 60 MPH
 CROSS ROAD DESIGN SPEED: 45 MPH
 PROJECTED 2020 ADT: X,XXX VPH
 PROJECTED 2040 ADT: X,XXX VPH



AERIAL IMAGERY DATE: XX/XXXX
 TOPOGRAPHICAL DATA DATE: XX/XXXX

SCHEMATIC PREPARED BY:
JACOBS
 TYPE FIRM NO. F-2966

PRELIMINARY SUBJECT TO CHANGE

DATE SUBMITTED: 6/12/2019
 DATE APPROVED: 6/12/2019



AERIAL IMAGERY DATE: XX/XXXX
 TOPOGRAPHICAL DATA DATE: XX/XXXX

SCHEMATIC PREPARED BY:
JACOBS
 TYPE FIRM NO. F-2966

PRELIMINARY SUBJECT TO CHANGE

DATE SUBMITTED: 6/12/2019
 DATE APPROVED: 6/12/2019

TEXAS DEPARTMENT OF TRANSPORTATION
BEAUMONT DISTRICT
TUCKER FERRELLSON, P.E.
DISTRICT ENGINEER

DESIGN SCHEMATIC
I-10 FROM CS 12E
(WALDEN RD. EAST) TO 7TH STREET
NET LENGTH OF PROJECT: 7.4 MI
BRIDGE: 1,300' W
JEFFERSON COUNTY

CONSTRUCTION OF INTERCHANGE IS FROM 4 TO 6 WEEKS
AND RECONSTRUCTION OF EXISTING FREEWAY AND CONCOURSE DRIVE INTERCHANGES
JUNE 2019

KEY MAP
K.C.S.

LEGEND

EXISTING ROW	PROPOSED FRONTAGE ROAD
PROPOSED ROW	PROPOSED NEW LANES
CONSTRUCTION EASEMENT	PROPOSED DIRECT CONNECTION
PROPOSED BRIDGE	PROPOSED OVERPASS
RETAINING WALL	PROPOSED UNDERPASS
PROPOSED EASEMENT	PROPOSED IMPROVEMENTS TO EXISTING BRIDGE
PROPOSED TRAFFIC ARM	TEMPORARY PAVEMENT
EXISTING PAVEMENT TO BE REPAIRED	PROPOSED BRIDGE
PROPOSED LANE SHOULDER	100-YEAR FLOODPLAIN
PROPOSED CENTERLINE OVERHEAD SIGN STRUCTURE	
PROPOSED CENTERLINE OVERHEAD SIGN BRIDGE	
PROPOSED OVERHEAD SIGN BRIDGE	
DIRECTION OF FLOW	
CONTROL OF ACCESS	

FUNCTIONAL CLASSIFICATION: INTERSTATE
MAINLINE DESIGN SPEED: 70 MPH
FRONTAGE ROAD DESIGN SPEED: 45 MPH
RAMP DESIGN SPEED: 45 MPH
DIRECT CONNECTION DESIGN SPEED: 45 MPH - 40 MPH
CROSS ROAD DESIGN SPEED: 45 MPH
PROJECTED 2040 ADFT: 3,XXX VPH
PROJECTED 2040 ADFT: 3,XXX VPH





AERIAL IMAGERY DATE: XX/XX/XX
TOPOGRAPHICAL DATA DATE: XX/XX/XX

DESIGNIC PREPARED BY:
JACOBS
TYPE: F-100 NO. F-2066

PRELIMINARY SUBJECT TO CHANGE

BEAUMONT DISTRICT
TUCKER FERRELLSON, P.E.
DISTRICT ENGINEER

DESIGNIC PREPARED BY:
JACOBS
TYPE: F-100 NO. F-2066



TEXAS DEPARTMENT OF TRANSPORTATION
BEAUMONT DISTRICT
TUCKER FERRELLSON, P.E.
DISTRICT ENGINEER

DESIGN SCHEMATIC
I-10 FROM CS 12E
(WALDEN RD. EAST) TO 7TH STREET
NET LENGTH OF PROJECT: 7.4 MI
BRIDGE: 1,300' W
JEFFERSON COUNTY

CONSTRUCTION OF INTERCHANGE IS FROM 4 TO 6 WEEKS
AND RECONSTRUCTION OF EXISTING FREEWAY AND CONCOURSE DRIVE INTERCHANGES
JUNE 2019

KEY MAP
K.C.S.

LEGEND

EXISTING ROW	PROPOSED FRONTAGE ROAD
PROPOSED ROW	PROPOSED NEW LANES
CONSTRUCTION EASEMENT	PROPOSED DIRECT CONNECTION
PROPOSED BRIDGE	PROPOSED OVERPASS
RETAINING WALL	PROPOSED UNDERPASS
PROPOSED EASEMENT	PROPOSED IMPROVEMENTS TO EXISTING BRIDGE
PROPOSED TRAFFIC ARM	TEMPORARY PAVEMENT
EXISTING PAVEMENT TO BE REPAIRED	PROPOSED BRIDGE
PROPOSED LANE SHOULDER	100-YEAR FLOODPLAIN
PROPOSED CENTERLINE OVERHEAD SIGN STRUCTURE	
PROPOSED CENTERLINE OVERHEAD SIGN BRIDGE	
PROPOSED OVERHEAD SIGN BRIDGE	
DIRECTION OF FLOW	
CONTROL OF ACCESS	

FUNCTIONAL CLASSIFICATION: INTERSTATE
MAINLINE DESIGN SPEED: 70 MPH
FRONTAGE ROAD DESIGN SPEED: 45 MPH
RAMP DESIGN SPEED: 45 MPH
DIRECT CONNECTION DESIGN SPEED: 45 MPH - 40 MPH
CROSS ROAD DESIGN SPEED: 45 MPH
PROJECTED 2040 ADFT: 3,XXX VPH
PROJECTED 2040 ADFT: 3,XXX VPH



AERIAL IMAGERY DATE: XX/XX/XX
TOPOGRAPHICAL DATA DATE: XX/XX/XX


DESIGNIC PREPARED BY:
JACOBS
TYPE: F-100 NO. F-2066

PRELIMINARY SUBJECT TO CHANGE



BEAUMONT DISTRICT
TUCKER FERRELLSON, P.E.
DISTRICT ENGINEER

DESIGNIC PREPARED BY:
JACOBS
TYPE: F-100 NO. F-2066

TEXAS DEPARTMENT OF TRANSPORTATION
BEAUMONT DISTRICT
TUCKER FERGUSON, P.E.
DISTRICT ENGINEER
DESIGN SCHEMATIC
I-10 FROM CR 131
(WALDEN RD. EAST) TO 7TH STREET
CSJ: 0028-13-135, ETC.
NET LENGTH OF PROJECT: 4.911 MI
ROADWAY: 2.5XXX MI
BRIDGE: 2.4XX MI
JEFFERSON COUNTY
CONSTRUCTION OF: WIDENING INTERSTATE 10 FROM 4 TO 6 MAINLANES
AND RECONSTRUCTING EXISTING FREEWAY AND CARDINAL DRIVE INTERCHANGES.
JUNE 2019



FUNCTIONAL CLASSIFICATION: INTERSTATE
MAINLANE DESIGN SPEED: 70 MPH
FRONTAGE ROAD DESIGN SPEED: 45 MPH
RAMP DESIGN SPEED: 45 MPH
DIRECT CONNECTOR DESIGN SPEED: 45 MPH - 60 MPH
CROSS ROAD DESIGN SPEED: 45 MPH
PROJECTED 2020 AADT: X,XXX VPH
PROJECTED 2040 AADT: X,XXX VPH



TEXAS DEPARTMENT OF TRANSPORTATION
BEAUMONT DISTRICT
TUCKER FERGUSON, P.E.
DISTRICT ENGINEER
DESIGN SCHEMATIC
I-10 FROM CR 131
(WALDEN RD. EAST) TO 7TH STREET
CSJ: 0028-13-135, ETC.
NET LENGTH OF PROJECT: 4.911 MI
ROADWAY: 2.5XXX MI
BRIDGE: 2.4XX MI
JEFFERSON COUNTY
CONSTRUCTION OF: WIDENING INTERSTATE 10 FROM 4 TO 6 MAINLANES
AND RECONSTRUCTING EXISTING FREEWAY AND CARDINAL DRIVE INTERCHANGES.
JUNE 2019



FUNCTIONAL CLASSIFICATION: INTERSTATE
MAINLANE DESIGN SPEED: 70 MPH
FRONTAGE ROAD DESIGN SPEED: 45 MPH
RAMP DESIGN SPEED: 45 MPH
DIRECT CONNECTOR DESIGN SPEED: 45 MPH - 60 MPH
CROSS ROAD DESIGN SPEED: 45 MPH
PROJECTED 2020 AADT: X,XXX VPH
PROJECTED 2040 AADT: X,XXX VPH



AERIAL IMAGERY DATE: XX/XXXX
TOPOGRAPHICAL DATA DATE: XX/XXXX

SCHEMATIC PREPARED BY:
JACOBS
TYPE FIRM NO. F-2966

PRELIMINARY SUBJECT TO CHANGE

DATE SUBMITTED: 6/17/2019
DATE APPROVED: 6/17/2019



AERIAL IMAGERY DATE: XX/XXXX
TOPOGRAPHICAL DATA DATE: XX/XXXX

SCHEMATIC PREPARED BY:
JACOBS
TYPE FIRM NO. F-2966

PRELIMINARY SUBJECT TO CHANGE

DATE SUBMITTED: 6/17/2019
DATE APPROVED: 6/17/2019

Appendix E
REGULATORY DATABASE REPORT



On time. On target. In touch.™

Radius Report

[GeoLens by GeoSearch](#)

Target Property:

**IH-10/69 Interchanges
Beaumont, Jefferson County, Texas**

Prepared For:

Ecosystem Planning and Restoration LLC

Order #: 127780

Job #: 298092

Project #: HOU0146

Date: 06/08/2019

Table of Contents

<i>Target Property Summary</i>	1
<i>Database Summary</i>	2
<i>Database Radius Summary</i>	7
<i>Radius Map</i>	11
<i>Ortho Map</i>	13
<i>Topographic Map</i>	14
<i>Located Sites Summary</i>	14
<i>Elevation Summary</i>	41
<i>Unlocated Sites Summary</i>	1589
<i>Environmental Records Definitions</i>	1591
<i>Unlocatable Report</i>	See Attachment
<i>Zip Report</i>	See Attachment

Disclaimer

This report was designed by GeoSearch to meet or exceed the records search requirements of the All Appropriate Inquiries Rule (40 CFR § 312.26) and the current version of the ASTM International E1527, Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process or, if applicable, the custom requirements requested by the entity that ordered this report. The records and databases of records used to compile this report were collected from various federal, state and local governmental entities. It is the goal of GeoSearch to meet or exceed the 40 CFR § 312.26 and E1527 requirements for updating records by using the best available technology. GeoSearch contacts the appropriate governmental entities on a recurring basis. Depending on the frequency with which a record source or database of records is updated by the governmental entity, the data used to prepare this report may be updated monthly, quarterly, semi-annually, or annually.

The information provided in this report was obtained from a variety of public sources. GeoSearch cannot ensure and makes no warranty or representation as to the accuracy, reliability, quality, errors occurring from data conversion or the customer's interpretation of this report. This report was made by GeoSearch for exclusive use by its clients only. Therefore, this report may not contain sufficient information for other purposes or parties. GeoSearch and its partners, employees, officers And independent contractors cannot be held liable For actual, incidental, consequential, special or exemplary damages suffered by a customer resulting directly or indirectly from any information provided by GeoSearch.

Target Property Summary

Target Property Information

IH-10/69 Interchanges

Beaumont, Texas

Coordinates

Area centroid (-94.138819, 30.0688753)

17 feet above sea level

USGS Quadrangle

Beaumont East, TX

Beaumont West, TX

Geographic Coverage Information

County/Parish: Jefferson (TX)

ZipCode(s):

Beaumont TX: 77701, 77702, 77703, 77705, 77706, 77707, 77708

Database Summary

FEDERAL LISTING

Standard Environmental Records

Database	Acronym	Locatable	Unlocatable	Search Radius (miles)
EMERGENCY RESPONSE NOTIFICATION SYSTEM	ERNSTX	8	6	TP/AP
FEDERAL ENGINEERING INSTITUTIONAL CONTROL SITES	EC	0	0	TP/AP
LAND USE CONTROL INFORMATION SYSTEM	LUCIS	0	0	TP/AP
RCRA SITES WITH CONTROLS	RCRASC	0	0	TP/AP
RESOURCE CONSERVATION & RECOVERY ACT - GENERATOR	RCRAGR06	20	0	0.1250
RESOURCE CONSERVATION & RECOVERY ACT - NON-GENERATOR	RCRANGR06	37	0	0.1250
BROWNFIELDS MANAGEMENT SYSTEM	BF	1	0	0.5000
DELISTED NATIONAL PRIORITIES LIST	DNPL	0	0	0.5000
NO LONGER REGULATED RCRA NON-CORRACTS TSD FACILITIES	NLRRCRAT	0	0	0.5000
RESOURCE CONSERVATION & RECOVERY ACT - NON-CORRACTS TREATMENT, STORAGE & DISPOSAL FACILITIES	RCRAT	1	0	0.5000
SUPERFUND ENTERPRISE MANAGEMENT SYSTEM	SEMS	0	0	0.5000
SUPERFUND ENTERPRISE MANAGEMENT SYSTEM ARCHIVED SITE INVENTORY	SEMSARCH	1	0	0.5000
NATIONAL PRIORITIES LIST	NPL	0	0	1.0000
NO LONGER REGULATED RCRA CORRECTIVE ACTION FACILITIES	NLRRCRAC	0	0	1.0000
PROPOSED NATIONAL PRIORITIES LIST	PNPL	0	0	1.0000
RESOURCE CONSERVATION & RECOVERY ACT - CORRECTIVE ACTION FACILITIES	RCRAC	1	0	1.0000
RESOURCE CONSERVATION & RECOVERY ACT - SUBJECT TO CORRECTIVE ACTION FACILITIES	RCRASUBC	1	0	1.0000
SUB-TOTAL		70	6	

Additional Environmental Records

Database	Acronym	Locatable	Unlocatable	Search Radius (miles)
AEROMETRIC INFORMATION RETRIEVAL SYSTEM / AIR FACILITY SUBSYSTEM	AIRSAFS	0	0	TP/AP
BIENNIAL REPORTING SYSTEM	BRS	1	0	TP/AP
CERCLIS LIENS	SFLIENS	0	0	TP/AP
CLANDESTINE DRUG LABORATORY LOCATIONS	CDL	0	0	TP/AP
EPA DOCKET DATA	DOCKETS	0	0	TP/AP
ENFORCEMENT AND COMPLIANCE HISTORY INFORMATION	ECHOR06	34	0	TP/AP
FACILITY REGISTRY SYSTEM	FRSTX	74	0	TP/AP

Database Summary

Database	Acronym	Locatable	Unlocatable	Search Radius (miles)
HAZARDOUS MATERIALS INCIDENT REPORTING SYSTEM	HMIRSR06	3	0	TP/AP
INTEGRATED COMPLIANCE INFORMATION SYSTEM (FORMERLY DOCKETS)	ICIS	1	0	TP/AP
INTEGRATED COMPLIANCE INFORMATION SYSTEM NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM	ICISNPDES	0	0	TP/AP
MATERIAL LICENSING TRACKING SYSTEM	MLTS	0	0	TP/AP
NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM	NPDESR06	0	0	TP/AP
PCB ACTIVITY DATABASE SYSTEM	PADS	0	0	TP/AP
PERMIT COMPLIANCE SYSTEM	PCSR06	0	0	TP/AP
SEMS LIEN ON PROPERTY	SEMSLIENS	0	0	TP/AP
SECTION SEVEN TRACKING SYSTEM	SSTS	0	0	TP/AP
TOXIC SUBSTANCE CONTROL ACT INVENTORY	TSCA	0	0	TP/AP
TOXICS RELEASE INVENTORY	TRI	0	0	TP/AP
ALTERNATIVE FUELING STATIONS	ALTFUELS	6	0	0.2500
FEMA OWNED STORAGE TANKS	FEMAUST	0	0	0.2500
HISTORICAL GAS STATIONS	HISTPST	0	0	0.2500
INTEGRATED COMPLIANCE INFORMATION SYSTEM DRYCLEANERS	ICISCLEANERS	0	0	0.2500
MINE SAFETY AND HEALTH ADMINISTRATION MASTER INDEX FILE	MSHA	0	0	0.2500
MINERAL RESOURCE DATA SYSTEM	MRDS	0	0	0.2500
OPEN DUMP INVENTORY	ODI	0	0	0.5000
SURFACE MINING CONTROL AND RECLAMATION ACT SITES	SMCRA	0	0	0.5000
URANIUM MILL TAILINGS RADIATION CONTROL ACT SITES	USUMTRCA	0	0	0.5000
DEPARTMENT OF DEFENSE SITES	DOD	0	0	1.0000
FORMER MILITARY NIKE MISSILE SITES	NMS	0	0	1.0000
FORMERLY USED DEFENSE SITES	FUDS	0	0	1.0000
FORMERLY UTILIZED SITES REMEDIAL ACTION PROGRAM	FUSRAP	0	0	1.0000
RECORD OF DECISION SYSTEM	RODS	0	0	1.0000
SUB-TOTAL		119	0	

Database Summary

STATE (TX) LISTING

Standard Environmental Records

Database	Acronym	Locatable	Unlocatable	Search Radius (miles)
STATE INSTITUTIONAL/ENGINEERING CONTROL SITES	SIEC01	0	0	TP/AP
PETROLEUM STORAGE TANKS	PST	122	0	0.2500
BROWNFIELDS SITE ASSESSMENTS	BSA	1	0	0.5000
CLOSED & ABANDONED LANDFILL INVENTORY	CALF	0	0	0.5000
LEAKING PETROLEUM STORAGE TANKS	LPST	108	0	0.5000
MUNICIPAL SOLID WASTE LANDFILL SITES	MSWLF	4	0	0.5000
RAILROAD COMMISSION VCP AND BROWNFIELD SITES	RRCVCP	1	0	0.5000
VOLUNTARY CLEANUP PROGRAM SITES	VCP	3	0	0.5000
STATE SUPERFUND SITES	SF	0	0	1.0000
SUB-TOTAL		239	0	

Additional Environmental Records

Database	Acronym	Locatable	Unlocatable	Search Radius (miles)
GROUNDWATER CONTAMINATION CASES	GWCC	9	0	TP/AP
HISTORIC GROUNDWATER CONTAMINATION CASES	HISTGWCC	0	0	TP/AP
LAND APPLICATION PERMITS	LANDAPP	0	0	TP/AP
MUNICIPAL SETTING DESIGNATIONS	MSD	0	0	TP/AP
NOTICE OF VIOLATIONS	NOV	10	0	TP/AP
SPILLS LISTING	SPILLS	3	0	TP/AP
TCEQ LIENS	LIENS	0	0	TP/AP
TIER II CHEMICAL REPORTING PROGRAM FACILITIES	TIERII	3	0	TP/AP
DRY CLEANER REGISTRATION DATABASE	DCR	4	0	0.2500
INDUSTRIAL AND HAZARDOUS WASTE SITES	IHW	76	1	0.2500
PERMITTED INDUSTRIAL HAZARDOUS WASTE SITES	PIHW	0	0	0.2500
AFFECTED PROPERTY ASSESSMENT REPORTS	APAR	5	0	0.5000
DRY CLEANER REMEDIATION PROGRAM SITES	DCRPS	0	0	0.5000
INNOCENT OWNER / OPERATOR DATABASE	IOP	4	0	0.5000
RADIOACTIVE WASTE SITES	RWS	0	0	0.5000
RECYCLING FACILITIES	WMRF	0	0	0.5000
SALT CAVERNS FOR PETROLEUM STORAGE	STCV	0	0	0.5000
INDUSTRIAL AND HAZARDOUS WASTE CORRECTIVE ACTION SITES	IHWCA	7	0	1.0000

Database Summary

SUB-TOTAL		121	1	
-----------	--	-----	---	--

Database Summary

TRIBAL LISTING

Standard Environmental Records

Database	Acronym	Locatable	Unlocatable	Search Radius (miles)
UNDERGROUND STORAGE TANKS ON TRIBAL LANDS	USTR06	0	0	0.2500
LEAKING UNDERGROUND STORAGE TANKS ON TRIBAL LANDS	LUSTR06	0	0	0.5000
OPEN DUMP INVENTORY ON TRIBAL LANDS	ODINDIAN	0	0	0.5000
SUB-TOTAL		0	0	

Additional Environmental Records

Database	Acronym	Locatable	Unlocatable	Search Radius (miles)
INDIAN RESERVATIONS	INDIANRES	0	0	1.0000
SUB-TOTAL		0	0	
TOTAL		549	7	

Database Radius Summary

FEDERAL LISTING

Standard environmental records are displayed in **bold**.

Acronym	Search Radius (miles)	TP/AP (0 - 0.02)	1/8 Mile (> TP/AP)	1/4 Mile (> 1/8)	1/2 Mile (> 1/4)	1 Mile (> 1/2)	> 1 Mile	Total
AIRSAFS	0.0200	0	NS	NS	NS	NS	NS	0
BRS	0.0200	1	NS	NS	NS	NS	NS	1
CDL	0.0200	0	NS	NS	NS	NS	NS	0
DOCKETS	0.0200	0	NS	NS	NS	NS	NS	0
EC	0.0200	0	NS	NS	NS	NS	NS	0
ECHOR06	0.0200	34	NS	NS	NS	NS	NS	34
ERNSTX	0.0200	8	NS	NS	NS	NS	NS	8
FRSTX	0.0200	74	NS	NS	NS	NS	NS	74
HMIRSR06	0.0200	3	NS	NS	NS	NS	NS	3
ICIS	0.0200	1	NS	NS	NS	NS	NS	1
ICISNPDES	0.0200	0	NS	NS	NS	NS	NS	0
LUCIS	0.0200	0	NS	NS	NS	NS	NS	0
MLTS	0.0200	0	NS	NS	NS	NS	NS	0
NPDESR06	0.0200	0	NS	NS	NS	NS	NS	0
PADS	0.0200	0	NS	NS	NS	NS	NS	0
PCSR06	0.0200	0	NS	NS	NS	NS	NS	0
RCRASC	0.0200	0	NS	NS	NS	NS	NS	0
SEMSLIENS	0.0200	0	NS	NS	NS	NS	NS	0
SFLIENS	0.0200	0	NS	NS	NS	NS	NS	0
SSTS	0.0200	0	NS	NS	NS	NS	NS	0
TRI	0.0200	0	NS	NS	NS	NS	NS	0
TSCA	0.0200	0	NS	NS	NS	NS	NS	0
RCRAGR06	0.1250	7	13	NS	NS	NS	NS	20
RCRANGR06	0.1250	22	15	NS	NS	NS	NS	37
ALTFUELS	0.2500	4	2	0	NS	NS	NS	6
FEMAUST	0.2500	0	0	0	NS	NS	NS	0
HISTPST	0.2500	0	0	0	NS	NS	NS	0
ICISCLEANERS	0.2500	0	0	0	NS	NS	NS	0
MRDS	0.2500	0	0	0	NS	NS	NS	0
MSHA	0.2500	0	0	0	NS	NS	NS	0
BF	0.5000	0	0	0	1	NS	NS	1
DNPL	0.5000	0	0	0	0	NS	NS	0
NLRRCRAT	0.5000	0	0	0	0	NS	NS	0
ODI	0.5000	0	0	0	0	NS	NS	0
RCRAT	0.5000	1	0	0	0	NS	NS	1

Database Radius Summary

Acronym	Search Radius (miles)	TP/AP (0 - 0.02)	1/8 Mile (> TP/AP)	1/4 Mile (> 1/8)	1/2 Mile (> 1/4)	1 Mile (> 1/2)	> 1 Mile	Total
SEMS	0.5000	0	0	0	0	NS	NS	0
SEMSARCH	0.5000	0	0	0	1	NS	NS	1
SMCRA	0.5000	0	0	0	0	NS	NS	0
USUMTRCA	0.5000	0	0	0	0	NS	NS	0
DOD	1.0000	0	0	0	0	0	NS	0
FUDS	1.0000	0	0	0	0	0	NS	0
FUSRAP	1.0000	0	0	0	0	0	NS	0
NLRRCRAC	1.0000	0	0	0	0	0	NS	0
NMS	1.0000	0	0	0	0	0	NS	0
NPL	1.0000	0	0	0	0	0	NS	0
PNPL	1.0000	0	0	0	0	0	NS	0
RCRAC	1.0000	1	0	0	0	0	NS	1
RCRASUBC	1.0000	1	0	0	0	0	NS	1
RODS	1.0000	0	0	0	0	0	NS	0
SUB-TOTAL		157	30	0	2	0	0	189

Database Radius Summary

STATE (TX) LISTING

Standard environmental records are displayed in **bold**.

Acronym	Search Radius (miles)	TP/AP (0 - 0.02)	1/8 Mile (> TP/AP)	1/4 Mile (> 1/8)	1/2 Mile (> 1/4)	1 Mile (> 1/2)	> 1 Mile	Total
GWCC	0.0200	9	NS	NS	NS	NS	NS	9
HISTGWCC	0.0200	0	NS	NS	NS	NS	NS	0
LANDAPP	0.0200	0	NS	NS	NS	NS	NS	0
LIENS	0.0200	0	NS	NS	NS	NS	NS	0
MSD	0.0200	0	NS	NS	NS	NS	NS	0
NOV	0.0200	10	NS	NS	NS	NS	NS	10
SIEC01	0.0200	0	NS	NS	NS	NS	NS	0
SPILLS	0.0200	3	NS	NS	NS	NS	NS	3
TIERII	0.0200	3	NS	NS	NS	NS	NS	3
DCR	0.2500	0	1	3	NS	NS	NS	4
IHW	0.2500	28	23	25	NS	NS	NS	76
PIHW	0.2500	0	0	0	NS	NS	NS	0
PST	0.2500	52	39	31	NS	NS	NS	122
APAR	0.5000	1	1	1	2	NS	NS	5
BSA	0.5000	0	0	0	1	NS	NS	1
CALF	0.5000	0	0	0	0	NS	NS	0
DCRPS	0.5000	0	0	0	0	NS	NS	0
IOP	0.5000	0	0	4	0	NS	NS	4
LPST	0.5000	29	22	14	43	NS	NS	108
MSWLF	0.5000	0	0	0	4	NS	NS	4
RRCVCP	0.5000	0	0	0	1	NS	NS	1
RWS	0.5000	0	0	0	0	NS	NS	0
STCV	0.5000	0	0	0	0	NS	NS	0
VCP	0.5000	0	1	1	1	NS	NS	3
WMRF	0.5000	0	0	0	0	NS	NS	0
IHWCA	1.0000	2	1	2	2	0	NS	7
SF	1.0000	0	0	0	0	0	NS	0
SUB-TOTAL		137	88	81	54	0	0	360

Database Radius Summary

TRIBAL LISTING

Standard environmental records are displayed in **bold**.

Acronym	Search Radius (miles)	TP/AP (0 - 0.02)	1/8 Mile (> TP/AP)	1/4 Mile (> 1/8)	1/2 Mile (> 1/4)	1 Mile (> 1/2)	> 1 Mile	Total
USTR06	0.2500	0	0	0	NS	NS	NS	0
LUSTR06	0.5000	0	0	0	0	NS	NS	0
ODINDIAN	0.5000	0	0	0	0	NS	NS	0
INDIANRES	1.0000	0	0	0	0	0	NS	0

SUB-TOTAL		0						
------------------	--	----------	----------	----------	----------	----------	----------	----------


TOTAL		294	118	81	56	0	0	549
--------------	--	------------	------------	-----------	-----------	----------	----------	------------

NOTES:

NS = NOT SEARCHED

TP/AP = TARGET PROPERTY/ADJACENT PROPERTY

RADIUS MAP




IH-10/69 Interchanges
Beaumont, Texas

- | | | | | |
|----------------------|-----------|----------|----------|--------|
| Target Property (TP) | ECHOR06 | RCRAGR06 | ICIS | RRCVCP |
| PST | RCRAC | PST | ALTFUELS | BF |
| SPILLS | RCRAT | ERNSTX | VCP | |
| FRSTX | GWCC | RCRAGR06 | IOP | |
| LPST | APAR | FRSTX | IHWCA | |
| LPST | RCRASUBC | HMIRSR06 | MSWLF | |
| IHW | RCRANGR06 | IHW | VCP | |
| RCRANGR06 | TIERII | BRS | MSWLF | |
| IHWCA | | | | |



0' 1500' 3000' 4500'
SCALE: 1" = 3000'

RADIUS MAP




**IH-10/69 Interchanges
Beaumont, Texas**

- | | | | | |
|----------------------|-----------|----------|----------|--------|
| Target Property (TP) | ECHOR06 | RCRAGR06 | ICIS | RRCVCP |
| PST | RCRAC | PST | ALTFUELS | BF |
| SPILLS | RCRAT | ERNSTX | VCP | |
| FRSTX | GWCC | RCRAGR06 | IOP | |
| LPST | APAR | FRSTX | IHWCA | |
| LPST | RCRASUBC | HMIRS06 | MSWLF | |
| IHW | RCRANGR06 | IHW | VCP | |
| RCRANGR06 | TIERII | BRS | MSWLF | |
| IHWCA | | | | |




0' 1100' 2200' 3300'
SCALE: 1" = 2200'

ORTHOPHOTO MAP




Quadrangle(s): Beaumont East, Beaumont West, IH-10/69 Interchanges
 Beaumont, Texas
 © 2019 DigitalGlobe © CNES (2019) Distribution Airbus DS © 2019 HERE

- | | | | | |
|----------------------|-----------|----------|----------|--------|
| Target Property (TP) | ECHOR06 | RCRAGR06 | ICIS | RRCVCP |
| PST | RCRAC | PST | ALTFUELS | BF |
| SPILLS | RCRAT | ERNSTX | VCP | |
| FRSTX | GWCC | RCRAGR06 | IOP | |
| LPST | APAR | FRSTX | IHWCA | |
| LPST | RCRASUBC | HMIRS06 | MSWLF | |
| IHW | RCRANGR06 | IHW | VCP | |
| RCRANGR06 | TIERII | BRS | MSWLF | |
| IHWCA | | | | |



TOPOGRAPHIC MAP



Target Property (TP)

Quadrangle(s): Beaumont East,
Beaumont West
Source: USGS, 02/01/2013
IH-10/69 Interchanges
Beaumont, Texas



0' 1500' 3000' 4500'
SCALE: 1" = 3000'

Located Sites Summary

NOTE: Standard environmental records are displayed in **bold**.

Map ID#	Database Name	Site ID#	Relative Elevation	Distance From Site	Site Name	Address	PAGE #
1	FRSTX	110038416577	Equal (17 ft.)	TP	CHEVRON PRODUCTS	50 IH10 N & CALDER, BEAUMONT, TX 77701	59
1	FRSTX	110070169751	Equal (17 ft.)	TP	GULF OIL	50 IH 10 N CALDER, BEAUMONT, TX, 77704, TX 77704	60
1	LPST	091778	Equal (17 ft.)	TP	CHEVRON 60107539	50 N IH 10, BEAUMONT, TX 77704	61
1	PST	28593	Equal (17 ft.)	TP	GULF OIL	50 IH 10 N CALDER, BEAUMONT, TX 77704	66
1	SPILLS	3/31/88002	Equal (17 ft.)	TP		50 IH-10N @ CALDER EXIT, BEAUMONT, TX	72
2	LPST	111785	Equal (17 ft.)	0.001 mi. E (5 ft.)	GOLF BALL WAREHOUSE	90 IH 10 N, BEAUMONT, TX 77702	73
2	PST	9336	Equal (17 ft.)	0.001 mi. E (5 ft.)	GOLF BALL WAREHOUSE	90 IH 10 N, BEAUMONT, TX 77702	77
3	ECHOR06	110005032179	Equal (17 ft.)	TP	DOWELL SCHLUMBERGER	5155 W CARDINAL DRIVE, BEAUMONT, TX 77705	82
3	FRSTX	110005032179	Equal (17 ft.)	TP	DOWELL SCHLUMBERGER	5155 W CARDINAL DRIVE, BEAUMONT, TX 77705	83
3	IHW	33566	Equal (17 ft.)	TP	DOWELL SCHLUMBERGER ENVIRONMENTAL	5155 W CARDINAL DR, BEAUMONT, TX 77705	84
3	IHWCA	33566	Equal (17 ft.)	TP	DOWELL SCHLUMBERGER	5155 W CARDINAL DR, BEAUMONT, TX 77705	86
3	LPST	093791	Equal (17 ft.)	TP	DOWELL SCHLUMBERGER INC	5155 W CARDINAL DR, BEAUMONT, TX 77705	87
3	PST	22961	Equal (17 ft.)	TP	DOWELL SCHLUMBERGER	5155 W CARDINAL DR, BEAUMONT, TX 77705	92
3	RCRANGR06	TXD003938784	Equal (17 ft.)	TP	DOWELL SCHLUMBERGER INCORPORATED	5155 W CARDINAL DRIVE, BEAUMONT, TX 77705	98
4	APAR	30854	Lower (16 ft.)	TP	GROENDYKE TRANSPORT	4510 WASHINGTON BLVD, BEAUMONT, TX 77707	100
4	ECHOR06	110005041604	Lower (16 ft.)	TP	GROENDYKE TRANSPORT INC	4510 WASHINGTON BLVD, BEAUMONT, TX 77707	101
4	FRSTX	110005041604	Lower (16 ft.)	TP	GROENDYKE TRANSPORT INC	4510 WASHINGTON BLVD, BEAUMONT, TX 77707	102
4	FRSTX	110033358337	Lower (16 ft.)	TP	4510 WASHINGTON	4510 WASHINGTON BLVD, BEAUMONT, TX 77707	103
4	GWCC	30854	Lower (16 ft.)	TP	GROENDYKE TRANSPORT	4510 WASHINGTON BLVD, BEAUMONT, TX	104
4	IHW	30854	Lower (16 ft.)	TP	GROENDYKE TRANSPORT BEAUMONT	4510 WASHINGTON BLVD, BEAUMONT, TX 77707	105
4	IHWCA	30854	Lower (16 ft.)	TP	GROENDYKE TRANSPORT	4510 WASHINGTON BLVD, BEAUMONT, TX 77707	108
4	LPST	095289	Lower (16 ft.)	TP	GROENDYKE TRANSPORT INC	4510 WASHINGTON BLVD, BEAUMONT, TX 77707	109
4	PST	7732	Lower (16 ft.)	TP	GROENDYKE TRANSPORT	4510 WASHINGTON BLVD, BEAUMONT, TX 77707	111
4	PST	7733	Lower (16 ft.)	TP	GROENDYKE TRANSPORT	4510 WASHINGTON BLVD, BEAUMONT, TX 77707	113

Located Sites Summary

NOTE: Standard environmental records are displayed in **bold**.

Map ID#	Database Name	Site ID#	Relative Elevation	Distance From Site	Site Name	Address	PAGE #
4	RCRAC	TXD026052498	Lower (16 ft.)	TP	GROENDYKE TRANSPORT INC	4510 WASHINGTON BLVD, BEAUMONT, TX 77707	115
4	RCRANGR06	TXD026052498	Lower (16 ft.)	TP	GROENDYKE TRANSPORT INC	4510 WASHINGTON BLVD, BEAUMONT, TX 77707	117
4	RCRASUBC	TXD026052498	Lower (16 ft.)	TP	GROENDYKE TRANSPORT INC	4510 WASHINGTON BLVD, BEAUMONT, TX 77707	119
4	RCRAT	TXD026052498	Lower (16 ft.)	TP	GROENDYKE TRANSPORT INC	4510 WASHINGTON BLVD, BEAUMONT, TX 77707	121
5	ECHOR06	110008150231	Lower (13 ft.)	TP	BORDEN DAIRY PRODUCTS INC	650 IH 10 S, BEAUMONT, TX 77707	123
5	FRSTX	110008150231	Lower (13 ft.)	TP	BORDEN DAIRY PRODUCTS INC	650 IH 10 S, BEAUMONT, TX 77707	124
5	IHW	32736	Lower (13 ft.)	TP	BORDEN DAIRY PRODUCTS	650 IH 10 S, BEAUMONT, TX 77707	125
5	LPST	097877	Lower (13 ft.)	TP	BORDEN INC DAIRY	650 IH 10 S, BEAUMONT, TX 77707	126
5	LPST	117586	Lower (13 ft.)	TP	GHOST TANK	650 IH 10, BEAUMONT, TX 77707	130
5	PST	31208	Lower (13 ft.)	TP	BORDEN DAIRY	650 IH 10 S, BEAUMONT, TX 77707	131
5	RCRANGR06	TXD093569499	Lower (13 ft.)	TP	BORDEN DAIRY PRODUCTS INC	650 IH 10 S, BEAUMONT, TX 77707	135
6	ECHOR06	110005051497	Higher (20 ft.)	TP	CHEVYLAND	1000 INTERSTATE 10 N, BEAUMONT, TX 77702	136
6	FRSTX	110005051497	Higher (20 ft.)	TP	CHEVYLAND	1000 INTERSTATE 10 N, BEAUMONT, TX 77702	137
6	FRSTX	110034654693	Higher (20 ft.)	TP	CHEVYLAND TRANSMISSION SERVICE CENTER	1050 INTERSTATE 10 N, BEAUMONT, TX 77702	138
6	FRSTX	110070168296	Higher (20 ft.)	TP	BEAUMONT MOTOR	1000 IH 10 N, BEAUMONT, TX 77702	139
6	IHW	70159	Higher (20 ft.)	TP	CHEVYLAND	1000 INTERSTATE 10 N, BEAUMONT, TX 77702	140
6	LPST	097634	Higher (20 ft.)	TP	CHEVYLAND	1000 INTERSTATE 10 N, BEAUMONT, TX 77702	142
6	PST	15944	Higher (20 ft.)	TP	BEAUMONT MOTOR	1000 INTERSTATE 10 N, BEAUMONT, TX 77702	146
6	PST	38280	Higher (20 ft.)	TP	BEAUMONT MOTOR	1000 IH 10 N, BEAUMONT, TX 77702	151
6	RCRANGR06	TXD051870335	Higher (20 ft.)	TP	CHEVYLAND	1000 INTERSTATE 10 N, BEAUMONT, TX 77702	153
7	FRSTX	110033775001	Higher (21 ft.)	TP	KFDM TV	2955 IH 10 E, BEAUMONT, TX 77702	155
7	LPST	118493	Higher (21 ft.)	TP	KFDM TV TRANSMITTER TOWER	2955 INTERSTATE 10 E, BEAUMONT, TX 77702	156
7	PST	59536	Higher (21 ft.)	TP	STATION KFDM TV	2955 INTERSTATE 10 E, BEAUMONT, TX 77702	159
8	LPST	093989	Lower (15 ft.)	TP	I 10 WAREHOUSE STORAGE	3250 IH 10, BEAUMONT, TX 77706	163

Located Sites Summary

NOTE: Standard environmental records are displayed in **bold**.

Map ID#	Database Name	Site ID#	Relative Elevation	Distance From Site	Site Name	Address	PAGE #
8	PST	46164	Lower (15 ft.)	TP	PIONEER TRANSFER	3250 IH 10 S, BEAUMONT, TX 77705	164
9	ECHOR06	110005081231	Higher (20 ft.)	TP	KINSEL PONTIAC-CADILLAC-GMC TRUCKS	1140 IH 10 N, BEAUMONT, TX 77702	167
9	FRSTX	110005081231	Higher (20 ft.)	TP	KINSEL PONTIAC-CADILLAC-GMC TRUCKS	1140 IH 10 N, BEAUMONT, TX 77702	168
9	IHW	68933	Higher (20 ft.)	TP	KINSEL PONTIAC-CADILLAC-GMC TRUCKS	1140 IH 10 N, BEAUMONT, TX 77702	169
9	PST	37480	Higher (20 ft.)	TP	PREMIER PONTIAC CADILLAC	1140 IH 10 N, BEAUMONT, TX 77702	171
9	RCRANGR06	TXD980878011	Higher (20 ft.)	TP	KINSEL PONTIAC-CADILLAC-GMC TRUCKS	1140 IH 10 N, BEAUMONT, TX 77702	174
10	ECHOR06	110037840110	Higher (18 ft.)	TP	SUN COAST RESOURCES	5255 W CARDINAL DR, BEAUMONT, TX 77705	176
10	FRSTX	110037840110	Higher (18 ft.)	TP	SUN COAST RESOURCES	5255 W CARDINAL DR, BEAUMONT, TX 77705	177
10	IHW	61373	Higher (18 ft.)	TP	JORGENSEN DISTRIBUTING	5255 W CARDINAL DR, BEAUMONT, TX 77705	178
10	PST	23754	Higher (18 ft.)	TP	JORGENSEN DISTR	5255 W CARDINAL DR, BEAUMONT, TX 77705	179
10	PST	84237	Higher (18 ft.)	TP	SUN COAST RESOURCES	5255 W CARDINAL DR, BEAUMONT, TX 77705	182
10	RCRANGR06	TXR000081384	Higher (18 ft.)	TP	SUN COAST RESOURCES	5255 W CARDINAL DR, BEAUMONT, TX 77705	189
10	TIERII	6C3GRW008038	Higher (18 ft.)	TP	SUN COAST RESOURCES, INC.	5255 WEST CARDINAL DRIVE, BEAUMONT, TX 77705	191
11	ECHOR06	110005054877	Lower (15 ft.)	TP	THE WALL STREET JOURNAL	5355 W CARDINAL DR, BEAUMONT, TX 77705	194
11	ECHOR06	110070377032	Lower (15 ft.)	TP	DOW JONES THE WALL STREET JOURNAL	5355 W CARDINAL DR, BEAUMONT, TX 77705	195
11	FRSTX	110005054877	Lower (15 ft.)	TP	THE WALL STREET JOURNAL	5355 W CARDINAL DR, BEAUMONT, TX 77705	196
11	FRSTX	110070377032	Lower (15 ft.)	TP	DOW JONES THE WALL STREET JOURNAL	5355 W CARDINAL DR, BEAUMONT, TX 77705	197
11	IHW	35817	Lower (15 ft.)	TP	GADSBY AND HANNAH	5355 W CARDINAL DR, BEAUMONT, TX 77705	198
11	IHW	70082	Lower (15 ft.)	TP	THE WALL STREET JOURNAL	5355 W CARDINAL DR, BEAUMONT, TX 77705	199
11	PST	816	Lower (15 ft.)	TP	WALL STREET JOURNAL	5355 W CARDINAL DR, BEAUMONT, TX 77705	202
11	RCRAGR06	TXD058507583	Lower (15 ft.)	TP	THE WALL STREET JOURNAL	5355 W CARDINAL DR, BEAUMONT, TX 77705	205
11	TIERII	489K5W0027RM	Lower (15 ft.)	TP	DOW JONES & COMPANY, INC	5355 W. CARDINAL DRIVE, BEAUMONT, TX 77705	208
12	FRSTX	110038204635	Higher (22 ft.)	TP	JOTS	255 IH 10 S, BEAUMONT, TX 77705	210

Located Sites Summary

NOTE: Standard environmental records are displayed in **bold**.

Map ID#	Database Name	Site ID#	Relative Elevation	Distance From Site	Site Name	Address	PAGE #
12	NOV	RN105691323	Higher (22 ft.)	TP	JOTS	255 IH 10 S, BEAUMONT, TX 77702	211
12	PST	59576	Higher (22 ft.)	0.009 mi. E (48 ft.)	HAMILTON POOLS	305 IH 10 S, BEAUMONT, TX 77702	213
13	ERNSTX	1189570	Higher (23 ft.)	TP		390 I-10, BEAUMONT, TX 77705	215
14	ERNSTX	769468	Higher (41 ft.)	TP	WEST SIDE OF HWY 69 AND I-10	BEAUMONT, TX	216
15	ECHOR06	110005145208	Equal (17 ft.)	TP	LAMAR ADVERTISING	2810 LAUREL, BEAUMONT, TX 77726	217
15	FRSTX	110005140454	Equal (17 ft.)	0.006 mi. NNE (32 ft.)	BLOOD CENTER OF SOUTHEAST TX	2850 LAUREL, BEAUMONT, TX 77702	218
15	FRSTX	110005145208	Equal (17 ft.)	TP	LAMAR ADVERTISING	2810 LAUREL, BEAUMONT, TX 77726	219
15	RCRAGR06	TXD988059200	Equal (17 ft.)	TP	LAMAR ADVERTISING	2810 LAUREL, BEAUMONT, TX 77726	220
16	FRSTX	110041726335	Equal (17 ft.)	TP	TXDOT BMT CSJ 0739-02-146	IH10 FROM WASHINGTON BLVD TO JEFFERSON/CHAMBERS CO, BEAUMONT, TX 77708	221
17	FRSTX	110054319082	Equal (17 ft.)	TP	BEAUMONT LANDFILL	FANNETT & US 69, BEAUMONT, TX 77705	222
18	ECHOR06	110070382478	Lower (16 ft.)	TP	TXDOT BMT CSJ 0786-01-083	900 FT SOUTH OF IH-10 TO SH 124, .20 MILES N OF FM, BEAUMONT, TX 77708	223
18	FRSTX	110070382478	Lower (16 ft.)	TP	TXDOT BMT CSJ 0786-01-083	900 FT SOUTH OF IH-10 TO SH 124, .20 MILES N OF FM, BEAUMONT, TX 77708	224
19	HMIRSR06	I-2006110790	Higher (20 ft.)	TP		HOLIDAY INN - I-10 AT 11TH ST, BEAUMONT, TX 77701	225
20	ECHOR06	110005067202	Lower (16 ft.)	0.001 mi. W (5 ft.)	BEAUMONT OIL	871 IH 10 N SUITE 150, BEAUMONT, TX 77706	226
20	FRSTX	110005067202	Lower (16 ft.)	0.001 mi. W (5 ft.)	BEAUMONT OIL	871 IH 10 N SUITE 150, BEAUMONT, TX 77706	227
20	IHW	36261	Lower (16 ft.)	0.001 mi. W (5 ft.)	BEAUMONT OIL	871 IH 10 N STE 150, BEAUMONT, TX 77706	228
20	IHW	70120	Lower (16 ft.)	0.001 mi. W (5 ft.)	BEAUMONT OIL	871 IH 10 N STE 150, BEAUMONT, TX 77706	229
20	RCRANGR06	TXD093973477	Lower (16 ft.)	0.001 mi. W (5 ft.)	BEAUMONT OIL	871 IH 10 N SUITE 150, BEAUMONT, TX 77706	230
21	FRSTX	110011402197	Lower (15 ft.)	0.002 mi. W (11 ft.)	GENERAL ELECTRIC	87 I-10 N STE 220, BEAUMONT, TX 77707	231
22	ECHOR06	110070360848	Lower (15 ft.)	0.002 mi. S (11 ft.)	CITY OF BMT WASHINGTON BLVD PAVEMENT WIDENING	ALONG WASHINGTON BLVD., FROM ITS INTERSECTION WITH, BEAUMONT, TX 77705	232
22	FRSTX	110070360848	Lower (15 ft.)	0.002 mi. S (11 ft.)	CITY OF BMT WASHINGTON BLVD PAVEMENT WIDENING	ALONG WASHINGTON BLVD., FROM ITS INTERSECTION WITH, BEAUMONT, TX 77705	233
23	PST	10282	Equal (17 ft.)	0.003 mi. E (16 ft.)	E-Z MART 265	46 INTERSTATE 10 N, BEAUMONT, TX 77702	234

Located Sites Summary

NOTE: Standard environmental records are displayed in **bold**.

Map ID#	Database Name	Site ID#	Relative Elevation	Distance From Site	Site Name	Address	PAGE #
24	ECHOR06	110005054305	Lower (15 ft.)	0.004 mi. WNW (21 ft.)	CONSOLIDATED SWITCHGEAR & ELECTRICAL SYS	1710 IH 10 S, BEAUMONT, TX 77707	238
24	FRSTX	110005054305	Lower (15 ft.)	0.004 mi. WNW (21 ft.)	CONSOLIDATED SWITCHGEAR & ELECTRICAL SYS	1710 IH 10 S, BEAUMONT, TX 77707	239
24	IHW	36503	Lower (15 ft.)	0.004 mi. WNW (21 ft.)	CONSOLIDATED SWITCHGEAR & ELECTRICAL SYSTEMS	1710 IH 10 S, BEAUMONT, TX 77707	240
24	IHW	70123	Lower (15 ft.)	0.004 mi. WNW (21 ft.)	CONSOLIDATED SWITCHGEAR	1710 IH 10 S, BEAUMONT, TX 77707	241
24	RCRANGR06	TXD057175788	Lower (15 ft.)	0.004 mi. WNW (21 ft.)	CONSOLIDATED SWITCHGEAR & ELECTRICAL SYS	1710 IH 10 S, BEAUMONT, TX 77707	242
25	ERNSTX	268024	Higher (18 ft.)	0.005 mi. E (26 ft.)		1265 SOUTH I-10, BEAUMONT, TX 77701	244
26	FRSTX	110070165386	Higher (18 ft.)	0.006 mi. E (32 ft.)	PFI 7	1225 IH 10 S, BEAUMONT, TX 77701	245
26	PST	38282	Higher (18 ft.)	0.006 mi. E (32 ft.)	PFI 7	1225 IH 10 S, BEAUMONT, TX 77701	246
27	ECHOR06	110045563467	Equal (17 ft.)	0.006 mi. S (32 ft.)	LIQUID VACSERV	2715 LAUREL ST, BEAUMONT, TX 77702	254
27	FRSTX	110045563467	Equal (17 ft.)	0.006 mi. S (32 ft.)	LIQUID VACSERV	2715 LAUREL ST, BEAUMONT, TX 77702	255
27	IHW	90834	Equal (17 ft.)	0.006 mi. S (32 ft.)	LIQUID VACSERV	2715 LAUREL ST, BEAUMONT, TX 77702	256
27	RCRANGR06	TXR000080499	Equal (17 ft.)	0.006 mi. S (32 ft.)	LIQUID VACSERV	2715 LAUREL ST, BEAUMONT, TX 77702	257
28	FRSTX	110033785161	Lower (15 ft.)	0.006 mi. N (32 ft.)	GOLDEN CORRAL GOLDEN CORRAL RESTAURANT	4450 WASHINGTON BLVD, BEAUMONT, TX 77707	259
28	HMIRSR06	1996080254	Lower (15 ft.)	0.006 mi. N (32 ft.)		4450 WASHINGTON BLVD, BEAUMONT, TX 77707	260
28	HMIRSR06	I-1996080254	Lower (15 ft.)	0.006 mi. N (32 ft.)		4450 WASHINGTON BLVD, BEAUMONT, TX	261
28	LPST	115361	Lower (15 ft.)	0.006 mi. N (32 ft.)	ABF FREIGHT SYSTEM INC	4450 WASHINGTON BLVD, BEAUMONT, TX 77707	262
28	PST	31654	Lower (15 ft.)	0.006 mi. N (32 ft.)	MCLEAN TRUCKING	4450 WASHINGTON BLVD, BEAUMONT, TX 77707	264
29	FRSTX	110035338266	Higher (29 ft.)	0.008 mi. E (42 ft.)	WEST CHASE VILLAGE MARINO HOMEBUILDERS INC	2396 EASTEX FWY, BEAUMONT, TX 77703	266
30	IHW	38218	Higher (18 ft.)	0.008 mi. WNW (42 ft.)	MAXIM TECHNOLOGIES SOUTHWESTERN LABS BEAUMONT	1850 IH 10 S, BEAUMONT, TX 77707	267
31	GWCC	112805	Higher (20 ft.)	0.008 mi. E (42 ft.)	STEINHAGEN OIL CO INC	1195 IH 10, BEAUMONT, BEAUMONT, TX	270
31	LPST	112805	Higher (20 ft.)	0.008 mi. E (42 ft.)	TEXACO FOOD MART 8	1195 IH 10 S, BEAUMONT, TX 77701	271

Located Sites Summary

NOTE: Standard environmental records are displayed in **bold**.

Map ID#	Database Name	Site ID#	Relative Elevation	Distance From Site	Site Name	Address	PAGE #
31	PST	9312	Higher (20 ft.)	0.008 mi. E (42 ft.)	TEXACO FOOD MART 8	1195 IH 10 S, BEAUMONT, TX 77701	275
32	LPST	104527	Higher (21 ft.)	0.009 mi. S (48 ft.)	FAIRMONT SUPPLY CO	1490 N 7TH ST, BEAUMONT, TX 77702	280
32	PST	41055	Higher (21 ft.)	0.009 mi. S (48 ft.)	FAIRMONT SUPPLY	1490 N 7TH ST, BEAUMONT, TX 77702	282
33	BRS	TXD089793608	Lower (15 ft.)	0.009 mi. NW (48 ft.)	MISSION PETROLEUM CARRIERS INC	3840 IH 10 S, BEAUMONT, TX 77705	284
33	ECHOR06	110005040696	Lower (15 ft.)	0.009 mi. NW (48 ft.)	CLEVELAND MACK SALES INC	3840 IH 10 S, BEAUMONT, TX 77705	287
33	ECHOR06	110008149985	Lower (15 ft.)	0.009 mi. NW (48 ft.)	TRANSPORT SERVICE COMPANY	3840 IH 10 S, BEAUMONT, TX 77705	288
33	FRSTX	110005040696	Lower (15 ft.)	0.009 mi. NW (48 ft.)	CLEVELAND MACK SALES INC	3840 IH 10 S, BEAUMONT, TX 77705	289
33	FRSTX	110008149985	Lower (15 ft.)	0.009 mi. NW (48 ft.)	TRANSPORT SERVICE COMPANY	3840 IH 10 S, BEAUMONT, TX 77705	290
33	FRSTX	110037898674	Lower (15 ft.)	0.009 mi. NW (48 ft.)	MISSION PETROLEUM CARRIERS	3840 INTERSTATE 10 S, BEAUMONT, TX 77705	291
33	IHW	31732	Lower (15 ft.)	0.009 mi. NW (48 ft.)	TRANSPORT SERVICE	3840 IH 10 S, BEAUMONT, TX 77705	292
33	IHW	74832	Lower (15 ft.)	0.009 mi. NW (48 ft.)	CLEVELAND MACK SALES	3840 IH 10 S, BEAUMONT, TX 77705	298
33	PST	55956	Lower (15 ft.)	0.009 mi. NW (48 ft.)	TRANSPORT SERVICE	3840 INTERSTATE 10 S, BEAUMONT, TX 77705	300
33	RCRANGR06	TXD021482856	Lower (15 ft.)	0.009 mi. NW (48 ft.)	CLEVELAND MACK SALES INC	3840 IH 10 S, BEAUMONT, TX 77705	303
33	RCRANGR06	TXD089793608	Lower (15 ft.)	0.009 mi. NW (48 ft.)	TRANSPORT SERVICE COMPANY	3840 IH 10 S, BEAUMONT, TX 77705	305
34	FRSTX	110033913040	Lower (15 ft.)	0.009 mi. SE (48 ft.)	FASTLANE 25	2245 INTERSTATE 10 S, BEAUMONT, TX 77705	308
34	NOV	RN101906527	Lower (15 ft.)	0.009 mi. SE (48 ft.)	FASTLANE 25	2245 INTERSTATE 10 S, BEAUMONT, TX 77705	309
34	PST	63297	Lower (15 ft.)	0.009 mi. SE (48 ft.)	FASTLANE NO 25	2245 INTERSTATE 10 S, BEAUMONT, TX 77705	310
35	ECHOR06	110005132490	Lower (15 ft.)	0.009 mi. E (48 ft.)	EXXON MOBIL CORPORATION	8051 IH 10 & STAGG DR, BEAUMONT, TX 77701	317
35	FRSTX	110005132490	Lower (15 ft.)	0.009 mi. E (48 ft.)	EXXON MOBIL CORPORATION	8051 IH 10 & STAGG DR, BEAUMONT, TX 77701	318
35	FRSTX	110033833519	Lower (15 ft.)	0.009 mi. E (48 ft.)	GATEWAY MOBIL	805 IH 10 S, BEAUMONT, TX 77701	319
35	IHW	77335	Lower (15 ft.)	0.009 mi. E (48 ft.)	EXXON USA 61300	8051 IH 10 & STAGG DR, BEAUMONT, TX 77701	320
35	LPST	107043	Lower (15 ft.)	0.009 mi. E (48 ft.)	EXXON STORE 6 1300	805 IH 10 S, BEAUMONT, TX 77701	321
35	LPST	119855	Lower (15 ft.)	0.009 mi. E (48 ft.)	GATEWAY MOBIL	805 IH 10 S, BEAUMONT, TX 77701	322
35	NOV	RN101816254	Lower (15 ft.)	0.009 mi. E (48 ft.)	GATEWAY MOBIL	805 IH 10 S, BEAUMONT, TX 77701	329

Located Sites Summary

NOTE: Standard environmental records are displayed in **bold**.

Map ID#	Database Name	Site ID#	Relative Elevation	Distance From Site	Site Name	Address	PAGE #
35	PST	26729	Lower (15 ft.)	0.009 mi. E (48 ft.)	GATEWAY MOBIL	805 IH 10 S, BEAUMONT, TX 77701	331
35	RCRANGR06	TXD988032074	Lower (15 ft.)	0.009 mi. E (48 ft.)	EXXON MOBIL CORPORATION	8051 IH 10 & STAGG DR, BEAUMONT, TX 77701	340
36	ERNSTX	106499	Higher (19 ft.)	0.01 mi. W (53 ft.)		585 IH10 NORTH, BEAUMONT, TX 75067	342
36	ERNSTX	106501	Higher (19 ft.)	0.01 mi. W (53 ft.)		585 I-10 N, BEAUMONT, TX	343
37	FRSTX	110033796701	Higher (29 ft.)	0.01 mi. E (53 ft.)	FASTLANE NO 9	2810 EASTEX FWY, BEAUMONT, TX 77703	344
37	LPST	095105	Higher (29 ft.)	0.01 mi. E (53 ft.)	TEXACO FOOD MART 9	2810 EASTEX FWY, BEAUMONT, TX 77703	345
37	NOV	RN101874840	Higher (29 ft.)	0.01 mi. E (53 ft.)	FASTLANE NO 9	2810 EASTEX FWY, BEAUMONT, TX 77703	357
37	PST	9328	Higher (29 ft.)	0.01 mi. E (53 ft.)	PFI 20 MAJOR MART	2810 EASTEX FWY, BEAUMONT, TX 77703	358
38	FRSTX	110034382709	Lower (14 ft.)	0.01 mi. W (53 ft.)	E-Z MART 264	710 INTERSTATE 10 S, BEAUMONT, TX 77707	375
38	GWCC	110387	Lower (14 ft.)	0.01 mi. W (53 ft.)	E Z MART STORES INC	710 S IH 10, BEAUMONT, TX 77707	376
38	LPST	110387	Lower (14 ft.)	0.01 mi. W (53 ft.)	E Z MART 264	710 INTERSTATE 10 S, BEAUMONT, TX 77707	377
38	PST	10281	Lower (14 ft.)	0.01 mi. W (53 ft.)	E-Z MART 264	710 INTERSTATE 10 S, BEAUMONT, TX 77707	381
39	ECHOR06	110005041659	Higher (19 ft.)	0.01 mi. SW (53 ft.)	BEAUMONT TRUCK & TRAILER	4925 W CARDINAL DRIVE, BEAUMONT, TX 77705	386
39	ERNSTX	100789	Higher (19 ft.)	0.01 mi. SW (53 ft.)		4925 W CARDINAL DR, BEAUMONT, TX 77705	387
39	ERNSTX	101309	Higher (19 ft.)	0.01 mi. SW (53 ft.)		4925 WEST CARDINAL DRIVE, BEAUMONT, TX 77705	388
39	FRSTX	110005041659	Higher (19 ft.)	0.01 mi. SW (53 ft.)	BEAUMONT TRUCK & TRAILER	4925 W CARDINAL DRIVE, BEAUMONT, TX 77705	389
39	FRSTX	110070289302	Higher (19 ft.)	0.01 mi. SW (53 ft.)	GOODPACK USA, INC.	4925 WEST CARDINAL DRIVE, BEAUMONT, TX 77705	390
39	IHW	66583	Higher (19 ft.)	0.01 mi. SW (53 ft.)	BEAUMONT TRUCK & TRAILER	4925 W CARDINAL DR, BEAUMONT, TX 77705	391
39	PST	43421	Higher (19 ft.)	0.01 mi. SW (53 ft.)	TEXAS STATE OPTICAL	4925 W CARDINAL DR, BEAUMONT, TX 77705	392
39	RCRANGR06	TXD026060756	Higher (19 ft.)	0.01 mi. SW (53 ft.)	BEAUMONT TRUCK & TRAILER	4925 W CARDINAL DRIVE, BEAUMONT, TX 77705	395
40	PST	40664	Higher (20 ft.)	0.011 mi. N (58 ft.)	FELTON BLDG	2490 IH 10 E, BEAUMONT, TX 77703	396
41	FRSTX	110036568292	Higher (27 ft.)	0.011 mi. W (58 ft.)	AUSTIN MIDDLE	3410 AUSTIN ST, BEAUMONT, TX 77706	401
42	LPST	093714	Higher (18 ft.)	0.011 mi. E (58 ft.)	SPORTS AND IMPORTS	3195 NORTH ST, BEAUMONT, TX 77702	402
42	PST	13818	Higher (18 ft.)	0.011 mi. E (58 ft.)	SPORTS AND IMPORTS	3195 NORTH ST, BEAUMONT, TX 77702	406
43	FRSTX	110036109127	Equal (17 ft.)	0.011 mi. N (58 ft.)	PREMIER HIGH SCHOOL OF BEAUMONT	209 NORTH 11TH ST, BEAUMONT, TX 77702	411

Located Sites Summary

NOTE: Standard environmental records are displayed in **bold**.

Map ID#	Database Name	Site ID#	Relative Elevation	Distance From Site	Site Name	Address	PAGE #
43	LPST	109974	Equal (17 ft.)	0.024 mi. N (127 ft.)	SHELL SERVICE STATION	255 N 11TH ST, BEAUMONT, TX 77702	412
43	PST	15197	Equal (17 ft.)	0.024 mi. N (127 ft.)	11TH STREET SHELL	255 N 11TH ST, BEAUMONT, TX 77702	416
44	FRSTX	110011449655	Higher (25 ft.)	0.011 mi. E (58 ft.)	CATHEDRAL IN THE PINE SCHOOL & DAY CARE	2350 EASTEX FREEWAY, BEAUMONT, TX 77703	421
44	FRSTX	110026086027	Higher (25 ft.)	0.011 mi. E (58 ft.)	CATHEDRAL IN THE PINES SCHOOL	BEAUMONT WEST, TX	422
45	FRSTX	110034633029	Lower (16 ft.)	0.012 mi. W (63 ft.)	COWBOY HONDA IRON HORSE ENTERPRISES	1280 INTERSTATE 10 S, BEAUMONT, TX 77707	423
46	ECHOR06	110008159875	Equal (17 ft.)	0.012 mi. W (63 ft.)	STAR ENTERPRISES INC	205 IH 10 LAUREL, BEAUMONT, TX 77707	424
46	ECHOR06	110033766565	Equal (17 ft.)	0.012 mi. W (63 ft.)	FASTLANE 16	205 INTERSTATE 10 N, BEAUMONT, TX 77707	425
46	FRSTX	110008159875	Equal (17 ft.)	0.012 mi. W (63 ft.)	STAR ENTERPRISES INC	205 IH 10 LAUREL, BEAUMONT, TX 77707	426
46	FRSTX	110033766565	Equal (17 ft.)	0.012 mi. W (63 ft.)	FASTLANE 16	205 INTERSTATE 10 N, BEAUMONT, TX 77707	427
46	IHW	75684	Equal (17 ft.)	0.012 mi. W (63 ft.)	STAR ENTERPRISES	205 IH 10 LAUREL, BEAUMONT, TX 77707	428
46	LPST	091059	Equal (17 ft.)	0.012 mi. W (63 ft.)	TEXACO	205 INTERSTATE 10 N, BEAUMONT, TX 77707	429
46	PST	23007	Equal (17 ft.)	0.012 mi. W (63 ft.)	FASTLANE 16	205 INTERSTATE 10 N, BEAUMONT, TX 77707	437
46	RCRANGR06	TXD987993508	Equal (17 ft.)	0.012 mi. W (63 ft.)	STAR ENTERPRISES INC	205 IH 10 LAUREL, BEAUMONT, TX 77707	448
47	ECHOR06	110008144766	Higher (22 ft.)	0.012 mi. N (63 ft.)	UNIVAR USA INC	2150 IH 10 E, BEAUMONT, TX 77703	449
47	FRSTX	110008144766	Higher (22 ft.)	0.012 mi. N (63 ft.)	UNIVAR USA INC	2150 IH 10 E, BEAUMONT, TX 77703	450
47	IHW	70908	Higher (22 ft.)	0.012 mi. N (63 ft.)	UNIVAR	2150 IH 10 E, BEAUMONT, TX 77703	451
47	RCRANGR06	TXD026060962	Higher (22 ft.)	0.012 mi. N (63 ft.)	UNIVAR USA INC	2150 IH 10 E, BEAUMONT, TX 77703	452
48	ECHOR06	110005146029	Higher (29 ft.)	0.012 mi. E (63 ft.)	VERNON WEST MOBIL	2790 EASTEX FRWY AT DELAWARE, BEAUMONT, TX 77703	456
48	FRSTX	110005146029	Higher (29 ft.)	0.012 mi. E (63 ft.)	VERNON WEST MOBIL	2790 EASTEX FRWY AT DELAWARE, BEAUMONT, TX 77703	457
48	FRSTX	110033956761	Higher (29 ft.)	0.012 mi. E (63 ft.)	KEVINS MOBIL	2790 EASTEX FWY, BEAUMONT, TX 77703	458
48	GWCC	119570	Higher (29 ft.)	0.012 mi. E (63 ft.)	KEVINS MOBIL	2790 EASTEX FWY, BEAUMONT, TX	459
48	LPST	119570	Higher (29 ft.)	0.012 mi. E (63 ft.)	KEVINS MOBIL	2790 EASTEX FWY, BEAUMONT, TX 77703	460
48	NOV	RN101819431	Higher (29 ft.)	0.012 mi. E (63 ft.)	KEVINS MOBIL	2790 EASTEX FWY, BEAUMONT, TX 77703	467
48	PST	17654	Higher (29 ft.)	0.012 mi. E (63 ft.)	KEVINS MOBIL	2790 EASTEX FWY, BEAUMONT, TX 77703	468

Located Sites Summary

NOTE: Standard environmental records are displayed in **bold**.

Map ID#	Database Name	Site ID#	Relative Elevation	Distance From Site	Site Name	Address	PAGE #
48	RCRAGR06	TXD988060596	Higher (29 ft.)	0.012 mi. E (63 ft.)	VERNON WEST MOBIL	2790 EASTEX FRWY AT DELAWARE, BEAUMONT, TX 77703	476
49	FRSTX	110034695569	Lower (16 ft.)	0.012 mi. NW (63 ft.)	EXXPRESS MART 10	2210 IH 10 S, BEAUMONT, TX 77707	477
49	GWCC	119990	Lower (16 ft.)	0.012 mi. NW (63 ft.)	EXXPRESS MART 10	2210 IH 10 S, BEAUMONT, TX 77707	478
49	LPST	119990	Lower (16 ft.)	0.012 mi. NW (63 ft.)	EXXPRESS MART 10	2210 IH 10 S, BEAUMONT, TX 77707	479
49	NOV	RN101729218	Lower (16 ft.)	0.012 mi. NW (63 ft.)	EXXPRESS MART 10	2210 IH 10 S, BEAUMONT, TX 77707	492
49	PST	26690	Lower (16 ft.)	0.012 mi. NW (63 ft.)	EXXPRESS MART 10	2210 IH 10 S, BEAUMONT, TX 77707	494
50	ECHOR06	110011618534	Higher (22 ft.)	0.013 mi. S (69 ft.)	TAYLOR MEDICAL, INC.	2155 IH - 10 EAST, PO BOX 4904, BEAUMONT, TX 77704	511
50	FRSTX	110011618534	Higher (22 ft.)	0.013 mi. S (69 ft.)	TAYLOR MEDICAL, INC.	2155 IH - 10 EAST, PO BOX 4904, BEAUMONT, TX 77704	512
50	ICIS	110011618534	Higher (22 ft.)	0.013 mi. S (69 ft.)	TAYLOR MEDICAL, INC.	2155 IH - 10 EAST, PO BOX 4904, BEAUMONT, TX 77704	513
51	FRSTX	110070171165	Higher (30 ft.)	0.013 mi. W (69 ft.)	RAS 6 3139	2795 EASTEX FWY, BEAUMONT, TX 77706	514
51	PST	25115	Higher (30 ft.)	0.013 mi. W (69 ft.)	OWEN BRUCE CALEY	2795 EASTEX FWY, BEAUMONT, TX 77706	515
51	PST	26746	Higher (30 ft.)	0.013 mi. W (69 ft.)	RAS 6 3139	2795 EASTEX FWY, BEAUMONT, TX 77706	519
52	ALTFUELS	60495	Lower (15 ft.)	0.013 mi. ESE (69 ft.)	BMW BEAUMONT	1855 INTERSTATE 10 S, BEAUMONT, TX 77701	524
52	IHW	81247	Lower (15 ft.)	0.013 mi. ESE (69 ft.)	MIKE SMITH AUTOPLEX 2000	1855 IH 10 S, BEAUMONT, TX 77701	525
53	ECHOR06	110005170331	Higher (18 ft.)	0.013 mi. NNE (69 ft.)	LAMAR ADVERTISING	4520 W CARDINAL, BEAUMONT, TX 77705	526
53	FRSTX	110005170331	Higher (18 ft.)	0.013 mi. NNE (69 ft.)	LAMAR ADVERTISING	4520 W CARDINAL, BEAUMONT, TX 77705	527
53	IHW	84318	Higher (18 ft.)	0.013 mi. NNE (69 ft.)	LAMAR ADVERTISING	4520 W CARDINAL DR, BEAUMONT, TX 77705	528
53	RCRANGR06	TXR000011189	Higher (18 ft.)	0.013 mi. NNE (69 ft.)	LAMAR ADVERTISING	4520 W CARDINAL, BEAUMONT, TX 77705	529
54	ERNSTX	37549	Lower (15 ft.)	0.013 mi. NW (69 ft.)		3950 I-10 S. PARKING LOT OF HOLIDAY INN, BEAUMONT, TX	530
54	FRSTX	110033799361	Lower (15 ft.)	0.013 mi. NW (69 ft.)	FASTLANE NO 5	3890 INTERSTATE 10 S, BEAUMONT, TX 77705	531
54	PST	46395	Lower (15 ft.)	0.013 mi. NW (69 ft.)	FASTLANE NO 5	3890 INTERSTATE 10 S, BEAUMONT, TX 77705	532
55	FRSTX	110034849476	Higher (20 ft.)	0.013 mi. NW (69 ft.)	SUNSHINE QUICK STOP	2015 N 11TH ST, BEAUMONT, TX 77703	539

Located Sites Summary

NOTE: Standard environmental records are displayed in **bold**.

Map ID#	Database Name	Site ID#	Relative Elevation	Distance From Site	Site Name	Address	PAGE #
55	GWCC	104525	Higher (20 ft.)	0.013 mi. NW (69 ft.)	DARBY GAS & OIL CO INC	2015 N 11TH, BEAUMONT, TX 77703	540
55	LPST	104525	Higher (20 ft.)	0.013 mi. NW (69 ft.)	DARBY 10	2015 N 11TH ST, BEAUMONT, TX 77703	541
55	PST	46784	Higher (20 ft.)	0.013 mi. NW (69 ft.)	SUNSHINE QUICK STOP	2015 N 11TH ST, BEAUMONT, TX 77703	546
56	FRSTX	110033400184	Lower (16 ft.)	0.014 mi. W (74 ft.)	BIRDSONG FUELS & SERVICES	860 IH 10 S, BEAUMONT, TX 77707	554
56	NOV	RN101813616	Lower (16 ft.)	0.014 mi. W (74 ft.)	BIRDSONG FUELS & SERVICES	860 IH 10 S, BEAUMONT, TX 77707	555
56	PST	49072	Lower (16 ft.)	0.014 mi. W (74 ft.)	GIT N GO	860 IH 10 S, BEAUMONT, TX 77707	558
57	ECHOR06	110005161252	Higher (18 ft.)	0.014 mi. E (74 ft.)	TKS WEST END AUTOMOTIVE	3190 N ST, BEAUMONT, TX 77702	569
57	FRSTX	110005161252	Higher (18 ft.)	0.014 mi. E (74 ft.)	TKS WEST END AUTOMOTIVE	3190 N ST, BEAUMONT, TX 77702	570
57	FRSTX	110070166391	Higher (18 ft.)	0.014 mi. E (74 ft.)	NORTH STREET SHELL	3190 NORTH ST, BEAUMONT, TX 77702	571
57	LPST	096849	Higher (18 ft.)	0.014 mi. E (74 ft.)	PORTER SHELL	3190 NORTH ST, BEAUMONT, TX 77702	572
57	PST	15181	Higher (18 ft.)	0.014 mi. E (74 ft.)	FORMER PORTER SHELL	3190 NORTH ST, BEAUMONT, TX 77702	579
57	RCRAGR06	TXD988089579	Higher (18 ft.)	0.014 mi. E (74 ft.)	TKS WEST END AUTOMOTIVE	3190 N ST, BEAUMONT, TX 77702	586
58	ECHOR06	110005018480	Higher (20 ft.)	0.014 mi. W (74 ft.)	J R CHEVORON	3355 GLADYS, BEAUMONT, TX 77706	587
58	FRSTX	110005018480	Higher (20 ft.)	0.014 mi. W (74 ft.)	J R CHEVORON	3355 GLADYS, BEAUMONT, TX 77706	588
58	GWCC	091343	Higher (20 ft.)	0.014 mi. W (74 ft.)	HEATH VAUGHN ENTERPRISES	3355 GLAYDS, BEAUMONT, TX 77706	589
58	LPST	091343	Higher (20 ft.)	0.014 mi. W (74 ft.)	HEATH VAUGHN ENTERPRISES JRS GULF	3355 GLADYS AVE, BEAUMONT, TX 77706	590
58	PST	47121	Higher (20 ft.)	0.014 mi. W (74 ft.)	HEATH VAUGHN ENTERPRISES	3355 GLADYS AVE, BEAUMONT, TX 77706	596
58	RCRAGR06	TX0000452516	Higher (20 ft.)	0.014 mi. W (74 ft.)	J R CHEVORON	3355 GLADYS, BEAUMONT, TX 77706	602
59	ALTFUELS	39713	Lower (15 ft.)	0.014 mi. E (74 ft.)	MIKE SMITH NISSAN	1515 INTERSTATE 10 S, BEAUMONT, TX 77701	604
59	ALTFUELS	48321	Lower (15 ft.)	0.014 mi. E (74 ft.)	MIKE SMITH NISSAN	1515 INTERSTATE 10 S, BEAUMONT, TX 77701	605
59	ECHOR06	110008158108	Lower (15 ft.)	0.014 mi. E (74 ft.)	MIKE SMITH AUTO PLAZA	1515 S IH 10, BEAUMONT, TX 77706	606
59	FRSTX	110008158108	Lower (15 ft.)	0.014 mi. E (74 ft.)	MIKE SMITH AUTO PLAZA	1515 S IH 10, BEAUMONT, TX 77706	607
59	IHW	73436	Lower (15 ft.)	0.014 mi. E (74 ft.)	MIKE SMITH HONDA INC.	1515 IH 10 S, BEAUMONT, TX 77701	608
59	IHW	76342	Lower (15 ft.)	0.014 mi. E (74 ft.)	MIKE SMITH AUTO PLAZA	1515 IH 10 S, BEAUMONT, TX 77701	610
59	PST	69457	Lower (15 ft.)	0.014 mi. E (74 ft.)	MIKE SMITH AUTO PLAZA	1515 IH 10 S, BEAUMONT, TX 77701	612

Located Sites Summary

NOTE: Standard environmental records are displayed in **bold**.

Map ID#	Database Name	Site ID#	Relative Elevation	Distance From Site	Site Name	Address	PAGE #
59	RCRANGR06	TXD982548414	Lower (15 ft.)	0.014 mi. E (74 ft.)	MIKE SMITH AUTO PLAZA	1515 S IH 10, BEAUMONT, TX 77706	614
60	ECHOR06	110022307804	Higher (18 ft.)	0.015 mi. E (79 ft.)	NTB NO 689	1355 IH 10 S, BEAUMONT, TX 77701	616
60	FRSTX	110022307804	Higher (18 ft.)	0.015 mi. E (79 ft.)	NTB NO 689	1355 IH 10 S, BEAUMONT, TX 77701	617
60	RCRAGR06	TXR000063552	Higher (18 ft.)	0.015 mi. E (79 ft.)	NTB NO 8689	1355 IH 10 S, BEAUMONT, TX 77701	618
61	FRSTX	110033392068	Equal (17 ft.)	0.015 mi. ESE (79 ft.)	B & L AUTO BROKERS	4595 FANNETT RD, BEAUMONT, TX 77705	620
61	PST	23292	Equal (17 ft.)	0.015 mi. ESE (79 ft.)	B & L AUTO BROKERS	4595 FANNETT RD, BEAUMONT, TX 77705	621
62	ECHOR06	110008160943	Lower (15 ft.)	0.015 mi. WNW (79 ft.)	MAXIM TECHNOLOGIES INC SOUTHWESTERN LABS	1850 IH-10 S, BEAUMONT, TX 77707	626
62	FRSTX	110008160943	Lower (15 ft.)	0.015 mi. WNW (79 ft.)	MAXIM TECHNOLOGIES INC SOUTHWESTERN LABS	1850 IH-10 S, BEAUMONT, TX 77707	627
62	RCRANGR06	TXD988025763	Lower (15 ft.)	0.015 mi. WNW (79 ft.)	MAXIM TECHNOLOGIES INC SOUTHWESTERN LABS	1850 IH-10 S, BEAUMONT, TX 77707	628
63	PST	70420	Higher (21 ft.)	0.016 mi. ESE (84 ft.)	HILTON BEAUMONT	2355 INTERSTATE 10 S, BEAUMONT, TX 77705	630
64	LPST	113674	Higher (19 ft.)	0.016 mi. W (84 ft.)	WESTEND CONOCO	3390 HARRISON AVE, BEAUMONT, TX 77706	634
64	PST	5890	Higher (19 ft.)	0.016 mi. W (84 ft.)	C & L EXPRESS MARKET	3390 HARRISON AVE, BEAUMONT, TX 77706	638
65	ALTFUELS	20203	Higher (18 ft.)	0.016 mi. ESE (84 ft.)	U-HAUL	3885 MILAM ST, BEAUMONT, TX 77701	642
65	ECHOR06	110005095930	Higher (18 ft.)	0.016 mi. ESE (84 ft.)	U-HAUL CO OF HOUSTON	3885 MILAM, BEAUMONT, TX 77701	643
65	FRSTX	110005095930	Higher (18 ft.)	0.016 mi. ESE (84 ft.)	U-HAUL CO OF HOUSTON	3885 MILAM, BEAUMONT, TX 77701	644
65	IHW	70637	Higher (18 ft.)	0.016 mi. ESE (84 ft.)	U HAUL OF HOUSTON	3885 MILAM ST, BEAUMONT, TX 77701	645
65	PST	20880	Higher (18 ft.)	0.016 mi. ESE (84 ft.)	746-71 U HAUL BEAUMONT	3885 MILAM ST, BEAUMONT, TX 77701	647
65	RCRAGR06	TX8141799918	Higher (18 ft.)	0.038 mi. ESE (201 ft.)	BIG THICKET NATIONAL PRESERVE	3785 MILAN ST, BEAUMONT, TX 77701	651
65	RCRANGR06	TXD981609480	Higher (18 ft.)	0.016 mi. ESE (84 ft.)	U-HAUL CO OF HOUSTON	3885 MILAM, BEAUMONT, TX 77701	652

Located Sites Summary

NOTE: Standard environmental records are displayed in **bold**.

Map ID#	Database Name	Site ID#	Relative Elevation	Distance From Site	Site Name	Address	PAGE #
66	GWCC	117931	Lower (16 ft.)	0.016 mi. W (84 ft.)	FORMER BURGER KING	1550 IH 10, BEAUMONT, TX	654
66	LPST	117931	Lower (16 ft.)	0.016 mi. W (84 ft.)	FORMER BURGER KING	1550 IH 10, BEAUMONT, TX 77705	655
67	ECHOR06	110008155799	Higher (21 ft.)	0.016 mi. W (84 ft.)	CABELLS DAIRIES INC	490 INTERSTATE 10 S, BEAUMONT, TX 77706	656
67	FRSTX	110008155799	Higher (21 ft.)	0.016 mi. W (84 ft.)	CABELLS DAIRIES INC	490 INTERSTATE 10 S, BEAUMONT, TX 77706	657
67	FRSTX	110034247802	Higher (21 ft.)	0.016 mi. W (84 ft.)	DEANS FOODS	490 INTERSTATE 10 S, BEAUMONT, TX 77707	658
67	FRSTX	110070166427	Higher (21 ft.)	0.016 mi. W (84 ft.)	CABELL DAIRY	490 S IH 10, BEAUMONT, TX 77706	659
67	IHW	72179	Higher (21 ft.)	0.016 mi. W (84 ft.)	CABELLS DAIRY	490 INTERSTATE 10 S, BEAUMONT, TX 77707	660
67	LPST	091730	Higher (21 ft.)	0.016 mi. W (84 ft.)	CABELL DAIRY	490 S IH 10, BEAUMONT, TX 77706	661
67	PST	34687	Higher (21 ft.)	0.016 mi. W (84 ft.)	CABELL DAIRY	490 S IH 10, BEAUMONT, TX 77706	663
67	RCRANGR06	TXD981594492	Higher (21 ft.)	0.016 mi. W (84 ft.)	CABELLS DAIRIES INC	490 INTERSTATE 10 S, BEAUMONT, TX 77706	665
68	ECHOR06	110061534451	Lower (16 ft.)	0.017 mi. ESE (90 ft.)	SAM'S CLUB #8275	1615 INTERSTATE 10 S, BEAUMONT, TX 77701	667
68	FRSTX	110008169016	Lower (16 ft.)	0.017 mi. ESE (90 ft.)	SAMS CLUB 8275	1615 IH 10 S, BEAUMONT, TX 77701	668
68	FRSTX	110061534451	Lower (16 ft.)	0.017 mi. ESE (90 ft.)	SAM'S CLUB #8275	1615 INTERSTATE 10 S, BEAUMONT, TX 77701	669
68	IHW	88251	Lower (16 ft.)	0.017 mi. ESE (90 ft.)	SAMS CLUB 8275	1615 IH 10 S, BEAUMONT, TX 77701	670
68	NOV	RN101503407	Lower (16 ft.)	0.017 mi. ESE (90 ft.)	SAMS CLUB 8275	1615 IH 10 S, BEAUMONT, TX 77701	673
68	PST	73359	Lower (16 ft.)	0.017 mi. ESE (90 ft.)	SAMS CLUB 8275	1615 IH 10 S, BEAUMONT, TX 77701	674
68	PST	83513	Lower (16 ft.)	0.017 mi. ESE (90 ft.)	SAMS CLUB	1615 INTERSTATE 10 S, BAYTOWN, TX 77523	680
68	RCRAGR06	TXR000007773	Lower (16 ft.)	0.017 mi. ESE (90 ft.)	SAMS CLUB 8275	1615 IH 10 S, BEAUMONT, TX 77701	681
68	TIERII	2555D8021UY9	Lower (16 ft.)	0.017 mi. ESE (90 ft.)	SAM'S CLUB #8275	1615 INTERSTATE 10 S, BEAUMONT, TX 77701	684
69	LPST	102430	Lower (15 ft.)	0.017 mi. NW (90 ft.)	STEINHAGEN OIL CO INC	3850 INTERSTATE 10 S, BEAUMONT, TX 77705	686
69	PST	9302	Lower (15 ft.)	0.017 mi. NW (90 ft.)	STEINHAGEN OIL	3850 INTERSTATE 10 S, BEAUMONT, TX 77705	690

Located Sites Summary

NOTE: Standard environmental records are displayed in **bold**.

Map ID#	Database Name	Site ID#	Relative Elevation	Distance From Site	Site Name	Address	PAGE #
69	SPILLS	11/14/75001	Lower (15 ft.)	0.017 mi. NW (90 ft.)		3850 IH10 S. AT WALDEN RD. BULK STATION, TX	694
70	ECHOR06	110008163799	Equal (17 ft.)	0.017 mi. W (90 ft.)	CHEVRON USA INC	195 IH 10 N, BEAUMONT, TX 77707	695
70	FRSTX	110008163799	Equal (17 ft.)	0.017 mi. W (90 ft.)	CHEVRON USA INC	195 IH 10 N, BEAUMONT, TX 77707	696
70	FRSTX	110033928793	Equal (17 ft.)	0.017 mi. W (90 ft.)	FASTLANE NO 34	195 INTERSTATE 10 N, BEAUMONT, TX 77707	697
70	FRSTX	110070168613	Equal (17 ft.)	0.017 mi. W (90 ft.)	CHEVRON 107547	195 IH 10 N, BEAUMONT, TX 77707	698
70	IHW	79243	Equal (17 ft.)	0.017 mi. W (90 ft.)	CHEVRON FAC 107547	195 IH 10 N, BEAUMONT, TX 77707	699
70	LPST	110589	Equal (17 ft.)	0.017 mi. W (90 ft.)	CHEVRON FAC 107547	195 INTERSTATE 10 N, BEAUMONT, TX 77707	700
70	NOV	RN101807071	Equal (17 ft.)	0.017 mi. W (90 ft.)	FASTLANE NO 34	195 INTERSTATE 10 N, BEAUMONT, TX 77707	705
70	PST	28592	Equal (17 ft.)	0.017 mi. W (90 ft.)	FASTLANE NO 34	195 INTERSTATE 10 N, BEAUMONT, TX 77707	707
70	RCRANGR06	TXD988045423	Equal (17 ft.)	0.017 mi. W (90 ft.)	CHEVRON USA INC	195 IH 10 N, BEAUMONT, TX 77707	714
70	SPILLS	3/13/88005	Equal (17 ft.)	0.017 mi. W (90 ft.)		195 IH-10 NORTH, BEAUMONT, TX	716
71	PST	71858	Lower (16 ft.)	0.017 mi. W (90 ft.)	STEPHANIE WILEY PROPERTY	1240 IH 10 S, BEAUMONT, TX 77707	717
72	ECHOR06	110005193682	Higher (19 ft.)	0.018 mi. NW (95 ft.)	ENVIRONMENTAL OIL CO	4610 FANNETT, BEAUMONT, TX 77705	719
72	FRSTX	110005193682	Higher (19 ft.)	0.018 mi. NW (95 ft.)	ENVIRONMENTAL OIL CO	4610 FANNETT, BEAUMONT, TX 77705	720
72	PST	60275	Higher (19 ft.)	0.018 mi. NW (95 ft.)	MOBILE MAINTENANCE	4610 FANNETT RD, BEAUMONT, TX 77705	721
72	RCRANGR06	TXT490014867	Higher (19 ft.)	0.018 mi. NW (95 ft.)	ENVIRONMENTAL OIL CO	4610 FANNETT, BEAUMONT, TX 77705	725
73	FRSTX	110034051335	Lower (15 ft.)	0.018 mi. ESE (95 ft.)	FASTLANE NO 24	3875 INTERSTATE 10 S, BEAUMONT, TX 77705	726
73	NOV	RN101909133	Lower (15 ft.)	0.018 mi. ESE (95 ft.)	FASTLANE NO 24	BEAUMONT, TX	727
73	PST	58585	Lower (15 ft.)	0.018 mi. ESE (95 ft.)	FASTLANE NO 24	3875 INTERSTATE 10 S, BEAUMONT, TX 77705	730
74	GWCC	113546	Equal (17 ft.)	0.019 mi. S (100 ft.)	CONN APPLIANCES INC	2815 LAUREL, BEAUMONT, TX 77702	737
74	LPST	113546	Equal (17 ft.)	0.019 mi. S (100 ft.)	CONN APPLIANCES WAREHOUSE	2815 LAUREL ST, BEAUMONT, TX 77702	738
74	PST	12784	Equal (17 ft.)	0.019 mi. S (100 ft.)	CONN'S APPLIANCE	2815 LAUREL ST, BEAUMONT, TX 77702	741
75	DCR	RN104001110	Higher (18 ft.)	0.02 mi. W (106 ft.)	ALAMO CLEANERS	3315 CALDER AVE, BEAUMONT, TX 77706	744
75	FRSTX	110031354175	Higher (18 ft.)	0.02 mi. W (106 ft.)	ALAMO CLEANERS	3315 CALDER AVE, BEAUMONT, TX 77706	747

Located Sites Summary

NOTE: Standard environmental records are displayed in **bold**.

Map ID#	Database Name	Site ID#	Relative Elevation	Distance From Site	Site Name	Address	PAGE #
75	RCRAGR06	TXR000077545	Higher (18 ft.)	0.02 mi. W (106 ft.)	ALAMO CLEANERS INC	3315 CALDER AVE, BEAUMONT, TX 77706	748
76	RCRAGR06	TXD988047460	Equal (17 ft.)	0.02 mi. SSW (106 ft.)	BLOOD CENTER OF SOUTHEAST TX	2850 LAUREL, BEAUMONT, TX 77702	750
77	PST	63290	Higher (19 ft.)	0.021 mi. ESE (111 ft.)	SPEEDY STOP 18	1055 IH 10 S, BEAUMONT, TX 77701	752
78	LPST	100242	Higher (19 ft.)	0.023 mi. SSW (121 ft.)	SITTON OIL CO	4655 W CARDINAL DR, BEAUMONT, TX 77705	760
78	LPST	117804	Higher (19 ft.)	0.023 mi. SSW (121 ft.)	CHAMBLERS PROPERTY	4610 FANNETT RD, BEAUMONT, TX 77705	770
78	PST	3141	Higher (19 ft.)	0.023 mi. SSW (121 ft.)	GATORS 2	4655 W CARDINAL DR, BEAUMONT, TX 77705	774
79	IHW	80608	Higher (21 ft.)	0.023 mi. W (121 ft.)	GERHARDTS	550 IH 10 S, BEAUMONT, TX 77707	788
79	RCRAGR06	TXR000027441	Higher (21 ft.)	0.023 mi. W (121 ft.)	COLLISION & CLASSICS	550 S I-10 STE 101, BEAUMONT, TX 77707	790
79	RCRANGR06	TXD988064259	Higher (21 ft.)	0.023 mi. W (121 ft.)	GERHARDTS INC	550 IH 10 S, BEAUMONT, TX 77707	792
80	RCRAGR06	TX0000981134	Equal (17 ft.)	0.025 mi. S (132 ft.)	JOELS PAINT & BODY	210 N 18TH ST, BEAUMONT, TX 77707	794
81	PST	57585	Lower (15 ft.)	0.025 mi. NW (132 ft.)	BEAUMONT VMF	5817 WALDEN RD, BEAUMONT, TX 77707	795
82	PST	84157	Lower (16 ft.)	0.026 mi. W (137 ft.)	BEAUMONT CHEVRON	1050 IH 10 S, BEAUMONT, TX 77707	800
83	IHW	70161	Higher (20 ft.)	0.026 mi. E (137 ft.)	JERRY ALLEN MOTORS	10 IH 10 N, BEAUMONT, TX 77702	805
83	IHW	70880	Higher (20 ft.)	0.026 mi. E (137 ft.)	PRESTIGE CHRYSLER IMPORTS	10 IH 10 N, BEAUMONT, TX 77702	807
83	LPST	103735	Higher (20 ft.)	0.026 mi. E (137 ft.)	TRAVELAND RV	10 IH 10 N, BEAUMONT, TX 77702	808
83	PST	89	Higher (20 ft.)	0.026 mi. E (137 ft.)	TRAVELAND RV	10 IH 10 N, BEAUMONT, TX 77702	810
83	RCRANGR06	TXD981594690	Higher (20 ft.)	0.026 mi. E (137 ft.)	JERRY ALLEN MOTORS	10 IH 10 N, BEAUMONT, TX 77702	812
84	PST	49971	Equal (17 ft.)	0.027 mi. NW (143 ft.)	JOC-STOP 24	2190 IH 10 S, BEAUMONT, TX 77707	813
85	PST	28187	Higher (19 ft.)	0.027 mi. NE (143 ft.)	AMERICAN RECREATIONAL VEHICLES I	4848 W CARDINAL DR, BEAUMONT, TX 77705	817
86	IHW	79015	Higher (19 ft.)	0.027 mi. SW (143 ft.)	JOHN CRANE	5145 W CARDINAL DR, BEAUMONT, TX 77705	819
86	RCRANGR06	TXD988020772	Higher (19 ft.)	0.027 mi. SW (143 ft.)	JOHN CRANE INC	5145 W CARDINAL DR, BEAUMONT, TX 77705	820
87	IHW	79053	Higher (18 ft.)	0.028 mi. E (148 ft.)	AMERICAN TRANSMISSION	510 IH 10 N, BEAUMONT, TX 77702	822
87	LPST	091854	Higher (18 ft.)	0.028 mi. E (148 ft.)	FORMER MOBIL 12LVK	510 IH 10 N, BEAUMONT, TX 77702	824

Located Sites Summary

NOTE: Standard environmental records are displayed in **bold**.

Map ID#	Database Name	Site ID#	Relative Elevation	Distance From Site	Site Name	Address	PAGE #
87	PST	17653	Higher (18 ft.)	0.028 mi. E (148 ft.)	12LVK	510 IH 10 N, BEAUMONT, TX 77702	828
87	RCRANGR06	TXD988064861	Higher (18 ft.)	0.028 mi. E (148 ft.)	AMERICAN TRANSMISSION	510 N IH 10, BEAUMONT, TX 77702	832
88	LPST	095180	Higher (18 ft.)	0.028 mi. NE (148 ft.)	SIGMOR 169	390 N 11TH ST, BEAUMONT, TX 77702	834
88	PST	40078	Higher (18 ft.)	0.028 mi. NE (148 ft.)	SUPER STOP 17	390 N 11TH ST, BEAUMONT, TX 77702	840
89	PST	47298	Lower (15 ft.)	0.03 mi. E (158 ft.)	JAKE MAZZU PRODUCE	3898 HOLLYWOOD ST, BEAUMONT, TX 77701	847
90	IHW	31286	Equal (17 ft.)	0.036 mi. E (190 ft.)	SALVAGE CENTER GULF STATES UTILITIES C	3105 LAUREL ST, BEAUMONT, TX 77702	850
90	IHW	39057	Equal (17 ft.)	0.036 mi. E (190 ft.)	BEAUMONT SALVAGE CENTER	3105 LAUREL ST, BEAUMONT, TX 77702	855
90	RCRANGR06	TXT490010782	Equal (17 ft.)	0.036 mi. E (190 ft.)	ENTERGY GULF STATES INC	3105 LAUREL STREET, BEAUMONT, TX 77702	856
91	IHW	37905	Lower (16 ft.)	0.061 mi. W (322 ft.)	INSTY PRINTS OF BEAUMONT	3851 PHELAN BLVD, BEAUMONT, TX 77707	858
91	PST	75279	Lower (16 ft.)	0.039 mi. W (206 ft.)	KROGER FUEL FACILITY 328	3845 PHELAN BLVD, BEAUMONT, TX 77707	859
91	RCRANGR06	TXD982293904	Lower (16 ft.)	0.061 mi. W (322 ft.)	INSTY PRINTS OF BEAUMONT	3851 PHELAN BLVD, BEAUMONT, TX 77707	864
92	PST	13819	Equal (17 ft.)	0.04 mi. NNW (211 ft.)	PHILLIP 66 017888	3595 CALDER AVE, BEAUMONT, TX 77706	866
93	LPST	111739	Higher (19 ft.)	0.043 mi. SSE (227 ft.)	E Z MART 224	1320 N 11TH ST, BEAUMONT, TX 77702	871
93	PST	10255	Higher (19 ft.)	0.043 mi. SSE (227 ft.)	FOOD SPOT 4	1320 N 11TH ST, BEAUMONT, TX 77702	875
94	LPST	095727	Equal (17 ft.)	0.044 mi. ESE (232 ft.)	RAINBO BAKING CO	2695 LAUREL ST, BEAUMONT, TX 77702	882
94	PST	11259	Equal (17 ft.)	0.044 mi. ESE (232 ft.)	RAINBO BAKING	2695 LAUREL ST, BEAUMONT, TX 77702	885
95	IHW	84460	Equal (17 ft.)	0.045 mi. SSW (238 ft.)	MAACO AUTO PAINTING & BODYWORKS	2895 LAUREL ST, BEAUMONT, TX 77702	888
95	RCRANGR06	TXR000013631	Equal (17 ft.)	0.045 mi. SSW (238 ft.)	MAACO AUTO PAINTING & BODYWORKS	2895 LAUREL, BEAUMONT, TX 77702	889
96	PST	74805	Lower (16 ft.)	0.045 mi. W (238 ft.)	SCHWARZLOSE POOLS AND SERVICES	4055 MILAM ST, BEAUMONT, TX 77707	891
97	ALTFUELS	115662	Lower (13 ft.)	0.045 mi. SE (238 ft.)	HOMEWOOD SUITES - BEAUMONT - TESLA DESTINATION	3745 IH-10 S, BEAUMONT, TX 77705	894
97	ALTFUELS	75157	Lower (13 ft.)	0.045 mi. SE (238 ft.)	HOMEWOOD SUITES - TESLA	3745 IH 10 S, BEAUMONT, TX 77705	895

Located Sites Summary

NOTE: Standard environmental records are displayed in **bold**.

Map ID#	Database Name	Site ID#	Relative Elevation	Distance From Site	Site Name	Address	PAGE #
98	IHW	61485	Higher (20 ft.)	0.045 mi. NE (238 ft.)	BEAUMONT DISTRIBUTION	5250 W CARDINAL DR, BEAUMONT, TX 77705	896
98	RCRANGR06	TXR000062653	Higher (20 ft.)	0.045 mi. NE (238 ft.)	THE WILSON GROUP	5250 W CARDINAL DR, BEAUMONT, TX 77705	897
99	LPST	102882	Higher (21 ft.)	0.048 mi. W (253 ft.)	DELPAPA DISTRIBUTING CO	410 IH 10 S, BEAUMONT, TX 77707	899
99	PST	5006	Higher (21 ft.)	0.048 mi. W (253 ft.)	DEL PAPA DISTRIBUTING	410 IH 10 S, BEAUMONT, TX 77707	904
100	IHW	70149	Equal (17 ft.)	0.049 mi. E (259 ft.)	ARCHIES PAINT & BODY SHOP	3050 RUSK ST, BEAUMONT, TX 77702	910
100	RCRANGR06	TXD981049760	Equal (17 ft.)	0.048 mi. E (253 ft.)	ARCHIES PAINT & BODY SHOP	3050 RUSK, BEAUMONT, TX 77702	911
101	PST	57893	Higher (19 ft.)	0.049 mi. S (259 ft.)	GO MOTORS	1355 N 11TH ST, BEAUMONT, TX 77702	913
102	APAR	2683	Higher (19 ft.)	0.05 mi. ESE (264 ft.)	PROPOSED CHICK-FIL-A RESTAURANT 3312	3825 COLLEGE ST, BEAUMONT, TX 77701	918
102	VCP	2683	Higher (19 ft.)	0.05 mi. ESE (264 ft.)	PROPOSED CHICK-FIL-A RESTAURANT 3312	3825 COLLEGE ST, BEAUMONT, TX 77701	919
103	IHW	70188	Lower (15 ft.)	0.055 mi. W (290 ft.)	HOME MEDICAL SUPPORT SERVICES	85 INTERSTATE 10 N STE 215, BEAUMONT, TX 77707	921
104	IHW	70088	Higher (18 ft.)	0.058 mi. W (306 ft.)	AQUA-TECH LABORATORIES	440 N 18TH ST, BEAUMONT, TX 77707	922
105	PST	47838	Higher (18 ft.)	0.063 mi. E (333 ft.)	ALPHAGAZ-LIQUID AIR	3070 W CEDAR ST, BEAUMONT, TX 77702	923
106	LPST	113249	Lower (16 ft.)	0.068 mi. NW (359 ft.)	GOLD CREST ELECTRIC CO INC	1655 S 23RD ST, BEAUMONT, TX 77707	925
106	PST	47413	Lower (16 ft.)	0.068 mi. NW (359 ft.)	GOLD CREST ELECTRIC	1655 S 23RD ST, BEAUMONT, TX 77707	927
107	IHW	89383	Higher (21 ft.)	0.068 mi. S (359 ft.)	ABSOLUTE TRANSPORTATION ENVIRONMENTAL	2255 LOUISIANA ST, BEAUMONT, TX 77701	929
107	LPST	092573	Higher (21 ft.)	0.068 mi. S (359 ft.)	TRANSIT MIX CONCRETE CO	2255 LOUISIANA ST, BEAUMONT, TX 77701	930
107	LPST	094772	Higher (21 ft.)	0.068 mi. S (359 ft.)	TRANSIT MIX CONCRETE CO	2255 LOUISIANA ST, BEAUMONT, TX 77701	935
107	LPST	118168	Higher (21 ft.)	0.068 mi. S (359 ft.)	SPANKYS WRECKER	2255 LOUISIANA ST, BEAUMONT, TX 77701	940
107	PST	20548	Higher (21 ft.)	0.068 mi. S (359 ft.)	SPANKYS WRECKER	2255 LOUISIANA ST, BEAUMONT, TX 77701	945
107	RCRANGR06	TXR000080293	Higher (21 ft.)	0.068 mi. S (359 ft.)	ABSOLUTE TRANSPORTATION ENVIRONMENTAL	2255 LOUISIANA ST, BEAUMONT, TX 77701	951
108	LPST	095572	Lower (16 ft.)	0.069 mi. W (364 ft.)	DREW POLK	4125 COLLEGE ST, BEAUMONT, TX 77707	953
108	PST	54955	Lower (16 ft.)	0.069 mi. W (364 ft.)	POLK DREW	4125 COLLEGE ST, BEAUMONT, TX 77707	960
109	PST	53102	Higher (18 ft.)	0.071 mi. N (375 ft.)	PPOTB & L PARTNERSHIP	445 N 14TH ST, BEAUMONT, TX 77702	968

Located Sites Summary

NOTE: Standard environmental records are displayed in **bold**.

Map ID#	Database Name	Site ID#	Relative Elevation	Distance From Site	Site Name	Address	PAGE #
110	IHW	84872	Higher (19 ft.)	0.073 mi. SSW (385 ft.)	YELLOW TRANSPORTATION BEAUMONT	4650 LAFIN DR, BEAUMONT, TX 77705	970
110	PST	28509	Higher (19 ft.)	0.073 mi. SSW (385 ft.)	YELLOW FREIGHT SYSTEM	4650 LAFIN DR, BEAUMONT, TX 77705	971
110	RCRANGR06	TXR000018671	Higher (19 ft.)	0.073 mi. SSW (385 ft.)	YELLOW TRANSPORTATION INC	4650 LAFIN DRIVE, BEAUMONT, TX 77704	974
111	LPST	095573	Lower (14 ft.)	0.074 mi. SE (391 ft.)	PETRO INC 4	5405 WALDEN RD, BEAUMONT, TX 77705	976
111	LPST	117837	Lower (14 ft.)	0.074 mi. SE (391 ft.)	PETRO STOPPING CENTER 304	5405 WALDEN RD, BEAUMONT, TX 77705	986
111	LPST	120002	Lower (14 ft.)	0.074 mi. SE (391 ft.)	PETRO STOPPING CENTER 304	5405 WALDEN RD, BEAUMONT, TX 77705	996
111	PST	20002	Lower (14 ft.)	0.074 mi. SE (391 ft.)	PETRO STOPPING CENTER 304	5405 WALDEN RD, BEAUMONT, TX 77705	1006
112	PST	48433	Higher (32 ft.)	0.078 mi. E (412 ft.)	OLD MOBIL SERVICE STATION SITE	3005 N 11TH ST, BEAUMONT, TX	1020
113	RCRAGR06	TXD988063772	Higher (18 ft.)	0.079 mi. E (417 ft.)	EQUIPMENT MEADQUARTERS INC	3775 MILAM, BEAUMONT, TX 77706	1023
114	PST	50144	Equal (17 ft.)	0.081 mi. W (428 ft.)	JOHN BLACKWELL	810 INTERSTATE 10 S, BEAUMONT, TX 77707	1024
115	IHWCA	40615	Lower (15 ft.)	0.093 mi. W (491 ft.)	MILLER TRANSPORTERS	4640 WASHINGTON BLVD, BEAUMONT, TX 77707	1026
115	RCRAGR06	TX0000451641	Lower (15 ft.)	0.082 mi. WSW (433 ft.)	SCOOTERS LAWNMOWER	4665 WASHINGTON, BEAUMONT, TX 77707	1027
116	PST	49053	Higher (20 ft.)	0.084 mi. S (444 ft.)	SHOP N GO 2	2305 LOUISIANA ST, BEAUMONT, TX 77702	1028
117	PST	64340	Higher (18 ft.)	0.089 mi. W (470 ft.)	PAM REHABILITATION HOSPITAL OF BEAUMONT	3340 PLAZA 10 DR, BEAUMONT, TX 77707	1036
118	RCRAGR06	TXD988084257	Higher (19 ft.)	0.093 mi. SSE (491 ft.)	DAYLIGHT MOTOR CO	1220 N ELEVENTH ST, BEAUMONT, TX 77702	1042
119	LPST	092141	Higher (18 ft.)	0.096 mi. E (507 ft.)	FORMER DIAMOND SHAMROCK 360	3060 NORTH ST, BEAUMONT, TX 77702	1043
119	PST	46539	Higher (18 ft.)	0.096 mi. E (507 ft.)	OLD GAS STATION	3060 NORTH ST, BEAUMONT, TX 77702	1045
120	IHW	73334	Higher (33 ft.)	0.098 mi. WNW (517 ft.)	KINSEL TOYOTA	3255 EASTEX FWY, BEAUMONT, TX 77706	1047
120	RCRANGR06	TXD982284119	Higher (33 ft.)	0.098 mi. WNW (517 ft.)	KINSEL TOYOTA INC	3255 EASTEX FWY, BEAUMONT, TX 77706	1049
121	RCRAGR06	TX0000999979	Higher (19 ft.)	0.099 mi. SSE (523 ft.)	MIKESKA AUTO	4849-A LAFIN, BEAUMONT, TX 77705	1051
122	LPST	113493	Higher (18 ft.)	0.103 mi. N (544 ft.)	BILLEES CAR CARE	3005 CALDER ST, BEAUMONT, TX 77702	1052

Located Sites Summary

NOTE: Standard environmental records are displayed in **bold**.

Map ID#	Database Name	Site ID#	Relative Elevation	Distance From Site	Site Name	Address	PAGE #
122	PST	65205	Higher (18 ft.)	0.103 mi. N (544 ft.)	BILLEES CAR CARE	3005 CALDER ST, BEAUMONT, TX 77702	1060
122	RCRAGR06	TX0000237099	Higher (18 ft.)	0.103 mi. N (544 ft.)	BILLEES CAR CARE	3005 CALDER, BEAUMONT, TX 77702	1070
123	IHW	91408	Lower (16 ft.)	0.103 mi. WNW (544 ft.)	CVS PHARMACY 1108	3890 PHELAN BLVD, BEAUMONT, TX 77707	1071
123	RCRAGR06	TXR000081034	Lower (16 ft.)	0.103 mi. WNW (544 ft.)	CVS PHARMACY 1108	3890 PHELAN BLVD, BEAUMONT, TX 77707	1074
124	IHW	40615	Lower (15 ft.)	0.106 mi. WNW (560 ft.)	MILLER TRANSPORTERS	4640 WASHINGTON BLVD, BEAUMONT, TX 77707	1076
124	IHW	66530	Lower (15 ft.)	0.125 mi. W (660 ft.)	SMARTS TRUCK & TRAILER EQUIPMENT	4730 WASHINGTON BLVD, BEAUMONT, TX 77707	1078
124	PST	68106	Lower (15 ft.)	0.106 mi. WNW (560 ft.)	MILLER TRANSPORTATION	4680 WASHINGTON BLVD, BEAUMONT, TX 77707	1080
124	RCRAGR06	TXD062133335	Lower (15 ft.)	0.125 mi. W (660 ft.)	SMARTS TRUCK ; TRAILER EQUIPMENT	4730 WASHINGTON BLVD, BEAUMONT, TX 77707	1082
125	PST	71648	Higher (32 ft.)	0.107 mi. E (565 ft.)	BILL CLARK PEST CONTROL	2975 N 11TH ST, BEAUMONT, TX 77703	1084
126	PST	73602	Higher (20 ft.)	0.108 mi. N (570 ft.)	FEW READY MIX	2101 N 7TH ST, BEAUMONT, TX 77703	1090
127	LPST	101206	Higher (31 ft.)	0.112 mi. N (591 ft.)	VANCE MATHEWS BUILDING	3250 EASTEX FWY, BEAUMONT, TX 77703	1092
127	PST	58193	Higher (31 ft.)	0.112 mi. N (591 ft.)	VANCE-MATHEWS OFFICE BLDG	3250 EASTEX FWY, BEAUMONT, TX 77703	1095
128	LPST	103562	Higher (18 ft.)	0.113 mi. E (597 ft.)	BEAUMONT WEST END YARD	PECOS ST, BEAUMONT, TX 77701	1098
128	PST	37311	Higher (18 ft.)	0.113 mi. E (597 ft.)	BEAUMONT WEST END YARD	PECOS ST 14TH ST, BEAUMONT, TX 77702	1101
129	RCRAGR06	TX0000888198	Lower (15 ft.)	0.113 mi. S (597 ft.)	EDS TRANSMISSION	145 S AWYER, BEAUMONT, TX 77702	1104
130	IHW	73693	Lower (15 ft.)	0.115 mi. WNW (607 ft.)	COMPLIANCE GROUP TEXAS US POSTAL ADMIN	5815 WALDEN RD STE 167, BEAUMONT, TX 77707	1105
130	IHW	75130	Lower (15 ft.)	0.115 mi. WNW (607 ft.)	VEHICLE MAINTENANCE FACILITY	5815 WALDEN RD, BEAUMONT, TX 77707	1107
130	RCRANGR06	TXD987981255	Lower (15 ft.)	0.115 mi. WNW (607 ft.)	COMPLIANCE GROUP TEXAS	5815 WALDEN RD STE 167, BEAUMONT, TX 77707	1108
131	LPST	102881	Lower (15 ft.)	0.117 mi. E (618 ft.)	JONES TRUCKING	3890 HOLLYWOOD ST, BEAUMONT, TX 77701	1110
131	PST	15173	Lower (15 ft.)	0.117 mi. E (618 ft.)	FLEET FUELING 2	3890 HOLLYWOOD ST, BEAUMONT, TX 77701	1116
132	PST	14830	Higher (18 ft.)	0.12 mi. E (634 ft.)	BRAND SABINE INDUSTRIES	3050 W CEDAR ST, BEAUMONT, TX 77702	1125
133	IHW	70164	Lower (15 ft.)	0.12 mi. E (634 ft.)	KINSEL FORD	3755 HOLLYWOOD ST, BEAUMONT, TX 77701	1128

Located Sites Summary

NOTE: Standard environmental records are displayed in **bold**.

Map ID#	Database Name	Site ID#	Relative Elevation	Distance From Site	Site Name	Address	PAGE #
133	PST	15402	Lower (15 ft.)	0.12 mi. E (634 ft.)	KINSEL FORD	3755 HOLLYWOOD ST, BEAUMONT, TX 77701	1130
133	RCRANGR06	TXD981155096	Lower (15 ft.)	0.12 mi. E (634 ft.)	KINSEL FORD INC	3755 HOLLYWOOD, BEAUMONT, TX 77701	1132
134	IHW	88855	Higher (18 ft.)	0.121 mi. SSW (639 ft.)	UNITED STATES ENVIRONMENTAL SERVICES	4850 WARD ST, BEAUMONT, TX 77705	1134
134	RCRANGR06	TXR000079914	Higher (18 ft.)	0.121 mi. SSW (639 ft.)	UNITED STATES ENVIRONMENTAL SERVICES LLC	4850 WARD ST, BEAUMONT, TX 77705	1135
135	IHW	79026	Lower (16 ft.)	0.13 mi. E (686 ft.)	BAISON MOBIL SERVICE	3690 COLLEGE ST, BEAUMONT, TX 77701	1137
135	LPST	115015	Lower (16 ft.)	0.13 mi. E (686 ft.)	BAISDONS MOBIL	3690 COLLEGE ST, BEAUMONT, TX 77701	1138
135	PST	17651	Lower (16 ft.)	0.13 mi. E (686 ft.)	BAISDONS MOBIL	3690 COLLEGE ST, BEAUMONT, TX 77701	1142
136	IOP	0152	Lower (16 ft.)	0.16 mi. E (845 ft.)	HAYDN CUTLER COMPANY	3680 COLLEGE STREET, BEAUMONT, TX 77701	1147
136	IOP	0184	Lower (16 ft.)	0.16 mi. E (845 ft.)	LOT 1, 114 OF COLLEGE ACRES ADDITION	3680 COLLEGE STREET, BEAUMONT, TX 77701	1148
137	IHW	88899	Lower (16 ft.)	0.13 mi. E (686 ft.)	OMNI OPTICAL LAB	3255 EXECUTIVE BLVD STE 100, BEAUMONT, TX 77705	1149
138	LPST	116587	Lower (16 ft.)	0.141 mi. W (744 ft.)	ALBERTSONS EXPRESS 2722	3915 PHELAN BLVD, BEAUMONT, TX 77707	1151
138	PST	73924	Lower (16 ft.)	0.141 mi. W (744 ft.)	MB EXPRESS	3915 PHELAN BLVD, BEAUMONT, TX 77707	1154
139	PST	48077	Higher (18 ft.)	0.142 mi. SSW (750 ft.)	ELDRIDGE ELECTRIC	110 N 13TH ST, BEAUMONT, TX 77702	1160
140	PST	54564	Lower (15 ft.)	0.148 mi. NW (781 ft.)	REED SERVICE	4725 WASHINGTON BLVD, BEAUMONT, TX 77707	1162
141	IHW	30230	Lower (16 ft.)	0.15 mi. ESE (792 ft.)	ENTERGY GULF STATES BEAUMONT SERVICE CENTER	TX	1164
142	IHW	35436	Lower (15 ft.)	0.152 mi. NW (803 ft.)	MONTGOMERY TANK LINES	4787 WASHINGTON BLVD, BEAUMONT, TX 77707	1173
142	LPST	102244	Lower (15 ft.)	0.152 mi. NW (803 ft.)	GOLDEN TRIANGLE PERIODICALS	4785 WASHINGTON BLVD, BEAUMONT, TX 77707	1175
142	PST	28394	Lower (15 ft.)	0.152 mi. NW (803 ft.)	GOLDEN TRIANGLE PERIODICALS	4785 WASHINGTON BLVD, BEAUMONT, TX 77707	1177
143	LPST	096930	Higher (18 ft.)	0.153 mi. NE (808 ft.)	ALLSTATE TRANSMISSION FAC	2625 CALDER ST, BEAUMONT, TX 77702	1179
143	PST	55187	Higher (18 ft.)	0.153 mi. NE (808 ft.)	BNK73 INTERFIRST BANK BEAUMONT	2625 CALDER ST, BEAUMONT, TX 77702	1186
144	IHW	70181	Lower (15 ft.)	0.158 mi. W (834 ft.)	MINGLE DODGE	4145 COLLEGE ST, BEAUMONT, TX 77707	1194
144	IHW	72835	Lower (15 ft.)	0.158 mi. W (834 ft.)	BERNARD UNIVERSITY ISUZU	4145 COLLEGE ST, BEAUMONT, TX 77707	1195
144	LPST	094924	Lower (15 ft.)	0.158 mi. W (834 ft.)	POLK MOTOR CO	4145 COLLEGE ST, BEAUMONT, TX 77707	1197

Located Sites Summary

NOTE: Standard environmental records are displayed in **bold**.

Map ID#	Database Name	Site ID#	Relative Elevation	Distance From Site	Site Name	Address	PAGE #
144	PST	50274	Lower (15 ft.)	0.158 mi. W (834 ft.)	POLK MOTOR	4145 COLLEGE ST, BEAUMONT, TX 77707	1199
145	PST	47415	Lower (15 ft.)	0.163 mi. SW (861 ft.)	BRYAN FOOD STOP	190 N 23RD ST, BEAUMONT, TX 77707	1201
145	PST	73462	Lower (15 ft.)	0.178 mi. SW (940 ft.)	K-1	185 N 23RD ST, BEAUMONT, TX 77707	1209
146	DCR	RN100694991	Lower (16 ft.)	0.166 mi. WNW (876 ft.)		3905 CALDER AVE, BEAUMONT, TX 77706	1215
146	IHW	66588	Lower (16 ft.)	0.166 mi. WNW (876 ft.)	CALDER ONE HOUR MARTINIZING	3905 CALDER AVE, BEAUMONT, TX 77706	1217
147	IHW	70062	Higher (20 ft.)	0.169 mi. N (892 ft.)	CHRISTUS HOSPITAL ST ELIZABETH	2830 CALDER ST, BEAUMONT, TX 77702	1219
147	LPST	093656	Higher (20 ft.)	0.169 mi. N (892 ft.)	ST ELIZABETH HOSPITAL	2830 CALDER ST, BEAUMONT, TX 77702	1221
147	PST	33760	Higher (20 ft.)	0.169 mi. N (892 ft.)	CHRISTUS ST ELIZABETH HOSPITAL	2830 CALDER ST, BEAUMONT, TX 77702	1226
148	IHW	77850	Higher (32 ft.)	0.17 mi. NW (898 ft.)	KINSEL AUTOMALL	3355 EASTEX FWY, BEAUMONT, TX 77706	1234
149	IHW	79577	Lower (15 ft.)	0.17 mi. E (898 ft.)	GLASS-TECH	3820 HOLLYWOOD ST, BEAUMONT, TX 77701	1236
150	DCR	RN100701572	Higher (19 ft.)	0.179 mi. S (945 ft.)	A 1 CLEANERS	1115 N 11TH ST, BEAUMONT, TX 77702	1237
150	IHW	72349	Higher (19 ft.)	0.179 mi. S (945 ft.)	A-1 DRY CLEANERS	1115 N 11TH ST, BEAUMONT, TX 77702	1238
150	IHW	80896	Higher (19 ft.)	0.179 mi. S (945 ft.)	A-1 DRYCLEANERS	1115 N 11TH ST, BEAUMONT, TX 77702	1239
150	IHWCA	T2111	Higher (19 ft.)	0.179 mi. S (945 ft.)	1111 N 11TH ST	1111 N 11TH ST, BEAUMONT, TX 77702	1240
151	LPST	094173	Higher (18 ft.)	0.182 mi. SW (961 ft.)	THIRD COAST INDUSTRIES INC	4780 S 23RD ST, BEAUMONT, TX 77705	1241
151	PST	22474	Higher (18 ft.)	0.182 mi. SW (961 ft.)	THIRD COAST INDUSTRIES	4780 FANNETT RD, BEAUMONT, TX 77705	1244
152	LPST	104174	Higher (19 ft.)	0.185 mi. S (977 ft.)	11TH STREET 66	1110 N 11TH ST, BEAUMONT, TX 77702	1247
152	PST	23668	Higher (19 ft.)	0.185 mi. S (977 ft.)	FAST BREAK 4	1110 N 11TH ST, BEAUMONT, TX 77702	1253
153	IHW	73272	Lower (15 ft.)	0.189 mi. ENE (998 ft.)	MJ WALKER FIRESTONE	3685 STAGG DR, BEAUMONT, TX 77701	1261
153	LPST	099328	Lower (15 ft.)	0.189 mi. ENE (998 ft.)	GATEWAY FIRESTONE	3685 STAGG DR, BEAUMONT, TX 77701	1262
153	PST	1038	Lower (15 ft.)	0.189 mi. ENE (998 ft.)	FIRESTONE MASTERCARE CENTER	3585 STAGG DR, BEAUMONT, TX 77701	1264
154	IHW	32087	Equal (17 ft.)	0.193 mi. E (1019 ft.)	RUSSCO PAINT MANUFACTURING	2898 W CEDAR ST, BEAUMONT, TX 77702	1266

Located Sites Summary

NOTE: Standard environmental records are displayed in **bold**.

Map ID#	Database Name	Site ID#	Relative Elevation	Distance From Site	Site Name	Address	PAGE #
155	PST	49091	Lower (16 ft.)	0.196 mi. ESE (1035 ft.)	SILVERADO INTERESTS	4080 WASHINGTON BLVD, BEAUMONT, TX 77705	1268
156	DCR	RN102974920	Higher (18 ft.)	0.202 mi. NE (1067 ft.)	PARK AVENUE CLEANERS	2608 CALDER ST, BEAUMONT, TX 77702	1271
156	IHW	87138	Higher (18 ft.)	0.202 mi. NE (1067 ft.)	PARK AVENUE CLEANERS	2608 CALDER ST, BEAUMONT, TX 77702	1273
157	APAR	1886	Equal (17 ft.)	0.204 mi. WNW (1077 ft.)	RENTAL SERVICE	4790 WASHINGTON BLVD, BEAUMONT, TX 77707	1275
157	IHW	30197	Equal (17 ft.)	0.204 mi. WNW (1077 ft.)	LUTHER HENDON	4790 WASHINGTON BLVD, BEAUMONT, TX 77707	1276
157	IHW	38095	Equal (17 ft.)	0.204 mi. WNW (1077 ft.)	LUTHER HENDON	HIGHWAY 124, BEAUMONT, TX	1278
157	IHWCA	30197	Equal (17 ft.)	0.204 mi. WNW (1077 ft.)	LUTHER HENDON	4790 WASHINGTON BLVD, BEAUMONT, TX 77707	1279
157	VCP	1886	Equal (17 ft.)	0.204 mi. WNW (1077 ft.)	RENTAL SERVICE	4790 WASHINGTON BLVD, BEAUMONT, TX 77707	1280
158	IHW	80817	Equal (17 ft.)	0.205 mi. E (1082 ft.)	UNION PACIFIC RAILROAD BEAUMONT	2555 W CEDAR ST, BEAUMONT, TX 77702	1282
159	LPST	101826	Higher (21 ft.)	0.21 mi. N (1109 ft.)	T MIX MATERIALS	2525 DOLLINGER RD, BEAUMONT, TX 77703	1284
159	PST	20552	Higher (21 ft.)	0.21 mi. N (1109 ft.)	BEAUMONT DOLLINGER READY MIX	2525 DOLLINGER RD, BEAUMONT, TX 77703	1287
160	IOP	0067	Lower (15 ft.)	0.211 mi. ENE (1114 ft.)	SUPER SHOPS STORE	3655 STAGG DRIVE, BEAUMONT, TX 77701	1291
160	IOP	0285	Lower (15 ft.)	0.211 mi. ENE (1114 ft.)	EBERLIN PROPERTY	3655 STAGG DRIVE, BEAUMONT, TX 77701	1292
161	PST	11699	Lower (15 ft.)	0.213 mi. WNW (1125 ft.)	H B NEILD & SONS	5950 WALDEN RD, BEAUMONT, TX 77707	1293
162	PST	15301	Lower (16 ft.)	0.214 mi. E (1130 ft.)	BEAUMONT FIRE STATION 10	3855 WASHINGTON BLVD, BEAUMONT, TX 77705	1297
162	PST	15304	Lower (16 ft.)	0.214 mi. E (1130 ft.)	STORAGE AREA	3140 MUNICIPAL DR, BEAUMONT, TX 77707	1300
163	IHW	72577	Equal (17 ft.)	0.214 mi. SSW (1130 ft.)	FLEET MANAGEMENT	4955 LAFIN DR, BEAUMONT, TX 77705	1302
163	LPST	118793	Equal (17 ft.)	0.214 mi. SSW (1130 ft.)	FLEET MANAGEMENT	4955 LAFIN RD, BEAUMONT, TX 77704	1304
163	PST	40709	Equal (17 ft.)	0.214 mi. SSW (1130 ft.)	FLEET MANAGEMENT	4955 LAFIN DR, BEAUMONT, TX 77705	1311

Located Sites Summary

NOTE: Standard environmental records are displayed in **bold**.

Map ID#	Database Name	Site ID#	Relative Elevation	Distance From Site	Site Name	Address	PAGE #
164	IHW	32313	Lower (16 ft.)	0.215 mi. NW (1135 ft.)	TRIMAC TRANSPORTATION BEAUMONT	5055 WASHINGTON BLVD, BEAUMONT, TX 77707	1321
164	PST	32329	Lower (16 ft.)	0.215 mi. NW (1135 ft.)	TRIMAC TRANSPORTATION SOUTH	5055 WASHINGTON BLVD, BEAUMONT, TX 77707	1324
165	LPST	114357	Higher (29 ft.)	0.217 mi. E (1146 ft.)	MARKET PLACE 30	2790 N 11TH ST, BEAUMONT, TX 77703	1330
165	PST	38822	Higher (29 ft.)	0.217 mi. E (1146 ft.)	TS CORNER STOP	2790 N 11TH ST, BEAUMONT, TX 77703	1334
166	PST	87026	Higher (20 ft.)	0.217 mi. ESE (1146 ft.)	CHRISTUS HOSPITAL ST ELIZABETH	755 N 11TH ST, BEAUMONT, TX 77702	1339
167	IHW	66518	Equal (17 ft.)	0.221 mi. S (1167 ft.)	RELIABLE AUTO REPAIR	51 SAWYER ST, BEAUMONT, TX 77702	1342
168	IHW	70006	Equal (17 ft.)	0.224 mi. S (1183 ft.)	SHERWIN WILLIAMS	55 N 11TH ST, BEAUMONT, TX 77702	1343
169	LPST	099499	Higher (19 ft.)	0.225 mi. E (1188 ft.)	CAMPBELLS CHEVRON	890 N 11TH ST, BEAUMONT, TX 77702	1344
169	PST	59980	Higher (19 ft.)	0.225 mi. E (1188 ft.)	CAMPBELLS CHEVRON	890 N 11TH ST, BEAUMONT, TX 77702	1348
169	PST	8289	Higher (19 ft.)	0.225 mi. E (1188 ft.)	CAMPBELLS CHEVRON	890 N 11TH ST, BEAUMONT, TX 77702	1352
170	PST	55357	Equal (17 ft.)	0.226 mi. NW (1193 ft.)	SW SCALE	4832 WASHINGTON BLVD, BEAUMONT, TX 77707	1357
171	PST	37312	Lower (16 ft.)	0.227 mi. S (1199 ft.)	BEAUMONT SERVICE CENTER	60 N 11TH ST, BEAUMONT, TX 77702	1360
172	IHW	91001	Lower (15 ft.)	0.229 mi. NW (1209 ft.)	COASTAL CHEMICAL	5065 WASHINGTON BLVD, BEAUMONT, TX 77707	1372
173	PST	69309	Equal (17 ft.)	0.24 mi. W (1267 ft.)	RACEWAY 6779	4205 COLLEGE ST, BEAUMONT, TX 77707	1373
174	PST	47737	Higher (22 ft.)	0.241 mi. NE (1272 ft.)	THE DON BELT	2623 HOOVER RD, BEAUMONT, TX 77703	1379
175	IHW	84125	Equal (17 ft.)	0.243 mi. ESE (1283 ft.)	ALL STATE TRANSMISSION	1268 S 11TH ST, BEAUMONT, TX 77701	1381
175	LPST	094125	Equal (17 ft.)	0.252 mi. ESE (1331 ft.)	JIM SNELL MASTER PLUMBER INC	1290 S 11TH ST, BEAUMONT, TX 77701	1382
175	PST	20258	Equal (17 ft.)	0.243 mi. ESE (1283 ft.)	VACANT BUILDING	1270 S 11TH ST, BEAUMONT, TX 77701	1385
176	LPST	120566	Lower (15 ft.)	0.244 mi. E (1288 ft.)	FORMER WILLIS L REED FACILITY	3670 HOLLYWOOD ST, BEAUMONT, TX 77701	1387
176	PST	67883	Lower (15 ft.)	0.244 mi. E (1288 ft.)	FORMER WILLIS L REED FACILITY	3670 HOLLYWOOD ST, BEAUMONT, TX 77701	1399
177	IHW	70090	Higher (26 ft.)	0.246 mi. E (1299 ft.)	MIKE SMITH OLDS- HONDA	1795 IH 10 E, BEAUMONT, TX 77701	1412
177	PST	21941	Higher (26 ft.)	0.246 mi. E (1299 ft.)	MIKE SMITH OLDS AMC & HONDA	1795 INTERSTATE 10 E, BEAUMONT, TX 77701	1414
178	LPST	092752	Higher (20 ft.)	0.25 mi. N (1320 ft.)	VICS TEXACO	680 N 11TH ST, BEAUMONT, TX 77702	1418

Located Sites Summary

NOTE: Standard environmental records are displayed in **bold**.

Map ID#	Database Name	Site ID#	Relative Elevation	Distance From Site	Site Name	Address	PAGE #
179	LPST	105836	Lower (16 ft.)	0.255 mi. S (1346 ft.)	KLVI	27 SAWYER ST, BEAUMONT, TX 77702	1422
180	MSWLF	40164	Equal (17 ft.)	0.256 mi. S (1352 ft.)	JTB RECYCLING TRANSFER STATION FACILITY	4895 ROMEDA RD, BEAUMONT, TX 77705	1424
180	MSWLF	43000	Equal (17 ft.)	0.256 mi. S (1352 ft.)	JTB RECYCLING LIQUID WASTE PROCESSING FACILITY	4895 ROMEDA RD, BEAUMONT, TX 77705	1425
181	LPST	100919	Lower (15 ft.)	0.269 mi. E (1420 ft.)	BURTS INC	102 S 11TH ST, BEAUMONT, TX 77702	1426
182	APAR	2228	Higher (26 ft.)	0.272 mi. N (1436 ft.)	STEEL BY DOLLINGER	3690 DOLLINGER, BEAUMONT, TX 77701	1429
182	IHWCA	T0867	Higher (26 ft.)	0.272 mi. N (1436 ft.)	STEEL BY DOLLINGER	3690 DOLLINGER, BEAUMONT, TX 77701	1430
182	LPST	104482	Higher (26 ft.)	0.272 mi. N (1436 ft.)	DOLLINGER STEEL COMPANY	7TH, BEAUMONT, TX 77611	1431
182	VCP	2228	Higher (26 ft.)	0.272 mi. N (1436 ft.)	STEEL BY DOLLINGER	2360 DOLLINGER RD, BEAUMONT, TX 77703	1433
183	LPST	098059	Higher (18 ft.)	0.275 mi. W (1452 ft.)	HERITAGE LINC MERC IMPORTS	4430 COLLEGE ST, BEAUMONT, TX 77707	1435
184	LPST	093849	Equal (17 ft.)	0.279 mi. ESE (1473 ft.)	SIGMOR 77	1165 S 11TH ST, BEAUMONT, TX 77701	1439
185	LPST	105243	Lower (15 ft.)	0.282 mi. E (1489 ft.)	BAPTIST HOSPITAL OF SOUTHEAST TEXAS	3576 COLLEGE ST, BEAUMONT, TX 77701	1447
185	SEMSARCH	TXD010787653	Lower (15 ft.)	0.282 mi. E (1489 ft.)	BAPTIST HOSPITAL - NUCLEAR MEDICINE LAB	11TH STREET @ COLLEGE, BEAUMONT, TX 77701	1451
186	LPST	098856	Lower (16 ft.)	0.283 mi. ENE (1494 ft.)	ATTENBERY TRUCK SALES OF BEAUMONT	995 S 11TH ST, BEAUMONT, TX 77701	1452
187	LPST	100918	Lower (15 ft.)	0.285 mi. E (1505 ft.)	WASHBURN AUTO SUPPLY	103 S 11TH ST, BEAUMONT, TX 77702	1454
188	APAR	31854	Lower (15 ft.)	0.292 mi. NW (1542 ft.)	TRANSPORT SERVICE	6355 WALDEN RD, BEAUMONT, TX 77707	1456
188	IHWCA	31854	Lower (15 ft.)	0.292 mi. NW (1542 ft.)	TRANSPORT SERVICE	6355 WALDEN RD, BEAUMONT, TX 77707	1457
188	LPST	103855	Lower (15 ft.)	0.292 mi. NW (1542 ft.)	MASON CONSTRUCTION	6285 WALDEN RD, BEAUMONT, TX 77707	1458
189	LPST	092740	Lower (16 ft.)	0.298 mi. S (1573 ft.)	CARDINAL GLASS CO	15 N 11TH ST, BEAUMONT, TX 77702	1462
189	LPST	102919	Lower (16 ft.)	0.298 mi. S (1573 ft.)	KINSEL LEASE	13 N 11TH ST, BEAUMONT, TX 77702	1466
190	LPST	104983	Higher (31 ft.)	0.298 mi. NE (1573 ft.)	MAINTENANCE CENTER	1650 CALDWELL AVE, BEAUMONT, TX 77703	1468
191	LPST	093670	Lower (15 ft.)	0.302 mi. E (1595 ft.)	TACO BELL PROPERTY	595 S 11TH ST, BEAUMONT, TX 77701	1472
192	LPST	113503	Equal (17 ft.)	0.306 mi. ENE (1616 ft.)	FORMER MAGIC CAR WASH 1	2510 CALDER ST, BEAUMONT, TX 77702	1477

Located Sites Summary

NOTE: Standard environmental records are displayed in **bold**.

Map ID#	Database Name	Site ID#	Relative Elevation	Distance From Site	Site Name	Address	PAGE #
193	LPST	118724	Equal (17 ft.)	0.311 mi. ESE (1642 ft.)	FORMER GAS STATION GROCERY	S 11TH ST, BEAUMONT, TX 77701	1481
194	LPST	094331	Higher (19 ft.)	0.313 mi. ESE (1653 ft.)	UNITED PARCEL SERVICE	3755 WASHINGTON BLVD, BEAUMONT, TX 77705	1482
194	LPST	095872	Higher (19 ft.)	0.313 mi. ESE (1653 ft.)	UNITED PARCEL SERVICE	3755 WASHINGTON BLVD, BEAUMONT, TX 77705	1486
195	LPST	093669	Equal (17 ft.)	0.319 mi. E (1684 ft.)	V ROBERTS TEXACO	2485 S 11TH ST, BEAUMONT, TX 77701	1490
196	LPST	102135	Equal (17 ft.)	0.339 mi. ENE (1790 ft.)	CIRCLE A	2498 CALDER ST, BEAUMONT, TX 77702	1495
197	LPST	099325	Higher (19 ft.)	0.341 mi. WNW (1800 ft.)	STRIP CENTER	4190 CALDER AVE, BEAUMONT, TX 77706	1498
198	LPST	104987	Higher (27 ft.)	0.345 mi. E (1822 ft.)	EXXON 67288	1495 GULF ST, BEAUMONT, TX 77701	1502
199	LPST	099799	Higher (25 ft.)	0.373 mi. W (1969 ft.)	MINI MART 9	3910 DELAWARE ST, BEAUMONT, TX 77706	1510
200	LPST	097631	Higher (30 ft.)	0.374 mi. NW (1975 ft.)	SPINDLETOP BUICK	3855 EASTEX FWY, BEAUMONT, TX 77706	1516
201	LPST	098696	Higher (29 ft.)	0.378 mi. NE (1996 ft.)	MAINTENENCE CENTER	1740 LIVEOAK ST, BEAUMONT, TX 77703	1517
202	LPST	105839	Higher (26 ft.)	0.391 mi. ESE (2064 ft.)	TXDOT MLK SITE 7 PARCEL 445 ROW	NE GLADYS, BEAUMONT, TX 77701	1520
203	LPST	092899	Higher (31 ft.)	0.399 mi. ENE (2107 ft.)	LAMBS OFFICE PRODUCTS	2100 GULF ST, BEAUMONT, TX 77703	1521
204	LPST	118298	Lower (14 ft.)	0.412 mi. SE (2175 ft.)	TYRELL PARK DIVE-IN GROCERY	5225 FANNETT RD, BEAUMONT, TX 77705	1523
205	MSWLF	1486B	Lower (14 ft.)	0.416 mi. SSW (2196 ft.)	CITY OF BEAUMONT LANDFILL	5895 LAFIN DR, BEAUMONT, TX 77705	1528
205	MSWLF	213	Lower (14 ft.)	0.416 mi. SSW (2196 ft.)	CITY OF BEAUMONT LANDFILL	.5 MILES W OF TAYLORS BAYOU N OF STATE HIGHWAY 73, BEAUMONT, TX	1529
206	LPST	117656	Lower (15 ft.)	0.42 mi. SE (2218 ft.)	STAR MINI MART	5575 FANNETT RD, BEAUMONT, TX 77705	1530
207	LPST	091774	Higher (19 ft.)	0.428 mi. ESE (2260 ft.)	GULF DARBY OIL	3615 WASHINGTON BLVD, BEAUMONT, TX 77705	1539
208	LPST	104986	Lower (15 ft.)	0.44 mi. E (2323 ft.)	AMERICAN VALVE	3350 HOLLYWOOD ST, BEAUMONT, TX 77701	1543
209	LPST	098058	Higher (32 ft.)	0.463 mi. NNE (2445 ft.)	STREET TRAFFIC DEPT	2610 CONCORD RD, BEAUMONT, TX 77703	1546
209	LPST	098061	Higher (32 ft.)	0.463 mi. NNE (2445 ft.)	STREET TRAFFIC DEPT	2610 CONCORD RD, BEAUMONT, TX 77703	1551

Located Sites Summary

NOTE: Standard environmental records are displayed in **bold**.

Map ID#	Database Name	Site ID#	Relative Elevation	Distance From Site	Site Name	Address	PAGE #
210	LPST	093590	Lower (13 ft.)	0.466 mi. SE (2460 ft.)	POOLE TRUCK LINE INC	5705 FANNETT RD, BEAUMONT, TX 77705	1556
211	LPST	114647	Higher (25 ft.)	0.471 mi. ESE (2487 ft.)	GET N GO 2	1280 S M L KING JR PKWY, BEAUMONT, TX 77701	1560
212	RRCVCP	40018	Higher (19 ft.)	0.472 mi. WNW (2492 ft.)		12 ACRES NEAR INTERSECTION OF W. LUCAS & AUTHUR ST, BEAUMONT, TX	1564
213	LPST	110353	Lower (15 ft.)	0.484 mi. E (2556 ft.)	AMERICAN FREIGHTWAYS INC	1020 S 8TH ST, BEAUMONT, TX 77701	1565
214	LPST	091495	Higher (30 ft.)	0.489 mi. NW (2582 ft.)	GAS STATION 585	3955 EASTEX FWY, BEAUMONT, TX 77706	1569
214	LPST	101444	Higher (30 ft.)	0.489 mi. NW (2582 ft.)	WALMART	3955 EASTEX FWY, BEAUMONT, TX 77706	1574
214	LPST	112305	Higher (30 ft.)	0.489 mi. NW (2582 ft.)	FORMER WALMART STORE	3955 EASTEX FWY, BEAUMONT, TX 77706	1575
215	LPST	105450	Lower (16 ft.)	0.491 mi. ESE (2592 ft.)	CITY OF BEAUMONT EMS	3558 WASHINGTON BLVD, BEAUMONT, TX 77705	1580
216	BF	10962	Higher (18 ft.)	0.493 mi. E (2603 ft.)	DOCTOR'S BUILDING BAPTISTS HOSPITAL	3155 STAGG DRIVE, BEAUMONT, TX 77701	1582
216	BSA	G046	Higher (18 ft.)	0.493 mi. E (2603 ft.)	DOCTORS BLDG BAPTIST HOSP	3155 STAGG DR, BEAUMONT, TX 77701	1583
217	LPST	091484	Higher (23 ft.)	0.497 mi. ESE (2624 ft.)	BEAUMONT COCA COLA BOTTLE	1075 N M L KING JR PKWY, BEAUMONT, TX 77701	1584
218	LPST	106355	Equal (17 ft.)	0.498 mi. W (2629 ft.)	JASPERS	4625 COLLEGE ST, BEAUMONT, TX 77707	1586

Elevation Summary

Elevations are collected from the USGS 3D Elevation Program 1/3 arc-second (approximately 10 meters) layer hosted at the NGTOC. .

Target Property Elevation: 17 ft.

NOTE: Standard environmental records are displayed in **bold**.

EQUAL/HIGHER ELEVATION

Map ID#	Database Name	Elevation	Site Name	Address	Page #
1	FRSTX	17 ft.	CHEVRON PRODUCTS	50 IH10 N & CALDER, BEAUMONT, TX 77701	59
1	FRSTX	17 ft.	GULF OIL	50 IH 10 N CALDER, BEAUMONT, TX, 77704, TX 77704	60
1	LPST	17 ft.	CHEVRON 60107539	50 N IH 10, BEAUMONT, TX 77704	61
1	PST	17 ft.	GULF OIL	50 IH 10 N CALDER, BEAUMONT, TX 77704	66
1	SPILLS	17 ft.		50 IH-10N @ CALDER EXIT, BEAUMONT, TX	72
2	LPST	17 ft.	GOLF BALL WAREHOUSE	90 IH 10 N, BEAUMONT, TX 77702	73
2	PST	17 ft.	GOLF BALL WAREHOUSE	90 IH 10 N, BEAUMONT, TX 77702	77
3	ECHOR06	17 ft.	DOWELL SCHLUMBERGER	5155 W CARDINAL DRIVE, BEAUMONT, TX 77705	82
3	FRSTX	17 ft.	DOWELL SCHLUMBERGER	5155 W CARDINAL DRIVE, BEAUMONT, TX 77705	83
3	IHW	17 ft.	DOWELL SCHLUMBERGER ENVIRONMENTAL	5155 W CARDINAL DR, BEAUMONT, TX 77705	84
3	IHWCA	17 ft.	DOWELL SCHLUMBERGER	5155 W CARDINAL DR, BEAUMONT, TX 77705	86
3	LPST	17 ft.	DOWELL SCHLUMBERGER INC	5155 W CARDINAL DR, BEAUMONT, TX 77705	87
3	PST	17 ft.	DOWELL SCHLUMBERGER	5155 W CARDINAL DR, BEAUMONT, TX 77705	92
3	RCRANGR06	17 ft.	DOWELL SCHLUMBERGER INCORPORATED	5155 W CARDINAL DRIVE, BEAUMONT, TX 77705	98
6	ECHOR06	20 ft.	CHEVYLAND	1000 INTERSTATE 10 N, BEAUMONT, TX 77702	136
6	FRSTX	20 ft.	CHEVYLAND	1000 INTERSTATE 10 N, BEAUMONT, TX 77702	137
6	FRSTX	20 ft.	CHEVYLAND TRANSMISSION SERVICE CENTER	1050 INTERSTATE 10 N, BEAUMONT, TX 77702	138
6	FRSTX	20 ft.	BEAUMONT MOTOR	1000 IH 10 N, BEAUMONT, TX 77702	139
6	IHW	20 ft.	CHEVYLAND	1000 INTERSTATE 10 N, BEAUMONT, TX 77702	140
6	LPST	20 ft.	CHEVYLAND	1000 INTERSTATE 10 N, BEAUMONT, TX 77702	142
6	PST	20 ft.	BEAUMONT MOTOR	1000 INTERSTATE 10 N, BEAUMONT, TX 77702	146
6	PST	20 ft.	BEAUMONT MOTOR	1000 IH 10 N, BEAUMONT, TX 77702	151
6	RCRANGR06	20 ft.	CHEVYLAND	1000 INTERSTATE 10 N, BEAUMONT, TX 77702	153
7	FRSTX	21 ft.	KFDM TV	2955 IH 10 E, BEAUMONT, TX 77702	155
7	LPST	21 ft.	KFDM TV TRANSMITTER TOWER	2955 INTERSTATE 10 E, BEAUMONT, TX 77702	156

Elevation Summary

Map ID#	Database Name	Elevation	Site Name	Address	Page #
7	PST	21 ft.	STATION KFDM TV	2955 INTERSTATE 10 E, BEAUMONT, TX 77702	159
9	ECHOR06	20 ft.	KINSEL PONTIAC-CADILLAC-GMC TRUCKS	1140 IH 10 N, BEAUMONT, TX 77702	167
9	FRSTX	20 ft.	KINSEL PONTIAC-CADILLAC-GMC TRUCKS	1140 IH 10 N, BEAUMONT, TX 77702	168
9	IHW	20 ft.	KINSEL PONTIAC-CADILLAC-GMC TRUCKS	1140 IH 10 N, BEAUMONT, TX 77702	169
9	PST	20 ft.	PREMIER PONTIAC CADILLAC	1140 IH 10 N, BEAUMONT, TX 77702	171
9	RCRANGR06	20 ft.	KINSEL PONTIAC-CADILLAC-GMC TRUCKS	1140 IH 10 N, BEAUMONT, TX 77702	174
10	ECHOR06	18 ft.	SUN COAST RESOURCES	5255 W CARDINAL DR, BEAUMONT, TX 77705	176
10	FRSTX	18 ft.	SUN COAST RESOURCES	5255 W CARDINAL DR, BEAUMONT, TX 77705	177
10	IHW	18 ft.	JORGENSEN DISTRIBUTING	5255 W CARDINAL DR, BEAUMONT, TX 77705	178
10	PST	18 ft.	JORGENSEN DISTR	5255 W CARDINAL DR, BEAUMONT, TX 77705	179
10	PST	18 ft.	SUN COAST RESOURCES	5255 W CARDINAL DR, BEAUMONT, TX 77705	182
10	RCRANGR06	18 ft.	SUN COAST RESOURCES	5255 W CARDINAL DR, BEAUMONT, TX 77705	189
10	TIERII	18 ft.	SUN COAST RESOURCES, INC.	5255 WEST CARDINAL DRIVE, BEAUMONT, TX 77705	191
12	FRSTX	22 ft.	JOTS	255 IH 10 S, BEAUMONT, TX 77705	210
12	NOV	22 ft.	JOTS	255 IH 10 S, BEAUMONT, TX 77702	211
12	PST	22 ft.	HAMILTON POOLS	305 IH 10 S, BEAUMONT, TX 77702	213
13	ERNSTX	23 ft.		390 I-10, BEAUMONT, TX 77705	215
14	ERNSTX	41 ft.	WEST SIDE OF HWY 69 AND I-10	BEAUMONT, TX	216
15	ECHOR06	17 ft.	LAMAR ADVERTISING	2810 LAUREL, BEAUMONT, TX 77726	217
15	FRSTX	17 ft.	BLOOD CENTER OF SOUTHEAST TX	2850 LAUREL, BEAUMONT, TX 77702	218
15	FRSTX	17 ft.	LAMAR ADVERTISING	2810 LAUREL, BEAUMONT, TX 77726	219
15	RCRAGR06	17 ft.	LAMAR ADVERTISING	2810 LAUREL, BEAUMONT, TX 77726	220
16	FRSTX	17 ft.	TXDOT BMT CSJ 0739-02-146	IH10 FROM WASHINGTON BLVD TO JEFFERSON/CHAMBERS CO, BEAUMONT, TX 77708	221
17	FRSTX	17 ft.	BEAUMONT LANDFILL	FANNETT & US 69, BEAUMONT, TX 77705	222
19	HMIRSR06	20 ft.		HOLIDAY INN - 1-10 AT 11TH ST, BEAUMONT, TX 77701	225
23	PST	17 ft.	E-Z MART 265	46 INTERSTATE 10 N, BEAUMONT, TX 77702	234
25	ERNSTX	18 ft.		1265 SOUTH I-10, BEAUMONT, TX 77701	244
26	FRSTX	18 ft.	PFI 7	1225 IH 10 S, BEAUMONT, TX 77701	245
26	PST	18 ft.	PFI 7	1225 IH 10 S, BEAUMONT, TX 77701	246
27	ECHOR06	17 ft.	LIQUID VACSERV	2715 LAUREL ST, BEAUMONT, TX 77702	254
27	FRSTX	17 ft.	LIQUID VACSERV	2715 LAUREL ST, BEAUMONT, TX 77702	255
27	IHW	17 ft.	LIQUID VACSERV	2715 LAUREL ST, BEAUMONT, TX 77702	256

Elevation Summary

Map ID#	Database Name	Elevation	Site Name	Address	Page #
27	RCRANGR06	17 ft.	LIQUID VACSERV	2715 LAUREL ST, BEAUMONT, TX 77702	257
29	FRSTX	29 ft.	WEST CHASE VILLAGE MARINO HOMEBUILDERS INC	2396 EASTEX FWY, BEAUMONT, TX 77703	266
30	IHW	18 ft.	MAXIM TECHNOLOGIES SOUTHWESTERN LABS BEAUMONT	1850 IH 10 S, BEAUMONT, TX 77707	267
31	GWCC	20 ft.	STEINHAGEN OIL CO INC	1195 IH 10, BEAUMONT, BEAUMONT, TX	270
31	LPST	20 ft.	TEXACO FOOD MART 8	1195 IH 10 S, BEAUMONT, TX 77701	271
31	PST	20 ft.	TEXACO FOOD MART 8	1195 IH 10 S, BEAUMONT, TX 77701	275
32	LPST	21 ft.	FAIRMONT SUPPLY CO	1490 N 7TH ST, BEAUMONT, TX 77702	280
32	PST	21 ft.	FAIRMONT SUPPLY	1490 N 7TH ST, BEAUMONT, TX 77702	282
36	ERNSTX	19 ft.		585 IH10 NORTH, BEAUMONT, TX 75067	342
36	ERNSTX	19 ft.		585 I-10 N, BEAUMONT, TX	343
37	FRSTX	29 ft.	FASTLANE NO 9	2810 EASTEX FWY, BEAUMONT, TX 77703	344
37	LPST	29 ft.	TEXACO FOOD MART 9	2810 EASTEX FWY, BEAUMONT, TX 77703	345
37	NOV	29 ft.	FASTLANE NO 9	2810 EASTEX FWY, BEAUMONT, TX 77703	357
37	PST	29 ft.	PFI 20 MAJOR MART	2810 EASTEX FWY, BEAUMONT, TX 77703	358
39	ECHOR06	19 ft.	BEAUMONT TRUCK & TRAILER	4925 W CARDINAL DRIVE, BEAUMONT, TX 77705	386
39	ERNSTX	19 ft.		4925 W CARDINAL DR, BEAUMONT, TX 77705	387
39	ERNSTX	19 ft.		4925 WEST CARDINAL DRIVE, BEAUMONT, TX 77705	388
39	FRSTX	19 ft.	BEAUMONT TRUCK & TRAILER	4925 W CARDINAL DRIVE, BEAUMONT, TX 77705	389
39	FRSTX	19 ft.	GOODPACK USA, INC.	4925 WEST CARDINAL DRIVE, BEAUMONT, TX 77705	390
39	IHW	19 ft.	BEAUMONT TRUCK & TRAILER	4925 W CARDINAL DR, BEAUMONT, TX 77705	391
39	PST	19 ft.	TEXAS STATE OPTICAL	4925 W CARDINAL DR, BEAUMONT, TX 77705	392
39	RCRANGR06	19 ft.	BEAUMONT TRUCK & TRAILER	4925 W CARDINAL DRIVE, BEAUMONT, TX 77705	395
40	PST	20 ft.	FELTON BLDG	2490 IH 10 E, BEAUMONT, TX 77703	396
41	FRSTX	27 ft.	AUSTIN MIDDLE	3410 AUSTIN ST, BEAUMONT, TX 77706	401
42	LPST	18 ft.	SPORTS AND IMPORTS	3195 NORTH ST, BEAUMONT, TX 77702	402
42	PST	18 ft.	SPORTS AND IMPORTS	3195 NORTH ST, BEAUMONT, TX 77702	406
43	FRSTX	17 ft.	PREMIER HIGH SCHOOL OF BEAUMONT	209 NORTH 11TH ST, BEAUMONT, TX 77702	411
43	LPST	17 ft.	SHELL SERVICE STATION	255 N 11TH ST, BEAUMONT, TX 77702	412
43	PST	17 ft.	11TH STREET SHELL	255 N 11TH ST, BEAUMONT, TX 77702	416
44	FRSTX	25 ft.	CATHEDRAL IN THE PINE SCHOOL & DAY CARE	2350 EASTEX FREEWAY, BEAUMONT, TX 77703	421
44	FRSTX	25 ft.	CATHEDRAL IN THE PINES SCHOOL	BEAUMONT WEST, TX	422

Elevation Summary

Map ID#	Database Name	Elevation	Site Name	Address	Page #
46	ECHOR06	17 ft.	STAR ENTERPRISES INC	205 IH 10 LAUREL, BEAUMONT, TX 77707	424
46	ECHOR06	17 ft.	FASTLANE 16	205 INTERSTATE 10 N, BEAUMONT, TX 77707	425
46	FRSTX	17 ft.	STAR ENTERPRISES INC	205 IH 10 LAUREL, BEAUMONT, TX 77707	426
46	FRSTX	17 ft.	FASTLANE 16	205 INTERSTATE 10 N, BEAUMONT, TX 77707	427
46	IHW	17 ft.	STAR ENTERPRISES	205 IH 10 LAUREL, BEAUMONT, TX 77707	428
46	LPST	17 ft.	TEXACO	205 INTERSTATE 10 N, BEAUMONT, TX 77707	429
46	PST	17 ft.	FASTLANE 16	205 INTERSTATE 10 N, BEAUMONT, TX 77707	437
46	RCRANGR06	17 ft.	STAR ENTERPRISES INC	205 IH 10 LAUREL, BEAUMONT, TX 77707	448
47	ECHOR06	22 ft.	UNIVAR USA INC	2150 IH 10 E, BEAUMONT, TX 77703	449
47	FRSTX	22 ft.	UNIVAR USA INC	2150 IH 10 E, BEAUMONT, TX 77703	450
47	IHW	22 ft.	UNIVAR	2150 IH 10 E, BEAUMONT, TX 77703	451
47	RCRANGR06	22 ft.	UNIVAR USA INC	2150 IH 10 E, BEAUMONT, TX 77703	452
48	ECHOR06	29 ft.	VERNON WEST MOBIL	2790 EASTEX FRWY AT DELAWARE, BEAUMONT, TX 77703	456
48	FRSTX	29 ft.	VERNON WEST MOBIL	2790 EASTEX FRWY AT DELAWARE, BEAUMONT, TX 77703	457
48	FRSTX	29 ft.	KEVINS MOBIL	2790 EASTEX FWY, BEAUMONT, TX 77703	458
48	GWCC	29 ft.	KEVINS MOBIL	2790 EASTEX FWY, BEAUMONT, TX	459
48	LPST	29 ft.	KEVINS MOBIL	2790 EASTEX FWY, BEAUMONT, TX 77703	460
48	NOV	29 ft.	KEVINS MOBIL	2790 EASTEX FWY, BEAUMONT, TX 77703	467
48	PST	29 ft.	KEVINS MOBIL	2790 EASTEX FWY, BEAUMONT, TX 77703	468
48	RCRAGR06	29 ft.	VERNON WEST MOBIL	2790 EASTEX FRWY AT DELAWARE, BEAUMONT, TX 77703	476
50	ECHOR06	22 ft.	TAYLOR MEDICAL, INC.	2155 IH - 10 EAST, PO BOX 4904, BEAUMONT, TX 77704	511
50	FRSTX	22 ft.	TAYLOR MEDICAL, INC.	2155 IH - 10 EAST, PO BOX 4904, BEAUMONT, TX 77704	512
50	ICIS	22 ft.	TAYLOR MEDICAL, INC.	2155 IH - 10 EAST, PO BOX 4904, BEAUMONT, TX 77704	513
51	FRSTX	30 ft.	RAS 6 3139	2795 EASTEX FWY, BEAUMONT, TX 77706	514
51	PST	30 ft.	OWEN BRUCE CALEY	2795 EASTEX FWY, BEAUMONT, TX 77706	515
51	PST	30 ft.	RAS 6 3139	2795 EASTEX FWY, BEAUMONT, TX 77706	519
53	ECHOR06	18 ft.	LAMAR ADVERTISING	4520 W CARDINAL, BEAUMONT, TX 77705	526
53	FRSTX	18 ft.	LAMAR ADVERTISING	4520 W CARDINAL, BEAUMONT, TX 77705	527

Elevation Summary

Map ID#	Database Name	Elevation	Site Name	Address	Page #
53	IHW	18 ft.	LAMAR ADVERTISING	4520 W CARDINAL DR, BEAUMONT, TX 77705	528
53	RCRANGR06	18 ft.	LAMAR ADVERTISING	4520 W CARDINAL, BEAUMONT, TX 77705	529
55	FRSTX	20 ft.	SUNSHINE QUICK STOP	2015 N 11TH ST, BEAUMONT, TX 77703	539
55	GWCC	20 ft.	DARBY GAS & OIL CO INC	2015 N 11TH, BEAUMONT, TX 77703	540
55	LPST	20 ft.	DARBY 10	2015 N 11TH ST, BEAUMONT, TX 77703	541
55	PST	20 ft.	SUNSHINE QUICK STOP	2015 N 11TH ST, BEAUMONT, TX 77703	546
57	ECHOR06	18 ft.	TKS WEST END AUTOMOTIVE	3190 N ST, BEAUMONT, TX 77702	569
57	FRSTX	18 ft.	TKS WEST END AUTOMOTIVE	3190 N ST, BEAUMONT, TX 77702	570
57	FRSTX	18 ft.	NORTH STREET SHELL	3190 NORTH ST, BEAUMONT, TX 77702	571
57	LPST	18 ft.	PORTER SHELL	3190 NORTH ST, BEAUMONT, TX 77702	572
57	PST	18 ft.	FORMER PORTER SHELL	3190 NORTH ST, BEAUMONT, TX 77702	579
57	RCRAGR06	18 ft.	TKS WEST END AUTOMOTIVE	3190 N ST, BEAUMONT, TX 77702	586
58	ECHOR06	20 ft.	J R CHEVORON	3355 GLADYS, BEAUMONT, TX 77706	587
58	FRSTX	20 ft.	J R CHEVORON	3355 GLADYS, BEAUMONT, TX 77706	588
58	GWCC	20 ft.	HEATH VAUGHN ENTERPRISES	3355 GLAYDS, BEAUMONT, TX 77706	589
58	LPST	20 ft.	HEATH VAUGHN ENTERPRISES JRS GULF	3355 GLADYS AVE, BEAUMONT, TX 77706	590
58	PST	20 ft.	HEATH VAUGHN ENTERPRISES	3355 GLADYS AVE, BEAUMONT, TX 77706	596
58	RCRAGR06	20 ft.	J R CHEVORON	3355 GLADYS, BEAUMONT, TX 77706	602
60	ECHOR06	18 ft.	NTB NO 689	1355 IH 10 S, BEAUMONT, TX 77701	616
60	FRSTX	18 ft.	NTB NO 689	1355 IH 10 S, BEAUMONT, TX 77701	617
60	RCRAGR06	18 ft.	NTB NO 8689	1355 IH 10 S, BEAUMONT, TX 77701	618
61	FRSTX	17 ft.	B & L AUTO BROKERS	4595 FANNETT RD, BEAUMONT, TX 77705	620
61	PST	17 ft.	B & L AUTO BROKERS	4595 FANNETT RD, BEAUMONT, TX 77705	621
63	PST	21 ft.	HILTON BEAUMONT	2355 INTERSTATE 10 S, BEAUMONT, TX 77705	630
64	LPST	19 ft.	WESTEND CONOCO	3390 HARRISON AVE, BEAUMONT, TX 77706	634
64	PST	19 ft.	C & L EXPRESS MARKET	3390 HARRISON AVE, BEAUMONT, TX 77706	638
65	ALTFUELS	18 ft.	U-HAUL	3885 MILAM ST, BEAUMONT, TX 77701	642
65	ECHOR06	18 ft.	U-HAUL CO OF HOUSTON	3885 MILAM, BEAUMONT, TX 77701	643
65	FRSTX	18 ft.	U-HAUL CO OF HOUSTON	3885 MILAM, BEAUMONT, TX 77701	644
65	IHW	18 ft.	U HAUL OF HOUSTON	3885 MILAM ST, BEAUMONT, TX 77701	645
65	PST	18 ft.	746-71 U HAUL BEAUMONT	3885 MILAM ST, BEAUMONT, TX 77701	647
65	RCRAGR06	18 ft.	BIG THICKET NATIONAL PRESERVE	3785 MILAN ST, BEAUMONT, TX 77701	651
65	RCRANGR06	18 ft.	U-HAUL CO OF HOUSTON	3885 MILAM, BEAUMONT, TX 77701	652
67	ECHOR06	21 ft.	CABELLS DAIRIES INC	490 INTERSTATE 10 S, BEAUMONT, TX 77706	656
67	FRSTX	21 ft.	CABELLS DAIRIES INC	490 INTERSTATE 10 S, BEAUMONT, TX 77706	657

Elevation Summary

Map ID#	Database Name	Elevation	Site Name	Address	Page #
67	FRSTX	21 ft.	DEANS FOODS	490 INTERSTATE 10 S, BEAUMONT, TX 77707	658
67	FRSTX	21 ft.	CABELL DAIRY	490 S IH 10, BEAUMONT, TX 77706	659
67	IHW	21 ft.	CABELLS DAIRY	490 INTERSTATE 10 S, BEAUMONT, TX 77707	660
67	LPST	21 ft.	CABELL DAIRY	490 S IH 10, BEAUMONT, TX 77706	661
67	PST	21 ft.	CABELL DAIRY	490 S IH 10, BEAUMONT, TX 77706	663
67	RCRANGR06	21 ft.	CABELLS DAIRIES INC	490 INTERSTATE 10 S, BEAUMONT, TX 77706	665
70	ECHOR06	17 ft.	CHEVRON USA INC	195 IH 10 N, BEAUMONT, TX 77707	695
70	FRSTX	17 ft.	CHEVRON USA INC	195 IH 10 N, BEAUMONT, TX 77707	696
70	FRSTX	17 ft.	FASTLANE NO 34	195 INTERSTATE 10 N, BEAUMONT, TX 77707	697
70	FRSTX	17 ft.	CHEVRON 107547	195 IH 10 N, BEAUMONT, TX 77707	698
70	IHW	17 ft.	CHEVRON FAC 107547	195 IH 10 N, BEAUMONT, TX 77707	699
70	LPST	17 ft.	CHEVRON FAC 107547	195 INTERSTATE 10 N, BEAUMONT, TX 77707	700
70	NOV	17 ft.	FASTLANE NO 34	195 INTERSTATE 10 N, BEAUMONT, TX 77707	705
70	PST	17 ft.	FASTLANE NO 34	195 INTERSTATE 10 N, BEAUMONT, TX 77707	707
70	RCRANGR06	17 ft.	CHEVRON USA INC	195 IH 10 N, BEAUMONT, TX 77707	714
70	SPILLS	17 ft.		195 IH-10 NORTH, BEAUMONT, TX	716
72	ECHOR06	19 ft.	ENVIRONMENTAL OIL CO	4610 FANNETT, BEAUMONT, TX 77705	719
72	FRSTX	19 ft.	ENVIRONMENTAL OIL CO	4610 FANNETT, BEAUMONT, TX 77705	720
72	PST	19 ft.	MOBILE MAINTENANCE	4610 FANNETT RD, BEAUMONT, TX 77705	721
72	RCRANGR06	19 ft.	ENVIRONMENTAL OIL CO	4610 FANNETT, BEAUMONT, TX 77705	725
74	GWCC	17 ft.	CONN APPLIANCES INC	2815 LAUREL, BEAUMONT, TX 77702	737
74	LPST	17 ft.	CONN APPLIANCES WAREHOUSE	2815 LAUREL ST, BEAUMONT, TX 77702	738
74	PST	17 ft.	CONNS APPLIANCE	2815 LAUREL ST, BEAUMONT, TX 77702	741
75	DCR	18 ft.	ALAMO CLEANERS	3315 CALDER AVE, BEAUMONT, TX 77706	744
75	FRSTX	18 ft.	ALAMO CLEANERS	3315 CALDER AVE, BEAUMONT, TX 77706	747
75	RCRAGR06	18 ft.	ALAMO CLEANERS INC	3315 CALDER AVE, BEAUMONT, TX 77706	748
76	RCRAGR06	17 ft.	BLOOD CENTER OF SOUTHEAST TX	2850 LAUREL, BEAUMONT, TX 77702	750
77	PST	19 ft.	SPEEDY STOP 18	1055 IH 10 S, BEAUMONT, TX 77701	752
78	LPST	19 ft.	SITTON OIL CO	4655 W CARDINAL DR, BEAUMONT, TX 77705	760
78	LPST	19 ft.	CHAMBLERS PROPERTY	4610 FANNETT RD, BEAUMONT, TX 77705	770
78	PST	19 ft.	GATORS 2	4655 W CARDINAL DR, BEAUMONT, TX 77705	774
79	IHW	21 ft.	GERHARDTS	550 IH 10 S, BEAUMONT, TX 77707	788

Elevation Summary

Map ID#	Database Name	Elevation	Site Name	Address	Page #
79	RCRAGR06	21 ft.	COLLISION & CLASSICS	550 S I-10 STE 101, BEAUMONT, TX 77707	790
79	RCRANGR06	21 ft.	GERHARDTS INC	550 IH 10 S, BEAUMONT, TX 77707	792
80	RCRAGR06	17 ft.	JOELS PAINT & BODY	210 N 18TH ST, BEAUMONT, TX 77707	794
83	IHW	20 ft.	JERRY ALLEN MOTORS	10 IH 10 N, BEAUMONT, TX 77702	805
83	IHW	20 ft.	PRESTIGE CHRYSLER IMPORTS	10 IH 10 N, BEAUMONT, TX 77702	807
83	LPST	20 ft.	TRAVELAND RV	10 IH 10 N, BEAUMONT, TX 77702	808
83	PST	20 ft.	TRAVELAND RV	10 IH 10 N, BEAUMONT, TX 77702	810
83	RCRANGR06	20 ft.	JERRY ALLEN MOTORS	10 IH 10 N, BEAUMONT, TX 77702	812
84	PST	17 ft.	JOC-STOP 24	2190 IH 10 S, BEAUMONT, TX 77707	813
85	PST	19 ft.	AMERICAN RECREATIONAL VEHICLES I	4848 W CARDINAL DR, BEAUMONT, TX 77705	817
86	IHW	19 ft.	JOHN CRANE	5145 W CARDINAL DR, BEAUMONT, TX 77705	819
86	RCRANGR06	19 ft.	JOHN CRANE INC	5145 W CARDINAL DR, BEAUMONT, TX 77705	820
87	IHW	18 ft.	AMERICAN TRANSMISSION	510 IH 10 N, BEAUMONT, TX 77702	822
87	LPST	18 ft.	FORMER MOBIL 12LVK	510 IH 10 N, BEAUMONT, TX 77702	824
87	PST	18 ft.	12LVK	510 IH 10 N, BEAUMONT, TX 77702	828
87	RCRANGR06	18 ft.	AMERICAN TRANSMISSION	510 N IH 10, BEAUMONT, TX 77702	832
88	LPST	18 ft.	SIGMOR 169	390 N 11TH ST, BEAUMONT, TX 77702	834
88	PST	18 ft.	SUPER STOP 17	390 N 11TH ST, BEAUMONT, TX 77702	840
90	IHW	17 ft.	SALVAGE CENTER GULF STATES UTILITIES C	3105 LAUREL ST, BEAUMONT, TX 77702	850
90	IHW	17 ft.	BEAUMONT SALVAGE CENTER	3105 LAUREL ST, BEAUMONT, TX 77702	855
90	RCRANGR06	17 ft.	ENTERGY GULF STATES INC	3105 LAUREL STREET, BEAUMONT, TX 77702	856
92	PST	17 ft.	PHILLIP 66 017888	3595 CALDER AVE, BEAUMONT, TX 77706	866
93	LPST	19 ft.	E Z MART 224	1320 N 11TH ST, BEAUMONT, TX 77702	871
93	PST	19 ft.	FOOD SPOT 4	1320 N 11TH ST, BEAUMONT, TX 77702	875
94	LPST	17 ft.	RAINBO BAKING CO	2695 LAUREL ST, BEAUMONT, TX 77702	882
94	PST	17 ft.	RAINBO BAKING	2695 LAUREL ST, BEAUMONT, TX 77702	885
95	IHW	17 ft.	MAACO AUTO PAINTING & BODYWORKS	2895 LAUREL ST, BEAUMONT, TX 77702	888
95	RCRANGR06	17 ft.	MAACO AUTO PAINTING & BODYWORKS	2895 LAUREL, BEAUMONT, TX 77702	889
98	IHW	20 ft.	BEAUMONT DISTRIBUTION	5250 W CARDINAL DR, BEAUMONT, TX 77705	896
98	RCRANGR06	20 ft.	THE WILSON GROUP	5250 W CARDINAL DR, BEAUMONT, TX 77705	897
99	LPST	21 ft.	DELPAPA DISTRIBUTING CO	410 IH 10 S, BEAUMONT, TX 77707	899
99	PST	21 ft.	DEL PAPA DISTRIBUTING	410 IH 10 S, BEAUMONT, TX 77707	904
100	IHW	17 ft.	ARCHIES PAINT & BODY SHOP	3050 RUSK ST, BEAUMONT, TX 77702	910
100	RCRANGR06	17 ft.	ARCHIES PAINT & BODY SHOP	3050 RUSK, BEAUMONT, TX 77702	911
101	PST	19 ft.	GO MOTORS	1355 N 11TH ST, BEAUMONT, TX 77702	913

Elevation Summary

Map ID#	Database Name	Elevation	Site Name	Address	Page #
102	APAR	19 ft.	PROPOSED CHICK-FIL-A RESTAURANT 3312	3825 COLLEGE ST, BEAUMONT, TX 77701	918
102	VCP	19 ft.	PROPOSED CHICK-FIL-A RESTAURANT 3312	3825 COLLEGE ST, BEAUMONT, TX 77701	919
104	IHW	18 ft.	AQUA-TECH LABORATORIES	440 N 18TH ST, BEAUMONT, TX 77707	922
105	PST	18 ft.	ALPHAGAZ-LIQUID AIR	3070 W CEDAR ST, BEAUMONT, TX 77702	923
107	IHW	21 ft.	ABSOLUTE TRANSPORTATION ENVIRONMENTAL	2255 LOUISIANA ST, BEAUMONT, TX 77701	929
107	LPST	21 ft.	TRANSIT MIX CONCRETE CO	2255 LOUISIANA ST, BEAUMONT, TX 77701	930
107	LPST	21 ft.	TRANSIT MIX CONCRETE CO	2255 LOUISIANA ST, BEAUMONT, TX 77701	935
107	LPST	21 ft.	SPANKYS WRECKER	2255 LOUISIANA ST, BEAUMONT, TX 77701	940
107	PST	21 ft.	SPANKYS WRECKER	2255 LOUISIANA ST, BEAUMONT, TX 77701	945
107	RCRANGR06	21 ft.	ABSOLUTE TRANSPORTATION ENVIRONMENTAL	2255 LOUISIANA ST, BEAUMONT, TX 77701	951
109	PST	18 ft.	PPOTB & L PARTNERSHIP	445 N 14TH ST, BEAUMONT, TX 77702	968
110	IHW	19 ft.	YELLOW TRANSPORTATION BEAUMONT	4650 LAFIN DR, BEAUMONT, TX 77705	970
110	PST	19 ft.	YELLOW FREIGHT SYSTEM	4650 LAFIN DR, BEAUMONT, TX 77705	971
110	RCRANGR06	19 ft.	YELLOW TRANSPORTATION INC	4650 LAFIN DRIVE, BEAUMONT, TX 77704	974
112	PST	32 ft.	OLD MOBIL SERVICE STATION SITE	3005 N 11TH ST, BEAUMONT, TX	1020
113	RCRAGR06	18 ft.	EQUIPMENT MEADQUARTERS INC	3775 MILAM, BEAUMONT, TX 77706	1023
114	PST	17 ft.	JOHN BLACKWELL	810 INTERSTATE 10 S, BEAUMONT, TX 77707	1024
116	PST	20 ft.	SHOP N GO 2	2305 LOUISIANA ST, BEAUMONT, TX 77702	1028
117	PST	18 ft.	PAM REHABILITATION HOSPITAL OF BEAUMONT	3340 PLAZA 10 DR, BEAUMONT, TX 77707	1036
118	RCRAGR06	19 ft.	DAYLIGHT MOTOR CO	1220 N ELEVENTH ST, BEAUMONT, TX 77702	1042
119	LPST	18 ft.	FORMER DIAMOND SHAMROCK 360	3060 NORTH ST, BEAUMONT, TX 77702	1043
119	PST	18 ft.	OLD GAS STATION	3060 NORTH ST, BEAUMONT, TX 77702	1045
120	IHW	33 ft.	KINSEL TOYOTA	3255 EASTEX FWY, BEAUMONT, TX 77706	1047
120	RCRANGR06	33 ft.	KINSEL TOYOTA INC	3255 EASTEX FWY, BEAUMONT, TX 77706	1049
121	RCRAGR06	19 ft.	MIKESKA AUTO	4849-A LAFIN, BEAUMONT, TX 77705	1051
122	LPST	18 ft.	BILLEES CAR CARE	3005 CALDER ST, BEAUMONT, TX 77702	1052
122	PST	18 ft.	BILLEES CAR CARE	3005 CALDER ST, BEAUMONT, TX 77702	1060
122	RCRAGR06	18 ft.	BILLEES CAR CARE	3005 CALDER, BEAUMONT, TX 77702	1070
125	PST	32 ft.	BILL CLARK PEST CONTROL	2975 N 11TH ST, BEAUMONT, TX 77703	1084
126	PST	20 ft.	FEW READY MIX	2101 N 7TH ST, BEAUMONT, TX 77703	1090

Elevation Summary

Map ID#	Database Name	Elevation	Site Name	Address	Page #
127	LPST	31 ft.	VANCE MATHEWS BUILDING	3250 EASTEX FWY, BEAUMONT, TX 77703	1092
127	PST	31 ft.	VANCE-MATHEWS OFFICE BLDG	3250 EASTEX FWY, BEAUMONT, TX 77703	1095
128	LPST	18 ft.	BEAUMONT WEST END YARD	PECOS ST, BEAUMONT, TX 77701	1098
128	PST	18 ft.	BEAUMONT WEST END YARD	PECOS ST 14TH ST, BEAUMONT, TX 77702	1101
132	PST	18 ft.	BRAND SABINE INDUSTRIES	3050 W CEDAR ST, BEAUMONT, TX 77702	1125
134	IHW	18 ft.	UNITED STATES ENVIRONMENTAL SERVICES	4850 WARD ST, BEAUMONT, TX 77705	1134
134	RCRANGR06	18 ft.	UNITED STATES ENVIRONMENTAL SERVICES LLC	4850 WARD ST, BEAUMONT, TX 77705	1135
139	PST	18 ft.	ELDRIDGE ELECTRIC	110 N 13TH ST, BEAUMONT, TX 77702	1160
143	LPST	18 ft.	ALLSTATE TRANSMISSION FAC	2625 CALDER ST, BEAUMONT, TX 77702	1179
143	PST	18 ft.	BNK73 INTERFIRST BANK BEAUMONT	2625 CALDER ST, BEAUMONT, TX 77702	1186
147	IHW	20 ft.	CHRISTUS HOSPITAL ST ELIZABETH	2830 CALDER ST, BEAUMONT, TX 77702	1219
147	LPST	20 ft.	ST ELIZABETH HOSPITAL	2830 CALDER ST, BEAUMONT, TX 77702	1221
147	PST	20 ft.	CHRISTUS ST ELIZABETH HOSPITAL	2830 CALDER ST, BEAUMONT, TX 77702	1226
148	IHW	32 ft.	KINSEL AUTOMALL	3355 EASTEX FWY, BEAUMONT, TX 77706	1234
150	DCR	19 ft.	A 1 CLEANERS	1115 N 11TH ST, BEAUMONT, TX 77702	1237
150	IHW	19 ft.	A-1 DRY CLEANERS	1115 N 11TH ST, BEAUMONT, TX 77702	1238
150	IHW	19 ft.	A-1 DRYCLEANERS	1115 N 11TH ST, BEAUMONT, TX 77702	1239
150	IHWCA	19 ft.	1111 N 11TH ST	1111 N 11TH ST, BEAUMONT, TX 77702	1240
151	LPST	18 ft.	THIRD COAST INDUSTRIES INC	4780 S 23RD ST, BEAUMONT, TX 77705	1241
151	PST	18 ft.	THIRD COAST INDUSTRIES	4780 FANNETT RD, BEAUMONT, TX 77705	1244
152	LPST	19 ft.	11TH STREET 66	1110 N 11TH ST, BEAUMONT, TX 77702	1247
152	PST	19 ft.	FAST BREAK 4	1110 N 11TH ST, BEAUMONT, TX 77702	1253
154	IHW	17 ft.	RUSSCO PAINT MANUFACTURING	2898 W CEDAR ST, BEAUMONT, TX 77702	1266
156	DCR	18 ft.	PARK AVENUE CLEANERS	2608 CALDER ST, BEAUMONT, TX 77702	1271
156	IHW	18 ft.	PARK AVENUE CLEANERS	2608 CALDER ST, BEAUMONT, TX 77702	1273
157	APAR	17 ft.	RENTAL SERVICE	4790 WASHINGTON BLVD, BEAUMONT, TX 77707	1275
157	IHW	17 ft.	LUTHER HENDON	4790 WASHINGTON BLVD, BEAUMONT, TX 77707	1276
157	IHW	17 ft.	LUTHER HENDON	HIGHWAY 124, BEAUMONT, TX	1278
157	IHWCA	17 ft.	LUTHER HENDON	4790 WASHINGTON BLVD, BEAUMONT, TX 77707	1279
157	VCP	17 ft.	RENTAL SERVICE	4790 WASHINGTON BLVD, BEAUMONT, TX 77707	1280
158	IHW	17 ft.	UNION PACIFIC RAILROAD BEAUMONT	2555 W CEDAR ST, BEAUMONT, TX 77702	1282

Elevation Summary

Map ID#	Database Name	Elevation	Site Name	Address	Page #
159	LPST	21 ft.	T MIX MATERIALS	2525 DOLLINGER RD, BEAUMONT, TX 77703	1284
159	PST	21 ft.	BEAUMONT DOLLINGER READY MIX	2525 DOLLINGER RD, BEAUMONT, TX 77703	1287
163	IHW	17 ft.	FLEET MANAGEMENT	4955 LAFIN DR, BEAUMONT, TX 77705	1302
163	LPST	17 ft.	FLEET MANAGEMENT	4955 LAFIN RD, BEAUMONT, TX 77704	1304
163	PST	17 ft.	FLEET MANAGEMENT	4955 LAFIN DR, BEAUMONT, TX 77705	1311
165	LPST	29 ft.	MARKET PLACE 30	2790 N 11TH ST, BEAUMONT, TX 77703	1330
165	PST	29 ft.	TS CORNER STOP	2790 N 11TH ST, BEAUMONT, TX 77703	1334
166	PST	20 ft.	CHRISTUS HOSPITAL ST ELIZABETH	755 N 11TH ST, BEAUMONT, TX 77702	1339
167	IHW	17 ft.	RELIABLE AUTO REPAIR	51 SAWYER ST, BEAUMONT, TX 77702	1342
168	IHW	17 ft.	SHERWIN WILLIAMS	55 N 11TH ST, BEAUMONT, TX 77702	1343
169	LPST	19 ft.	CAMPBELLS CHEVRON	890 N 11TH ST, BEAUMONT, TX 77702	1344
169	PST	19 ft.	CAMPBELLS CHEVRON	890 N 11TH ST, BEAUMONT, TX 77702	1348
169	PST	19 ft.	CAMPBELLS CHEVRON	890 N 11TH ST, BEAUMONT, TX 77702	1352
170	PST	17 ft.	SW SCALE	4832 WASHINGTON BLVD, BEAUMONT, TX 77707	1357
173	PST	17 ft.	RACEWAY 6779	4205 COLLEGE ST, BEAUMONT, TX 77707	1373
174	PST	22 ft.	THE DON BELT	2623 HOOVER RD, BEAUMONT, TX 77703	1379
175	IHW	17 ft.	ALL STATE TRANSMISSION	1268 S 11TH ST, BEAUMONT, TX 77701	1381
175	LPST	17 ft.	JIM SNELL MASTER PLUMBER INC	1290 S 11TH ST, BEAUMONT, TX 77701	1382
175	PST	17 ft.	VACANT BUILDING	1270 S 11TH ST, BEAUMONT, TX 77701	1385
177	IHW	26 ft.	MIKE SMITH OLDS-HONDA	1795 IH 10 E, BEAUMONT, TX 77701	1412
177	PST	26 ft.	MIKE SMITH OLDS AMC & HONDA	1795 INTERSTATE 10 E, BEAUMONT, TX 77701	1414
178	LPST	20 ft.	VICS TEXACO	680 N 11TH ST, BEAUMONT, TX 77702	1418
180	MSWLF	17 ft.	JTB RECYCLING TRANSFER STATION FACILITY	4895 ROMEDA RD, BEAUMONT, TX 77705	1424
180	MSWLF	17 ft.	JTB RECYCLING LIQUID WASTE PROCESSING FACILITY	4895 ROMEDA RD, BEAUMONT, TX 77705	1425
182	APAR	26 ft.	STEEL BY DOLLINGER	3690 DOLLINGER, BEAUMONT, TX 77701	1429
182	IHWCA	26 ft.	STEEL BY DOLLINGER	3690 DOLLINGER, BEAUMONT, TX 77701	1430
182	LPST	26 ft.	DOLLINGER STEEL COMPANY	7TH, BEAUMONT, TX 77611	1431
182	VCP	26 ft.	STEEL BY DOLLINGER	2360 DOLLINGER RD, BEAUMONT, TX 77703	1433
183	LPST	18 ft.	HERITAGE LINC MERC IMPORTS	4430 COLLEGE ST, BEAUMONT, TX 77707	1435
184	LPST	17 ft.	SIGMOR 77	1165 S 11TH ST, BEAUMONT, TX 77701	1439
190	LPST	31 ft.	MAINTENANCE CENTER	1650 CALDWELL AVE, BEAUMONT, TX 77703	1468
192	LPST	17 ft.	FORMER MAGIC CAR WASH 1	2510 CALDER ST, BEAUMONT, TX 77702	1477
193	LPST	17 ft.	FORMER GAS STATION GROCERY	S 11TH ST, BEAUMONT, TX 77701	1481

Elevation Summary

Map ID#	Database Name	Elevation	Site Name	Address	Page #
194	LPST	19 ft.	UNITED PARCEL SERVICE	3755 WASHINGTON BLVD, BEAUMONT, TX 77705	1482
194	LPST	19 ft.	UNITED PARCEL SERVICE	3755 WASHINGTON BLVD, BEAUMONT, TX 77705	1486
195	LPST	17 ft.	V ROBERTS TEXACO	2485 S 11TH ST, BEAUMONT, TX 77701	1490
196	LPST	17 ft.	CIRCLE A	2498 CALDER ST, BEAUMONT, TX 77702	1495
197	LPST	19 ft.	STRIP CENTER	4190 CALDER AVE, BEAUMONT, TX 77706	1498
198	LPST	27 ft.	EXXON 67288	1495 GULF ST, BEAUMONT, TX 77701	1502
199	LPST	25 ft.	MINI MART 9	3910 DELAWARE ST, BEAUMONT, TX 77706	1510
200	LPST	30 ft.	SPINDLETOP BUICK	3855 EASTEX FWY, BEAUMONT, TX 77706	1516
201	LPST	29 ft.	MAINTENENCE CENTER	1740 LIVEOAK ST, BEAUMONT, TX 77703	1517
202	LPST	26 ft.	TXDOT MLK SITE 7 PARCEL 445 ROW	NE GLADYS, BEAUMONT, TX 77701	1520
203	LPST	31 ft.	LAMBS OFFICE PRODUCTS	2100 GULF ST, BEAUMONT, TX 77703	1521
207	LPST	19 ft.	GULF DARBY OIL	3615 WASHINGTON BLVD, BEAUMONT, TX 77705	1539
209	LPST	32 ft.	STREET TRAFFIC DEPT	2610 CONCORD RD, BEAUMONT, TX 77703	1546
209	LPST	32 ft.	STREET TRAFFIC DEPT	2610 CONCORD RD, BEAUMONT, TX 77703	1551
211	LPST	25 ft.	GET N GO 2	1280 S M L KING JR PKWY, BEAUMONT, TX 77701	1560
212	RRCVCP	19 ft.		12 ACRES NEAR INTERSECTION OF W. LUCAS & AUTHUR ST, BEAUMONT, TX	1564
214	LPST	30 ft.	GAS STATION 585	3955 EASTEX FWY, BEAUMONT, TX 77706	1569
214	LPST	30 ft.	WALMART	3955 EASTEX FWY, BEAUMONT, TX 77706	1574
214	LPST	30 ft.	FORMER WALMART STORE	3955 EASTEX FWY, BEAUMONT, TX 77706	1575
216	BF	18 ft.	DOCTOR'S BUILDING BAPTISTS HOSPITAL	3155 STAGG DRIVE, BEAUMONT, TX 77701	1582
216	BSA	18 ft.	DOCTORS BLDG BAPTIST HOSP	3155 STAGG DR, BEAUMONT, TX 77701	1583
217	LPST	23 ft.	BEAUMONT COCA COLA BOTTLE	1075 N M L KING JR PKWY, BEAUMONT, TX 77701	1584
218	LPST	17 ft.	JASPERS	4625 COLLEGE ST, BEAUMONT, TX 77707	1586

LOWER ELEVATION

Map ID#	Database Name	Elevation	Site Name	Address	Page #
4	APAR	16 ft.	GROENDYKE TRANSPORT	4510 WASHINGTON BLVD, BEAUMONT, TX 77707	100
4	ECHOR06	16 ft.	GROENDYKE TRANSPORT INC	4510 WASHINGTON BLVD, BEAUMONT, TX 77707	101

Elevation Summary

Map ID#	Database Name	Elevation	Site Name	Address	Page #
4	FRSTX	16 ft.	GROENDYKE TRANSPORT INC	4510 WASHINGTON BLVD, BEAUMONT, TX 77707	102
4	FRSTX	16 ft.	4510 WASHINGTON	4510 WASHINGTON BLVD, BEAUMONT, TX 77707	103
4	GWCC	16 ft.	GROENDYKE TRANSPORT	4510 WASHINGTON BLVD, BEAUMONT, TX	104
4	IHW	16 ft.	GROENDYKE TRANSPORT BEAUMONT	4510 WASHINGTON BLVD, BEAUMONT, TX 77707	105
4	IHWCA	16 ft.	GROENDYKE TRANSPORT	4510 WASHINGTON BLVD, BEAUMONT, TX 77707	108
4	LPST	16 ft.	GROENDYKE TRANSPORT INC	4510 WASHINGTON BLVD, BEAUMONT, TX 77707	109
4	PST	16 ft.	GROENDYKE TRANSPORT	4510 WASHINGTON BLVD, BEAUMONT, TX 77707	111
4	PST	16 ft.	GROENDYKE TRANSPORT	4510 WASHINGTON BLVD, BEAUMONT, TX 77707	113
4	RCRAC	16 ft.	GROENDYKE TRANSPORT INC	4510 WASHINGTON BLVD, BEAUMONT, TX 77707	115
4	RCRANGR06	16 ft.	GROENDYKE TRANSPORT INC	4510 WASHINGTON BLVD, BEAUMONT, TX 77707	117
4	RCRASUBC	16 ft.	GROENDYKE TRANSPORT INC	4510 WASHINGTON BLVD, BEAUMONT, TX 77707	119
4	RCRAT	16 ft.	GROENDYKE TRANSPORT INC	4510 WASHINGTON BLVD, BEAUMONT, TX 77707	121
5	ECHOR06	13 ft.	BORDEN DAIRY PRODUCTS INC	650 IH 10 S, BEAUMONT, TX 77707	123
5	FRSTX	13 ft.	BORDEN DAIRY PRODUCTS INC	650 IH 10 S, BEAUMONT, TX 77707	124
5	IHW	13 ft.	BORDEN DAIRY PRODUCTS	650 IH 10 S, BEAUMONT, TX 77707	125
5	LPST	13 ft.	BORDEN INC DAIRY	650 IH 10 S, BEAUMONT, TX 77707	126
5	LPST	13 ft.	GHOST TANK	650 IH 10, BEAUMONT, TX 77707	130
5	PST	13 ft.	BORDEN DAIRY	650 IH 10 S, BEAUMONT, TX 77707	131
5	RCRANGR06	13 ft.	BORDEN DAIRY PRODUCTS INC	650 IH 10 S, BEAUMONT, TX 77707	135
8	LPST	15 ft.	I 10 WAREHOUSE STORAGE	3250 IH 10, BEAUMONT, TX 77706	163
8	PST	15 ft.	PIONEER TRANSFER	3250 IH 10 S, BEAUMONT, TX 77705	164
11	ECHOR06	15 ft.	THE WALL STREET JOURNAL	5355 W CARDINAL DR, BEAUMONT, TX 77705	194
11	ECHOR06	15 ft.	DOW JONES THE WALL STREET JOURNAL	5355 W CARDINAL DR, BEAUMONT, TX 77705	195
11	FRSTX	15 ft.	THE WALL STREET JOURNAL	5355 W CARDINAL DR, BEAUMONT, TX 77705	196
11	FRSTX	15 ft.	DOW JONES THE WALL STREET JOURNAL	5355 W CARDINAL DR, BEAUMONT, TX 77705	197
11	IHW	15 ft.	GADSBY AND HANNAH	5355 W CARDINAL DR, BEAUMONT, TX 77705	198
11	IHW	15 ft.	THE WALL STREET JOURNAL	5355 W CARDINAL DR, BEAUMONT, TX 77705	199
11	PST	15 ft.	WALL STREET JOURNAL	5355 W CARDINAL DR, BEAUMONT, TX 77705	202
11	RCRAGR06	15 ft.	THE WALL STREET JOURNAL	5355 W CARDINAL DR, BEAUMONT, TX 77705	205
11	TIERII	15 ft.	DOW JONES & COMPANY, INC	5355 W. CARDINAL DRIVE, BEAUMONT, TX 77705	208

Elevation Summary

Map ID#	Database Name	Elevation	Site Name	Address	Page #
18	ECHOR06	16 ft.	TXDOT BMT CSJ 0786-01-083	900 FT SOUTH OF IH-10 TO SH 124, .20 MILES N OF FM, BEAUMONT, TX 77708	223
18	FRSTX	16 ft.	TXDOT BMT CSJ 0786-01-083	900 FT SOUTH OF IH-10 TO SH 124, .20 MILES N OF FM, BEAUMONT, TX 77708	224
20	ECHOR06	16 ft.	BEAUMONT OIL	871 IH 10 N SUITE 150, BEAUMONT, TX 77706	226
20	FRSTX	16 ft.	BEAUMONT OIL	871 IH 10 N SUITE 150, BEAUMONT, TX 77706	227
20	IHW	16 ft.	BEAUMONT OIL	871 IH 10 N STE 150, BEAUMONT, TX 77706	228
20	IHW	16 ft.	BEAUMONT OIL	871 IH 10 N STE 150, BEAUMONT, TX 77706	229
20	RCRANGR06	16 ft.	BEAUMONT OIL	871 IH 10 N SUITE 150, BEAUMONT, TX 77706	230
21	FRSTX	15 ft.	GENERAL ELECTRIC	87 I-10 N STE 220, BEAUMONT, TX 77707	231
22	ECHOR06	15 ft.	CITY OF BMT WASHINGTON BLVD PAVEMENT WIDENING	ALONG WASHINGTON BLVD., FROM ITS INTERSECTION WITH, BEAUMONT, TX 77705	232
22	FRSTX	15 ft.	CITY OF BMT WASHINGTON BLVD PAVEMENT WIDENING	ALONG WASHINGTON BLVD., FROM ITS INTERSECTION WITH, BEAUMONT, TX 77705	233
24	ECHOR06	15 ft.	CONSOLIDATED SWITCHGEAR & ELECTRICAL SYS	1710 IH 10 S, BEAUMONT, TX 77707	238
24	FRSTX	15 ft.	CONSOLIDATED SWITCHGEAR & ELECTRICAL SYS	1710 IH 10 S, BEAUMONT, TX 77707	239
24	IHW	15 ft.	CONSOLIDATED SWITCHGEAR & ELECTRICAL SYSTEMS	1710 IH 10 S, BEAUMONT, TX 77707	240
24	IHW	15 ft.	CONSOLIDATED SWITCHGEAR	1710 IH 10 S, BEAUMONT, TX 77707	241
24	RCRANGR06	15 ft.	CONSOLIDATED SWITCHGEAR & ELECTRICAL SYS	1710 IH 10 S, BEAUMONT, TX 77707	242
28	FRSTX	15 ft.	GOLDEN CORRAL GOLDEN CORRAL RESTAURANT	4450 WASHINGTON BLVD, BEAUMONT, TX 77707	259
28	HMIRSR06	15 ft.		4450 WASHINGTON BLVD, BEAUMONT, TX 77707	260
28	HMIRSR06	15 ft.		4450 WASHINGTON BLVD, BEAUMONT, TX	261
28	LPST	15 ft.	ABF FREIGHT SYSTEM INC	4450 WASHINGTON BLVD, BEAUMONT, TX 77707	262
28	PST	15 ft.	MCLEAN TRUCKING	4450 WASHINGTON BLVD, BEAUMONT, TX 77707	264
33	BRS	15 ft.	MISSION PETROLEUM CARRIERS INC	3840 IH 10 S, BEAUMONT, TX 77705	284
33	ECHOR06	15 ft.	CLEVELAND MACK SALES INC	3840 IH 10 S, BEAUMONT, TX 77705	287
33	ECHOR06	15 ft.	TRANSPORT SERVICE COMPANY	3840 IH 10 S, BEAUMONT, TX 77705	288
33	FRSTX	15 ft.	CLEVELAND MACK SALES INC	3840 IH 10 S, BEAUMONT, TX 77705	289
33	FRSTX	15 ft.	TRANSPORT SERVICE COMPANY	3840 IH 10 S, BEAUMONT, TX 77705	290
33	FRSTX	15 ft.	MISSION PETROLEUM CARRIERS	3840 INTERSTATE 10 S, BEAUMONT, TX 77705	291
33	IHW	15 ft.	TRANSPORT SERVICE	3840 IH 10 S, BEAUMONT, TX 77705	292
33	IHW	15 ft.	CLEVELAND MACK SALES	3840 IH 10 S, BEAUMONT, TX 77705	298

Elevation Summary

Map ID#	Database Name	Elevation	Site Name	Address	Page #
33	<i>PST</i>	15 ft.	<i>TRANSPORT SERVICE</i>	<i>3840 INTERSTATE 10 S, BEAUMONT, TX 77705</i>	300
33	<i>RCRANGR06</i>	15 ft.	<i>CLEVELAND MACK SALES INC</i>	<i>3840 IH 10 S, BEAUMONT, TX 77705</i>	303
33	<i>RCRANGR06</i>	15 ft.	<i>TRANSPORT SERVICE COMPANY</i>	<i>3840 IH 10 S, BEAUMONT, TX 77705</i>	305
34	FRSTX	15 ft.	FASTLANE 25	2245 INTERSTATE 10 S, BEAUMONT, TX 77705	308
34	NOV	15 ft.	FASTLANE 25	2245 INTERSTATE 10 S, BEAUMONT, TX 77705	309
34	<i>PST</i>	15 ft.	<i>FASTLANE NO 25</i>	<i>2245 INTERSTATE 10 S, BEAUMONT, TX 77705</i>	310
35	ECHOR06	15 ft.	EXXON MOBIL CORPORATION	8051 IH 10 & STAGG DR, BEAUMONT, TX 77701	317
35	FRSTX	15 ft.	EXXON MOBIL CORPORATION	8051 IH 10 & STAGG DR, BEAUMONT, TX 77701	318
35	FRSTX	15 ft.	GATEWAY MOBIL	805 IH 10 S, BEAUMONT, TX 77701	319
35	IHW	15 ft.	EXXON USA 61300	8051 IH 10 & STAGG DR, BEAUMONT, TX 77701	320
35	<i>LPST</i>	15 ft.	<i>EXXON STORE 6 1300</i>	<i>805 IH 10 S, BEAUMONT, TX 77701</i>	321
35	<i>LPST</i>	15 ft.	<i>GATEWAY MOBIL</i>	<i>805 IH 10 S, BEAUMONT, TX 77701</i>	322
35	NOV	15 ft.	GATEWAY MOBIL	805 IH 10 S, BEAUMONT, TX 77701	329
35	<i>PST</i>	15 ft.	<i>GATEWAY MOBIL</i>	<i>805 IH 10 S, BEAUMONT, TX 77701</i>	331
35	<i>RCRANGR06</i>	15 ft.	<i>EXXON MOBIL CORPORATION</i>	<i>8051 IH 10 & STAGG DR, BEAUMONT, TX 77701</i>	340
38	FRSTX	14 ft.	E-Z MART 264	710 INTERSTATE 10 S, BEAUMONT, TX 77707	375
38	GWCC	14 ft.	E Z MART STORES INC	710 S IH 10, BEAUMONT, BEAUMONT, TX 77707	376
38	<i>LPST</i>	14 ft.	<i>E Z MART 264</i>	<i>710 INTERSTATE 10 S, BEAUMONT, TX 77707</i>	377
38	<i>PST</i>	14 ft.	<i>E-Z MART 264</i>	<i>710 INTERSTATE 10 S, BEAUMONT, TX 77707</i>	381
45	FRSTX	16 ft.	COWBOY HONDA IRON HORSE ENTERPRISES	1280 INTERSTATE 10 S, BEAUMONT, TX 77707	423
49	FRSTX	16 ft.	EXXPRESS MART 10	2210 IH 10 S, BEAUMONT, TX 77707	477
49	GWCC	16 ft.	EXXPRESS MART 10	2210 IH 10 S, BEAUMONT, TX	478
49	<i>LPST</i>	16 ft.	<i>EXXPRESS MART 10</i>	<i>2210 IH 10 S, BEAUMONT, TX 77707</i>	479
49	NOV	16 ft.	EXXPRESS MART 10	2210 IH 10 S, BEAUMONT, TX 77707	492
49	<i>PST</i>	16 ft.	<i>EXXPRESS MART 10</i>	<i>2210 IH 10 S, BEAUMONT, TX 77707</i>	494
52	ALTFUELS	15 ft.	BMW BEAUMONT	1855 INTERSTATE 10 S, BEAUMONT, TX 77701	524
52	IHW	15 ft.	MIKE SMITH AUTOPLEX 2000	1855 IH 10 S, BEAUMONT, TX 77701	525
54	<i>ERNSTX</i>	15 ft.		<i>3950 I-10 S. PARKING LOT OF HOLIDAY INN, BEAUMONT, TX</i>	530
54	FRSTX	15 ft.	FASTLANE NO 5	3890 INTERSTATE 10 S, BEAUMONT, TX 77705	531
54	<i>PST</i>	15 ft.	<i>FASTLANE NO 5</i>	<i>3890 INTERSTATE 10 S, BEAUMONT, TX 77705</i>	532
56	FRSTX	16 ft.	BIRDSONG FUELS & SERVICES	860 IH 10 S, BEAUMONT, TX 77707	554
56	NOV	16 ft.	BIRDSONG FUELS & SERVICES	860 IH 10 S, BEAUMONT, TX 77707	555

Elevation Summary

Map ID#	Database Name	Elevation	Site Name	Address	Page #
56	PST	16 ft.	GIT N GO	860 IH 10 S, BEAUMONT, TX 77707	558
59	ALTFUELS	15 ft.	MIKE SMITH NISSAN	1515 INTERSTATE 10 S, BEAUMONT, TX 77701	604
59	ALTFUELS	15 ft.	MIKE SMITH NISSAN	1515 INTERSTATE 10 S, BEAUMONT, TX 77701	605
59	ECHOR06	15 ft.	MIKE SMITH AUTO PLAZA	1515 S IH 10, BEAUMONT, TX 77706	606
59	FRSTX	15 ft.	MIKE SMITH AUTO PLAZA	1515 S IH 10, BEAUMONT, TX 77706	607
59	IHW	15 ft.	MIKE SMITH HONDA INC.	1515 IH 10 S, BEAUMONT, TX 77701	608
59	IHW	15 ft.	MIKE SMITH AUTO PLAZA	1515 IH 10 S, BEAUMONT, TX 77701	610
59	PST	15 ft.	MIKE SMITH AUTO PLAZA	1515 IH 10 S, BEAUMONT, TX 77701	612
59	RCRANGR06	15 ft.	MIKE SMITH AUTO PLAZA	1515 S IH 10, BEAUMONT, TX 77706	614
62	ECHOR06	15 ft.	MAXIM TECHNOLOGIES INC SOUTHWESTERN LABS	1850 IH-10 S, BEAUMONT, TX 77707	626
62	FRSTX	15 ft.	MAXIM TECHNOLOGIES INC SOUTHWESTERN LABS	1850 IH-10 S, BEAUMONT, TX 77707	627
62	RCRANGR06	15 ft.	MAXIM TECHNOLOGIES INC SOUTHWESTERN LABS	1850 IH-10 S, BEAUMONT, TX 77707	628
66	GWCC	16 ft.	FORMER BURGER KING	1550 IH 10, BEAUMONT, TX	654
66	LPST	16 ft.	FORMER BURGER KING	1550 IH 10, BEAUMONT, TX 77705	655
68	ECHOR06	16 ft.	SAM'S CLUB #8275	1615 INTERSTATE 10 S, BEAUMONT, TX 77701	667
68	FRSTX	16 ft.	SAMS CLUB 8275	1615 IH 10 S, BEAUMONT, TX 77701	668
68	FRSTX	16 ft.	SAM'S CLUB #8275	1615 INTERSTATE 10 S, BEAUMONT, TX 77701	669
68	IHW	16 ft.	SAMS CLUB 8275	1615 IH 10 S, BEAUMONT, TX 77701	670
68	NOV	16 ft.	SAMS CLUB 8275	1615 IH 10 S, BEAUMONT, TX 77701	673
68	PST	16 ft.	SAMS CLUB 8275	1615 IH 10 S, BEAUMONT, TX 77701	674
68	PST	16 ft.	SAMS CLUB	1615 INTERSTATE 10 S, BAYTOWN, TX 77523	680
68	RCRAGR06	16 ft.	SAMS CLUB 8275	1615 IH 10 S, BEAUMONT, TX 77701	681
68	TIERII	16 ft.	SAM'S CLUB #8275	1615 INTERSTATE 10 S, BEAUMONT, TX 77701	684
69	LPST	15 ft.	STEINHAGEN OIL CO INC	3850 INTERSTATE 10 S, BEAUMONT, TX 77705	686
69	PST	15 ft.	STEINHAGEN OIL	3850 INTERSTATE 10 S, BEAUMONT, TX 77705	690
69	SPILLS	15 ft.		3850 IH10 S. AT WALDEN RD. BULK STATION, TX	694
71	PST	16 ft.	STEPHANIE WILEY PROPERTY	1240 IH 10 S, BEAUMONT, TX 77707	717
73	FRSTX	15 ft.	FASTLANE NO 24	3875 INTERSTATE 10 S, BEAUMONT, TX 77705	726
73	NOV	15 ft.	FASTLANE NO 24	BEAUMONT, TX	727
73	PST	15 ft.	FASTLANE NO 24	3875 INTERSTATE 10 S, BEAUMONT, TX 77705	730
81	PST	15 ft.	BEAUMONT VMF	5817 WALDEN RD, BEAUMONT, TX 77707	795
82	PST	16 ft.	BEAUMONT CHEVRON	1050 IH 10 S, BEAUMONT, TX 77707	800
89	PST	15 ft.	JAKE MAZZU PRODUCE	3898 HOLLYWOOD ST, BEAUMONT, TX 77701	847

Elevation Summary

Map ID#	Database Name	Elevation	Site Name	Address	Page #
91	IHW	16 ft.	INSTY PRINTS OF BEAUMONT	3851 PHELAN BLVD, BEAUMONT, TX 77707	858
91	PST	16 ft.	KROGER FUEL FACILITY 328	3845 PHELAN BLVD, BEAUMONT, TX 77707	859
91	RCRANGR06	16 ft.	INSTY PRINTS OF BEAUMONT	3851 PHELAN BLVD, BEAUMONT, TX 77707	864
96	PST	16 ft.	SCHWARZLOSE POOLS AND SERVICES	4055 MILAM ST, BEAUMONT, TX 77707	891
97	ALTFUELS	13 ft.	HOMEWOOD SUITES - BEAUMONT - TESLA DESTINATION	3745 IH-10 S, BEAUMONT, TX 77705	894
97	ALTFUELS	13 ft.	HOMEWOOD SUITES - TESLA	3745 IH 10 S, BEAUMONT, TX 77705	895
103	IHW	15 ft.	HOME MEDICAL SUPPORT SERVICES	85 INTERSTATE 10 N STE 215, BEAUMONT, TX 77707	921
106	LPST	16 ft.	GOLD CREST ELECTRIC CO INC	1655 S 23RD ST, BEAUMONT, TX 77707	925
106	PST	16 ft.	GOLD CREST ELECTRIC	1655 S 23RD ST, BEAUMONT, TX 77707	927
108	LPST	16 ft.	DREW POLK	4125 COLLEGE ST, BEAUMONT, TX 77707	953
108	PST	16 ft.	POLK DREW	4125 COLLEGE ST, BEAUMONT, TX 77707	960
111	LPST	14 ft.	PETRO INC 4	5405 WALDEN RD, BEAUMONT, TX 77705	976
111	LPST	14 ft.	PETRO STOPPING CENTER 304	5405 WALDEN RD, BEAUMONT, TX 77705	986
111	LPST	14 ft.	PETRO STOPPING CENTER 304	5405 WALDEN RD, BEAUMONT, TX 77705	996
111	PST	14 ft.	PETRO STOPPING CENTER 304	5405 WALDEN RD, BEAUMONT, TX 77705	1006
115	IHWCA	15 ft.	MILLER TRANSPORTERS	4640 WASHINGTON BLVD, BEAUMONT, TX 77707	1026
115	RCRAGR06	15 ft.	SCOOTERS LAWNMOWER	4665 WASHINGTON, BEAUMONT, TX 77707	1027
123	IHW	16 ft.	CVS PHARMACY 1108	3890 PHELAN BLVD, BEAUMONT, TX 77707	1071
123	RCRAGR06	16 ft.	CVS PHARMACY 1108	3890 PHELAN BLVD, BEAUMONT, TX 77707	1074
124	IHW	15 ft.	MILLER TRANSPORTERS	4640 WASHINGTON BLVD, BEAUMONT, TX 77707	1076
124	IHW	15 ft.	SMARTS TRUCK & TRAILER EQUIPMENT	4730 WASHINGTON BLVD, BEAUMONT, TX 77707	1078
124	PST	15 ft.	MILLER TRANSPORTATION	4680 WASHINGTON BLVD, BEAUMONT, TX 77707	1080
124	RCRAGR06	15 ft.	SMARTS TRUCK ; TRAILER EQUIPMENT	4730 WASHINGTON BLVD, BEAUMONT, TX 77707	1082
129	RCRAGR06	15 ft.	EDS TRANSMISSION	145 S AWYER, BEAUMONT, TX 77702	1104
130	IHW	15 ft.	COMPLIANCE GROUP TEXAS US POSTAL ADMIN	5815 WALDEN RD STE 167, BEAUMONT, TX 77707	1105
130	IHW	15 ft.	VEHICLE MAINTENANCE FACILITY	5815 WALDEN RD, BEAUMONT, TX 77707	1107
130	RCRANGR06	15 ft.	COMPLIANCE GROUP TEXAS	5815 WALDEN RD STE 167, BEAUMONT, TX 77707	1108

Elevation Summary

Map ID#	Database Name	Elevation	Site Name	Address	Page #
131	LPST	15 ft.	JONES TRUCKING	3890 HOLLYWOOD ST, BEAUMONT, TX 77701	1110
131	PST	15 ft.	FLEET FUELING 2	3890 HOLLYWOOD ST, BEAUMONT, TX 77701	1116
133	IHW	15 ft.	KINSEL FORD	3755 HOLLYWOOD ST, BEAUMONT, TX 77701	1128
133	PST	15 ft.	KINSEL FORD	3755 HOLLYWOOD ST, BEAUMONT, TX 77701	1130
133	RCRANGR06	15 ft.	KINSEL FORD INC	3755 HOLLYWOOD, BEAUMONT, TX 77701	1132
135	IHW	16 ft.	BAISON MOBIL SERVICE	3690 COLLEGE ST, BEAUMONT, TX 77701	1137
135	LPST	16 ft.	BAISDONS MOBIL	3690 COLLEGE ST, BEAUMONT, TX 77701	1138
135	PST	16 ft.	BAISDONS MOBIL	3690 COLLEGE ST, BEAUMONT, TX 77701	1142
136	IOP	16 ft.	HAYDN CUTLER COMPANY	3680 COLLEGE STREET, BEAUMONT, TX 77701	1147
136	IOP	16 ft.	LOT 1, 114 OF COLLEGE ACRES ADDITION	3680 COLLEGE STREET, BEAUMONT, TX 77701	1148
137	IHW	16 ft.	OMNI OPTICAL LAB	3255 EXECUTIVE BLVD STE 100, BEAUMONT, TX 77705	1149
138	LPST	16 ft.	ALBERTSONS EXPRESS 2722	3915 PHELAN BLVD, BEAUMONT, TX 77707	1151
138	PST	16 ft.	MB EXPRESS	3915 PHELAN BLVD, BEAUMONT, TX 77707	1154
140	PST	15 ft.	REED SERVICE	4725 WASHINGTON BLVD, BEAUMONT, TX 77707	1162
141	IHW	16 ft.	ENTERGY GULF STATES BEAUMONT SERVICE CENTER	TX	1164
142	IHW	15 ft.	MONTGOMERY TANK LINES	4787 WASHINGTON BLVD, BEAUMONT, TX 77707	1173
142	LPST	15 ft.	GOLDEN TRIANGLE PERIODICALS	4785 WASHINGTON BLVD, BEAUMONT, TX 77707	1175
142	PST	15 ft.	GOLDEN TRIANGLE PERIODICALS	4785 WASHINGTON BLVD, BEAUMONT, TX 77707	1177
144	IHW	15 ft.	MINGLE DODGE	4145 COLLEGE ST, BEAUMONT, TX 77707	1194
144	IHW	15 ft.	BERNARD UNIVERSITY ISUZU	4145 COLLEGE ST, BEAUMONT, TX 77707	1195
144	LPST	15 ft.	POLK MOTOR CO	4145 COLLEGE ST, BEAUMONT, TX 77707	1197
144	PST	15 ft.	POLK MOTOR	4145 COLLEGE ST, BEAUMONT, TX 77707	1199
145	PST	15 ft.	BRYAN FOOD STOP	190 N 23RD ST, BEAUMONT, TX 77707	1201
145	PST	15 ft.	K-1	185 N 23RD ST, BEAUMONT, TX 77707	1209
146	DCR	16 ft.		3905 CALDER AVE, BEAUMONT, TX 77706	1215
146	IHW	16 ft.	CALDER ONE HOUR MARTINIZING	3905 CALDER AVE, BEAUMONT, TX 77706	1217
149	IHW	15 ft.	GLASS-TECH	3820 HOLLYWOOD ST, BEAUMONT, TX 77701	1236

Elevation Summary

Map ID#	Database Name	Elevation	Site Name	Address	Page #
153	IHW	15 ft.	MJ WALKER FIRESTONE	3685 STAGG DR, BEAUMONT, TX 77701	1261
153	LPST	15 ft.	GATEWAY FIRESTONE	3685 STAGG DR, BEAUMONT, TX 77701	1262
153	PST	15 ft.	FIRESTONE MASTERCARE CENTER	3585 STAGG DR, BEAUMONT, TX 77701	1264
155	PST	16 ft.	SILVERADO INTERESTS	4080 WASHINGTON BLVD, BEAUMONT, TX 77705	1268
160	IOP	15 ft.	SUPER SHOPS STORE	3655 STAGG DRIVE, BEAUMONT, TX 77701	1291
160	IOP	15 ft.	EBERLIN PROPERTY	3655 STAGG DRIVE, BEAUMONT, TX 77701	1292
161	PST	15 ft.	H B NEILD & SONS	5950 WALDEN RD, BEAUMONT, TX 77707	1293
162	PST	16 ft.	BEAUMONT FIRE STATION 10	3855 WASHINGTON BLVD, BEAUMONT, TX 77705	1297
162	PST	16 ft.	STORAGE AREA	3140 MUNICIPAL DR, BEAUMONT, TX 77707	1300
164	IHW	16 ft.	TRIMAC TRANSPORTATION BEAUMONT	5055 WASHINGTON BLVD, BEAUMONT, TX 77707	1321
164	PST	16 ft.	TRIMAC TRANSPORTATION SOUTH	5055 WASHINGTON BLVD, BEAUMONT, TX 77707	1324
171	PST	16 ft.	BEAUMONT SERVICE CENTER	60 N 11TH ST, BEAUMONT, TX 77702	1360
172	IHW	15 ft.	COASTAL CHEMICAL	5065 WASHINGTON BLVD, BEAUMONT, TX 77707	1372
176	LPST	15 ft.	FORMER WILLIS L REED FACILITY	3670 HOLLYWOOD ST, BEAUMONT, TX 77701	1387
176	PST	15 ft.	FORMER WILLIS L REED FACILITY	3670 HOLLYWOOD ST, BEAUMONT, TX 77701	1399
179	LPST	16 ft.	KLVI	27 SAWYER ST, BEAUMONT, TX 77702	1422
181	LPST	15 ft.	BURTS INC	102 S 11TH ST, BEAUMONT, TX 77702	1426
185	LPST	15 ft.	BAPTIST HOSPITAL OF SOUTHEAST TEXAS	3576 COLLEGE ST, BEAUMONT, TX 77701	1447
185	SEMSARCH	15 ft.	BAPTIST HOSPITAL - NUCLEAR MEDICINE LAB	11TH STREET @ COLLEGE, BEAUMONT, TX 77701	1451
186	LPST	16 ft.	ATTENBERY TRUCK SALES OF BEAUMONT	995 S 11TH ST, BEAUMONT, TX 77701	1452
187	LPST	15 ft.	WASHBURN AUTO SUPPLY	103 S 11TH ST, BEAUMONT, TX 77702	1454
188	APAR	15 ft.	TRANSPORT SERVICE	6355 WALDEN RD, BEAUMONT, TX 77707	1456
188	IHWCA	15 ft.	TRANSPORT SERVICE	6355 WALDEN RD, BEAUMONT, TX 77707	1457
188	LPST	15 ft.	MASON CONSTRUCTION	6285 WALDEN RD, BEAUMONT, TX 77707	1458
189	LPST	16 ft.	CARDINAL GLASS CO	15 N 11TH ST, BEAUMONT, TX 77702	1462
189	LPST	16 ft.	KINSEL LEASE	13 N 11TH ST, BEAUMONT, TX 77702	1466
191	LPST	15 ft.	TACO BELL PROPERTY	595 S 11TH ST, BEAUMONT, TX 77701	1472
204	LPST	14 ft.	TYRELL PARK DIVE-IN GROCERY	5225 FANNETT RD, BEAUMONT, TX 77705	1523
205	MSWLF	14 ft.	CITY OF BEAUMONT LANDFILL	5895 LAFIN DR, BEAUMONT, TX 77705	1528
205	MSWLF	14 ft.	CITY OF BEAUMONT LANDFILL	.5 MILES W OF TAYLORS BAYOU N OF STATE HIGHWAY 73, BEAUMONT, TX	1529

Elevation Summary

Map ID#	Database Name	Elevation	Site Name	Address	Page #
206	LPST	15 ft.	STAR MINI MART	5575 FANNETT RD, BEAUMONT, TX 77705	1530
208	LPST	15 ft.	AMERICAN VALVE	3350 HOLLYWOOD ST, BEAUMONT, TX 77701	1543
210	LPST	13 ft.	POOLE TRUCK LINE INC	5705 FANNETT RD, BEAUMONT, TX 77705	1556
213	LPST	15 ft.	AMERICAN FREIGHTWAYS INC	1020 S 8TH ST, BEAUMONT, TX 77701	1565
215	LPST	16 ft.	CITY OF BEAUMONT EMS	3558 WASHINGTON BLVD, BEAUMONT, TX 77705	1580

Facility Registry System (FRSTX)

[MAP ID# 1](#)

Distance from Property: 0 mi. (0 ft.) X
Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

REGISTRY ID: 110038416577

NAME: **CHEVRON PRODUCTS**

LOCATION ADDRESS: 50 IH10 N & CALDER
BEAUMONT, TX 77701

COUNTY: **JEFFERSON**

EPA REGION: **06**

FEDERAL FACILITY: **NOT REPORTED**

TRIBAL LAND: **NOT REPORTED**

ALTERNATIVE NAME/S:

CHEVRON PRODUCTS CO

PROGRAM/S LISTED FOR THIS FACILITY

TX-TCEQ ACR - TEXAS COMMISSION ON ENVIRONMENTAL QUALITY - AGENCY CENTRAL REGISTRY

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

4959 - SANITARY SERVICES, NOT ELSEWHERE CLASSIFIED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 1

Distance from Property: 0 mi. (0 ft.) X
Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

REGISTRY ID: 110070169751

NAME: **GULF OIL**

LOCATION ADDRESS: 50 IH 10 N CALDER, BEAUMONT, TX, 77704
NOT REPORTED, TX 77704

COUNTY: **JEFFERSON**

EPA REGION: **06**

FEDERAL FACILITY: **NOT REPORTED**

TRIBAL LAND: **NOT REPORTED**

ALTERNATIVE NAME/S:

NO ALTERNATIVE NAME(S) LISTED FOR THIS FACILITY

PROGRAM/S LISTED FOR THIS FACILITY

TX-TCEQ ACR - TEXAS COMMISSION ON ENVIRONMENTAL QUALITY - AGENCY CENTRAL REGISTRY

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 1

Distance from Property: 0 mi. (0 ft.) X

Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

GEOSEARCH ID: 091778

LPST ID: 091778

FACILITY ID: 0028593

NAME: CHEVRON 60107539

ADDRESS: 50 N IH 10

BEAUMONT, TX 77704

LEAKING TANK DETAILS

LPST ID: 091778

NAME: CHEVRON 60107539

FACILITY LOCATION: NOT REPORTED

PRIORITY CODE: 4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS

CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED

CORRECTIVE ACTION START DATE: 3/31/88

REPORTED DATE: 03/31/1988

ENTERED DATE: 03/31/1988

CLOSURE DATE: 07/02/2004

PRP INFORMATION

NAME: CHEVRON USA INC

ADDRESS: ADDRESS NOT REPORTED

HOUSTON TX 77210

CONTACT: NOT REPORTED

PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1

INSTALLATION DATE: 01/01/1983

TANK CAPACITY (GAL): 1000

STATUS: PERM FILLED IN PLACE

INTERNAL PROTECTION DATE: NOT REPORTED

TANK DESIGN SINGLE WALL: NO

PIPE DESIGN SINGLE WALL: NO

NUMBER OF COMPARTMENTS: 1

REGISTRATION DATE: 05/08/1986

EMPTY TANK: NOT EMPTY

STATUS BEGIN DATE: 01/01/1983

REGULATORY STATUS: FULLY REGULATED

TANK DESIGN DOUBLE WALL: NO

PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: NO

CORROSION PROTECTION VARIANCE: NO VARIANCE

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **70815**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1977**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **PERM FILLED IN PLACE**

STATUS BEGIN DATE: **01/01/1977**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **70814**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

Leaking Petroleum Storage Tanks (LPST)

MATERIAL: **FRP**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1983**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **PERM FILLED IN PLACE**

STATUS BEGIN DATE: **01/01/1983**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **70813**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

Leaking Petroleum Storage Tanks (LPST)

INSTALLATION DATE: **01/01/1983** REGISTRATION DATE: **05/08/1986**
TANK CAPACITY (GAL): **10000** EMPTY TANK: **NOT EMPTY**
STATUS: **PERM FILLED IN PLACE** STATUS BEGIN DATE: **01/01/1983**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **70149**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **5**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1983**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **500**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **03/01/1988**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **70816**

TANK ID: **5**

COMPARTMENT LETTER: **A**

SUBSTANCES: **UNKNOWN**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **500**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 1

Distance from Property: 0 mi. (0 ft.) X
Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

ID#: 28593
NAME: GULF OIL
ADDRESS: 50 IH 10 N CALDER
BEAUMONT, TX 77704
COUNTY: JEFFERSON
REGION: 10
TYPE: UNKNOWN
BEGIN DATE: 10/24/1986
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/08/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 04/28/1986
SIGNATURE NAME & TITLE: H J O'DONNELL, ENG
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600132484
NAME: CHEVRON USA INC
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: CORPORATION/COMPANY
BEGIN DATE: 10/24/1986
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1983	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 1000	EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: NOT REPORTED
TITLE: NOT REPORTED
ORGANIZATION: GULF OIL CORP
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (713) 7543709 0

Petroleum Storage Tanks (PST)

STATUS: **PERM FILLED IN PLACE** STATUS BEGIN DATE: **01/01/1983**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **70815**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

INSTALLATION DATE: **01/01/1977**

TANK CAPACITY (GAL): **8000**

STATUS: **PERM FILLED IN PLACE**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **05/08/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **01/01/1977**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

Petroleum Storage Tanks (PST)

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **70814**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

INSTALLATION DATE: **01/01/1983**

TANK CAPACITY (GAL): **10000**

STATUS: **PERM FILLED IN PLACE**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **05/08/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **01/01/1983**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **70813**

TANK ID: **3**

Petroleum Storage Tanks (PST)

COMPARTMENT LETTER: **A**
SUBSTANCES: **GASOLINE**
OTHER SUBSTANCES: **NOT REPORTED**
CAPACITY (GAL): **NOT REPORTED**
COMPARTMENT RELEASE DETECTION: **NOT REPORTED**
SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **FRP**
CORROSION PROTECTION: **NOT REPORTED**
EXTERNAL CONTAINMENT: **NOT REPORTED**
CONNECTORS & VALVES:
NOT REPORTED
PIPING RELEASE DETECTION:
NOT REPORTED
PIPE COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 4	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1983	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 10000	EMPTY TANK: NOT EMPTY
STATUS: PERM FILLED IN PLACE	STATUS BEGIN DATE: 01/01/1983
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
FRP
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **70149**
TANK ID: **4**
COMPARTMENT LETTER: **A**
SUBSTANCES: **GASOLINE**
OTHER SUBSTANCES: **NOT REPORTED**
CAPACITY (GAL): **NOT REPORTED**
COMPARTMENT RELEASE DETECTION: **NOT REPORTED**
SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **FRP**
CORROSION PROTECTION: **NOT REPORTED**

Petroleum Storage Tanks (PST)

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **5**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1983**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **500**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **03/01/1988**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **70816**

TANK ID: **5**

COMPARTMENT LETTER: **A**

SUBSTANCES: **UNKNOWN**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **500**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

Petroleum Storage Tanks (PST)

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Spills Listing (SPILLS)

[MAP ID# 1](#)

Distance from Property: 0 mi. (0 ft.) X
Elevation: 17 ft. (Equal to TP)

INCIDENT INFORMATION

GEOSEARCH ID: 3/31/88002

INCIDENT #: 3/31/88002

SPILL DATE: 03/31/88

SPILL LOCATION / COUNTY:

50 IH-10N @ CALDER EXIT, BEAUMONT / TX

RESPONSIBLE PARTY: **CHEVRON USA**

MATERIAL SPILLED / AMOUNT: **USED MOTOR OIL / UNKNOWN**

AFFECTED WATERWAY: **UNKNOWN**

AMOUNT IN WATER: **UNKNOWN**

BASIN: **NECHES**

COMMENTS:

NOT REPORTED

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 2

Distance from Property: 0.001 mi. (5 ft.) E
Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

GEOSEARCH ID: 111785
LPST ID: 111785
FACILITY ID: 0009336
NAME: GOLF BALL WAREHOUSE
ADDRESS: 90 IH 10 N
BEAUMONT, TX 77702

LEAKING TANK DETAILS

LPST ID: 111785
NAME: GOLF BALL WAREHOUSE
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 4.2 - NO GW IMPACT NO APPARENT THREATS OR IMPACTS TO RECEPTORS
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 12/2/96
REPORTED DATE: 12/31/3000
ENTERED DATE: 12/02/1996
CLOSURE DATE: 12/06/1996

PRP INFORMATION

NAME: STEINHAGEN OIL COMPANY INC
ADDRESS: ADDRESS NOT REPORTED
BEAUMONT TX 77720
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1973	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 4000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 12/05/1995
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
STEEL
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: NO
CORROSION PROTECTION VARIANCE: NO VARIANCE

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **31498**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1972**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **6000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **12/05/1995**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **31497**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

Leaking Petroleum Storage Tanks (LPST)

MATERIAL: **FRP**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1972**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **6000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **12/05/1995**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **31496**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

Leaking Petroleum Storage Tanks (LPST)

INSTALLATION DATE: **01/01/1972** REGISTRATION DATE: **05/08/1986**
TANK CAPACITY (GAL): **550** EMPTY TANK: **NOT EMPTY**
STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **11/12/1990**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **31499**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **550**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 2

Distance from Property: 0.001 mi. (5 ft.) E
Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

ID#: 9336
NAME: GOLF BALL WAREHOUSE
ADDRESS: 90 IH 10 N
BEAUMONT, TX 77702
COUNTY: JEFFERSON
REGION: 10

TYPE: RETAIL
BEGIN DATE: 07/16/1986
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/08/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 04/25/1986
SIGNATURE NAME & TITLE: HARVEY STEINHAGEN, PRES
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600925200
NAME: STEINHAGEN OIL COMPANY INC
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: CORPORATION/COMPANY
BEGIN DATE: 07/16/1986
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1973	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 4000	EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: NOT REPORTED
TITLE: NOT REPORTED
ORGANIZATION: GOLF BALL WAREHOUSE
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8421414 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **12/05/1995**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **31498**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

INSTALLATION DATE: **01/01/1972**

TANK CAPACITY (GAL): **6000**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **05/08/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **12/05/1995**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

Petroleum Storage Tanks (PST)

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **31497**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

INSTALLATION DATE: **01/01/1972**

TANK CAPACITY (GAL): **6000**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **05/08/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **12/05/1995**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **31496**

TANK ID: **3**

Petroleum Storage Tanks (PST)

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1972**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **550**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **11/12/1990**

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **31499**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **550**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

Petroleum Storage Tanks (PST)

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Enforcement and Compliance History Information (ECHOR06)

MAP ID# 3

Distance from Property: 0 mi. (0 ft.) X

Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

UNIQUE ID: 110005032179

REGISTRY ID: 110005032179

NAME: DOWELL SCHLUMBERGER

ADDRESS: 5155 W CARDINAL DRIVE

BEAUMONT, TX 77705

COUNTY: JEFFERSON

FACILITY LINK: [Facility Detail Report](#)

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 3

Distance from Property: 0 mi. (0 ft.) X
Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

REGISTRY ID: 110005032179

NAME: **DOWELL SCHLUMBERGER**

LOCATION ADDRESS: 5155 W CARDINAL DRIVE
BEAUMONT, TX 77705

COUNTY: **JEFFERSON**

EPA REGION: **06**

FEDERAL FACILITY: **NOT REPORTED**

TRIBAL LAND: **NOT REPORTED**

ALTERNATIVE NAME/S:

DOWELL SCHLUMBERGER

PROGRAM/S LISTED FOR THIS FACILITY

TX-TCEQ ACR - TEXAS COMMISSION ON ENVIRONMENTAL QUALITY - AGENCY CENTRAL REGISTRY

RCRAINFO - RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

213112 - SUPPORT ACTIVITIES FOR OIL AND GAS OPERATIONS.

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 3

Distance from Property: 0 mi. (0 ft.) X
Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

REGISTRATION#: 33566 EPA ID: TXD003938784
TNRCC ID #: 11048
NAME: DOWELL SCHLUMBERGER ENVIRONMENTAL
ADDRESS: 5155 W CARDINAL DR
 BEAUMONT, TX 77705

CONTACT: RONNIE RUSSELL

PHONE: 903-2956100

BUSINESS DESCRIPTION: NOT REPORTED

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: YES

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: LARGE QUANTITY GENERATOR

GENERATOR TYPE: INDUSTRIAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 04/21/2003

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

WASTE ID: 299298

WASTE CODE STATUS: NOT REPORTED

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

GENERATOR'S DESCRIPTION OF WASTE: NOT REPORTED

WASTE ID: 28261

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

GENERATOR'S DESCRIPTION OF WASTE: NOT REPORTED

WASTE ID: 28262

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

Industrial and Hazardous Waste Sites (IHW)

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **28263**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **28264**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **28265**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **28266**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **28267**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **28268**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **28269**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **28270**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

[Back to Report Summary](#)

Industrial and Hazardous Waste Corrective Action Sites (IHWCA)

MAP ID# 3

Distance from Property: 0 mi. (0 ft.) X

Elevation: 17 ft. (Equal to TP)

PROGRAM ID: 33566

RN NUMBER: RN100709740

NAME: DOWELL SCHLUMBERGER

ADDRESS: 5155 W CARDINAL DR
BEAUMONT, TX 77705

STATUS: INACTIVE

STATUS DATE: 8/18/09

PHASE: COMPLETED WORKLOAD

LOCATION DESCRIPTION:

5155 W CARDINAL DRIVE, BEAUMONT, TX

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 3

Distance from Property: 0 mi. (0 ft.) X
Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

GEOSEARCH ID: 093791
LPST ID: 093791
FACILITY ID: 0022961
NAME: DOWELL SCHLUMBERGER INC
ADDRESS: 5155 W CARDINAL DR
BEAUMONT, TX 77705

LEAKING TANK DETAILS

LPST ID: 093791
NAME: DOWELL SCHLUMBERGER INC
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 3.1 - GW IMPACT PUB/DOM WATER SUPPLY WELL W/IN .25 - .5MI
CORRECTIVE ACTION STATUS CODE: 6P - FINAL PENDING WELL PLUG
CORRECTIVE ACTION START DATE: 3/1/05
REPORTED DATE: 10/12/1989
ENTERED DATE: 10/24/1989
CLOSURE DATE: 03/01/2005

PRP INFORMATION

NAME: DOWELL SCHLUMBERGER INCORPORATED
ADDRESS: ADDRESS NOT REPORTED
HOUSTON TX 77210
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1977	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 300	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 10/09/1989
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **117286**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **AMBITROL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **300**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1977**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **300**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **10/09/1989**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **117285**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **NEW OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **300**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

Leaking Petroleum Storage Tanks (LPST)

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1977**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **300**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **10/09/1989**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **117289**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **C-3 FLUID**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **300**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

Leaking Petroleum Storage Tanks (LPST)

INSTALLATION DATE: **01/01/1977** REGISTRATION DATE: **05/08/1986**
TANK CAPACITY (GAL): **10000** EMPTY TANK: **NOT EMPTY**
STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **10/09/1989**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **117288**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **5**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1977**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **10/09/1989**

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **117287**

TANK ID: **5**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 3

Distance from Property: 0 mi. (0 ft.) X
Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

ID#: 22961
NAME: DOWELL SCHLUMBERGER
ADDRESS: 5155 W CARDINAL DR
BEAUMONT, TX 77705
COUNTY: JEFFERSON
REGION: 10

TYPE: INDUST/MFG/CHEM PLANT
BEGIN DATE: 09/23/1986
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/08/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 04/06/1986
SIGNATURE NAME & TITLE: THOMAS LUCIUS, SHP SUPRV
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN601668445
NAME: DOWELL SCHLUMBERGER INCORPORATED
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: CORPORATION/COMPANY
BEGIN DATE: 09/23/1986
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

OPERATOR NUMBER: CN601668445
NAME: DOWELL SCHLUMBERGER INCORPORATED
CONTACT ADDRESS: PO BOX 4378
HOUSTON TX 77210

TYPE: CORPORATION/COMPANY
BEGIN DATE: 09/23/1986
CONTACT ROLE: OPRCON
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED

CONTACT INFORMATION

NAME: THOMAS LUCIUS
TITLE: SHP SUPRV
ORGANIZATION: DOWELL SCHLUMBERGER
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8425420 0

Petroleum Storage Tanks (PST)

ORGANIZATION: DOWELL SCHLUMBERGER INCORPORATED

PHONE: (512) 7587694 0

FAX: NOT REPORTED

EMAIL: NOT REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1

NUMBER OF COMPARTMENTS: 1

INSTALLATION DATE: 01/01/1977

REGISTRATION DATE: 05/08/1986

TANK CAPACITY (GAL): 300

EMPTY TANK: NOT EMPTY

STATUS: REMOVED FROM GROUND

STATUS BEGIN DATE: 10/09/1989

INTERNAL PROTECTION DATE: NOT REPORTED

REGULATORY STATUS: FULLY REGULATED

TANK DESIGN SINGLE WALL: NO

TANK DESIGN DOUBLE WALL: NO

PIPE DESIGN SINGLE WALL: NO

PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: NO

CORROSION PROTECTION VARIANCE: NO VARIANCE

COMPARTMENT DETAILS

UST COMPARTMENT ID: 117286

TANK ID: 1

COMPARTMENT LETTER: A

SUBSTANCES: AMBITROL

OTHER SUBSTANCES: NOT REPORTED

CAPACITY (GAL): 300

COMPARTMENT RELEASE DETECTION: NOT REPORTED

SPILL CONTAINMENT AND OVERFILL PREVENTION: NOT REPORTED

PIPING SYSTEMS

MATERIAL: STEEL

CORROSION PROTECTION: NOT REPORTED

EXTERNAL CONTAINMENT: NOT REPORTED

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: NO

CORROSION PROTECTION VARIANCE: NO VARIANCE

Petroleum Storage Tanks (PST)

TANK ID: **2** NUMBER OF COMPARTMENTS: **1**
INSTALLATION DATE: **01/01/1977** REGISTRATION DATE: **05/08/1986**
TANK CAPACITY (GAL): **300** EMPTY TANK: **NOT EMPTY**
STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **10/09/1989**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **117285**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **NEW OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **300**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3** NUMBER OF COMPARTMENTS: **1**
INSTALLATION DATE: **01/01/1977** REGISTRATION DATE: **05/08/1986**
TANK CAPACITY (GAL): **300** EMPTY TANK: **NOT EMPTY**
STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **10/09/1989**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

Petroleum Storage Tanks (PST)

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **117289**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **C-3 FLUID**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **300**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1977**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **10/09/1989**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Petroleum Storage Tanks (PST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **117288**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **5**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1977**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **10/09/1989**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **117287**

TANK ID: **5**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

Petroleum Storage Tanks (PST)

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

MAP ID# 3

Distance from Property: 0 mi. (0 ft.) X
Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

EPA ID#: TXD003938784

NAME: DOWELL SCHLUMBERGER INCORPORATED

ADDRESS: 5155 W CARDINAL DRIVE
BEAUMONT, TX 77705

OWNER TYPE: NOT REPORTED

OWNER NAME: DOWELL SCHLUMBERGER
INCORPORATED

OPERATOR TYPE: NOT REPORTED

OPERATOR NAME: DOWELL SCHLUMBERGER
INCORPORATED

CONTACT NAME: RONNIE RUSSELL

CONTACT ADDRESS: 5155 W CARDINAL DRIVE
BEAUMONT TX 77705

CONTACT PHONE: 903-295-6100

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 02/14/2001

CERTIFICATION - NO CERTIFICATION REPORTED -

INDUSTRY CLASSIFICATION (NAICS)

213112 - SUPPORT ACTIVITIES FOR OIL AND GAS OPERATIONS

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: NON-GENERATOR LAST UPDATED DATE: 03/25/2004

SUBJECT TO CORRECTIVE ACTION UNIVERSE: NO

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: NO

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: NO

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: NO

CORRECTIVE ACTION WORKLOAD UNIVERSE: NO

IMPORTER: NO

UNDERGROUND INJECTION: NO

MIXED WASTE GENERATOR: NO

UNIVERSAL WASTE DESTINATION FACILITY: NO

RECYCLER: NO

TRANSFER FACILITY: NO

TRANSPORTER: NO

USED OIL FUEL BURNER: NO

ONSITE BURNER EXEMPTION: NO

USED OIL PROCESSOR: NO

FURNACE EXEMPTION: NO

USED OIL FUEL MARKETER TO BURNER: NO

USED OIL REFINER: NO

SPECIFICATION USED OIL MARKETER: NO

USED OIL TRANSFER FACILITY: NO

USED OIL TRANSPORTER: NO

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS

05/17/1984 CEI COMPLIANCE EVALUATION INSPECTION ON-SITE

05/17/1984 FRR FINANCIAL RECORD REVIEW

10/29/1993 NRR NON-FINANCIAL RECORD REVIEW

VIOLATIONS

10/29/1993 XXS STATE STATUTE OR REGULATION

ENFORCEMENTS

01/27/1994 141 NOT REPORTED

10/28/1994 124 NOTICE OF NONCOMPLIANCE LETTER

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

HAZARDOUS WASTE

D000

D001 IGNITABLE WASTE

D002 CORROSIVE WASTE

D003 REACTIVE WASTE

D004 ARSENIC

D005 BARIUM

D006 CADMIUM

D007 CHROMIUM

D008 LEAD

D009 MERCURY

D010 SELENIUM

D011 SILVER

F001 THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

F002 THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

U070 BENZENE, 1,2-DICHLORO-

U070 O-DICHLOROBENZENE

U122 FORMALDEHYDE

U123 FORMIC ACID (C,T)

U133 HYDRAZINE (R,T)

U134 HYDROFLUORIC ACID (C,T)

U134 HYDROGEN FLUORIDE (C,T)

U154 METHANOL (I)

U154 METHYL ALCOHOL (I)

U165 NAPHTHALENE

U219 THIOUREA

U220 BENZENE, METHYL-

U220 TOLUENE

U226 ETHANE, 1,1,1-TRICHLORO-

U226 METHYL CHLOROFORM

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

[Back to Report Summary](#)

Affected Property Assessment Reports (APAR)

MAP ID# 4

Distance from Property: 0 mi. (0 ft.) X
Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

PROGRAM ID: 30854
REFERENCE NUMBER: RN102289147
FACILITY NAME: GROENDYKE TRANSPORT
ADDRESS: 4510 WASHINGTON BLVD
BEAUMONT, TX 77707
COUNTY: ORANGE
LOCATION DESCRIPTION: 4510 WASHINGTON BLVD, BEAUMONT, TX
TYPE OF FACILITY: PROPERTY COMMERCIAL
FACILITY STATUS: ONGOING WORKLOAD
PROGRAM: IHW CORRECTIVE ACTION
PROGRAM STATUS: ACTIVE

CONTACTS

GROENDYKE TRANSPORT CO

REMEDIATIONS

NO REMEDIATION REPORTED

CATEGORY OF CONTAMINATION

DATE	CONTAMINATIONS:
06/10/03	BENZENE
06/10/03	ETHYL BENZENE
06/10/03	TOLUENE
06/10/03	XYLENE
06/10/03	VOC
06/10/03	ETHYLBENZENE

[Back to Report Summary](#)

Enforcement and Compliance History Information (ECHOR06)

MAP ID# 4

Distance from Property: 0 mi. (0 ft.) X

Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

UNIQUE ID: 110005041604

REGISTRY ID: 110005041604

NAME: GROENDYKE TRANSPORT INC

ADDRESS: 4510 WASHINGTON BLVD

BEAUMONT, TX 77707

COUNTY: JEFFERSON

FACILITY LINK: [Facility Detail Report](#)

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 4

Distance from Property: 0 mi. (0 ft.) X
Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRY ID: 110005041604

NAME: GROENDYKE TRANSPORT INC

LOCATION ADDRESS: 4510 WASHINGTON BLVD
BEAUMONT, TX 77707

COUNTY: JEFFERSON

EPA REGION: 06

FEDERAL FACILITY: NOT REPORTED

TRIBAL LAND: NOT REPORTED

ALTERNATIVE NAME/S:

GROENDYKE TRANSPORT

PROGRAM/S LISTED FOR THIS FACILITY

RCRAINFO - RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

484121 - GENERAL FREIGHT TRUCKING, LONG-DISTANCE, TRUCKLOAD.

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 4

Distance from Property: 0 mi. (0 ft.) X

Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRY ID: 110033358337

NAME: 4510 WASHINGTON

LOCATION ADDRESS: 4510 WASHINGTON BLVD
BEAUMONT, TX 77707-4426

COUNTY: JEFFERSON

EPA REGION: 06

FEDERAL FACILITY: NOT REPORTED

TRIBAL LAND: NOT REPORTED

ALTERNATIVE NAME/S:

4510 WASHINGTON

PROGRAM/S LISTED FOR THIS FACILITY

TX-TCEQ ACR - TEXAS COMMISSION ON ENVIRONMENTAL QUALITY - AGENCY CENTRAL REGISTRY

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Groundwater Contamination Cases (GWCC)

MAP ID# 4

Distance from Property: 0 mi. (0 ft.) X
Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

FILE NUMBER: 30854

FILE NAME: GROENDYKE TRANSPORT

LOCATION: 4510 WASHINGTON BLVD, BEAUMONT

COUNTY: JEFFERSON

AGENCY: TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

DIVISION: NOT REPORTED

DATE OF CONTAMINATION

CONFIRMATION BY AGENCY: 12/30/02

CONTAMINANT(S): VOCS

ENFORCEMENT STATUS: NOT REPORTED

ACTIVITY STATUS: NOT REPORTED

NEW CASE?: NO

AGENCY: TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

DIVISION: REMEDIATION DIVISION/CORRECTIVE ACTION PROGRAM (TCEQ)

DATE OF CONTAMINATION

CONFIRMATION BY AGENCY: 12/30/02

CONTAMINANT(S): VOCS

ENFORCEMENT STATUS: NOT REPORTED

ACTIVITY STATUS: NOT REPORTED

NEW CASE?: NO

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 4

Distance from Property: 0 mi. (0 ft.) X

Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRATION#: 30854 EPA ID: TXD026052498

TNRCC ID #: 8414

NAME: GROENDYKE TRANSPORT BEAUMONT

ADDRESS: 4510 WASHINGTON BLVD
BEAUMONT, TX 77707

CONTACT: CHRIS SLAYDON

PHONE: 580-2139275

BUSINESS DESCRIPTION: NOT REPORTED

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: YES

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR

GENERATOR TYPE: INDUSTRIAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 12/01/2005

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

WASTE ID: 116618

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

GENERATOR'S DESCRIPTION OF WASTE: OIL, WASTE. THIS WASTE STREAM CONSISTS OF WASTE OIL CURRENTLY
GENERATED VEHICLE

WASTE ID: 116619

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

GENERATOR'S DESCRIPTION OF WASTE: ORGANIC LIQUID, MIXED WASTESTREAMS.; DUE TO WASTE MINIMIZATION,
INGREDIENTCHANGE

WASTE ID: 116620

WASTE CODE STATUS: INACTIVE

Industrial and Hazardous Waste Sites (IHW)

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **TANK TRUCK DRAININGS AND FLUSHINGS.**

WASTE ID: **137377**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **SAFETY KLEEN PARTS CLEANING SOLVENT; DUE TO WASTE MINIMIZATION, INGREDIENTCHANGE**

WASTE ID: **163493**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **GENERAL PLANT TRASH; DUE TO WASTE MINIMIZATION, INGREDIENT CHANGES OR PROCESS CH**

WASTE ID: **173490**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **THIS WASTE IS GENERATED AS A RESULT OF EXTERIOR TANK TRUCK WASHING.**

LAB ANALYSIS

WASTE ID: **195555**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **CONCRETE AND OILY DIRT; DUE TO WASTE MINIMIZATION, INGREDIENT CHANGES OR PROCESS**

WASTE ID: **195873**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **CONCRETE AND OILY DIRT (CLASS II); DUE TO WASTE MINIMIZATION, INGREDIENT CHANGES**

WASTE ID: **196203**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **SLUDGE GENERATED FROM CLASS 1 NONHAZARDOUS WASHWATER.; DUE TO WASTE MINIMIZATION**

WASTE ID: **293212**

WASTE CODE STATUS: **NOT REPORTED**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **13951**

Industrial and Hazardous Waste Sites (IHW)

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **13952**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **13953**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

[Back to Report Summary](#)

Industrial and Hazardous Waste Corrective Action Sites (IHWCA)

MAP ID# 4

Distance from Property: 0 mi. (0 ft.) X

Elevation: 16 ft. (Lower than TP)

PROGRAM ID: 30854

RN NUMBER: RN102289147

NAME: GROENDYKE TRANSPORT

ADDRESS: 4510 WASHINGTON BLVD
BEAUMONT, TX 77707

STATUS: ACTIVE

STATUS DATE: 1/8/03

PHASE: ONGOING WORKLOAD

LOCATION DESCRIPTION:

4510 WASHINGTON BLVD, BEAUMONT, TX

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 4

Distance from Property: 0 mi. (0 ft.) X
Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

GEOSEARCH ID: 095289
LPST ID: 095289
FACILITY ID: 0007732
NAME: GROENDYKE TRANSPORT INC
ADDRESS: 4510 WASHINGTON BLVD
BEAUMONT, TX 77707

LEAKING TANK DETAILS

LPST ID: 095289
NAME: GROENDYKE TRANSPORT INC
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 4A - SOIL CONTAMINATION ONLY REQUIRES FULL SITE ASSESSMENT RAP
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 4/25/90
REPORTED DATE: 03/16/1990
ENTERED DATE: 04/25/1990
CLOSURE DATE: 02/01/1990

PRP INFORMATION

NAME: GROENDYKE TRANSPORT INC
ADDRESS: ADDRESS NOT REPORTED
BEAUMONT TX 77707
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1974	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 6000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 03/16/1990
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
STEEL
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **124655**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 4

Distance from Property: 0 mi. (0 ft.) X
Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

ID#: 7732
NAME: GROENDYKE TRANSPORT
ADDRESS: 4510 WASHINGTON BLVD
BEAUMONT, TX 77707
COUNTY: JEFFERSON
REGION: 10
TYPE: FLEET REFUELING
BEGIN DATE: 09/01/1990
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/08/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 05/06/1986
SIGNATURE NAME & TITLE: A B KNIGHT, VICE PRESIDENT
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN601112444
NAME: L & G INC
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: CORPORATION/COMPANY
BEGIN DATE: 09/01/1990
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1974	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 6000	EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: TERRY BAIN
TITLE: NOT REPORTED
ORGANIZATION: GROENDYKE TRANSPORT
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (405) 2344663 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **03/16/1990**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **124655**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 4

Distance from Property: 0 mi. (0 ft.) X
Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

ID#: 7733
NAME: GROENDYKE TRANSPORT
ADDRESS: 4510 WASHINGTON BLVD
BEAUMONT, TX 77707
COUNTY: JEFFERSON
REGION: 10
TYPE: FLEET REFUELING
BEGIN DATE: 07/09/1986
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/08/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 05/06/1986
SIGNATURE NAME & TITLE: A B KNIGHT, VICE PRESIDENT
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN601003460
NAME: SUE A DE CORDOVA TRUST
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: ORGANIZATION
BEGIN DATE: 07/09/1986
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1968	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 10000	EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: NOT REPORTED
TITLE: NOT REPORTED
ORGANIZATION: GROENDYKE TRANSPORT
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8423926 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **03/16/1990**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **37405**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Corrective Action Facilities (RCRAC)

MAP ID# 4

Distance from Property: 0 mi. (0 ft.) X
Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

EPA ID#: TXD026052498

NAME: GROENDYKE TRANSPORT INC

ADDRESS: 4510 WASHINGTON BLVD
BEAUMONT, TX 77707

CONTACT NAME: CHRIS SLAYDON

CONTACT ADDRESS: PO BOX 1078
CHANNELVIEW TX 77530

CONTACT PHONE: 580-213-9275

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 11/29/2005

OWNER TYPE: PRIVATE

OWNER NAME: GROENDYKE TRANSPORT INC

OPERATOR TYPE: PRIVATE

OPERATOR NAME: GROENDYKE TRANSPORT INC

CERTIFICATION

CERTIFICATION NAME:

CERTIFICATION TITLE:

CERTIFICATION SIGNED DATE:

CHRIS SLAYDON

UNKNOWN

11/29/2005

INDUSTRY CLASSIFICATION (NAICS)

484121 - GENERAL FREIGHT TRUCKING, LONG-DISTANCE, TRUCKLOAD

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: **NON-GENERATOR** LAST UPDATED DATE: 12/06/2005

SUBJECT TO CORRECTIVE ACTION UNIVERSE: **YES**

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: **NO**

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: **YES**

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: **NO**

CORRECTIVE ACTION WORKLOAD UNIVERSE: **NO**

IMPORTER: **NO**

UNDERGROUND INJECTION: **NO**

MIXED WASTE GENERATOR: **NO**

UNIVERSAL WASTE DESTINATION FACILITY: **NO**

RECYCLER: **NO**

TRANSFER FACILITY: **NO**

TRANSPORTER: **NO**

USED OIL FUEL BURNER: **NO**

ONSITE BURNER EXEMPTION: **NO**

USED OIL PROCESSOR: **NO**

FURNACE EXEMPTION: **NO**

USED OIL FUEL MARKETER TO BURNER: **NO**

USED OIL REFINER: **NO**

SPECIFICATION USED OIL MARKETER: **NO**

USED OIL TRANSFER FACILITY: **NO**

USED OIL TRANSPORTER: **NO**

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS

05/17/1984 CEI COMPLIANCE EVALUATION INSPECTION ON-SITE

05/17/1984 FRR FINANCIAL RECORD REVIEW

08/07/1997 CEI COMPLIANCE EVALUATION INSPECTION ON-SITE

11/16/1997 NRR NON-FINANCIAL RECORD REVIEW

VIOLATIONS

08/07/1997 XXS STATE STATUTE OR REGULATION

ENFORCEMENTS

08/14/1997 120 WRITTEN INFORMAL

Resource Conservation & Recovery Act - Corrective Action Facilities (RCRAC)

HAZARDOUS WASTE

D000

D001 **IGNITABLE WASTE**

D018 **BENZENE**

D039 **TETRACHLOROETHYLENE**

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA (RELEASE)

AREA NAME:	AIR:	GROUNDWATER:	SOIL:	SURFACE WASTE:
ENTIRE FACILITY	----	----	----	----

CORRECTIVE ACTION EVENT

CA EVENT CODE: **CA075LO**

EVENT DESCRIPTION: **CA PRIORITIZATION-LOW CA PRIORITY**

EVENT SEQUENCE NUMBER: **1**

EVENT RESPONSIBLE AGENCY: **EPA**

ACTUAL DATE OF EVENT: **09/11/1998**

ORIGINAL SCHEDULE DATE OF EVENT: **NOT REPORTED**

NEW SCHEDULE DATE OF EVENT: **NOT REPORTED**

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

MAP ID# 4

Distance from Property: 0 mi. (0 ft.) X
Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

EPA ID#: TXD026052498

NAME: GROENDYKE TRANSPORT INC

ADDRESS: 4510 WASHINGTON BLVD

BEAUMONT, TX 77707

CONTACT NAME: CHRIS SLAYDON

CONTACT ADDRESS: PO BOX 1078

CHANNELVIEW TX 77530

CONTACT PHONE: 580-213-9275

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 11/29/2005

OWNER TYPE: PRIVATE

OWNER NAME: GROENDYKE TRANSPORT INC

OPERATOR TYPE: PRIVATE

OPERATOR NAME: GROENDYKE TRANSPORT INC

CERTIFICATION

CERTIFICATION NAME:

CERTIFICATION TITLE:

CERTIFICATION SIGNED DATE:

CHRIS SLAYDON

UNKNOWN

11/29/2005

INDUSTRY CLASSIFICATION (NAICS)

484121 - GENERAL FREIGHT TRUCKING, LONG-DISTANCE, TRUCKLOAD

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: **NON-GENERATOR** LAST UPDATED DATE: **12/06/2005**

SUBJECT TO CORRECTIVE ACTION UNIVERSE: **YES**

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: **NO**

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: **YES**

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: **NO**

CORRECTIVE ACTION WORKLOAD UNIVERSE: **NO**

IMPORTER: **NO**

UNDERGROUND INJECTION: **NO**

MIXED WASTE GENERATOR: **NO**

UNIVERSAL WASTE DESTINATION FACILITY: **NO**

RECYCLER: **NO**

TRANSFER FACILITY: **NO**

TRANSPORTER: **NO**

USED OIL FUEL BURNER: **NO**

ONSITE BURNER EXEMPTION: **NO**

USED OIL PROCESSOR: **NO**

FURNACE EXEMPTION: **NO**

USED OIL FUEL MARKETER TO BURNER: **NO**

USED OIL REFINER: **NO**

SPECIFICATION USED OIL MARKETER: **NO**

USED OIL TRANSFER FACILITY: **NO**

USED OIL TRANSPORTER: **NO**

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS

05/17/1984 CEI COMPLIANCE EVALUATION INSPECTION ON-SITE

05/17/1984 FRR FINANCIAL RECORD REVIEW

08/07/1997 CEI COMPLIANCE EVALUATION INSPECTION ON-SITE

11/16/1997 NRR NON-FINANCIAL RECORD REVIEW

VIOLATIONS

08/07/1997 XXS STATE STATUTE OR REGULATION

ENFORCEMENTS

08/14/1997 120 WRITTEN INFORMAL

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

HAZARDOUS WASTE

D000

D001 **IGNITABLE WASTE**

D018 **BENZENE**

D039 **TETRACHLOROETHYLENE**

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA (RELEASE)

AREA NAME:	AIR:	GROUNDWATER:	SOIL:	SURFACE WASTE:
ENTIRE FACILITY	----	----	----	----

CORRECTIVE ACTION EVENT

CA EVENT CODE: **CA075LO**

EVENT DESCRIPTION: **CA PRIORITIZATION-LOW CA PRIORITY**

EVENT SEQUENCE NUMBER: **1**

EVENT RESPONSIBLE AGENCY: **EPA**

ACTUAL DATE OF EVENT: **09/11/1998**

ORIGINAL SCHEDULE DATE OF EVENT: **NOT REPORTED**

NEW SCHEDULE DATE OF EVENT: **NOT REPORTED**

[Back to Report Summary](#)

**Resource Conservation & Recovery Act - Subject to Corrective Action
Facilities (RCRASUBC)**

MAP ID# 4

Distance from Property: 0 mi. (0 ft.) X
Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

EPA ID#: TXD026052498

NAME: GROENDYKE TRANSPORT INC

ADDRESS: 4510 WASHINGTON BLVD
BEAUMONT, TX 77707

CONTACT NAME: CHRIS SLAYDON

CONTACT ADDRESS: PO BOX 1078
CHANNELVIEW TX 77530

CONTACT PHONE: 580-213-9275

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 11/29/2005

OWNER TYPE: PRIVATE

OWNER NAME: GROENDYKE TRANSPORT INC

OPERATOR TYPE: PRIVATE

OPERATOR NAME: GROENDYKE TRANSPORT INC

CERTIFICATION

CERTIFICATION NAME:

CERTIFICATION TITLE:

CERTIFICATION SIGNED DATE:

CHRIS SLAYDON

UNKNOWN

11/29/2005

INDUSTRY CLASSIFICATION (NAICS)

484121 - GENERAL FREIGHT TRUCKING, LONG-DISTANCE, TRUCKLOAD

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: **NON-GENERATOR** LAST UPDATED DATE: 12/06/2005

SUBJECT TO CORRECTIVE ACTION UNIVERSE: **YES**

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: **NO**

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: **YES**

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: **NO**

CORRECTIVE ACTION WORKLOAD UNIVERSE: **NO**

IMPORTER: **NO**

UNDERGROUND INJECTION: **NO**

MIXED WASTE GENERATOR: **NO**

UNIVERSAL WASTE DESTINATION FACILITY: **NO**

RECYCLER: **NO**

TRANSFER FACILITY: **NO**

TRANSPORTER: **NO**

USED OIL FUEL BURNER: **NO**

ONSITE BURNER EXEMPTION: **NO**

USED OIL PROCESSOR: **NO**

FURNACE EXEMPTION: **NO**

USED OIL FUEL MARKETER TO BURNER: **NO**

USED OIL REFINER: **NO**

SPECIFICATION USED OIL MARKETER: **NO**

USED OIL TRANSFER FACILITY: **NO**

USED OIL TRANSPORTER: **NO**

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS

05/17/1984 CEI COMPLIANCE EVALUATION INSPECTION ON-SITE

05/17/1984 FRR FINANCIAL RECORD REVIEW

08/07/1997 CEI COMPLIANCE EVALUATION INSPECTION ON-SITE

11/16/1997 NRR NON-FINANCIAL RECORD REVIEW

VIOLATIONS

08/07/1997 XXS STATE STATUTE OR REGULATION

ENFORCEMENTS

08/14/1997 120 WRITTEN INFORMAL

**Resource Conservation & Recovery Act - Subject to Corrective Action
Facilities (RCRASUBC)**

HAZARDOUS WASTE

D000

D001 IGNITABLE WASTE

D018 BENZENE

D039 TETRACHLOROETHYLENE

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA (RELEASE)

AREA NAME:	AIR:	GROUNDWATER:	SOIL:	SURFACE WASTE:
ENTIRE FACILITY	----	----	----	----

CORRECTIVE ACTION EVENT

CA EVENT CODE: **CA075LO**

EVENT DESCRIPTION: **CA PRIORITIZATION-LOW CA PRIORITY**

EVENT SEQUENCE NUMBER: **1**

EVENT RESPONSIBLE AGENCY: **EPA**

ACTUAL DATE OF EVENT: **09/11/1998**

ORIGINAL SCHEDULE DATE OF EVENT: **NOT REPORTED**

NEW SCHEDULE DATE OF EVENT: **NOT REPORTED**

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Non-CORRACTS Treatment, Storage & Disposal Facilities (RCRAT)

MAP ID# 4

Distance from Property: 0 mi. (0 ft.) X
Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

EPA ID#: TXD026052498

NAME: GROENDYKE TRANSPORT INC

ADDRESS: 4510 WASHINGTON BLVD
BEAUMONT, TX 77707

CONTACT NAME: CHRIS SLAYDON

CONTACT ADDRESS: PO BOX 1078
CHANNELVIEW TX 77530

CONTACT PHONE: 580-213-9275

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 11/29/2005

OWNER TYPE: PRIVATE

OWNER NAME: GROENDYKE TRANSPORT INC

OPERATOR TYPE: PRIVATE

OPERATOR NAME: GROENDYKE TRANSPORT INC

CERTIFICATION

CERTIFICATION NAME:

CERTIFICATION TITLE:

CERTIFICATION SIGNED DATE:

CHRIS SLAYDON

UNKNOWN

11/29/2005

INDUSTRY CLASSIFICATION (NAICS)

484121 - GENERAL FREIGHT TRUCKING, LONG-DISTANCE, TRUCKLOAD

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: **NON-GENERATOR** LAST UPDATED DATE: **12/06/2005**

SUBJECT TO CORRECTIVE ACTION UNIVERSE: **YES**

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: **NO**

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: **YES**

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: **NO**

CORRECTIVE ACTION WORKLOAD UNIVERSE: **NO**

IMPORTER: **NO**

UNDERGROUND INJECTION: **NO**

MIXED WASTE GENERATOR: **NO**

UNIVERSAL WASTE DESTINATION FACILITY: **NO**

RECYCLER: **NO**

TRANSFER FACILITY: **NO**

TRANSPORTER: **NO**

USED OIL FUEL BURNER: **NO**

ONSITE BURNER EXEMPTION: **NO**

USED OIL PROCESSOR: **NO**

FURNACE EXEMPTION: **NO**

USED OIL FUEL MARKETER TO BURNER: **NO**

USED OIL REFINER: **NO**

SPECIFICATION USED OIL MARKETER: **NO**

USED OIL TRANSFER FACILITY: **NO**

USED OIL TRANSPORTER: **NO**

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS

05/17/1984 CEI COMPLIANCE EVALUATION INSPECTION ON-SITE

05/17/1984 FRR FINANCIAL RECORD REVIEW

08/07/1997 CEI COMPLIANCE EVALUATION INSPECTION ON-SITE

11/16/1997 NRR NON-FINANCIAL RECORD REVIEW

VIOLATIONS

08/07/1997 XXS STATE STATUTE OR REGULATION

ENFORCEMENTS

08/14/1997 120 WRITTEN INFORMAL

**Resource Conservation & Recovery Act - Non-CORRACTS Treatment,
Storage & Disposal Facilities (RCRAT)**

HAZARDOUS WASTE

D000

D001 IGNITABLE WASTE

D018 BENZENE

D039 TETRACHLOROETHYLENE

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA (RELEASE)

AREA NAME:	AIR:	GROUNDWATER:	SOIL:	SURFACE WASTE:
ENTIRE FACILITY	----	----	----	----

CORRECTIVE ACTION EVENT

CA EVENT CODE: **CA075LO**

EVENT DESCRIPTION: **CA PRIORITIZATION-LOW CA PRIORITY**

EVENT SEQUENCE NUMBER: **1**

EVENT RESPONSIBLE AGENCY: **EPA**

ACTUAL DATE OF EVENT: **09/11/1998**

ORIGINAL SCHEDULE DATE OF EVENT: **NOT REPORTED**

NEW SCHEDULE DATE OF EVENT: **NOT REPORTED**

[Back to Report Summary](#)

Enforcement and Compliance History Information (ECHOR06)

[MAP ID# 5](#)

Distance from Property: 0 mi. (0 ft.) X

Elevation: 13 ft. (Lower than TP)

FACILITY INFORMATION

UNIQUE ID: 110008150231

REGISTRY ID: 110008150231

NAME: BORDEN DAIRY PRODUCTS INC

ADDRESS: 650 IH 10 S

BEAUMONT, TX 77707

COUNTY: JEFFERSON

FACILITY LINK: [Facility Detail Report](#)

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 5

Distance from Property: 0 mi. (0 ft.) X
Elevation: 13 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRY ID: 110008150231

NAME: **BORDEN DAIRY PRODUCTS INC**

LOCATION ADDRESS: **650 IH 10 S**
BEAUMONT, TX 77707

COUNTY: **JEFFERSON**

EPA REGION: **06**

FEDERAL FACILITY: **NOT REPORTED**

TRIBAL LAND: **NOT REPORTED**

ALTERNATIVE NAME/S:

BORDEN DAIRY & SVCS

PROGRAM/S LISTED FOR THIS FACILITY

RCRAINFO - RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

31152 - ICE CREAM AND FROZEN DESSERT MANUFACTURING

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 5

Distance from Property: 0 mi. (0 ft.) X

Elevation: 13 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRATION#: 32736 EPA ID: TXD093569499

TNRCC ID #: 10268

NAME: BORDEN DAIRY PRODUCTS

ADDRESS: 650 IH 10 S

BEAUMONT, TX 77707

CONTACT: JOE M SELF

PHONE: 409-8421234

BUSINESS DESCRIPTION: THIS REGISTRATION WAS INACTIVATED BECAUSE THERE WERE ONLY 6-DIGIT WASTE CODES ON THE NOR AND NO WASTE ACTIVITY WAS REPORTED IN 1994, 1995 AND 1996.

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: NOT A HW GENERATOR

GENERATOR TYPE: NOT REPORTED

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 03/31/2003

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

WASTE ID: 26766

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: YES

GENERATOR'S DESCRIPTION OF WASTE: NOT REPORTED

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 5

Distance from Property: 0 mi. (0 ft.) X
Elevation: 13 ft. (Lower than TP)

FACILITY INFORMATION

GEOSEARCH ID: 097877
LPST ID: 097877
FACILITY ID: 0031208
NAME: BORDEN INC DAIRY
ADDRESS: 650 IH 10 S
BEAUMONT, TX 77707

LEAKING TANK DETAILS

LPST ID: 097877
NAME: BORDEN INC DAIRY
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 4A - SOIL CONTAMINATION ONLY REQUIRES FULL SITE ASSESSMENT RAP
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 1/31/91
REPORTED DATE: 01/22/1991
ENTERED DATE: 01/31/1991
CLOSURE DATE: 07/30/1991

PRP INFORMATION

NAME: BORDEN INC
ADDRESS: ADDRESS NOT REPORTED
BEAUMONT TX 77705
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1978	REGISTRATION DATE: 05/12/1986
TANK CAPACITY (GAL): 8000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 01/22/1991
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
FRP
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: NO
CORROSION PROTECTION VARIANCE: NO VARIANCE

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **80808**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1983**

REGISTRATION DATE: **05/12/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **01/22/1991**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **80807**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

Leaking Petroleum Storage Tanks (LPST)

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1983**

REGISTRATION DATE: **05/12/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **01/22/1991**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **80809**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

Leaking Petroleum Storage Tanks (LPST)

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 5

Distance from Property: 0 mi. (0 ft.) X
Elevation: 13 ft. (Lower than TP)

FACILITY INFORMATION

GEOSEARCH ID: 117586
LPST ID: 117586
FACILITY ID: NOT REPORTED
NAME: GHOST TANK
ADDRESS: 650 IH 10
BEAUMONT, TX 77707

LEAKING TANK DETAILS

LPST ID: 117586
NAME: GHOST TANK
FACILITY LOCATION: 650 IH 10
PRIORITY CODE: 4.1 - GROUNDWATER IMPACTED, NO APPARENT THREATS OR IMPACTS TO RECEPTORS
CORRECTIVE ACTION STATUS CODE: 1 - PREASSESSMENT / RELEASE DETERMINATION
CORRECTIVE ACTION START DATE: NOT REPORTED
REPORTED DATE: 12/08/04
ENTERED DATE: 02/15/08
CLOSURE DATE: NOT REPORTED

PRP INFORMATION

NAME: UNKNOWN
ADDRESS: ADDRESS NOT REPORTED
CITY NOT REPORTED
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

NO UNDERGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 5

Distance from Property: 0 mi. (0 ft.) X
Elevation: 13 ft. (Lower than TP)

FACILITY INFORMATION

ID#: 31208
NAME: BORDEN DAIRY
ADDRESS: 650 IH 10 S
BEAUMONT, TX 77707
COUNTY: JEFFERSON
REGION: 10
TYPE: UNKNOWN
BEGIN DATE: 11/10/1986
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/12/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 05/07/1986
SIGNATURE NAME & TITLE: THOMAS HEATON, ENVIRON SPECIALIST
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600415632
NAME: BORDENS DAIRY PRODUCTS INC
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: ORGANIZATION
BEGIN DATE: 11/10/1986
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

OPERATOR NUMBER: CN600415632
NAME: BORDENS DAIRY PRODUCTS INC
CONTACT ADDRESS: PO BOX 447
SULPHUR SPRINGS TX 75483

TYPE: ORGANIZATION
BEGIN DATE: 11/10/1986
CONTACT ROLE: OPRCON
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED

CONTACT INFORMATION

NAME: ROY LANDS
TITLE: REP
ORGANIZATION: BORDEN DAIRY
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 2464653 0

Petroleum Storage Tanks (PST)

ORGANIZATION: **BORDENS DAIRY PRODUCTS INC**

PHONE: **(905) 8857573 0**

FAX: **NOT REPORTED**

EMAIL: **NOT REPORTED**

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: **1**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1978**

REGISTRATION DATE: **05/12/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **01/22/1991**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **80808**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Petroleum Storage Tanks (PST)

TANK ID: 2
INSTALLATION DATE: 01/01/1983
TANK CAPACITY (GAL): 8000
STATUS: **REMOVED FROM GROUND**
INTERNAL PROTECTION DATE: **NOT REPORTED**
TANK DESIGN SINGLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: 1
REGISTRATION DATE: 05/12/1986
EMPTY TANK: **NOT EMPTY**
STATUS BEGIN DATE: 01/22/1991
REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: 80807

TANK ID: 2

COMPARTMENT LETTER: A

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): 8000

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 3
INSTALLATION DATE: 01/01/1983
TANK CAPACITY (GAL): 8000
STATUS: **REMOVED FROM GROUND**
INTERNAL PROTECTION DATE: **NOT REPORTED**
TANK DESIGN SINGLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: 1
REGISTRATION DATE: 05/12/1986
EMPTY TANK: **NOT EMPTY**
STATUS BEGIN DATE: 01/22/1991
REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

Petroleum Storage Tanks (PST)

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **80809**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

MAP ID# 5

Distance from Property: 0 mi. (0 ft.) X
Elevation: 13 ft. (Lower than TP)

FACILITY INFORMATION

EPA ID#: TXD093569499

NAME: BORDEN DAIRY PRODUCTS INC

ADDRESS: 650 IH 10 S

BEAUMONT, TX 77707

CONTACT NAME: JOE M SELF

CONTACT ADDRESS: PO BOX 630

BEAUMONT TX 77704

CONTACT PHONE: 409-842-1234

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 02/14/2001

CERTIFICATION - NO CERTIFICATION REPORTED -

INDUSTRY CLASSIFICATION (NAICS)

31152 - ICE CREAM AND FROZEN DESSERT MANUFACTURING

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: **NON-GENERATOR** LAST UPDATED DATE: 03/25/2004

SUBJECT TO CORRECTIVE ACTION UNIVERSE: **NO**

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: **NO**

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: **NO**

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: **NO**

CORRECTIVE ACTION WORKLOAD UNIVERSE: **NO**

IMPORTER: **NO**

UNDERGROUND INJECTION: **NO**

MIXED WASTE GENERATOR: **NO**

UNIVERSAL WASTE DESTINATION FACILITY: **NO**

RECYCLER: **NO**

TRANSFER FACILITY: **NO**

TRANSPORTER: **NO**

USED OIL FUEL BURNER: **NO**

ONSITE BURNER EXEMPTION: **NO**

USED OIL PROCESSOR: **NO**

FURNACE EXEMPTION: **NO**

USED OIL FUEL MARKETER TO BURNER: **NO**

USED OIL REFINER: **NO**

SPECIFICATION USED OIL MARKETER: **NO**

USED OIL TRANSFER FACILITY: **NO**

USED OIL TRANSPORTER: **NO**

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS - NO EVALUATIONS REPORTED -

VIOLATIONS - NO VIOLATIONS REPORTED -

ENFORCEMENTS - NO ENFORCEMENTS REPORTED -

HAZARDOUS WASTE

D002 CORROSIVE WASTE

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

[Back to Report Summary](#)

Enforcement and Compliance History Information (ECHOR06)

MAP ID# 6

Distance from Property: 0 mi. (0 ft.) X
Elevation: 20 ft. (Higher than TP)

FACILITY INFORMATION

UNIQUE ID: 110005051497

REGISTRY ID: 110005051497

NAME: CHEVYLAND

ADDRESS: 1000 INTERSTATE 10 N
BEAUMONT, TX 77702

COUNTY: JEFFERSON

FACILITY LINK: [Facility Detail Report](#)

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 6

Distance from Property: 0 mi. (0 ft.) X

Elevation: 20 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRY ID: 110005051497

NAME: CHEVYLAND

LOCATION ADDRESS: 1000 INTERSTATE 10 N
BEAUMONT, TX 77702-1003

COUNTY: JEFFERSON

EPA REGION: 06

FEDERAL FACILITY: NOT REPORTED

TRIBAL LAND: NOT REPORTED

ALTERNATIVE NAME/S:

CHEVYLAND

PROGRAM/S LISTED FOR THIS FACILITY

RCRAINFO - RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

811118 - OTHER AUTOMOTIVE MECHANICAL AND ELECTRICAL REPAIR AND MAINTENANCE.

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 6

Distance from Property: 0 mi. (0 ft.) X
Elevation: 20 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRY ID: 110034654693

NAME: CHEVYLAND TRANSMISSION SERVICE CENTER

LOCATION ADDRESS: 1050 INTERSTATE 10 N
BEAUMONT, TX 77702-1003

COUNTY: JEFFERSON

EPA REGION: 06

FEDERAL FACILITY: NOT REPORTED

TRIBAL LAND: NOT REPORTED

ALTERNATIVE NAME/S:

CHEVYLAND TRANSMISSION SERVICE CENTER

PROGRAM/S LISTED FOR THIS FACILITY

TX-TCEQ ACR - TEXAS COMMISSION ON ENVIRONMENTAL QUALITY - AGENCY CENTRAL REGISTRY

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 6

Distance from Property: 0 mi. (0 ft.) X
Elevation: 20 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRY ID: 110070168296

NAME: **BEAUMONT MOTOR**

LOCATION ADDRESS: 1000 IH 10 N
BEAUMONT, TX 77702-1003

COUNTY: **JEFFERSON**

EPA REGION: **06**

FEDERAL FACILITY: **NOT REPORTED**

TRIBAL LAND: **NOT REPORTED**

ALTERNATIVE NAME/S:

NO ALTERNATIVE NAME(S) LISTED FOR THIS FACILITY

PROGRAM/S LISTED FOR THIS FACILITY

TX-TCEQ ACR - TEXAS COMMISSION ON ENVIRONMENTAL QUALITY - AGENCY CENTRAL REGISTRY

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

811118 - OTHER AUTOMOTIVE MECHANICAL AND ELECTRICAL REPAIR AND MAINTENANCE.

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 6

Distance from Property: 0 mi. (0 ft.) X
Elevation: 20 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRATION#: 70159 EPA ID: TXD051870335

TNRCC ID #: 24995

NAME: CHEVYLAND

ADDRESS: 1000 INTERSTATE 10 N
BEAUMONT, TX 77702

CONTACT: BARBARA D PECKHAM

PHONE: 409-8925050

BUSINESS DESCRIPTION: NOT REPORTED

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: SMALL QUANTITY GENERATOR

GENERATOR TYPE: NON-INDUSTRIAL AND/OR MUNICIPAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 07/14/2017

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

WASTE ID: 100562

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: YES

GENERATOR'S DESCRIPTION OF WASTE: NAPHTHA SOLVENT

WASTE ID: 100560

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: YES

GENERATOR'S DESCRIPTION OF WASTE: CARBURETOR CLEANER

WASTE ID: 134320

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: YES

Industrial and Hazardous Waste Sites (IHW)

GENERATOR'S DESCRIPTION OF WASTE: **NON-CHLORINATED CARB CLEANER/6-6-95**

WASTE ID: **50364**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **50365**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **50366**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 6

Distance from Property: 0 mi. (0 ft.) X
Elevation: 20 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 097634
LPST ID: 097634
FACILITY ID: 0015944
NAME: CHEVYLAND
ADDRESS: 1000 INTERSTATE 10 N
BEAUMONT, TX 77702

LEAKING TANK DETAILS

LPST ID: 097634
NAME: CHEVYLAND
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 4A - SOIL CONTAMINATION ONLY REQUIRES FULL SITE ASSESSMENT RAP
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 1/4/91
REPORTED DATE: 12/13/1990
ENTERED DATE: 01/04/1991
CLOSURE DATE: 02/22/1991

PRP INFORMATION

NAME: BEAUMONT MOTOR CO
ADDRESS: ADDRESS NOT REPORTED
BEAUMONT TX 77706
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 08/31/1987	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): NOT REPORTED	EMPTY TANK: NOT EMPTY
STATUS: PERM FILLED IN PLACE	STATUS BEGIN DATE: 08/31/1987
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: NO

CORROSION PROTECTION VARIANCE: NO VARIANCE

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **41532**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/31/1987**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **500**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **12/13/1990**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **41531**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **500**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

Leaking Petroleum Storage Tanks (LPST)

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/31/1987**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **NOT REPORTED**

EMPTY TANK: **NOT EMPTY**

STATUS: **PERM FILLED IN PLACE**

STATUS BEGIN DATE: **08/31/1987**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **41533**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

Leaking Petroleum Storage Tanks (LPST)

INSTALLATION DATE: **08/31/1987** REGISTRATION DATE: **05/08/1986**
TANK CAPACITY (GAL): **9999** EMPTY TANK: **NOT EMPTY**
STATUS: **PERM FILLED IN PLACE** STATUS BEGIN DATE: **08/31/1987**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **41534**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **UNKNOWN**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 6

Distance from Property: 0 mi. (0 ft.) X
Elevation: 20 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 15944
NAME: BEAUMONT MOTOR
ADDRESS: 1000 INTERSTATE 10 N
BEAUMONT, TX 77702
COUNTY: JEFFERSON
REGION: 10
TYPE: UNKNOWN
BEGIN DATE: 08/21/1986
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/08/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 04/18/1986
SIGNATURE NAME & TITLE: SUE S DRIVER, ASST. CONTROLLER
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600950570
NAME: BEAUMONT MOTOR CO
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: ORGANIZATION
BEGIN DATE: 08/21/1986
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 08/31/1987	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): NOT REPORTED	EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: NOT REPORTED
TITLE: NOT REPORTED
ORGANIZATION: BEAUMONT MOTOR
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8925050 0

Petroleum Storage Tanks (PST)

STATUS: **PERM FILLED IN PLACE** STATUS BEGIN DATE: **08/31/1987**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **41532**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/31/1987**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **500**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **12/13/1990**

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

Petroleum Storage Tanks (PST)

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **41531**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **500**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

INSTALLATION DATE: **08/31/1987**

TANK CAPACITY (GAL): **NOT REPORTED**

STATUS: **PERM FILLED IN PLACE**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **05/08/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **08/31/1987**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **41533**

TANK ID: **3**

Petroleum Storage Tanks (PST)

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/31/1987**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **9999**

EMPTY TANK: **NOT EMPTY**

STATUS: **PERM FILLED IN PLACE**

STATUS BEGIN DATE: **08/31/1987**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **41534**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **UNKNOWN**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

Petroleum Storage Tanks (PST)

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 6

Distance from Property: 0 mi. (0 ft.) X
Elevation: 20 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 38280
NAME: BEAUMONT MOTOR
ADDRESS: 1000 IH 10 N
BEAUMONT, TX 77702
COUNTY: JEFFERSON
REGION: 10
TYPE: UNKNOWN
BEGIN DATE: 01/07/1987
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/08/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 05/06/1986
SIGNATURE NAME & TITLE: H RICHARDS, OFFICE. MGR.
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600948889
NAME: JERRY PORTER OIL COMPANY
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: ORGANIZATION
BEGIN DATE: 01/07/1987
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1982	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 4000	EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: H RICHARDS
TITLE: OFFICE MGR
ORGANIZATION: BEAUMONT MOTOR
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8686424 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **05/08/1997**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **49231**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

MAP ID# 6

Distance from Property: 0 mi. (0 ft.) X
Elevation: 20 ft. (Higher than TP)

FACILITY INFORMATION

EPA ID#: TXD051870335

NAME: CHEVYLAND

ADDRESS: 1000 INTERSTATE 10 N

BEAUMONT, TX 77702-1003

CONTACT NAME: BARBARA PECKHAM

CONTACT ADDRESS: 3855 EASTEX FWY

BEAUMONT TX 77706-7531

CONTACT PHONE: 409-892-5050

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 07/05/2017

OWNER TYPE: PRIVATE

OWNER NAME: CHEVYLAND

OPERATOR TYPE: PRIVATE

OPERATOR NAME: CHEVYLAND

CERTIFICATION

CERTIFICATION NAME:

CERTIFICATION TITLE:

CERTIFICATION SIGNED DATE:

BARBARA PECKHAM

CONTROLLER

07/05/2017

BARBARA D PECKHAM

CONTROLLER

12/06/2006

INDUSTRY CLASSIFICATION (NAICS)

811118 - OTHER AUTOMOTIVE MECHANICAL AND ELECTRICAL REPAIR AND MAINTENANCE

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: **NON-GENERATOR** LAST UPDATED DATE: **08/18/2017**

SUBJECT TO CORRECTIVE ACTION UNIVERSE: **NO**

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: **NO**

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: **NO**

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: **NO**

CORRECTIVE ACTION WORKLOAD UNIVERSE: **NO**

IMPORTER: **NO**

UNDERGROUND INJECTION: **NO**

MIXED WASTE GENERATOR: **NO**

UNIVERSAL WASTE DESTINATION FACILITY: **NO**

RECYCLER: **NO**

TRANSFER FACILITY: **NO**

TRANSPORTER: **NO**

USED OIL FUEL BURNER: **NO**

ONSITE BURNER EXEMPTION: **NO**

USED OIL PROCESSOR: **NO**

FURNACE EXEMPTION: **NO**

USED OIL FUEL MARKETER TO BURNER: **NO**

USED OIL REFINER: **NO**

SPECIFICATION USED OIL MARKETER: **NO**

USED OIL TRANSFER FACILITY: **NO**

USED OIL TRANSPORTER: **NO**

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS

10/13/1989

FCI FOCUSED COMPLIANCE INSPECTION

VIOLATIONS - **NO VIOLATIONS REPORTED -**

ENFORCEMENTS - **NO ENFORCEMENTS REPORTED -**

HAZARDOUS WASTE

D001

IGNITABLE WASTE

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

- F001 THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
- F002 THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
- F003 THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
- F004 THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: CRESOLS, CRESYLIC ACID, AND NITROBENZENE; AND THE STILL BOTTOMS FROM THE RECOVERY OF THESE SOLVENTS; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
- F005 THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

[Back to Report Summary](#)

Facility Registry System (FRSTX)

[MAP ID# 7](#)

Distance from Property: 0 mi. (0 ft.) X
Elevation: 21 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRY ID: 110033775001

NAME: **KFDM TV**

LOCATION ADDRESS: 2955 IH 10 E
BEAUMONT, TX 77702-1002

COUNTY: **JEFFERSON**

EPA REGION: **06**

FEDERAL FACILITY: **NOT REPORTED**

TRIBAL LAND: **NOT REPORTED**

ALTERNATIVE NAME/S:

KFDM TV

PROGRAM/S LISTED FOR THIS FACILITY

TX-TCEQ ACR - TEXAS COMMISSION ON ENVIRONMENTAL QUALITY - AGENCY CENTRAL REGISTRY

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 7

Distance from Property: 0 mi. (0 ft.) X
Elevation: 21 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 118493
LPST ID: 118493
FACILITY ID: 0059536
NAME: **KFDM TV TRANSMITTER TOWER**
ADDRESS: **2955 INTERSTATE 10 E**
BEAUMONT, TX 77702

LEAKING TANK DETAILS

LPST ID: 118493
NAME: **KFDM TV TRANSMITTER TOWER**
FACILITY LOCATION: **NOT REPORTED**
PRIORITY CODE: **4.0 - ASSESSMENT INCOMPLETE NO APPARENT RECEPTORS IMPACTED**
CORRECTIVE ACTION STATUS CODE: **6A - FINAL CONCURRENCE ISSUED**
CORRECTIVE ACTION START DATE: **2/14/11**
REPORTED DATE: **12/28/2010**
ENTERED DATE: **02/14/2011**
CLOSURE DATE: **02/22/2011**

PRP INFORMATION

NAME: **FREEDOM BROADCASTING OF TEXAS INC**
ADDRESS: **ADDRESS NOT REPORTED**
BEAUMONT TX 77726
CONTACT: **NOT REPORTED**
PHONE: **NOT REPORTED**

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 07/28/1998	REGISTRATION DATE: 08/17/1998
TANK CAPACITY (GAL): 515	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 07/28/1998
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: EMERG POWER GENERATOR
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: YES
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: YES

TANK DETAILS

MATERIAL:
COMPOSITE
CORROSION PROTECTION:
COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: 146555

TANK ID: 1

COMPARTMENT LETTER: A

SUBSTANCES: DIESEL

OTHER SUBSTANCES: NOT REPORTED

CAPACITY (GAL): 515

COMPARTMENT RELEASE DETECTION: GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL,MONTHLY TANK GAUGING (FOR EMER. GENERATOR TANKS)

SPILL CONTAINMENT AND OVERFILL PREVENTION: TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE

PIPING SYSTEMS

MATERIAL: NONMETALLIC FLEXIBLE PIPING

CORROSION PROTECTION: FRP TANK OR PIPING (NONCORRODIBLE),NONMETALLIC FLEXIBLE PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT: NOT REPORTED

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: FRP TANK OR PIPING (NONCORRODIBLE),NONMETALLIC FLEXIBLE PIPING (NONCORRODIBLE)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: YES

CORROSION PROTECTION VARIANCE: NO VARIANCE

TANK ID: 1A

NUMBER OF COMPARTMENTS: 1

INSTALLATION DATE: 12/01/1987

REGISTRATION DATE: 08/22/1991

TANK CAPACITY (GAL): 550

EMPTY TANK: NOT EMPTY

STATUS: REMOVED FROM GROUND

STATUS BEGIN DATE: 07/28/1998

INTERNAL PROTECTION DATE: NOT REPORTED

REGULATORY STATUS: FULLY REGULATED

TANK DESIGN SINGLE WALL: YES

TANK DESIGN DOUBLE WALL: NO

PIPE DESIGN SINGLE WALL: YES

PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: NO

CORROSION PROTECTION VARIANCE: NO VARIANCE

COMPARTMENT DETAILS

UST COMPARTMENT ID: 146554

TANK ID: 1A

COMPARTMENT LETTER: A

SUBSTANCES: EMPTY

OTHER SUBSTANCES: NOT REPORTED

CAPACITY (GAL): 550

COMPARTMENT RELEASE DETECTION: GROUNDWATER MONITORING

Leaking Petroleum Storage Tanks (LPST)

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 7

Distance from Property: 0 mi. (0 ft.) X
Elevation: 21 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 59536
NAME: STATION KFDM TV
ADDRESS: 2955 INTERSTATE 10 E
BEAUMONT, TX 77702
COUNTY: JEFFERSON
REGION: 10
TYPE: NOT REPORTED
BEGIN DATE: 08/22/1991
STATUS: ACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 1
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 06/13/2013
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 05/21/2013
SIGNATURE NAME & TITLE: JIM HOBBS, SIGNATURE TITLE NOT REPORTED
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN604339903
NAME: SAN ANTONIO TELEVISION LLC
CONTACT ADDRESS: 2955 INTERSTATE 10 E
BEAUMONT TX 77702
TYPE: ORGANIZATION
BEGIN DATE: 12/01/2011
CONTACT ROLE: OWNOPRCON
CONTACT NAME: RIX GAREY
CONTACT TITLE: NOT REPORTED
ORGANIZATION: SAN ANTONIO TELEVISION LLC
PHONE: (409) 8926622 0
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

OPERATOR NUMBER: CN604339903
NAME: SAN ANTONIO TELEVISION LLC
CONTACT ADDRESS: 2955 INTERSTATE 10 E
BEAUMONT TX 77702
TYPE: ORGANIZATION
BEGIN DATE: 12/01/2011
CONTACT ROLE: OWNOPRCON
CONTACT NAME: RIX GAREY
CONTACT TITLE: NOT REPORTED

CONTACT INFORMATION

NAME: JIM HOBBS
TITLE: NOT REPORTED
ORGANIZATION: KFDM TV
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8926622 0

Petroleum Storage Tanks (PST)

ORGANIZATION: **SAN ANTONIO TELEVISION LLC**

PHONE: **(409) 8926622 0**

FAX: **NOT REPORTED**

EMAIL: **NOT REPORTED**

SELF-CERTIFICATION

SELF-CERTIFICATION ID: **220848**

SIGNATURE DATE: **05/21/2013**

SIGNATURE NAME & TITLE: **JIM HOBBS, DIR OF ENG**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **140065**

SIGNATURE DATE: **08/06/2009**

SIGNATURE NAME & TITLE: **RICHARD KIHN, CHIEF ENGINEER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **140064**

SIGNATURE DATE: **08/17/2007**

SIGNATURE NAME & TITLE: **LARRY BEAULIEU, OWNER GENERAL MGR**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **140063**

SIGNATURE DATE: **05/09/2006**

SIGNATURE NAME & TITLE: **RICHARD KIHN, CHIEF ENGINEER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **140062**

SIGNATURE DATE: **01/24/2005**

SIGNATURE NAME & TITLE: **RICHARD KIHN, CHIEF ENGINEER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **140061**

SIGNATURE DATE: **01/26/2004**

SIGNATURE NAME & TITLE: **RICHARD KIHN, CHIEF ENGINEER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **140060**

SIGNATURE DATE: **02/14/2003**

SIGNATURE NAME & TITLE: **RICHARD KIHN, NOT REPORTED**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **140059**

SIGNATURE DATE: **02/21/2002**

SIGNATURE NAME & TITLE: **RICHARD KIHN, CHIEF ENGINEER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **140058**

SIGNATURE DATE: **08/23/2000**

Petroleum Storage Tanks (PST)

SIGNATURE NAME & TITLE: JEFFERSON L LAIRD, ASST CHIEF ENGR

FILING STATUS: INITIAL

REGISTRATION FLAG: YES

CONSTRUCTION NOTIFICATION

NOTIFICATION CONSTRUCTION ID: 26742

APPLICATION RECEIVED DATE: 11/12/2014

SCHEDULE CONSTRUCTION DATE: 11/19/2014

GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:

REMOVAL OF (1) 515 GAL TANK.

UNDERGROUND STORAGE TANK

TANK ID: 1

NUMBER OF COMPARTMENTS: 1

INSTALLATION DATE: 07/28/1998

REGISTRATION DATE: 08/17/1998

TANK CAPACITY (GAL): 515

EMPTY TANK: NOT EMPTY

STATUS: IN USE

STATUS BEGIN DATE: 07/28/1998

INTERNAL PROTECTION DATE: NOT REPORTED

REGULATORY STATUS: EMERG POWER GENERATOR

TANK DESIGN SINGLE WALL: NO

TANK DESIGN DOUBLE WALL: YES

PIPE DESIGN SINGLE WALL: NO

PIPE DESIGN DOUBLE WALL: YES

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: YES

CORROSION PROTECTION VARIANCE: NO VARIANCE

COMPARTMENT DETAILS

UST COMPARTMENT ID: 146555

TANK ID: 1

COMPARTMENT LETTER: A

SUBSTANCES: DIESEL

OTHER SUBSTANCES: NOT REPORTED

CAPACITY (GAL): 515

COMPARTMENT RELEASE DETECTION: GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL,MONTHLY TANK GAUGING (FOR EMER. GENERATOR TANKS)

SPILL CONTAINMENT AND OVERFILL PREVENTION: TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE

PIPING SYSTEMS

MATERIAL: NONMETALLIC FLEXIBLE PIPING

CORROSION PROTECTION: FRP TANK OR PIPING (NONCORRODIBLE),NONMETALLIC FLEXIBLE PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT: NOT REPORTED

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

GROUNDWATER MONITORING

PIPE COMPLIANCE FLAG

Petroleum Storage Tanks (PST)

CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 1A	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 12/01/1987	REGISTRATION DATE: 08/22/1991
TANK CAPACITY (GAL): 550	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 07/28/1998
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **146554**

TANK ID: **1A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **550**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 8

Distance from Property: 0 mi. (0 ft.) X
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

GEOSEARCH ID: 093989
LPST ID: 093989
FACILITY ID: 0009953
NAME: I 10 WAREHOUSE STORAGE
ADDRESS: 3250 IH 10
BEAUMONT, TX 77706

LEAKING TANK DETAILS

LPST ID: 093989
NAME: I 10 WAREHOUSE STORAGE
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 4A - SOIL CONTAMINATION ONLY REQUIRES FULL SITE ASSESSMENT RAP
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 12/1/89
REPORTED DATE: 11/02/1989
ENTERED DATE: 12/01/1989
CLOSURE DATE: 01/29/1990

PRP INFORMATION

NAME: BLEAKLEY, JACK
ADDRESS: ADDRESS NOT REPORTED
SAN ANGELO TX 76902
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

NO UNDERGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 8

Distance from Property: 0 mi. (0 ft.) X
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

ID#: 46164
NAME: PIONEER TRANSFER
ADDRESS: 3250 IH 10 S
BEAUMONT, TX 77705
COUNTY: JEFFERSON
REGION: 10
TYPE: FLEET REFUELING
BEGIN DATE: 09/01/1988
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 06/13/1988
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 06/09/1988
SIGNATURE NAME & TITLE: SIGNATURE NAME NOT REPORTED, SIGNATURE TITLE NOT REPORTED
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600970883
NAME: BLEAKLEY JACK
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: ORGANIZATION
BEGIN DATE: 09/01/1988
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 08/31/1987	REGISTRATION DATE: 06/13/1988
TANK CAPACITY (GAL): 4000	EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: NOT REPORTED
TITLE: NOT REPORTED
ORGANIZATION: PIONEER TRANSFER
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8422277 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **11/02/1989**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **31777**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **UNKNOWN**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

INSTALLATION DATE: **08/31/1987**

TANK CAPACITY (GAL): **4000**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **06/13/1988**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **11/02/1989**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

Petroleum Storage Tanks (PST)

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **31778**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **UNKNOWN**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Enforcement and Compliance History Information (ECHOR06)

MAP ID# 9

Distance from Property: 0 mi. (0 ft.) X

Elevation: 20 ft. (Higher than TP)

FACILITY INFORMATION

UNIQUE ID: 110005081231

REGISTRY ID: 110005081231

NAME: KINSEL PONTIAC-CADILLAC-GMC TRUCKS

ADDRESS: 1140 IH 10 N

BEAUMONT, TX 77702

COUNTY: JEFFERSON

FACILITY LINK: [Facility Detail Report](#)

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 9

Distance from Property: 0 mi. (0 ft.) X
Elevation: 20 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRY ID: 110005081231

NAME: KINSEL PONTIAC-CADILLAC-GMC TRUCKS

LOCATION ADDRESS: 1140 IH 10 N
BEAUMONT, TX 77702

COUNTY: JEFFERSON

EPA REGION: 06

FEDERAL FACILITY: NOT REPORTED

TRIBAL LAND: NOT REPORTED

ALTERNATIVE NAME/S:

TEXAS MARINE

PROGRAM/S LISTED FOR THIS FACILITY

RCRAINFO - RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 9

Distance from Property: 0 mi. (0 ft.) X
Elevation: 20 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRATION#: 68933 EPA ID: TXD980878011
TNRCC ID #: 23851
NAME: KINSEL PONTIAC-CADILLAC-GMC TRUCKS
ADDRESS: 1140 IH 10 N
BEAUMONT, TX 77702

CONTACT: DON FRITH

PHONE: 409-8921151

BUSINESS DESCRIPTION: NOT REPORTED

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: SMALL QUANTITY GENERATOR

GENERATOR TYPE: NON-INDUSTRIAL AND/OR MUNICIPAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 06/04/2010

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

WASTE ID: 48787

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: YES

GENERATOR'S DESCRIPTION OF WASTE: NOT REPORTED

WASTE ID: 48788

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: YES

GENERATOR'S DESCRIPTION OF WASTE: NOT REPORTED

WASTE ID: 48789

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

OWNER INFORMATION

NAME: KINSEL PONTIAC-CADILLAC-GMC TRUCKS

ADDRESS: PO BOX 2470

BEAUMONT, TX 77704

PHONE: 1-409-8921151

Industrial and Hazardous Waste Sites (IHW)

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **64676**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 9

Distance from Property: 0 mi. (0 ft.) X
Elevation: 20 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 37480
NAME: PREMIER PONTIAC CADILLAC
ADDRESS: 1140 IH 10 N
BEAUMONT, TX 77702
COUNTY: JEFFERSON
REGION: 10
TYPE: UNKNOWN
BEGIN DATE: 08/31/1989
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/08/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 04/18/1986
SIGNATURE NAME & TITLE: PAUL PRINCE, GEN MGR.
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600952386
NAME: CRITTENDON BUTLER
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: ORGANIZATION
BEGIN DATE: 09/01/1989
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1971	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 800	EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: NOT REPORTED
TITLE: NOT REPORTED
ORGANIZATION: PREMIER PONTIAC CADILLAC
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8921151 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **12/16/1988**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **153388**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **800**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1971**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **800**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **12/16/1988**

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

Petroleum Storage Tanks (PST)

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **153389**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **800**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

MAP ID# 9

Distance from Property: 0 mi. (0 ft.) X
Elevation: 20 ft. (Higher than TP)

FACILITY INFORMATION

EPA ID#: TXD980878011

NAME: KINSEL PONTIAC-CADILLAC-GMC TRUCKS

ADDRESS: 1140 IH 10 N

BEAUMONT, TX 77702

CONTACT NAME: DON FRITH

CONTACT ADDRESS: PO BOX 2470

BEAUMONT TX 77704

CONTACT PHONE: 409-892-1151

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 07/27/2001

CERTIFICATION - NO CERTIFICATION REPORTED -

INDUSTRY CLASSIFICATION (NAICS) - NO NAICS INFORMATION REPORTED -

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: **NON-GENERATOR** LAST UPDATED DATE: **03/25/2004**

SUBJECT TO CORRECTIVE ACTION UNIVERSE: **NO**

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: **NO**

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: **NO**

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: **NO**

CORRECTIVE ACTION WORKLOAD UNIVERSE: **NO**

IMPORTER: **NO**

UNDERGROUND INJECTION: **NO**

MIXED WASTE GENERATOR: **NO**

UNIVERSAL WASTE DESTINATION FACILITY: **NO**

RECYCLER: **NO**

TRANSFER FACILITY: **NO**

TRANSPORTER: **NO**

USED OIL FUEL BURNER: **NO**

ONSITE BURNER EXEMPTION: **NO**

USED OIL PROCESSOR: **NO**

FURNACE EXEMPTION: **NO**

USED OIL FUEL MARKETER TO BURNER: **NO**

USED OIL REFINER: **NO**

SPECIFICATION USED OIL MARKETER: **NO**

USED OIL TRANSFER FACILITY: **NO**

USED OIL TRANSPORTER: **NO**

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS - NO EVALUATIONS REPORTED -

VIOLATIONS - NO VIOLATIONS REPORTED -

ENFORCEMENTS - NO ENFORCEMENTS REPORTED -

HAZARDOUS WASTE

D001 IGNITABLE WASTE

D018 BENZENE

F002 THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

- F003 THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
- F004 THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: CRESOLS, CRESYLIC ACID, AND NITROBENZENE; AND THE STILL BOTTOMS FROM THE RECOVERY OF THESE SOLVENTS; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
- F005 THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

[Back to Report Summary](#)

Enforcement and Compliance History Information (ECHOR06)

MAP ID# 10

Distance from Property: 0 mi. (0 ft.) X

Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

UNIQUE ID: 110037840110

REGISTRY ID: 110037840110

NAME: SUN COAST RESOURCES

ADDRESS: 5255 W CARDINAL DR
BEAUMONT, TX 77705

COUNTY: JEFFERSON

FACILITY LINK: [Facility Detail Report](#)

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 10

Distance from Property: 0 mi. (0 ft.) X

Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRY ID: 110037840110

NAME: SUN COAST RESOURCES

LOCATION ADDRESS: 5255 W CARDINAL DR
BEAUMONT, TX 77705-2604

COUNTY: JEFFERSON

EPA REGION: 06

FEDERAL FACILITY: NOT REPORTED

TRIBAL LAND: NOT REPORTED

ALTERNATIVE NAME/S:

JORGENSEN DISTR COMPANY

SUN COAST RESOURCES

PROGRAM/S LISTED FOR THIS FACILITY

TX-TCEQ ACR - TEXAS COMMISSION ON ENVIRONMENTAL QUALITY - AGENCY CENTRAL REGISTRY

RCRAINFO - RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

9999 - NONCLASSIFIABLE ESTABLISHMENTS

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

424720 - PETROLEUM AND PETROLEUM PRODUCTS MERCHANT WHOLESALERS (EXCEPT BULK STATIONS AND TERMINALS).

42472 - PETROLEUM AND PETROLEUM PRODUCTS MERCHANT WHOLESALERS (EXCEPT BULK STATIONS AND TERMINALS)

42471 - PETROLEUM BULK STATIONS AND TERMINALS

48849 - OTHER SUPPORT ACTIVITIES FOR ROAD TRANSPORTATION

48849 - OTHER SUPPORT ACTIVITIES FOR ROAD TRANSPORTATION

42471 - PETROLEUM BULK STATIONS AND TERMINALS

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 10

Distance from Property: 0 mi. (0 ft.) X
Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRATION#: 61373 EPA ID: NOT REPORTED

TNRCC ID #: 19727

NAME: JORGENSEN DISTRIBUTING

ADDRESS: 5255 W CARDINAL DR
BEAUMONT, TX 77705

CONTACT: GREG ROBERTSON

PHONE: NOT REPORTED

BUSINESS DESCRIPTION: THIS REGISTRATION WAS INACTIVATED BECAUSE THIS FACILITY WAS REGISTERED PRIOR TO 1994 AND NO WASTE ACTIVITY WAS REPORTED IN 1994, 1995 AND 1996.

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR

GENERATOR TYPE: NON-INDUSTRIAL AND/OR MUNICIPAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 06/04/2010

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

NO RECORDS

OWNER INFORMATION

NAME: JORGENSEN DISTRIBUTING CO

ADDRESS: PO BOX 949
BEAUMONT, TX 77704

PHONE: NOT REPORTED

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 10

Distance from Property: 0 mi. (0 ft.) X
Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 23754
NAME: JORGENSEN DISTR
ADDRESS: 5255 W CARDINAL DR
BEAUMONT, TX 77705
COUNTY: JEFFERSON
REGION: 10
TYPE: FLEET REFUELING
BEGIN DATE: 09/29/1986
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/08/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 04/23/1986
SIGNATURE NAME & TITLE: PAUL JORGENSEN, PRES
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN601114028
NAME: GIDEON DISTRIBUTING INC
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: ORGANIZATION
BEGIN DATE: 09/29/1986
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1979	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 6000	EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: NOT REPORTED
TITLE: NOT REPORTED
ORGANIZATION: JORGENSEN DISTR COMPANY
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8425390 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **11/22/1988**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **67482**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

INSTALLATION DATE: **01/01/1979**

TANK CAPACITY (GAL): **10000**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **05/08/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **11/22/1988**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

Petroleum Storage Tanks (PST)

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **67483**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 10

Distance from Property: 0 mi. (0 ft.) X
Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 84237
NAME: SUN COAST RESOURCES
ADDRESS: 5255 W CARDINAL DR
BEAUMONT, TX 77705
COUNTY: JEFFERSON
REGION: 10
TYPE: WHOLESALE
BEGIN DATE: 07/13/2009
STATUS: ACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: YES
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 7

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 12/17/2014
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 12/17/2014
SIGNATURE NAME & TITLE: SUSAN TYLER, SIGNATURE TITLE NOT REPORTED
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600247795
NAME: SUN COAST RESOURCES INC
CONTACT ADDRESS: PO BOX 689
EL CAMPO TX 77437
TYPE: CORPORATION/COMPANY
BEGIN DATE: 07/13/2009
CONTACT ROLE: OWNCON
CONTACT NAME: STEVE JANKE
CONTACT TITLE: MANAGER
ORGANIZATION: SUN COAST RESOURCES INC
PHONE: (979) 5434812 0
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

OPERATOR NUMBER: CN600247795
NAME: SUN COAST RESOURCES INC
CONTACT ADDRESS: 616 W DEMPSEY ST
BRYSON TX 76427
TYPE: CORPORATION/COMPANY
BEGIN DATE: 07/13/2009
CONTACT ROLE: OPRCON
CONTACT NAME: SUSAN L TYLER
CONTACT TITLE: ENVIRONMENTAL COMPLIANCE MANAGER

CONTACT INFORMATION

NAME: JEFF MURRAY
TITLE: GM
ORGANIZATION: SUN COAST RESOURCES
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8422446 0

Petroleum Storage Tanks (PST)

ORGANIZATION: **SUN COAST RESOURCES INC**

PHONE: **(713) 4296732 0**

FAX: **(713) 4298816**

EMAIL: **STYLER@SUNCOASTRESOURCES.COM**

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

NO UNDERGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

ABOVEGROUND STORAGE TANK INFORMATION

AST ID #: **214424** MULTIPLE COMPARTMENT FLAG: **NO**

TANK ID: **5931** REGISTRATION DATE: **01/14/2011**

INSTALLATION DATE: **07/13/2009** STATUS BEGIN DATE: **07/13/2009**

TANK CAPACITY (GAL): **10000** REGULATORY STATUS: **FULLY REGULATED**

STATUS: **IN USE** SUBSTANCES: **DIESEL**

MATERIAL OF CONSTRUCTION

STEEL: **YES** CORRUGATED METAL: **NO**

FIBERGLASS: **NO** CONCRETE: **NO**

ALUMINIUM: **NO**

CONTAINMENT

EARTHEN DIKE: **NO** CONCRETE: **YES**

CONTAINMENT LINER: **NO** NONE: **NO**

STAGE I VAPOR RECOVERY: **TWO POINT SYSTEM**

STAGE I INSTALLATION DATE: **08/30/2009**

AST ID #: **214425** MULTIPLE COMPARTMENT FLAG: **NO**

TANK ID: **5932** REGISTRATION DATE: **01/14/2011**

INSTALLATION DATE: **07/13/2009** STATUS BEGIN DATE: **07/13/2009**

TANK CAPACITY (GAL): **10000** REGULATORY STATUS: **FULLY REGULATED**

STATUS: **IN USE** SUBSTANCES: **GASOLINE**

MATERIAL OF CONSTRUCTION

STEEL: **YES** CORRUGATED METAL: **NO**

FIBERGLASS: **NO** CONCRETE: **NO**

ALUMINIUM: **NO**

CONTAINMENT

EARTHEN DIKE: **NO** CONCRETE: **YES**

CONTAINMENT LINER: **NO** NONE: **NO**

STAGE I VAPOR RECOVERY: **TWO POINT SYSTEM**

STAGE I INSTALLATION DATE: **08/30/2009**

AST ID #: **214426** MULTIPLE COMPARTMENT FLAG: **NO**

TANK ID: **5933** REGISTRATION DATE: **01/14/2011**

INSTALLATION DATE: **07/13/2009** STATUS BEGIN DATE: **07/13/2009**

TANK CAPACITY (GAL): **10000** REGULATORY STATUS: **FULLY REGULATED**

STATUS: **IN USE** SUBSTANCES: **DIESEL**

MATERIAL OF CONSTRUCTION

Petroleum Storage Tanks (PST)

STEEL: **YES** CORRUGATED METAL: **NO**
FIBERGLASS: **NO** CONCRETE: **NO**
ALUMINIUM: **NO**

CONTAINMENT

EARTHEN DIKE: **NO** CONCRETE: **YES**
CONTAINMENT LINER: **NO** NONE: **NO**
STAGE I VAPOR RECOVERY: **TWO POINT SYSTEM**
STAGE I INSTALLATION DATE: **08/30/2009**

AST ID #: **214427** MULTIPLE COMPARTMENT FLAG: **NO**
TANK ID: **8123** REGISTRATION DATE: **01/14/2011**
INSTALLATION DATE: **12/20/2010** STATUS BEGIN DATE: **12/20/2010**
TANK CAPACITY (GAL): **10000** REGULATORY STATUS: **FULLY REGULATED**
STATUS: **IN USE** SUBSTANCES: **AVIATION GASOLINE**

MATERIAL OF CONSTRUCTION

STEEL: **YES** CORRUGATED METAL: **NO**
FIBERGLASS: **NO** CONCRETE: **NO**
ALUMINIUM: **NO**

CONTAINMENT

EARTHEN DIKE: **NO** CONCRETE: **YES**
CONTAINMENT LINER: **NO** NONE: **NO**
STAGE I VAPOR RECOVERY: **TWO POINT SYSTEM**
STAGE I INSTALLATION DATE: **12/20/2010**

AST ID #: **220423** MULTIPLE COMPARTMENT FLAG: **NO**
TANK ID: **5828** REGISTRATION DATE: **12/17/2014**
INSTALLATION DATE: **01/01/2014** STATUS BEGIN DATE: **01/01/2014**
TANK CAPACITY (GAL): **3000** REGULATORY STATUS: **FULLY REGULATED**
STATUS: **IN USE** SUBSTANCES: **DIESEL**

MATERIAL OF CONSTRUCTION

STEEL: **NO** CORRUGATED METAL: **NO**
FIBERGLASS: **NO** CONCRETE: **NO**
ALUMINIUM: **NO**

CONTAINMENT

EARTHEN DIKE: **NO** CONCRETE: **NO**
CONTAINMENT LINER: **NO** NONE: **NO**
STAGE I VAPOR RECOVERY: **NOT REPORTED**
STAGE I INSTALLATION DATE: **NOT REPORTED**

AST ID #: **220424** MULTIPLE COMPARTMENT FLAG: **NO**
TANK ID: **7919** REGISTRATION DATE: **12/17/2014**
INSTALLATION DATE: **01/01/2014** STATUS BEGIN DATE: **01/01/2018**
TANK CAPACITY (GAL): **4000** REGULATORY STATUS: **FULLY REGULATED**
STATUS: **OUT OF USE** SUBSTANCES: **DIESEL**

MATERIAL OF CONSTRUCTION

STEEL: **NO** CORRUGATED METAL: **NO**
FIBERGLASS: **NO** CONCRETE: **NO**
ALUMINIUM: **NO**

CONTAINMENT

Petroleum Storage Tanks (PST)

EARTHEN DIKE: **NO** CONCRETE: **NO**
CONTAINMENT LINER: **NO** NONE: **NO**
STAGE I VAPOR RECOVERY: **NOT REPORTED**
STAGE I INSTALLATION DATE: **NOT REPORTED**

AST ID #: **220425** MULTIPLE COMPARTMENT FLAG: **NO**
TANK ID: **7922** REGISTRATION DATE: **12/17/2014**
INSTALLATION DATE: **01/01/2014** STATUS BEGIN DATE: **01/01/2018**
TANK CAPACITY (GAL): **4000** REGULATORY STATUS: **FULLY REGULATED**
STATUS: **OUT OF USE** SUBSTANCES: **DIESEL**

MATERIAL OF CONSTRUCTION

STEEL: **NO** CORRUGATED METAL: **NO**
FIBERGLASS: **NO** CONCRETE: **NO**
ALUMINIUM: **NO**

CONTAINMENT

EARTHEN DIKE: **NO** CONCRETE: **NO**
CONTAINMENT LINER: **NO** NONE: **NO**
STAGE I VAPOR RECOVERY: **NOT REPORTED**
STAGE I INSTALLATION DATE: **NOT REPORTED**

AST ID #: **220426** MULTIPLE COMPARTMENT FLAG: **NO**
TANK ID: **7923** REGISTRATION DATE: **12/17/2014**
INSTALLATION DATE: **01/01/2014** STATUS BEGIN DATE: **01/01/2018**
TANK CAPACITY (GAL): **4000** REGULATORY STATUS: **FULLY REGULATED**
STATUS: **OUT OF USE** SUBSTANCES: **DIESEL**

MATERIAL OF CONSTRUCTION

STEEL: **NO** CORRUGATED METAL: **NO**
FIBERGLASS: **NO** CONCRETE: **NO**
ALUMINIUM: **NO**

CONTAINMENT

EARTHEN DIKE: **NO** CONCRETE: **NO**
CONTAINMENT LINER: **NO** NONE: **NO**
STAGE I VAPOR RECOVERY: **NOT REPORTED**
STAGE I INSTALLATION DATE: **NOT REPORTED**

AST ID #: **220427** MULTIPLE COMPARTMENT FLAG: **NO**
TANK ID: **8515** REGISTRATION DATE: **12/17/2014**
INSTALLATION DATE: **01/01/2014** STATUS BEGIN DATE: **01/01/2018**
TANK CAPACITY (GAL): **4000** REGULATORY STATUS: **FULLY REGULATED**
STATUS: **OUT OF USE** SUBSTANCES: **DIESEL**

MATERIAL OF CONSTRUCTION

STEEL: **NO** CORRUGATED METAL: **NO**
FIBERGLASS: **NO** CONCRETE: **NO**
ALUMINIUM: **NO**

CONTAINMENT

EARTHEN DIKE: **NO** CONCRETE: **NO**
CONTAINMENT LINER: **NO** NONE: **NO**
STAGE I VAPOR RECOVERY: **NOT REPORTED**
STAGE I INSTALLATION DATE: **NOT REPORTED**

Petroleum Storage Tanks (PST)

AST ID #: **220428** MULTIPLE COMPARTMENT FLAG: **NO**
TANK ID: **8516** REGISTRATION DATE: **12/17/2014**
INSTALLATION DATE: **01/01/2014** STATUS BEGIN DATE: **01/01/2018**
TANK CAPACITY (GAL): **4000** REGULATORY STATUS: **FULLY REGULATED**
STATUS: **OUT OF USE** SUBSTANCES: **DIESEL**

MATERIAL OF CONSTRUCTION

STEEL: **NO** CORRUGATED METAL: **NO**
FIBERGLASS: **NO** CONCRETE: **NO**
ALUMINIUM: **NO**

CONTAINMENT

EARTHEN DIKE: **NO** CONCRETE: **NO**
CONTAINMENT LINER: **NO** NONE: **NO**
STAGE I VAPOR RECOVERY: **NOT REPORTED**
STAGE I INSTALLATION DATE: **NOT REPORTED**

AST ID #: **220429** MULTIPLE COMPARTMENT FLAG: **NO**
TANK ID: **8517** REGISTRATION DATE: **12/17/2014**
INSTALLATION DATE: **01/01/2014** STATUS BEGIN DATE: **01/01/2018**
TANK CAPACITY (GAL): **4000** REGULATORY STATUS: **FULLY REGULATED**
STATUS: **OUT OF USE** SUBSTANCES: **DIESEL**

MATERIAL OF CONSTRUCTION

STEEL: **NO** CORRUGATED METAL: **NO**
FIBERGLASS: **NO** CONCRETE: **NO**
ALUMINIUM: **NO**

CONTAINMENT

EARTHEN DIKE: **NO** CONCRETE: **NO**
CONTAINMENT LINER: **NO** NONE: **NO**
STAGE I VAPOR RECOVERY: **NOT REPORTED**
STAGE I INSTALLATION DATE: **NOT REPORTED**

AST ID #: **220430** MULTIPLE COMPARTMENT FLAG: **NO**
TANK ID: **8518** REGISTRATION DATE: **12/17/2014**
INSTALLATION DATE: **01/01/2014** STATUS BEGIN DATE: **01/01/2018**
TANK CAPACITY (GAL): **4000** REGULATORY STATUS: **FULLY REGULATED**
STATUS: **OUT OF USE** SUBSTANCES: **DIESEL**

MATERIAL OF CONSTRUCTION

STEEL: **NO** CORRUGATED METAL: **NO**
FIBERGLASS: **NO** CONCRETE: **NO**
ALUMINIUM: **NO**

CONTAINMENT

EARTHEN DIKE: **NO** CONCRETE: **NO**
CONTAINMENT LINER: **NO** NONE: **NO**
STAGE I VAPOR RECOVERY: **NOT REPORTED**
STAGE I INSTALLATION DATE: **NOT REPORTED**

AST ID #: **220431** MULTIPLE COMPARTMENT FLAG: **NO**
TANK ID: **8519** REGISTRATION DATE: **12/17/2014**
INSTALLATION DATE: **01/01/2014** STATUS BEGIN DATE: **01/01/2018**
TANK CAPACITY (GAL): **4000** REGULATORY STATUS: **FULLY REGULATED**

Petroleum Storage Tanks (PST)

STATUS: **OUT OF USE** SUBSTANCES: **DIESEL**

MATERIAL OF CONSTRUCTION

STEEL: **NO** CORRUGATED METAL: **NO**

FIBERGLASS: **NO** CONCRETE: **NO**

ALUMINIUM: **NO**

CONTAINMENT

EARTHEN DIKE: **NO** CONCRETE: **NO**

CONTAINMENT LINER: **NO** NONE: **NO**

STAGE I VAPOR RECOVERY: **NOT REPORTED**

STAGE I INSTALLATION DATE: **NOT REPORTED**

AST ID #: **220432** MULTIPLE COMPARTMENT FLAG: **NO**

TANK ID: **8520** REGISTRATION DATE: **12/17/2014**

INSTALLATION DATE: **01/01/2014** STATUS BEGIN DATE: **01/01/2018**

TANK CAPACITY (GAL): **4000** REGULATORY STATUS: **FULLY REGULATED**

STATUS: **OUT OF USE** SUBSTANCES: **DIESEL**

MATERIAL OF CONSTRUCTION

STEEL: **NO** CORRUGATED METAL: **NO**

FIBERGLASS: **NO** CONCRETE: **NO**

ALUMINIUM: **NO**

CONTAINMENT

EARTHEN DIKE: **NO** CONCRETE: **NO**

CONTAINMENT LINER: **NO** NONE: **NO**

STAGE I VAPOR RECOVERY: **NOT REPORTED**

STAGE I INSTALLATION DATE: **NOT REPORTED**

AST ID #: **220433** MULTIPLE COMPARTMENT FLAG: **NO**

TANK ID: **12450** REGISTRATION DATE: **12/17/2014**

INSTALLATION DATE: **01/01/2014** STATUS BEGIN DATE: **01/01/2014**

TANK CAPACITY (GAL): **6000** REGULATORY STATUS: **FULLY REGULATED**

STATUS: **IN USE** SUBSTANCES: **DIESEL**

MATERIAL OF CONSTRUCTION

STEEL: **NO** CORRUGATED METAL: **NO**

FIBERGLASS: **NO** CONCRETE: **NO**

ALUMINIUM: **NO**

CONTAINMENT

EARTHEN DIKE: **NO** CONCRETE: **NO**

CONTAINMENT LINER: **NO** NONE: **NO**

STAGE I VAPOR RECOVERY: **NOT REPORTED**

STAGE I INSTALLATION DATE: **NOT REPORTED**

AST ID #: **223341** MULTIPLE COMPARTMENT FLAG: **NO**

TANK ID: **10431** REGISTRATION DATE: **06/11/2018**

INSTALLATION DATE: **12/09/2014** STATUS BEGIN DATE: **12/09/2014**

TANK CAPACITY (GAL): **4000** REGULATORY STATUS: **FULLY REGULATED**

STATUS: **IN USE** SUBSTANCES: **DIESEL**

MATERIAL OF CONSTRUCTION

STEEL: **NO** CORRUGATED METAL: **NO**

FIBERGLASS: **NO** CONCRETE: **NO**

Petroleum Storage Tanks (PST)

ALUMINIUM: **NO**

CONTAINMENT

EARTHEN DIKE: **NO** CONCRETE: **NO**

CONTAINMENT LINER: **NO** NONE: **NO**

STAGE I VAPOR RECOVERY: **NOT REPORTED**

STAGE I INSTALLATION DATE: **NOT REPORTED**

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

MAP ID# 10

Distance from Property: 0 mi. (0 ft.) X
Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

EPA ID#: TXR000081384

NAME: SUN COAST RESOURCES

ADDRESS: 5255 W CARDINAL DR
BEAUMONT, TX 77705-2604

CONTACT NAME: SUSAN TYLER

CONTACT ADDRESS: 7759 JOHNNY MORRIS RD
AUSTIN TX 78724-2903

CONTACT PHONE: 713-429-6732

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 01/20/2015

OWNER TYPE: PRIVATE

OWNER NAME: SUN COST RESOURCES INC

OPERATOR TYPE: PRIVATE

OPERATOR NAME: SUN COAST RESOURCES

CERTIFICATION

CERTIFICATION NAME:	CERTIFICATION TITLE:	CERTIFICATION SIGNED DATE:
SUSAN TYLER	CONTACT	01/20/2015
SUSAN TYLER	CONTACT	01/20/2015
SUSAN TYLER	CONTACT	01/20/2015
SUSAN TYLER	CONTACT	12/22/2014
SUSAN TYLER	ENVR COMPLIANCE MGR	02/15/2013

INDUSTRY CLASSIFICATION (NAICS)

42471 - PETROLEUM BULK STATIONS AND TERMINALS

42472 - PETROLEUM AND PETROLEUM PRODUCTS MERCHANT WHOLESALERS (EXCEPT BULK STATIONS AND TERMINALS)

48849 - OTHER SUPPORT ACTIVITIES FOR ROAD TRANSPORTATION

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: **NON-GENERATOR** LAST UPDATED DATE: **03/08/2017**

SUBJECT TO CORRECTIVE ACTION UNIVERSE: **NO**

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: **NO**

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: **NO**

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: **NO**

CORRECTIVE ACTION WORKLOAD UNIVERSE: **NO**

IMPORTER: **NO**

UNDERGROUND INJECTION: **NO**

MIXED WASTE GENERATOR: **NO**

UNIVERSAL WASTE DESTINATION FACILITY: **NO**

RECYCLER: **NO**

TRANSFER FACILITY: **NO**

TRANSPORTER: **NO**

USED OIL FUEL BURNER: **NO**

ONSITE BURNER EXEMPTION: **NO**

USED OIL PROCESSOR: **NO**

FURNACE EXEMPTION: **NO**

USED OIL FUEL MARKETER TO BURNER: **NO**

USED OIL REFINER: **NO**

SPECIFICATION USED OIL MARKETER: **NO**

USED OIL TRANSFER FACILITY: **YES**

USED OIL TRANSPORTER: **YES**

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS - **NO EVALUATIONS REPORTED -**

VIOLATIONS - **NO VIOLATIONS REPORTED -**

ENFORCEMENTS - **NO ENFORCEMENTS REPORTED -**

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

HAZARDOUS WASTE

- NO HAZARDOUS WASTE INFORMATION REPORTED -

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

[Back to Report Summary](#)

Tier II Chemical Reporting Program Facilities (TIERII)

MAP ID# 10

Distance from Property: 0 mi. (0 ft.) X
Elevation: 18 ft. (Higher than TP)

SITE INFORMATION

UNIQUE ID: 6C3GRW008038

SITE ID: FATR20126C3GRW008038

NAME: SUN COAST RESOURCES, INC.

ADDRESS: 5255 WEST CARDINAL DRIVE
BEAUMONT, TX 77705

SIGNED DATE: 2/27/2013

VALIDATION REPORT: NOT REPORTED

MAILING ADDRESS: NOT REPORTED

SITE DETAILS

SITE TYPE: PETROLEUM BULK STATIONS AND TERMINALS

CHEMICAL LOCATION:

TANK FARM

CHEMICAL AMOUNT: 64177 POUNDS

CHEMICAL LOCATION:

TANK FARM

CHEMICAL AMOUNT: 67033 POUNDS

CHEMICAL LOCATION:

WAREHOUSE

CHEMICAL AMOUNT: 126 POUNDS

CHEMICAL LOCATION:

TANK FARM

CHEMICAL AMOUNT: 64349 POUNDS

CHEMICAL LOCATION:

TANK FARM

CHEMICAL AMOUNT: 53261 POUNDS

CHEMICAL LOCATION:

IN YARD

CHEMICAL AMOUNT: 133437 POUNDS

CHEMICAL LOCATION:

IN YARD

CHEMICAL AMOUNT: 32202 POUNDS

CHEMICAL LOCATION:

IN YARD

CHEMICAL AMOUNT: 133437 POUNDS

CHEMICAL LOCATION:

IN YARD

CHEMICAL AMOUNT: 32202 POUNDS

CHEMICAL LOCATION:

TANK FARM

CHEMICAL AMOUNT: 61005 POUNDS

CHEMICAL LOCATION:

TANK FARM

CHEMICAL AMOUNT: 71380 POUNDS

Tier I I Chemical Reporting Program Facilities (TIERII)

CHEMICAL LOCATION:

TANK FARM

CHEMICAL AMOUNT: 71380 POUNDS

CHEMICAL LOCATION:

TANK FARM

CHEMICAL AMOUNT: 58930 POUNDS

CHEMICAL NAME: **GASOLINE**

MAXIMUM AMOUNT: 64177 POUNDS

FIRE: **YES** GAS: **NOT REPORTED** LIQUID: **YES** SOLID: **NOT REPORTED**

PURE: **YES** MIXTURE: **NOT REPORTED**

CHEMICAL NAME: **DIESEL FUEL**

MAXIMUM AMOUNT: 67033 POUNDS

FIRE: **YES** GAS: **NOT REPORTED** LIQUID: **YES** SOLID: **NOT REPORTED**

PURE: **YES** MIXTURE: **NOT REPORTED**

CHEMICAL NAME: **SHELL ODORLESS MINERAL SPIRITS**

MAXIMUM AMOUNT: 126 POUNDS

FIRE: **YES** GAS: **NOT REPORTED** LIQUID: **YES** SOLID: **NOT REPORTED**

PURE: **YES** MIXTURE: **NOT REPORTED**

CHEMICAL NAME: **DIESEL FUEL**

MAXIMUM AMOUNT: 64349 POUNDS

FIRE: **YES** GAS: **NOT REPORTED** LIQUID: **YES** SOLID: **NOT REPORTED**

PURE: **YES** MIXTURE: **NOT REPORTED**

CHEMICAL NAME: **AVIATION GASOLINE**

MAXIMUM AMOUNT: 53261 POUNDS

FIRE: **YES** GAS: **NOT REPORTED** LIQUID: **YES** SOLID: **NOT REPORTED**

PURE: **NOT REPORTED** MIXTURE: **YES**

CHEMICAL NAME: **GASOLINE**

MAXIMUM AMOUNT: 32202 POUNDS

FIRE: **YES** GAS: **NOT REPORTED** LIQUID: **YES** SOLID: **NOT REPORTED**

PURE: **YES** MIXTURE: **NOT REPORTED**

CHEMICAL NAME: **DIESEL FUEL**

MAXIMUM AMOUNT: 133437 POUNDS

FIRE: **YES** GAS: **NOT REPORTED** LIQUID: **YES** SOLID: **NOT REPORTED**

PURE: **YES** MIXTURE: **NOT REPORTED**

CHEMICAL NAME: **GASOLINE**

MAXIMUM AMOUNT: 32202 POUNDS

FIRE: **YES** GAS: **NOT REPORTED** LIQUID: **YES** SOLID: **NOT REPORTED**

PURE: **YES** MIXTURE: **NOT REPORTED**

CHEMICAL NAME: **DIESEL FUEL**

MAXIMUM AMOUNT: 133437 POUNDS

FIRE: **YES** GAS: **NOT REPORTED** LIQUID: **YES** SOLID: **NOT REPORTED**

PURE: **YES** MIXTURE: **NOT REPORTED**

CHEMICAL NAME: **GASOLINE**

MAXIMUM AMOUNT: 61005 POUNDS

FIRE: **YES** GAS: **NOT REPORTED** LIQUID: **YES** SOLID: **NOT REPORTED**

PURE: **YES** MIXTURE: **NOT REPORTED**

CHEMICAL NAME: **DIESEL FUEL**

Tier I I Chemical Reporting Program Facilities (TIERII)

MAXIMUM AMOUNT: 71380 POUNDS

FIRE: YES GAS: NOT REPORTED LIQUID: YES SOLID: NOT REPORTED

PURE: YES MIXTURE: NOT REPORTED

CHEMICAL NAME: DIESEL FUEL

MAXIMUM AMOUNT: 71380 POUNDS

FIRE: YES GAS: NOT REPORTED LIQUID: YES SOLID: NOT REPORTED

PURE: YES MIXTURE: NOT REPORTED

CHEMICAL NAME: AVIATION GASOLINE

MAXIMUM AMOUNT: 58930 POUNDS

FIRE: YES GAS: NOT REPORTED LIQUID: YES SOLID: NOT REPORTED

PURE: NOT REPORTED MIXTURE: YES

MIXTURE CHEMICAL: GASOLINE

MIXTURE CHEMICAL: DIESEL FUEL

MIXTURE CHEMICAL: DIESEL FUEL

MIXTURE CHEMICAL: GASOLINE

MIXTURE CHEMICAL: TOLUENE

MIXTURE CHEMICAL: BENZENE

MIXTURE CHEMICAL: GASOLINE

MIXTURE CHEMICAL: DIESEL FUEL

MIXTURE CHEMICAL: GASOLINE

MIXTURE CHEMICAL: DIESEL FUEL

MIXTURE CHEMICAL: GASOLINE

MIXTURE CHEMICAL: TOLUENE

MIXTURE CHEMICAL: BENZENE

[Back to Report Summary](#)

Enforcement and Compliance History Information (ECHOR06)

[MAP ID# 11](#)

Distance from Property: 0 mi. (0 ft.) X

Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

UNIQUE ID: 110005054877

REGISTRY ID: 110005054877

NAME: THE WALL STREET JOURNAL

ADDRESS: 5355 W CARDINAL DR
BEAUMONT, TX 77705

COUNTY: JEFFERSON

FACILITY LINK: [Facility Detail Report](#)

[Back to Report Summary](#)

Enforcement and Compliance History Information (ECHOR06)

[MAP ID# 11](#)

Distance from Property: 0 mi. (0 ft.) X

Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

UNIQUE ID: 110070377032

REGISTRY ID: 110070377032

NAME: DOW JONES THE WALL STREET JOURNAL

ADDRESS: 5355 W CARDINAL DR
BEAUMONT, TX 77705

COUNTY: JEFFERSON COUNTY

FACILITY LINK: [Facility Detail Report](#)

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 11

Distance from Property: 0 mi. (0 ft.) X

Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRY ID: 110005054877

NAME: THE WALL STREET JOURNAL

LOCATION ADDRESS: 5355 W CARDINAL DR
BEAUMONT, TX 77705

COUNTY: JEFFERSON

EPA REGION: 06

FEDERAL FACILITY: NOT REPORTED

TRIBAL LAND: NOT REPORTED

ALTERNATIVE NAME/S:

DOW JONES & COMPANY BEAUMONT

DOW JONES & CO INC

PROGRAM/S LISTED FOR THIS FACILITY

TX-TCEQ ACR - TEXAS COMMISSION ON ENVIRONMENTAL QUALITY - AGENCY CENTRAL REGISTRY

RCRAINFO - RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

2711 - NEWSPAPERS: PUBLISHING, OR PUBLISHING AND PRINTING

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

511110 - NEWSPAPER PUBLISHERS.

51111 - NEWSPAPER PUBLISHERS

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 11

Distance from Property: 0 mi. (0 ft.) X
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRY ID: 110070377032

NAME: DOW JONES THE WALL STREET JOURNAL

LOCATION ADDRESS: 5355 W CARDINAL DR
BEAUMONT, TX 77705-2613

COUNTY: JEFFERSON COUNTY

EPA REGION: 06

FEDERAL FACILITY: NOT REPORTED

TRIBAL LAND: NOT REPORTED

ALTERNATIVE NAME/S:

NO ALTERNATIVE NAME(S) LISTED FOR THIS FACILITY

PROGRAM/S LISTED FOR THIS FACILITY

NPDES - NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 11

Distance from Property: 0 mi. (0 ft.) X

Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRATION#: 35817 EPA ID: NOT REPORTED

TNRCC ID #: 12857

NAME: GADSBY AND HANNAH

ADDRESS: 5355 W CARDINAL DR
BEAUMONT, TX 77705

CONTACT: DON ANGLEHART

PHONE: 409-8421222

BUSINESS DESCRIPTION: NOT REPORTED

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: NO

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: MERGED

AMOUNT OF WASTE GENERATED: NOT REPORTED

GENERATOR TYPE: NOT REPORTED

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 06/04/2010

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

NO RECORDS

OWNER INFORMATION

NAME: GADSBY AND HANNAH

ADDRESS: NOT REPORTED

PHONE: NOT REPORTED

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 11

Distance from Property: 0 mi. (0 ft.) X

Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRATION#: 70082 EPA ID: TXD058507583

TNRCC ID #: 24930

NAME: THE WALL STREET JOURNAL

ADDRESS: 5355 W CARDINAL DR

BEAUMONT, TX 77705

CONTACT: GARY STEPTOE

PHONE: 409-8427000

BUSINESS DESCRIPTION: NOT REPORTED

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: ACTIVE

AMOUNT OF WASTE GENERATED: CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR

GENERATOR TYPE: NON-INDUSTRIAL AND/OR MUNICIPAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS REQUIRED TO SUBMIT AN ANNUAL WASTE REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 12/03/2018

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

WASTE ID: 70758

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

GENERATOR'S DESCRIPTION OF WASTE: WASTE INK AND SOLVENT FROM WEB OFF-SET PRINTING; MATERIAL HAS BEEN EXCLUDEDFROM

WASTE ID: 79084

WASTE CODE STATUS: ACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

GENERATOR'S DESCRIPTION OF WASTE: WASTE OIL FROM CHANGING OIL IN PRESS EQUIPMENT. JAN. 94

WASTE ID: 214031

WASTE CODE STATUS: ACTIVE

WASTE IS RADIOACTIVE: NO

Industrial and Hazardous Waste Sites (IHW)

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **SOY-BASED WASTE INK FROM WEB-OFFSET PRINTING.**

WASTE ID: **359785**

WASTE CODE STATUS: **ACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **WASTE DEVELOPER/REPLENISHER, OBSOLETE CHEMICAL**

WASTE ID: **145817**

WASTE CODE STATUS: **ACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **SPENT SOLVENT FROM PRINTING PRESS MAINTENANCE/ROUTINE CLEANING/1-10-96**

WASTE ID: **153853**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **SPENT MERCURY -CONTAINING BULBS, CHANGING LIGHT BULBS.; HAZARDOUS WASTE CURRENTLY**

WASTE ID: **326445**

WASTE CODE STATUS: **ACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **SUBTRACTIVE PLATE FINISHER USED IN A NEWSPAPER PLATE MAKING PROCESS**

WASTE ID: **348844**

WASTE CODE STATUS: **ACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **ONE TIME GENERATION OF WASTE INK.**

WASTE ID: **359519**

WASTE CODE STATUS: **ACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **LAB PACK OF OLD CHEMICALS**

WASTE ID: **359577**

WASTE CODE STATUS: **ACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **MIXED LAB PACK OF OLD, OBSOLETE, EXPIRED CHEMICALS**

WASTE ID: **359581**

WASTE CODE STATUS: **ACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **MIXED LAB PACK OF EXPIRED, OBSOLETE CHEMICAL PRODUCTS**

WASTE ID: **359801**

Industrial and Hazardous Waste Sites (IHW)

WASTE CODE STATUS: **ACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **WASTE INK AND SOLVENT FROM WEB OFF-SET PRINTING; MATERIAL HAS BEEN EXCLUDEDFROM**

WASTE ID: **271063**

WASTE CODE STATUS: **NOT REPORTED**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **271064**

WASTE CODE STATUS: **NOT REPORTED**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **280547**

WASTE CODE STATUS: **NOT REPORTED**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 11

Distance from Property: 0 mi. (0 ft.) X
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

ID#: 816
NAME: WALL STREET JOURNAL
ADDRESS: 5355 W CARDINAL DR
BEAUMONT, TX 77705
COUNTY: JEFFERSON
REGION: 10
TYPE: NOT REPORTED
BEGIN DATE: 05/30/1986
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/08/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 03/12/1986
SIGNATURE NAME & TITLE: W REED, ASST PROD MGR
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600405112
NAME: DOW JONES & COMPANY INC
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: ORGANIZATION
BEGIN DATE: 05/30/1986
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

OPERATOR NUMBER: CN600405112
NAME: DOW JONES & COMPANY INC
CONTACT ADDRESS: PO BOX 300
PRINCETON NJ 08543

TYPE: ORGANIZATION
BEGIN DATE: 05/30/1986
CONTACT ROLE: OPRCON
CONTACT NAME: GARY S STEPTOE
CONTACT TITLE: PRODUCTION MANAGER

CONTACT INFORMATION

NAME: CHRIS CALASSINI
TITLE: NOT REPORTED
ORGANIZATION: WALL STREET JOURNAL
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8421222 0

Petroleum Storage Tanks (PST)

ORGANIZATION: **DOW JONES & COMPANY INC**

PHONE: **(609) 5204865 0**

FAX: **NOT REPORTED**

EMAIL: **PAUL.JAKUBSKI@DOWJONES.COM**

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: **1**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **07/01/1982**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **NOT REPORTED**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **07/18/1994**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **2162**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **0**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Petroleum Storage Tanks (PST)

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Generator (RCRAGR06)

MAP ID# 11

Distance from Property: 0 mi. (0 ft.) X
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

EPA ID#: TXD058507583

NAME: THE WALL STREET JOURNAL

ADDRESS: 5355 W CARDINAL DR
BEAUMONT, TX 77705-2613

CONTACT NAME: GARY STEPTOE

CONTACT ADDRESS: 5355 W CARDINAL DR
BEAUMONT TX 77705-2613

CONTACT PHONE: 409-842-7000

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 02/13/2018

OWNER TYPE: PRIVATE

OWNER NAME: DOW JONES & COMPANY INC

OPERATOR TYPE: PRIVATE

OPERATOR NAME: DOW JONES & COMPANY INC

CERTIFICATION

CERTIFICATION NAME:	CERTIFICATION TITLE:	CERTIFICATION SIGNED DATE:
GARY STEPTOE	PRODUCTION MANAGER	02/13/2018
GARY STEPTOE	PRODUCTION MANAGER	02/13/2014
GARY STEPTOE	PRODUCTION MANAGER	01/28/2013
GARY STEPTOE	ENV MGR	11/22/2011
STEVE WHITE	TECHNOLOGY SERV	02/16/2010
STEVE AVERY	UNKNOWN	02/01/2006
STEVE AVERY	UNKNOWN	11/29/2005

INDUSTRY CLASSIFICATION (NAICS)

51111 - NEWSPAPER PUBLISHERS

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: **CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR** LAST UPDATED DATE: 12/10/2018

SUBJECT TO CORRECTIVE ACTION UNIVERSE: **NO**

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: **NO**

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: **NO**

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: **NO**

CORRECTIVE ACTION WORKLOAD UNIVERSE: **NO**

IMPORTER: **NO**

UNDERGROUND INJECTION: **NO**

MIXED WASTE GENERATOR: **NO**

UNIVERSAL WASTE DESTINATION FACILITY: **NO**

RECYCLER: **NO**

TRANSFER FACILITY: **NO**

TRANSPORTER: **NO**

USED OIL FUEL BURNER: **NO**

ONSITE BURNER EXEMPTION: **NO**

USED OIL PROCESSOR: **NO**

FURNACE EXEMPTION: **NO**

USED OIL FUEL MARKETER TO BURNER: **NO**

USED OIL REFINER: **NO**

SPECIFICATION USED OIL MARKETER: **NO**

USED OIL TRANSFER FACILITY: **NO**

USED OIL TRANSPORTER: **NO**

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS

02/24/2010 CEI COMPLIANCE EVALUATION INSPECTION ON-SITE

05/16/2000 CEI COMPLIANCE EVALUATION INSPECTION ON-SITE

06/06/2000 CSE COMPLIANCE SCHEDULE EVALUATION

Resource Conservation & Recovery Act - Generator (RCRAGR06)

VIOLATIONS

05/16/2000 262.A GENERATORS - GENERAL
06/06/2000 262.A GENERATORS - GENERAL

ENFORCEMENTS

05/16/2000 110 VERBAL INFORMAL
06/06/2000 110 VERBAL INFORMAL

HAZARDOUS WASTE

D001 IGNITABLE WASTE
D002 CORROSIVE WASTE
D003 REACTIVE WASTE
D004 ARSENIC
D005 BARIUM
D006 CADMIUM
D007 CHROMIUM
D008 LEAD
D009 MERCURY
D010 SELENIUM
D011 SILVER
D018 BENZENE
D035 METHYL ETHYL KETONE
F001 THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
F002 THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
F003 THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
F004 THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: CRESOLS, CRESYLIC ACID, AND NITROBENZENE; AND THE STILL BOTTOMS FROM THE RECOVERY OF THESE SOLVENTS; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
F005 THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

Resource Conservation & Recovery Act - Generator (RCRAGR06)

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

[Back to Report Summary](#)

Tier II Chemical Reporting Program Facilities (TIERII)

MAP ID# 11

Distance from Property: 0 mi. (0 ft.) X
Elevation: 15 ft. (Lower than TP)

SITE INFORMATION

UNIQUE ID: 489K5W0027RM

SITE ID: FATR2012489K5W0027RM

NAME: DOW JONES & COMPANY, INC

ADDRESS: 5355 W. CARDINAL DRIVE
BEAUMONT, TX 77705

SIGNED DATE: 02/07/2013

VALIDATION REPORT: NOT REPORTED

MAILING ADDRESS: NOT REPORTED

SITE DETAILS

SITE TYPE: NEWSPAPER PUBLISHERS

CHEMICAL LOCATION:

PRESS/MAIL ROOM

CHEMICAL AMOUNT: 35000 POUNDS

CHEMICAL LOCATION:

PRESS UNITS & PIPELINES

CHEMICAL AMOUNT: 5000 POUNDS

CHEMICAL LOCATION:

FORKLIFT AND UPS BATTERIES

CHEMICAL AMOUNT: 750 POUNDS

CHEMICAL LOCATION:

PRESS UNITS & PIPELINES

CHEMICAL AMOUNT: 5000 POUNDS

CHEMICAL LOCATION:

PRESS/MAIL ROOM

CHEMICAL AMOUNT: 35000 POUNDS

CHEMICAL LOCATION:

PRESS UNITS & PIPELINES

CHEMICAL AMOUNT: 5000 POUNDS

CHEMICAL LOCATION:

PRESS/MAIL ROOM

CHEMICAL AMOUNT: 35000 POUNDS

CHEMICAL LOCATION:

FORKLIFT AND UPS BATTERIES

CHEMICAL AMOUNT: 750 POUNDS

CHEMICAL LOCATION:

PRESS UNITS & PIPELINES

CHEMICAL AMOUNT: 5000 POUNDS

CHEMICAL LOCATION:

PRESS/MAIL ROOM

CHEMICAL AMOUNT: 35000 POUNDS

CHEMICAL LOCATION:

PRESS/MAIL ROOM

CHEMICAL AMOUNT: 35000 POUNDS

Tier I I Chemical Reporting Program Facilities (TIERII)

CHEMICAL LOCATION:

PRESS UNITS & PIPELINES

CHEMICAL AMOUNT: **5000 POUNDS**

CHEMICAL LOCATION:

FORKLIFT AND UPS BATTERIES

CHEMICAL AMOUNT: **750 POUNDS**

CHEMICAL NAME: **SOY-BASED INK, BLACK AND COLOR**

MAXIMUM AMOUNT: **57216 POUNDS**

FIRE: **NOT REPORTED** GAS: **NOT REPORTED** LIQUID: **YES** SOLID: **NOT REPORTED**

PURE: **YES** MIXTURE: **NOT REPORTED**

CHEMICAL NAME: **SULFURIC ACID (AQUEOUS)**

MAXIMUM AMOUNT: **300 POUNDS**

FIRE: **NOT REPORTED** GAS: **NOT REPORTED** LIQUID: **YES** SOLID: **NOT REPORTED**

PURE: **YES** MIXTURE: **NOT REPORTED**

CHEMICAL NAME: **SOY-BASED INK, BLACK AND COLOR**

MAXIMUM AMOUNT: **NOT REPORTED**

FIRE: **NOT REPORTED** GAS: **NOT REPORTED** LIQUID: **YES** SOLID: **NOT REPORTED**

PURE: **YES** MIXTURE: **NOT REPORTED**

CHEMICAL NAME: **SULFURIC ACID (AQUEOUS)**

MAXIMUM AMOUNT: **NOT REPORTED**

FIRE: **NOT REPORTED** GAS: **NOT REPORTED** LIQUID: **YES** SOLID: **NOT REPORTED**

PURE: **YES** MIXTURE: **NOT REPORTED**

CHEMICAL NAME: **SOY-BASED INK, BLACK AND COLOR**

MAXIMUM AMOUNT: **NOT REPORTED**

FIRE: **NOT REPORTED** GAS: **NOT REPORTED** LIQUID: **YES** SOLID: **NOT REPORTED**

PURE: **NOT REPORTED** MIXTURE: **YES**

CHEMICAL NAME: **SOY-BASED INK, BLACK AND COLOR**

MAXIMUM AMOUNT: **NOT REPORTED**

FIRE: **NOT REPORTED** GAS: **NOT REPORTED** LIQUID: **YES** SOLID: **NOT REPORTED**

PURE: **NOT REPORTED** MIXTURE: **YES**

CHEMICAL NAME: **SOY-BASED INK, BLACK AND COLOR**

MAXIMUM AMOUNT: **57216 POUNDS**

FIRE: **NOT REPORTED** GAS: **NOT REPORTED** LIQUID: **YES** SOLID: **NOT REPORTED**

PURE: **YES** MIXTURE: **NOT REPORTED**

CHEMICAL NAME: **SULFURIC ACID (AQUEOUS)**

MAXIMUM AMOUNT: **300 POUNDS**

FIRE: **NOT REPORTED** GAS: **NOT REPORTED** LIQUID: **YES** SOLID: **NOT REPORTED**

PURE: **YES** MIXTURE: **NOT REPORTED**

MIXTURE CHEMICAL: **NOT REPORTED**

[Back to Report Summary](#)

Facility Registry System (FRSTX)

[MAP ID# 12](#)

Distance from Property: 0 mi. (0 ft.) X

Elevation: 22 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRY ID: 110038204635

NAME: JOTS

LOCATION ADDRESS: 255 IH 10 S

BEAUMONT, TX 77705-2555

COUNTY: JEFFERSON

EPA REGION: 06

FEDERAL FACILITY: NOT REPORTED

TRIBAL LAND: NOT REPORTED

ALTERNATIVE NAME/S:

JOTS

PROGRAM/S LISTED FOR THIS FACILITY

TX-TCEQ ACR - TEXAS COMMISSION ON ENVIRONMENTAL QUALITY - AGENCY CENTRAL REGISTRY

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

7699 - REPAIR SHOPS AND RELATED SERVICES, NOT ELSEWHERE CLASSIFIED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

562991 - SEPTIC TANK AND RELATED SERVICES.

[Back to Report Summary](#)

Notice of Violations (NOV)

MAP ID# 12

Distance from Property: 0 mi. (0 ft.) X
Elevation: 22 ft. (Higher than TP)

SITE INFORMATION

REFERENCE #: RN105691323
CUSTOMER #: CN603449794
NAME: JOTS
ADDRESS: 255 IH 10 S
CITY: BEAUMONT
STATE: TX
ZIPCODE: 77702-2555
COUNTY: JEFFERSON
BUSINESS: NOT REPORTED
CONTACT: NOT REPORTED

SITE DETAILS

VIOLATION ISSUED: 12/07/09
CATEGORY: MINOR
MEDIA: WASTE
STATUS: RESOLVED
ALLEGATION:
FAILURE BY JOHNNY ON THE SPOT, INC. TO PROMINENTLY MARK ALL DISCHARGE VALVES.
RESOLUTION DESCRIPTION:
NOT REPORTED

VIOLATION ISSUED: 12/07/09
CATEGORY: MINOR
MEDIA: WASTE
STATUS: ACTIVE
ALLEGATION:
FAILURE BY JOHNNY ON THE SPOT, INC. TO PROMINENTLY MARK ALL DISCHARGE VALVES.
RESOLUTION DESCRIPTION:
NOT REPORTED

VIOLATION ISSUED: 12/07/09
CATEGORY: MINOR
MEDIA: WASTE
STATUS: ACTIVE
ALLEGATION:
FAILURE BY JOHNNY ON THE SPOT, INC. TO PROMINENTLY MARK ALL DISCHARGE VALVES.
RESOLUTION DESCRIPTION:
NOT REPORTED

VIOLATION ISSUED: 12/07/09
CATEGORY: MODERATE
MEDIA: WASTE
STATUS: ACTIVE
ALLEGATION:

Notice of Violations (NOV)

FAILURE BY JOHNNY ON THE SPOT, INC. TO PROMINENTLY MARK ALL DISCHARGE VALVES.

RESOLUTION DESCRIPTION:

NOT REPORTED

VIOLATION ISSUED: **12/07/09**

CATEGORY: **MODERATE**

MEDIA: **WASTE**

STATUS: **ACTIVE**

ALLEGATION:

FAILURE BY JOHNNY ON THE SPOT, INC. TO PROMINENTLY MARK ALL DISCHARGE VALVES.

RESOLUTION DESCRIPTION:

NOT REPORTED

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 12

Distance from Property: 0.009 mi. (48 ft.) E
Elevation: 22 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 59576
NAME: HAMILTON POOLS
ADDRESS: 305 IH 10 S
BEAUMONT, TX 77702
COUNTY: JEFFERSON
REGION: 10
TYPE: FLEET REFUELING
BEGIN DATE: 08/29/1991
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 08/27/1991
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 08/22/1991
SIGNATURE NAME & TITLE: BUDDY HAMILTON, OWNER
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN601045511
NAME: HAMILTON BUDDY
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: ORGANIZATION
BEGIN DATE: 08/29/1991
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1
INSTALLATION DATE: 08/31/1987
TANK CAPACITY (GAL): 2000
NUMBER OF COMPARTMENTS: 1
REGISTRATION DATE: 08/27/1991
EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: NOT REPORTED
TITLE: NOT REPORTED
ORGANIZATION: HAMILTON POOLS
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8321111 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **09/22/1991**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **146566**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **UNKNOWN**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **2000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Emergency Response Notification System (ERNSTX)

MAP ID# 13

Distance from Property: 0 mi. (0 ft.) X
Elevation: 23 ft. (Higher than TP)

INCIDENT INFORMATION

GSID#: 1189570
NRC ID#: 1189570
INCIDENT LOCATION: **NOT REPORTED**
INCIDENT ADDRESS: **390 I-10**
BEAUMONT, TX 77705
INCIDENT COUNTY: **JEFFERSON**

INCIDENT DETAILS

INCIDENT DATE: **9/5/2017 9:00**
INCIDENT CAUSE: **DUMPING**
INCIDENT TYPE: **FIXED**
INCIDENT OCCURED/DISCOVERED: **DISCOVERED**
INCIDENT DESCRIPTION: **A CALLER IS REPORTING A DISCHARGE OF APPX. 10 GALLONS OF MOTOR OIL AND 10 GALLONS OF HYDRAULIC OIL INTO A SEWAGE DIRECTLY FROM VEHICLES AND EQUIPMENT DURING OIL CHANGES. THE CALLER STATED THAT THE BUSINESS HAS BEEN DISCHARGING THE OILS DIRECTLY INTO SEWA**

RESPONSIBLE PARTY

RESPONSIBLE COMPANY: **BEAUMONT FREIGHTLINER**
ADDRESS: **ADDRESS NOT REPORTED**
BEAUMONT TX 77705
RESPONSIBLE COMPANY ORGANIZATION TYPE: **PRIVATE ENTERPRISE**

MATERIALS INVOLVED

CHRIS CODE: **OMT**
MATERIAL REACHED WATER: **YES**
WATER AMOUNT: **10 GALLON(S)**
MATERIAL RELEASED/AMOUNT: **OIL, MISC: MOTOR / 10 GALLON(S)**

CHRIS CODE: **OHY**
MATERIAL REACHED WATER: **YES**
WATER AMOUNT: **10 GALLON(S)**
MATERIAL RELEASED/AMOUNT: **HYDRAULIC OIL / 10 GALLON(S)**

OTHER MATERIALS INVOLVED

- NO OTHER MATERIALS INVOLVED -

REMEDIAL ACTION

REMEDIAL ACTION: **NOT REPORTED**

[Back to Report Summary](#)

Emergency Response Notification System (ERNSTX)

MAP ID# 14

Distance from Property: 0 mi. (0 ft.) X
Elevation: 41 ft. (Higher than TP)

INCIDENT INFORMATION

GSID#: 769468

NRC ID#: 769468

INCIDENT LOCATION: WEST SIDE OF HWY 69 AND I-10

INCIDENT ADDRESS: NOT REPORTED
BEAUMONT, TX

INCIDENT COUNTY: JEFFERSON

INCIDENT DETAILS

INCIDENT DATE: 8/17/2005 5:30:00 PM

INCIDENT CAUSE: EQUIPMENT FAILURE

INCIDENT TYPE: PIPELINE

INCIDENT OCCURED/DISCOVERED: OCCURRED

INCIDENT DESCRIPTION: CRUDE OIL SPILLED INTO THE LOWER NECHES VALLEY CANAL DURING A HYDROSTATIC TEST ON A PIPELINE.

RESPONSIBLE PARTY

RESPONSIBLE COMPANY: WEST TEXAS GULF PIPELINE

ADDRESS: ADDRESS NOT REPORTED
TULSA OK

RESPONSIBLE COMPANY ORGANIZATION TYPE: PRIVATE ENTERPRISE

MATERIALS INVOLVED

CHRIS CODE: OIL

MATERIAL REACHED WATER: YES

WATER AMOUNT: 5 GALLON(S)

MATERIAL RELEASED/AMOUNT: OIL: CRUDE / 5 GALLON(S)

OTHER MATERIALS INVOLVED

- NO OTHER MATERIALS INVOLVED -

REMEDIAL ACTION

REMEDIAL ACTION: BOOMS APPLIED, ABSORBENTS APPLIED, CLEAN UP CREW ON-SITE

[Back to Report Summary](#)

Enforcement and Compliance History Information (ECHOR06)

MAP ID# 15

Distance from Property: 0 mi. (0 ft.) X

Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

UNIQUE ID: 110005145208

REGISTRY ID: 110005145208

NAME: LAMAR ADVERTISING

ADDRESS: 2810 LAUREL
BEAUMONT, TX 77726

COUNTY: JEFFERSON

FACILITY LINK: [Facility Detail Report](#)

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 15

Distance from Property: 0.006 mi. (32 ft.) NNE
Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

REGISTRY ID: 110005140454

NAME: **BLOOD CENTER OF SOUTHEAST TX**

LOCATION ADDRESS: 2850 LAUREL
BEAUMONT, TX 77702

COUNTY: **JEFFERSON**

EPA REGION: **06**

FEDERAL FACILITY: **NOT REPORTED**

TRIBAL LAND: **NOT REPORTED**

ALTERNATIVE NAME/S:

BLOOD CENTER OF SOUTHEAST TX

PROGRAM/S LISTED FOR THIS FACILITY

RCRAINFO - RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 15

Distance from Property: 0 mi. (0 ft.) X

Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

REGISTRY ID: 110005145208

NAME: LAMAR ADVERTISING

LOCATION ADDRESS: 2810 LAUREL
BEAUMONT, TX 77726

COUNTY: JEFFERSON

EPA REGION: 06

FEDERAL FACILITY: NOT REPORTED

TRIBAL LAND: NOT REPORTED

ALTERNATIVE NAME/S:

LAMAR ADVERTISING

PROGRAM/S LISTED FOR THIS FACILITY

RCRAINFO - RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Generator (RCRAGR06)

MAP ID# 15

Distance from Property: 0 mi. (0 ft.) X
Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

EPA ID#: TXD988059200

NAME: LAMAR ADVERTISING

ADDRESS: 2810 LAUREL

BEAUMONT, TX 77726

CONTACT NAME: CHRIS CRABTREE

CONTACT ADDRESS: PO BOX 7946

BEAUMONT TX 77726

CONTACT PHONE: 409-832-2565

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 12/18/1991

CERTIFICATION - NO CERTIFICATION REPORTED -

INDUSTRY CLASSIFICATION (NAICS) - NO NAICS INFORMATION REPORTED -

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: SMALL QUANTITY GENERATOR LAST UPDATED DATE: 09/02/2000

SUBJECT TO CORRECTIVE ACTION UNIVERSE: NO

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: NO

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: NO

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: NO

CORRECTIVE ACTION WORKLOAD UNIVERSE: NO

IMPORTER: NO

UNDERGROUND INJECTION: NO

MIXED WASTE GENERATOR: NO

UNIVERSAL WASTE DESTINATION FACILITY: NO

RECYCLER: NO

TRANSFER FACILITY: NO

TRANSPORTER: NO

USED OIL FUEL BURNER: NO

ONSITE BURNER EXEMPTION: NO

USED OIL PROCESSOR: NO

FURNACE EXEMPTION: NO

USED OIL FUEL MARKETER TO BURNER: NO

USED OIL REFINER: NO

SPECIFICATION USED OIL MARKETER: NO

USED OIL TRANSFER FACILITY: NO

USED OIL TRANSPORTER: NO

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS - NO EVALUATIONS REPORTED -

VIOLATIONS - NO VIOLATIONS REPORTED -

ENFORCEMENTS - NO ENFORCEMENTS REPORTED -

HAZARDOUS WASTE

D001 IGNITABLE WASTE

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 16

Distance from Property: 0 mi. (0 ft.) X
Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

REGISTRY ID: 110041726335

NAME: TXDOT BMT CSJ 0739-02-146

LOCATION ADDRESS: IH10 FROM WASHINGTON BLVD TO JEFFERSON/CHAMBERS CO
BEAUMONT, TX 77708

COUNTY: JEFFERSON

EPA REGION: 06

FEDERAL FACILITY: NOT REPORTED

TRIBAL LAND: NOT REPORTED

ALTERNATIVE NAME/S:

TXDOT BMT CSJ 0739-02-146

PROGRAM/S LISTED FOR THIS FACILITY

TX-TCEQ ACR - TEXAS COMMISSION ON ENVIRONMENTAL QUALITY - AGENCY CENTRAL REGISTRY

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

1611 - HIGHWAY AND STREET CONSTRUCTION, EXCEPT ELEVATED HIGHWAYS

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 17

Distance from Property: 0 mi. (0 ft.) X

Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

REGISTRY ID: 110054319082

NAME: **BEAUMONT LANDFILL**

LOCATION ADDRESS: **FANNETT & US 69**
BEAUMONT, TX 77705

COUNTY: **JEFFERSON**

EPA REGION: **06**

FEDERAL FACILITY: **NOT REPORTED**

TRIBAL LAND: **NOT REPORTED**

ALTERNATIVE NAME/S:

BEAUMONT LANDFILL

PROGRAM/S LISTED FOR THIS FACILITY

EIS - EIS

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

562212 - SOLID WASTE LANDFILL.

562212 - SOLID WASTE LANDFILL.

[Back to Report Summary](#)

Enforcement and Compliance History Information (ECHOR06)

MAP ID# 18

Distance from Property: 0 mi. (0 ft.) X

Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

UNIQUE ID: 110070382478

REGISTRY ID: 110070382478

NAME: TXDOT BMT CSJ 0786-01-083

ADDRESS: 900 FT SOUTH OF IH-10 TO SH 124, .20 MILES N OF FM
BEAUMONT, TX 77708

COUNTY: NOT REPORTED

FACILITY LINK: [Facility Detail Report](#)

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 18

Distance from Property: 0 mi. (0 ft.) X

Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRY ID: 110070382478

NAME: TXDOT BMT CSJ 0786-01-083

LOCATION ADDRESS: 900 FT SOUTH OF IH-10 TO SH 124, .20 MILES N OF FM
BEAUMONT, TX 77708

COUNTY: NOT REPORTED

EPA REGION: 06

FEDERAL FACILITY: NOT REPORTED

TRIBAL LAND: NOT REPORTED

ALTERNATIVE NAME/S:

NO ALTERNATIVE NAME(S) LISTED FOR THIS FACILITY

PROGRAM/S LISTED FOR THIS FACILITY

NPDES - NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Hazardous Materials Incident Reporting System (HMIRSR06)

MAP ID# 19

Distance from Property: 0 mi. (0 ft.) X
Elevation: 20 ft. (Higher than TP)

INCIDENT INFORMATION

REPORT #: I-2006110790

DATE: 10/3/2005

INCIDENT LOCATION:

HOLIDAY INN - 1-10 AT 11TH ST

BEAUMONT, TX 77701

JEFFERSON

CARRIER INFORMATION

NAME: UNITED PETROLEUM TRANSPORTS INC.

ADDRESS: 4312 S GEORGIA PL
OKLAHOMA CITY, OK 73129-7972

MODE OF TRANSPORTATION: HIGHWAY

TRANSPORTATION PHASE: UNLOADING

COMMODITY DETAILS

IDENTIFICATION NUMBER: NA1993

COMMODITY SHIPPING NAME: DIESEL FUEL

TRADE NAME: HS UTLY DF2 DYED

QUANTITY RELEASED: 40 LIQUID - GALLON

PACKAGING: PORTABLE TANK

FAILURE DESCRIPTION

WHAT FAILED: ; ;

HOW FAILED: ; - ;

FAILURE CAUSE DESCRIPTION:

529; 515 - OVERFILLED; HUMAN ERROR

DESCRIPTION OF EVENTS:

POST HURRICANE RITA EMERGENCY RELIEF. DRIVER WAS PUMPING INTO A FUEL CELL INSIDE A TRAILER FOR A GENERATOR FOR EMERGENCY POWER. RECEIVER LEFT THE AREA WITHOUT NOTIFYING DRIVER. DRIVER WAITING BY VALVES TO STOP UNLOADING WHEN RECEIVER SIGNALLED BUT DID NOT KNOW RECEIVER HAD LEFT HIS POST. SPILL NOTED BY DRIVER COMING AROUND THE BUILDING DRIVER SHUT DOWN. RECEIVER ACCEPTED RESPONSIBILITY CLEAN UP CREW CALLED TO SCENE TO EFFECT CLEAN UP.

RECOMMENDATIONS/ACTIONS TAKEN:

N/A.

[Back to Report Summary](#)

Enforcement and Compliance History Information (ECHOR06)

[MAP ID# 20](#)

Distance from Property: 0.001 mi. (5 ft.) W
Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

UNIQUE ID: 110005067202

REGISTRY ID: 110005067202

NAME: BEAUMONT OIL

ADDRESS: 871 IH 10 N SUITE 150
BEAUMONT, TX 77706

COUNTY: JEFFERSON

FACILITY LINK: [Facility Detail Report](#)

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 20

Distance from Property: 0.001 mi. (5 ft.) W
Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRY ID: 110005067202

NAME: **BEAUMONT OIL**

LOCATION ADDRESS: 871 IH 10 N SUITE 150
BEAUMONT, TX 77706

COUNTY: **JEFFERSON**

EPA REGION: **06**

FEDERAL FACILITY: **NOT REPORTED**

TRIBAL LAND: **NOT REPORTED**

ALTERNATIVE NAME/S:

BEAUMONT OIL

PROGRAM/S LISTED FOR THIS FACILITY

RCRAINFO - RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 20

Distance from Property: 0.001 mi. (5 ft.) W

Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRATION#: 36261 EPA ID: TXD093973477

TNRCC ID #: 13155

NAME: BEAUMONT OIL

ADDRESS: 871 IH 10 N STE 150

BEAUMONT, TX 77706

CONTACT: ENVIRONMENTAL MANAGER

PHONE: NOT REPORTED

BUSINESS DESCRIPTION: NOT REPORTED

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: NOT A HW GENERATOR

GENERATOR TYPE: NOT REPORTED

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 02/09/2005

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

NO RECORDS

OWNER INFORMATION

NAME: BEAUMONT OIL INC

ADDRESS: 871 IH 10 N STE 150

BEAUMONT, TX 77706

PHONE: NOT REPORTED

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 20

Distance from Property: 0.001 mi. (5 ft.) W

Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRATION#: 70120

EPA ID: TXD093973477

TNRCC ID #: 24959

NAME: BEAUMONT OIL

ADDRESS: 871 IH 10 N STE 150

BEAUMONT, TX 77706

CONTACT: JAMES E FONTANA

PHONE: 409-8325157

BUSINESS DESCRIPTION: MAILING ADDRESS INCORRECT CHANGED TO INACTIVE

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: MERGED

AMOUNT OF WASTE GENERATED: NOT A HW GENERATOR

GENERATOR TYPE: NOT REPORTED

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 06/04/2010

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

NO RECORDS

OWNER INFORMATION

NAME: BEAUMONT OIL INC

ADDRESS: PO BOX 3689

BEAUMONT, TX 77704

PHONE: 1-409-8325157

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

MAP ID# 20

Distance from Property: 0.001 mi. (5 ft.) W
Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

EPA ID#: TXD093973477

NAME: BEAUMONT OIL

ADDRESS: 871 IH 10 N SUITE 150

BEAUMONT, TX 77706

OWNER TYPE: PRIVATE

OWNER NAME: BEAUMONT OIL INC

OPERATOR TYPE: PRIVATE

OPERATOR NAME: BEAUMONT OIL INC

CONTACT NAME: ENVIRONMENTAL MANAGER

CONTACT ADDRESS: 871 IH 10 N SUITE 150

BEAUMONT TX 77706

CONTACT PHONE: NOT REPORTED

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 07/27/2001

CERTIFICATION - NO CERTIFICATION REPORTED -

INDUSTRY CLASSIFICATION (NAICS) - NO NAICS INFORMATION REPORTED -

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: NON-GENERATOR LAST UPDATED DATE: 02/17/2005

SUBJECT TO CORRECTIVE ACTION UNIVERSE: NO

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: NO

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: NO

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: NO

CORRECTIVE ACTION WORKLOAD UNIVERSE: NO

IMPORTER: NO

UNDERGROUND INJECTION: NO

MIXED WASTE GENERATOR: NO

UNIVERSAL WASTE DESTINATION FACILITY: NO

RECYCLER: NO

TRANSFER FACILITY: NO

TRANSPORTER: NO

USED OIL FUEL BURNER: NO

ONSITE BURNER EXEMPTION: NO

USED OIL PROCESSOR: NO

FURNACE EXEMPTION: NO

USED OIL FUEL MARKETER TO BURNER: NO

USED OIL REFINER: NO

SPECIFICATION USED OIL MARKETER: NO

USED OIL TRANSFER FACILITY: NO

USED OIL TRANSPORTER: NO

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS - NO EVALUATIONS REPORTED -

VIOLATIONS - NO VIOLATIONS REPORTED -

ENFORCEMENTS - NO ENFORCEMENTS REPORTED -

HAZARDOUS WASTE

- NO HAZARDOUS WASTE INFORMATION REPORTED -

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

[Back to Report Summary](#)

Facility Registry System (FRSTX)

[MAP ID# 21](#)

Distance from Property: 0.002 mi. (11 ft.) W

Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRY ID: 110011402197

NAME: **GENERAL ELECTRIC**

LOCATION ADDRESS: **87 I-10 N STE 220
BEAUMONT, TX 77707**

COUNTY: **JEFFERSON**

EPA REGION: **06**

FEDERAL FACILITY: **NOT REPORTED**

TRIBAL LAND: **NOT REPORTED**

ALTERNATIVE NAME/S:

GENERAL ELECTRIC CO

PROGRAM/S LISTED FOR THIS FACILITY

NCDB - NATIONAL COMPLIANCE DATABASE SYSTEM

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

7699 - REPAIR SHOPS AND RELATED SERVICES, NOT ELSEWHERE CLASSIFIED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Enforcement and Compliance History Information (ECHOR06)

[MAP ID# 22](#)

Distance from Property: 0.002 mi. (11 ft.) S
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

UNIQUE ID: 110070360848

REGISTRY ID: 110070360848

NAME: CITY OF BMT WASHINGTON BLVD PAVEMENT WIDENING

ADDRESS: ALONG WASHINGTON BLVD., FROM ITS INTERSECTION WITH
BEAUMONT, TX 77705

COUNTY: NOT REPORTED

FACILITY LINK: [Facility Detail Report](#)

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 22

Distance from Property: 0.002 mi. (11 ft.) S
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRY ID: 110070360848

NAME: CITY OF BMT WASHINGTON BLVD PAVEMENT WIDENING

LOCATION ADDRESS: ALONG WASHINGTON BLVD., FROM ITS INTERSECTION WITH
BEAUMONT, TX 77705

COUNTY: NOT REPORTED

EPA REGION: 06

FEDERAL FACILITY: NOT REPORTED

TRIBAL LAND: NOT REPORTED

ALTERNATIVE NAME/S:

NO ALTERNATIVE NAME(S) LISTED FOR THIS FACILITY

PROGRAM/S LISTED FOR THIS FACILITY

NPDES - NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 23

Distance from Property: 0.003 mi. (16 ft.) E
Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

ID#: 10282
NAME: E-Z MART 265
ADDRESS: 46 INTERSTATE 10 N
BEAUMONT, TX 77702
COUNTY: JEFFERSON
REGION: 10
TYPE: RETAIL
BEGIN DATE: 09/01/1987
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/08/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 04/07/1986
SIGNATURE NAME & TITLE: THOMAS E CARTER, GAS OPER MGR
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600448237
NAME: YATES GROUP INC
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: CORPORATION/COMPANY
BEGIN DATE: 09/01/1987
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NOTIFICATION CONSTRUCTION ID: 11294
APPLICATION RECEIVED DATE: 09/02/1999
SCHEDULE CONSTRUCTION DATE: 08/06/1999
GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:
NOT REPORTED

CONTACT INFORMATION

NAME: DAVID MCKAMIE
TITLE: NOT REPORTED
ORGANIZATION: E-Z MART 265
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (903) 8326502 0

Petroleum Storage Tanks (PST)

UNDERGROUND STORAGE TANK

TANK ID: 1
INSTALLATION DATE: 01/01/1982
TANK CAPACITY (GAL): 9520
STATUS: **REMOVED FROM GROUND**
INTERNAL PROTECTION DATE: **NOT REPORTED**
TANK DESIGN SINGLE WALL: **YES**
PIPE DESIGN SINGLE WALL: **YES**

NUMBER OF COMPARTMENTS: 1
REGISTRATION DATE: 05/08/1986
EMPTY TANK: **NOT EMPTY**
STATUS BEGIN DATE: 08/05/1999
REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: 110512

TANK ID: 1

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): 9520

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 2

INSTALLATION DATE: 01/01/1982

TANK CAPACITY (GAL): 9520

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **YES**

NUMBER OF COMPARTMENTS: 1

REGISTRATION DATE: 05/08/1986

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: 08/05/1999

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

Petroleum Storage Tanks (PST)

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **110514**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **9520**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1982**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **5014**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **08/05/1999**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

Petroleum Storage Tanks (PST)

CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **110513**
TANK ID: **3**
COMPARTMENT LETTER: **A**
SUBSTANCES: **GASOLINE**
OTHER SUBSTANCES: **NOT REPORTED**
CAPACITY (GAL): **5014**
COMPARTMENT RELEASE DETECTION: **NOT REPORTED**
SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**
CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**
EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:
AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Enforcement and Compliance History Information (ECHOR06)

[MAP ID# 24](#)

Distance from Property: 0.004 mi. (21 ft.) WNW

Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

UNIQUE ID: 110005054305

REGISTRY ID: 110005054305

NAME: CONSOLIDATED SWITCHGEAR & ELECTRICAL SYS

ADDRESS: 1710 IH 10 S

BEAUMONT, TX 77707

COUNTY: JEFFERSON

FACILITY LINK: [Facility Detail Report](#)

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 24

Distance from Property: 0.004 mi. (21 ft.) WNW
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRY ID: 110005054305

NAME: **CONSOLIDATED SWITCHGEAR & ELECTRICAL SYS**

LOCATION ADDRESS: 1710 IH 10 S
BEAUMONT, TX 77707

COUNTY: **JEFFERSON**

EPA REGION: **06**

FEDERAL FACILITY: **NOT REPORTED**

TRIBAL LAND: **NOT REPORTED**

ALTERNATIVE NAME/S:

CONSOLIDATED SWITCHGEAR &

PROGRAM/S LISTED FOR THIS FACILITY

RCRAINFO - RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 24

Distance from Property: 0.004 mi. (21 ft.) WNW

Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRATION#: 36503 EPA ID: TXD057175788

TNRCC ID #: 13380

NAME: CONSOLIDATED SWITCHGEAR & ELECTRICAL SYSTEMS

ADDRESS: 1710 IH 10 S

BEAUMONT, TX 77707

CONTACT: ENVIRONMENTAL MANAGER

PHONE: NOT REPORTED

BUSINESS DESCRIPTION: NOT REPORTED

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: NOT A HW GENERATOR

GENERATOR TYPE: NOT REPORTED

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 06/04/2010

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

NO RECORDS

OWNER INFORMATION

NAME: CONSOLIDATED SWITCHGEAR & ELECTRICAL SYSTEMS

ADDRESS: 1710 IH 10 S

BEAUMONT, TX 77707

PHONE: NOT REPORTED

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 24

Distance from Property: 0.004 mi. (21 ft.) WNW

Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRATION#: 70123 EPA ID: NOT REPORTED

TNRCC ID #: 24962

NAME: CONSOLIDATED SWITCHGEAR

ADDRESS: 1710 IH 10 S

BEAUMONT, TX 77707

CONTACT: NOT REPORTED

PHONE: NOT REPORTED

BUSINESS DESCRIPTION: THIS REGISTRATION WAS INACTIVATED BECAUSE THIS FACILITY WAS REGISTERED PRIOR TO 1994 AND NO WASTE ACTIVITY WAS REPORTED IN 1994, 1995 AND 1996.

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: MERGED

AMOUNT OF WASTE GENERATED: NOT REPORTED

GENERATOR TYPE: NOT REPORTED

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 06/04/2010

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

NO RECORDS

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

MAP ID# 24

Distance from Property: 0.004 mi. (21 ft.) WNW
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

EPA ID#: TXD057175788

NAME: CONSOLIDATED SWITCHGEAR & ELECTRICAL SYS

ADDRESS: 1710 IH 10 S

BEAUMONT, TX 77707

CONTACT NAME: ENVIRONMENTAL MANAGER

CONTACT ADDRESS: 1710 IH 10 S

BEAUMONT TX 77707

CONTACT PHONE: NOT REPORTED

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 07/27/2001

CERTIFICATION - NO CERTIFICATION REPORTED -

INDUSTRY CLASSIFICATION (NAICS)

335313 - SWITCHGEAR AND SWITCHBOARD APPARATUS MANUFACTURING

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: **NON-GENERATOR** LAST UPDATED DATE: **02/17/2005**

SUBJECT TO CORRECTIVE ACTION UNIVERSE: **NO**

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: **NO**

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: **NO**

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: **NO**

CORRECTIVE ACTION WORKLOAD UNIVERSE: **NO**

IMPORTER: **NO**

UNDERGROUND INJECTION: **NO**

MIXED WASTE GENERATOR: **NO**

UNIVERSAL WASTE DESTINATION FACILITY: **NO**

RECYCLER: **NO**

TRANSFER FACILITY: **NO**

TRANSPORTER: **NO**

USED OIL FUEL BURNER: **NO**

ONSITE BURNER EXEMPTION: **NO**

USED OIL PROCESSOR: **NO**

FURNACE EXEMPTION: **NO**

USED OIL FUEL MARKETER TO BURNER: **NO**

USED OIL REFINER: **NO**

SPECIFICATION USED OIL MARKETER: **NO**

USED OIL TRANSFER FACILITY: **NO**

USED OIL TRANSPORTER: **NO**

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS - NO EVALUATIONS REPORTED -

VIOLATIONS - NO VIOLATIONS REPORTED -

ENFORCEMENTS - NO ENFORCEMENTS REPORTED -

HAZARDOUS WASTE

- NO HAZARDOUS WASTE INFORMATION REPORTED -

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

[Back to Report Summary](#)

Emergency Response Notification System (ERNSTX)

MAP ID# 25

Distance from Property: 0.005 mi. (26 ft.) E
Elevation: 18 ft. (Higher than TP)

INCIDENT INFORMATION

GSID#: 268024

NRC ID#: 268024

INCIDENT LOCATION: NOT REPORTED

INCIDENT ADDRESS: 1265 SOUTH I-10
BEAUMONT, TX 77701

INCIDENT COUNTY: HARRISON

INCIDENT DETAILS

INCIDENT DATE: 11/1/1994 12:00:00 PM

INCIDENT CAUSE: DUMPING

INCIDENT TYPE: FIXED

INCIDENT OCCURED/DISCOVERED: DISCOVERED

INCIDENT DESCRIPTION: CALLER STATES THAT THE COMPANY HAS SPILLED OIL AND WONT CLEAN IT UP/SHEALSO STATES THAT THEY CLEAN THEIR EQUIPMENT WITH ACID AND THEN DUMP IT

RESPONSIBLE PARTY

RESPONSIBLE COMPANY: GULF COAST HERMETICS

ADDRESS: ADDRESS NOT REPORTED
BEAUMONT TX 77701

RESPONSIBLE COMPANY ORGANIZATION TYPE: PRIVATE ENTERPRISE

MATERIALS INVOLVED

CHRIS CODE: NCC

MATERIAL REACHED WATER: YES

WATER AMOUNT: UNKNOWN AMOUNT / NOT REPORTED

MATERIAL RELEASED/AMOUNT: UNKNOWN ACID / UNKNOWN AMOUNT

CHRIS CODE: OUN

MATERIAL REACHED WATER: YES

WATER AMOUNT: UNKNOWN AMOUNT / NOT REPORTED

MATERIAL RELEASED/AMOUNT: UNKNOWN OIL / UNKNOWN AMOUNT

OTHER MATERIALS INVOLVED

- NO OTHER MATERIALS INVOLVED -

REMEDIAL ACTION

REMEDIAL ACTION: NONE

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 26

Distance from Property: 0.006 mi. (32 ft.) E
Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRY ID: 110070165386

NAME: PFI 7

LOCATION ADDRESS: 1225 IH 10 S
BEAUMONT, TX 77701-4732

COUNTY: JEFFERSON

EPA REGION: 06

FEDERAL FACILITY: NOT REPORTED

TRIBAL LAND: NOT REPORTED

ALTERNATIVE NAME/S:

NO ALTERNATIVE NAME(S) LISTED FOR THIS FACILITY

PROGRAM/S LISTED FOR THIS FACILITY

TX-TCEQ ACR - TEXAS COMMISSION ON ENVIRONMENTAL QUALITY - AGENCY CENTRAL REGISTRY

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 26

Distance from Property: 0.006 mi. (32 ft.) E
Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 38282
NAME: PFI 7
ADDRESS: 1225 IH 10 S
BEAUMONT, TX 77701
COUNTY: JEFFERSON
REGION: 10
TYPE: RETAIL
BEGIN DATE: 01/07/1987
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: YES
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/08/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 05/06/1986
SIGNATURE NAME & TITLE: H RICHARDS, OFFICE MGR.
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600749139
NAME: PETROTEX FUELS INC
CONTACT ADDRESS: PO BOX 7308
BEAUMONT TX 77726
TYPE: CORPORATION/COMPANY
BEGIN DATE: 06/04/1996
CONTACT ROLE: OWNOPRCON
CONTACT NAME: AMY TRULL
CONTACT TITLE: NOT REPORTED
ORGANIZATION: PETROTEX FUELS INC
PHONE: NOT REPORTED
FAX: (409) 8423939
EMAIL: NOT REPORTED

OPERATOR

OPERATOR NUMBER: CN600749139
NAME: PETROTEX FUELS INC
CONTACT ADDRESS: PO BOX 7308
BEAUMONT TX 77726
TYPE: CORPORATION/COMPANY
BEGIN DATE: 06/04/1996
CONTACT ROLE: OWNOPRCON
CONTACT NAME: AMY TRULL
CONTACT TITLE: NOT REPORTED

CONTACT INFORMATION

NAME: ROBBIE LAMPKIN
TITLE: NOT REPORTED
ORGANIZATION: PFI 7
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8420999 0

Petroleum Storage Tanks (PST)

ORGANIZATION: **PETROTEX FUELS INC**

PHONE: **NOT REPORTED**

FAX: **(409) 8423939**

EMAIL: **NOT REPORTED**

SELF-CERTIFICATION

SELF-CERTIFICATION ID: **49004**

SIGNATURE DATE: **05/03/2002**

SIGNATURE NAME & TITLE: **E H STEINHAGEN, PRESIDENT & CEO**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **49003**

SIGNATURE DATE: **01/22/2001**

SIGNATURE NAME & TITLE: **E H STEINHAGEN III, PRES & CEO**

FILING STATUS: **INITIAL**

REGISTRATION FLAG: **YES**

CONSTRUCTION NOTIFICATION

NOTIFICATION CONSTRUCTION ID: **4314**

APPLICATION RECEIVED DATE: **03/19/2003**

SCHEDULE CONSTRUCTION DATE: **03/18/2003**

GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:

NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: **1A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **11/01/1995**

REGISTRATION DATE: **05/24/1996**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **03/27/2003**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP, COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **49236**

TANK ID: **1A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

Petroleum Storage Tanks (PST)

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1B**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1968**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **2000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **11/15/1995**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **49232**

TANK ID: **1B**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **2000**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

Petroleum Storage Tanks (PST)

VAPOR MONITORING

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2A**

NUMBER OF COMPARTMENTS: **2**

INSTALLATION DATE: **11/01/1995**

REGISTRATION DATE: **05/24/1996**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **03/27/2003**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **49237**

TANK ID: **2A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2A**

NUMBER OF COMPARTMENTS: **2**

INSTALLATION DATE: **11/01/1995**

REGISTRATION DATE: **05/24/1996**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **03/27/2003**

Petroleum Storage Tanks (PST)

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **YES** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **49238**

TANK ID: **2A**

COMPARTMENT LETTER: **B**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2B**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1968**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **6000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **11/15/1995**

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

Petroleum Storage Tanks (PST)

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **49234**

TANK ID: **2B**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

VAPOR MONITORING

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

INSTALLATION DATE: **01/01/1968**

TANK CAPACITY (GAL): **6000**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **05/08/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **11/15/1995**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **49233**

TANK ID: **3**

Petroleum Storage Tanks (PST)

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

VAPOR MONITORING

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1968**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **555**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **01/31/1984**

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **49235**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **555**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

Petroleum Storage Tanks (PST)

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Enforcement and Compliance History Information (ECHOR06)

[MAP ID# 27](#)

Distance from Property: 0.006 mi. (32 ft.) S
Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

UNIQUE ID: 110045563467

REGISTRY ID: 110045563467

NAME: LIQUID VACSERV

ADDRESS: 2715 LAUREL ST
BEAUMONT, TX 77702

COUNTY: JEFFERSON

FACILITY LINK: [Facility Detail Report](#)

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 27

Distance from Property: 0.006 mi. (32 ft.) S
Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

REGISTRY ID: 110045563467

NAME: LIQUID VACSERV

LOCATION ADDRESS: 2715 LAUREL ST
BEAUMONT, TX 77702-2230

COUNTY: JEFFERSON

EPA REGION: 06

FEDERAL FACILITY: NOT REPORTED

TRIBAL LAND: NOT REPORTED

ALTERNATIVE NAME/S:

LIQUID VACSERV LLC

PROGRAM/S LISTED FOR THIS FACILITY

RCRAINFO - RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

562111 - SOLID WASTE COLLECTION.

562111 - SOLID WASTE COLLECTION.

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 27

Distance from Property: 0.006 mi. (32 ft.) S
Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

REGISTRATION#: 90834 EPA ID: TXR000080499

TNRCC ID #: 129802

NAME: LIQUID VACSERV

ADDRESS: 2715 LAUREL ST

BEAUMONT, TX 77702

CONTACT: TRACY ROCCAFORTE

PHONE: 409-3443134

BUSINESS DESCRIPTION: NOT REPORTED

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: NO

WASTE RECEIVER: NO

WASTE TRANSPORTER: YES

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: ACTIVE

AMOUNT OF WASTE GENERATED: NOT REPORTED

GENERATOR TYPE: NOT REPORTED

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 10/13/2017

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

NO RECORDS

OWNER INFORMATION

NAME: LIQUID VACSERV LLC

ADDRESS: 1719 LLANO ST

PORT NECHES, TX 77651

PHONE: 1-409-3443134

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

MAP ID# 27

Distance from Property: 0.006 mi. (32 ft.) S
Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

EPA ID#: TXR000080499

NAME: LIQUID VACSERV

ADDRESS: 2715 LAUREL ST

BEAUMONT, TX 77702-2230

CONTACT NAME: TRACY ROCCAFORTE

CONTACT ADDRESS: 1719 LLANO ST

PORT NECHES TX 77651-3417

CONTACT PHONE: 409-344-3134

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 10/12/2017

OWNER TYPE: PRIVATE

OWNER NAME: LIQUID VACSERV LLC

OPERATOR TYPE: PRIVATE

OPERATOR NAME: LIQUID VACSERV LLC

CERTIFICATION

CERTIFICATION NAME:

CERTIFICATION TITLE:

CERTIFICATION SIGNED DATE:

TRACY ROCCAFORTE

PRESIDENT

10/12/2017

TRACY ROCCAFORTE

ENV MGR

02/24/2012

INDUSTRY CLASSIFICATION (NAICS)

562111 - SOLID WASTE COLLECTION

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: **NON-GENERATOR** LAST UPDATED DATE: **10/17/2017**

SUBJECT TO CORRECTIVE ACTION UNIVERSE: **NO**

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: **NO**

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: **NO**

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: **NO**

CORRECTIVE ACTION WORKLOAD UNIVERSE: **NO**

IMPORTER: **NO**

UNDERGROUND INJECTION: **NO**

MIXED WASTE GENERATOR: **NO**

UNIVERSAL WASTE DESTINATION FACILITY: **NO**

RECYCLER: **NO**

TRANSFER FACILITY: **NO**

TRANSPORTER: **YES**

USED OIL FUEL BURNER: **NO**

ONSITE BURNER EXEMPTION: **NO**

USED OIL PROCESSOR: **NO**

FURNACE EXEMPTION: **NO**

USED OIL FUEL MARKETER TO BURNER: **NO**

USED OIL REFINER: **NO**

SPECIFICATION USED OIL MARKETER: **NO**

USED OIL TRANSFER FACILITY: **NO**

USED OIL TRANSPORTER: **NO**

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS

10/29/2014 NRR NON-FINANCIAL RECORD REVIEW

VIOLATIONS

10/29/2014 263.A TRANSPORTERS - GENERAL

10/29/2014 270.A PERMITS - GENERAL INFORMATION

ENFORCEMENTS

01/02/2015 120 WRITTEN INFORMAL

03/19/2015 310 FINAL 3008(A) COMPLIANCE ORDER

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

10/29/2014

805 NOT REPORTED

HAZARDOUS WASTE

- NO HAZARDOUS WASTE INFORMATION REPORTED -

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 28

Distance from Property: 0.006 mi. (32 ft.) N
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRY ID: 110033785161

NAME: **GOLDEN CORRAL GOLDEN CORRAL RESTAURANT**

LOCATION ADDRESS: **4450 WASHINGTON BLVD
BEAUMONT, TX 77707-4424**

COUNTY: **JEFFERSON**

EPA REGION: **06**

FEDERAL FACILITY: **NOT REPORTED**

TRIBAL LAND: **NOT REPORTED**

ALTERNATIVE NAME/S:

GOLDEN CORRAL GOLDEN CORRAL RESTAURANT

PROGRAM/S LISTED FOR THIS FACILITY

TX-TCEQ ACR - TEXAS COMMISSION ON ENVIRONMENTAL QUALITY - AGENCY CENTRAL REGISTRY

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

1542 - GENERAL CONTRACTORS-NONRESIDENTIAL BUILDINGS, OTHER THAN INDUSTRIAL BUILDINGS AND WAREHOUSES

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Hazardous Materials Incident Reporting System (HMIRSR06)

MAP ID# 28

Distance from Property: 0.006 mi. (32 ft.) N
Elevation: 15 ft. (Lower than TP)

INCIDENT INFORMATION

REPORT #: 1996080254

DATE: 07/30/96

INCIDENT LOCATION:

4450 WASHINGTON BLVD

BEAUMONT, TX 77707

NOT REPORTED

CARRIER INFORMATION

NAME: ABF FREIGHT SYSTEM INC

ADDRESS: P O BOX 10048

FORT SMITH, AR NOT REPORTED

MODE OF TRANSPORTATION: HIGHWAY (FOR HIRE)

TRANSPORTATION PHASE: NOT REPORTED

COMMODITY DETAILS

IDENTIFICATION NUMBER: NOT REPORTED

COMMODITY SHIPPING NAME: CORROSIVE LIQUIDS N.O.S.

TRADE NAME: 2-PHOSPHONOBUTANE-1,

QUANTITY RELEASED: 10.00 GALLONS

PACKAGING: NOT REPORTED

FAILURE DESCRIPTION

WHAT FAILED:

HOW FAILED: -

FAILURE CAUSE DESCRIPTION:

-

DESCRIPTION OF EVENTS:

WHILE TRAILER WAS SITTING ON TERMINAL YARD A LEAK WAS DISCOVERED. THE TRAILER WAS OPENED AND ONE DRUM WAS DISCOVERED LEAKING. THE DRUM HAD BEEN PUNCTURED BY A SMALL NAIL WHILE IN TRANSIT. APPROXIMATELY 10 GALLONS HAD LEAKED OUT. THE SPILL WAS NEUTRALIZED WITH SODIUM BICARB AND THE DAMAGED DRUM WAS PLACED INSIDE A RECOVERY DRUM AND RETURNED TO THE SHIPPER.

RECOMMENDATIONS/ACTIONS TAKEN:

NO ACTION OR RECOMMENDATION REPORTED

[Back to Report Summary](#)

Hazardous Materials Incident Reporting System (HMIRSR06)

MAP ID# 28

Distance from Property: 0.006 mi. (32 ft.) N
Elevation: 15 ft. (Lower than TP)

INCIDENT INFORMATION

REPORT #: I-1996080254

DATE: 7/30/1996

INCIDENT LOCATION:

4450 WASHINGTON BLVD

BEAUMONT, TX

JEFFERSON

CARRIER INFORMATION

NAME: ABF FREIGHT SYSTEM INC.

ADDRESS: 3801 OLD GREENWOOD RD
FORT SMITH, AR 72903-5937

MODE OF TRANSPORTATION: HIGHWAY

TRANSPORTATION PHASE: UNLOADING

COMMODITY DETAILS

IDENTIFICATION NUMBER: UN1760

COMMODITY SHIPPING NAME: CORROSIVE LIQUIDS N.O.S.

TRADE NAME: NOT REPORTED

QUANTITY RELEASED: 10 LIQUID - GALLON

PACKAGING: NON-BULK

FAILURE DESCRIPTION

WHAT FAILED: 103; BASIC MATERIAL;

HOW FAILED: 309; - PUNCTURED;

FAILURE CAUSE DESCRIPTION:

517; 516 - IMPROPER PREPARATION FOR TRANSPORTATION; IMPACT WITH SHARP OR PROTRUDING OBJECT (E.G. NAILS)

DESCRIPTION OF EVENTS:

WHILE TRAILER WAS SITTING ON TERMINAL YARD A LEAK WAS DISCOVERED. THE TRAILER WAS OPENED AND ONE DRUM WAS DISCOVERED LEAKING. THE DRUM HAD BEEN PUNCTURED BY A SMALL NAIL WHILE IN TRANSIT. APPROXIMATELY 10 GALLONS HAD LEAKED OUT. THE SPILL WAS NEUTRALIZED WITH SODIUM BICARB AND THE DAMAGED DRUM WAS PLACED INSIDE A RECOVERY DRUM AND RETURNED TO THE SHIPPER.

RECOMMENDATIONS/ACTIONS TAKEN:

NO ACTION OR RECOMMENDATION REPORTED

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 28

Distance from Property: 0.006 mi. (32 ft.) N
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

GEOSEARCH ID: 115361
LPST ID: 115361
FACILITY ID: 0031654
NAME: ABF FREIGHT SYSTEM INC
ADDRESS: 4450 WASHINGTON BLVD
BEAUMONT, TX 77707

LEAKING TANK DETAILS

LPST ID: 115361
NAME: ABF FREIGHT SYSTEM INC
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 1/11/02
REPORTED DATE: 12/31/3000
ENTERED DATE: 01/11/2002
CLOSURE DATE: 06/09/2005

PRP INFORMATION

NAME: STONE HAUS FAMILY LIMITED
ADDRESS: ADDRESS NOT REPORTED
BEAUMONT TX 77726
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1963	REGISTRATION DATE: 05/09/1986
TANK CAPACITY (GAL): 10000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 12/31/1987
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
STEEL
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **122838**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 28

Distance from Property: 0.006 mi. (32 ft.) N
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

ID#: 31654
NAME: MCLEAN TRUCKING
ADDRESS: 4450 WASHINGTON BLVD
BEAUMONT, TX 77707
COUNTY: JEFFERSON
REGION: 10
TYPE: FLEET REFUELING
BEGIN DATE: 09/01/1988
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/09/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 05/08/1986
SIGNATURE NAME & TITLE: L D KECK, DIR OF PROPERTIES
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600264527
NAME: ABF FREIGHT SYSTEM INC
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: CORPORATION/COMPANY
BEGIN DATE: 03/07/1995
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1
INSTALLATION DATE: 01/01/1963
TANK CAPACITY (GAL): 10000
NUMBER OF COMPARTMENTS: 1
REGISTRATION DATE: 05/09/1986
EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: L D KECK
TITLE: DIR OF PROPERTIES
ORGANIZATION: MCLEAN TRUCKING
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (919) 7212551 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **12/31/1987**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **122838**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Facility Registry System (FRSTX)

[MAP ID# 29](#)

Distance from Property: 0.008 mi. (42 ft.) E
Elevation: 29 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRY ID: 110035338266

NAME: WEST CHASE VILLAGE MARINO HOMEBUILDERS INC

LOCATION ADDRESS: 2396 EASTEX FWY
BEAUMONT, TX 77703-4626

COUNTY: JEFFERSON

EPA REGION: 06

FEDERAL FACILITY: NOT REPORTED

TRIBAL LAND: NOT REPORTED

ALTERNATIVE NAME/S:

WEST CHASE VILLAGE MARINO HOMEBUILDERS INC

PROGRAM/S LISTED FOR THIS FACILITY

TX-TCEQ ACR - TEXAS COMMISSION ON ENVIRONMENTAL QUALITY - AGENCY CENTRAL REGISTRY

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

1521 - GENERAL CONTRACTORS-SINGLE-FAMILY HOUSES

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 30

Distance from Property: 0.008 mi. (42 ft.) WNW

Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRATION#: 38218 EPA ID: TXD988025763
TNRCC ID #: 14846
NAME: MAXIM TECHNOLOGIES SOUTHWESTERN LABS
BEAUMONT
ADDRESS: 1850 IH 10 S
BEAUMONT, TX 77707

CONTACT: SUSAN D HARMS

PHONE: 713-6966332

BUSINESS DESCRIPTION: THIS REGISTRATION WAS INACTIVATED BECAUSE THIS FACILITY WAS REGISTERED PRIOR TO 1994 AND NO WASTE ACTIVITY WAS REPORTED IN 1994, 1995 AND 1996.

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR

GENERATOR TYPE: NON-INDUSTRIAL AND/OR MUNICIPAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 06/04/2010

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

WASTE ID: 38960

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

GENERATOR'S DESCRIPTION OF WASTE: PHOTOGRAPHIC FIXER WASTE IS DERIVED FROM THE DEVELOPMENT OF X-RAY FILM. THIS PR

WASTE ID: 70806

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: YES

GENERATOR'S DESCRIPTION OF WASTE: PHOTOGRAPHIC DEVELOPER IS USED TO DEVELOP X-RAY FILM. THE RESIDUAL AQUEOUS SOLU

OWNER INFORMATION

NAME: MAXIM TECHNOLOGIES INC SOUTHWESTERN LABS

ADDRESS: PO BOX 5296

BEAUMONT, TX 77726

PHONE: 1-713-6966332

Industrial and Hazardous Waste Sites (IHW)

WASTE ID: **70808**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **111 TRICHLOROETHANE CONTAINING WASTE. ASPHALT SAMPLES FROM TXDOT ARE TESTED USIN**

WASTE ID: **38962**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **METAL PARTS ARE TESTED FOR STRUCTURAL INTEGRITY BY X-RAY METHOD, ULTRASONIC TEST**

WASTE ID: **70809**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **PLANT PRODUCTION REFUSE INCLUDING WOODEN PALATES, CARDBOARD BOXES, PLASTIC WASTE**

WASTE ID: **262423**

WASTE CODE STATUS: **NOT REPORTED**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **263149**

WASTE CODE STATUS: **NOT REPORTED**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **270885**

WASTE CODE STATUS: **NOT REPORTED**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **38959**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **PHOTOGRAPHIC DEVELOPER IS USED TO DEVELOP X-RAY FILM. THE RESIDUAL AQUEOUS SOLUT**

WASTE ID: **38961**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **38963**

Industrial and Hazardous Waste Sites (IHW)

WASTE CODE STATUS: **INACTIVE**
WASTE IS RADIOACTIVE: **NO**
WASTE IS TREATED OFF SITE: **NO**
GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **38964**
WASTE CODE STATUS: **INACTIVE**
WASTE IS RADIOACTIVE: **NO**
WASTE IS TREATED OFF SITE: **YES**
GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **38965**
WASTE CODE STATUS: **INACTIVE**
WASTE IS RADIOACTIVE: **NO**
WASTE IS TREATED OFF SITE: **YES**
GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **38966**
WASTE CODE STATUS: **INACTIVE**
WASTE IS RADIOACTIVE: **NO**
WASTE IS TREATED OFF SITE: **YES**
GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

[Back to Report Summary](#)

Groundwater Contamination Cases (GWCC)

MAP ID# 31

Distance from Property: 0.008 mi. (42 ft.) E
Elevation: 20 ft. (Higher than TP)

FACILITY INFORMATION

FILE NUMBER: 112805

FILE NAME: STEINHAGEN OIL CO INC

LOCATION: 1195 IH 10, BEAUMONT, TX

COUNTY: JEFFERSON

AGENCY: TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

DIVISION: REMEDIATION DIVISION/PETROLEUM STORAGE TANK REIMBURSEMENT PROGRAM

DATE OF CONTAMINATION

CONFIRMATION BY AGENCY: 12/02/97

CONTAMINANT(S): GASOLINE, WASTE OIL

ENFORCEMENT STATUS: STAFF ACTION: THE AGENCY INITIATES AN ACTION TO ADDRESS A CONTAMINATION INCIDENT.

ACTIVITY STATUS: ACTION COMPLETED: THE REMEDY IS CONSIDERED COMPLETE.

NEW CASE?: NO

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 31

Distance from Property: 0.008 mi. (42 ft.) E
Elevation: 20 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 112805
LPST ID: 112805
FACILITY ID: 0009312
NAME: **TEXACO FOOD MART 8**
ADDRESS: 1195 IH 10 S
BEAUMONT, TX 77701

LEAKING TANK DETAILS

LPST ID: 112805
NAME: **TEXACO FOOD MART 8**
FACILITY LOCATION: **NOT REPORTED**
PRIORITY CODE: **4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS**
CORRECTIVE ACTION STATUS CODE: **6A - FINAL CONCURRENCE ISSUED**
CORRECTIVE ACTION START DATE: **12/2/97**
REPORTED DATE: **11/29/1997**
ENTERED DATE: **12/02/1997**
CLOSURE DATE: **05/29/2007**

PRP INFORMATION

NAME: **STEINHAGEN OIL COMPANY INC**
ADDRESS: **ADDRESS NOT REPORTED**
BEAUMONT TX 77720
CONTACT: **NOT REPORTED**
PHONE: **NOT REPORTED**

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1967	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 4000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 06/19/1997
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30721**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1970**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **4000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **06/19/1997**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30724**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR**

Leaking Petroleum Storage Tanks (LPST)

VALUE

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1967**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **6000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **06/19/1997**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30722**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR**

VALUE

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 4	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1967	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 550	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 11/20/1990
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30723**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **550**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 31

Distance from Property: 0.008 mi. (42 ft.) E
Elevation: 20 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 9312
NAME: **TEXACO FOOD MART 8**
ADDRESS: 1195 IH 10 S
 BEAUMONT, TX 77701
COUNTY: **JEFFERSON**
REGION: 10
TYPE: **RETAIL**
BEGIN DATE: **07/16/1986**
STATUS: **INACTIVE**
EXEMPT STATUS: **NO**
RECORDS OFF-SITE: **NO**
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: **05/08/1986**
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: **04/25/1986**
SIGNATURE NAME & TITLE: **HARVEY STEINHAGEN, PRES?**
ENFORCEMENT ACTION DATE: **NOT REPORTED**

OWNER

OWNER NUMBER: **CN600925200**
NAME: **STEINHAGEN OIL COMPANY INC**
CONTACT ADDRESS: **OWNER ADDRESS NOT REPORTED**
 CITY NOT REPORTED

TYPE: **CORPORATION/COMPANY**
BEGIN DATE: **07/16/1986**
CONTACT ROLE: **NOT REPORTED**
CONTACT NAME: **NOT REPORTED**
CONTACT TITLE: **NOT REPORTED**
ORGANIZATION: **NOT REPORTED**
PHONE: **NOT REPORTED**
FAX: **NOT REPORTED**
EMAIL: **NOT REPORTED**

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1967	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 4000	EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: **NOT REPORTED**
TITLE: **NOT REPORTED**
ORGANIZATION: **TEXACO FOOD MART 8**
MAIL ADDRESS: **MAILING ADDRESS NOT REPORTED**
 CITY NOT REPORTED
PHONE: **(409) 8421414 0**

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **06/19/1997**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **YES** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **YES** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30721**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR
VALUE**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

GROUNDWATER MONITORING

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

INSTALLATION DATE: **01/01/1970**

TANK CAPACITY (GAL): **4000**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **YES**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **05/08/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **06/19/1997**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

Petroleum Storage Tanks (PST)

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30724**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR
VALUE**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

GROUNDWATER MONITORING

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1967**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **6000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **06/19/1997**

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

Petroleum Storage Tanks (PST)

UST COMPARTMENT ID: **30722**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR
VALUE**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

GROUNDWATER MONITORING

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1967**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **550**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **11/20/1990**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30723**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **550**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

Petroleum Storage Tanks (PST)

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 32

Distance from Property: 0.009 mi. (48 ft.) S
Elevation: 21 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 104527
LPST ID: 104527
FACILITY ID: 0041055
NAME: FAIRMONT SUPPLY CO
ADDRESS: 1490 N 7TH ST
BEAUMONT, TX 77702

LEAKING TANK DETAILS

LPST ID: 104527
NAME: FAIRMONT SUPPLY CO
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 5 - MINOR SOIL CONTAMINATION - DOES NOT REQUIRE A RAP
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 10/21/92
REPORTED DATE: 08/30/1991
ENTERED DATE: 10/21/1992
CLOSURE DATE: 09/14/1992

PRP INFORMATION

NAME: FAIRMONT SUPPLY CO
ADDRESS: ADDRESS NOT REPORTED
BEAUMONT TX 77702
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1971	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 2000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 06/20/1991
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: EXEMPT NON-USE SINCE 1974
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
STEEL
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **84189**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **2000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 32

Distance from Property: 0.009 mi. (48 ft.) S
Elevation: 21 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 41055
NAME: FAIRMONT SUPPLY
ADDRESS: 1490 N 7TH ST
BEAUMONT, TX 77702
COUNTY: JEFFERSON
REGION: 10
TYPE: UNKNOWN
BEGIN DATE: 01/21/1987
STATUS: INACTIVE
EXEMPT STATUS: YES
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/08/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 05/05/1986
SIGNATURE NAME & TITLE: L V KALKBRENNER, WHSE SUPV.
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600930143
NAME: BEAU PARTNERS
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: ORGANIZATION
BEGIN DATE: 01/21/1987
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1
INSTALLATION DATE: 01/01/1971
TANK CAPACITY (GAL): 2000
NUMBER OF COMPARTMENTS: 1
REGISTRATION DATE: 05/08/1986
EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: NOT REPORTED
TITLE: NOT REPORTED
ORGANIZATION: FAIRMONT SUPPLY
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8382581 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **06/20/1991**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **EXEMPT NON-USE SINCE 1974**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **84189**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **2000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Biennial Reporting System (BRS)

MAP ID# 33

Distance from Property: 0.009 mi. (48 ft.) NW
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

HANDLER IDENTIFICATION: TXD089793608

SITENAME: MISSION PETROLEUM CARRIERS INC

ADDRESS: 3840 IH 10 S
BEAUMONT, TX 77705

REPORTED YEARS: 2005

LAST REPORTED YEAR 2005

BR SEARCH RESULTS FOR LAST REPORTED YEAR: [CLICK HERE](#)

WASTE INFORMATION

REPORTED YEAR: 2005

MANAGEMENT LOCATION: ONSITE

MANAGEMENT DESCRIPTION:

H141 - THE SITE RECEIVING THIS WASTE STORED/BULKED AND TRANSFERRED THE WASTE WITH NO TREATMENT OR RECOVERY (H010-H129), FUEL BLENDING (H061), OR DISPOSAL (H131-H135) AT THAT RECEIVING SITE. DO NOT USE THIS CODE ON GM FORM IN SECTION 1- ITEM D OR IN SECTION 2.

GENERATOR ID INCLUDED IN NBR: YES

GENERATOR WASTE STREAM INCLUDED IN NBR: YES

QUANTITY GENERATED IN TONS: .55

MANAGER ID INCLUDED IN NBR: NO

MANAGER WASTE STREAM INCLUDED IN NBR: NO

QUANTITY MANAGED IN TONS: .55

SHIPPER ID INCLUDED IN NBR: YES

SHIPPER WASTE STREAM INCLUDED IN NBR: NO

SHIPPER ID: NOT REPORTED

SHIPPER STATE: NOT REPORTED

QUANTITY SHIPPED IN TONS: 0

RECEIVER ID INCLUDED IN NBR: NO

RECEIVER WASTE STREAM INCLUDED IN NBR: NO

RECEIVER ID: NOT REPORTED

RECEIVER STATE: NOT REPORTED

QUANTITY RECEIVED IN TONS: 0

FEDERAL WASTE: YES

WASTEWATER CHARACTERISTIC INDICATOR: NO

WASTE DESCRIPTION SIC: 484121 -

REPORTED YEAR: 2005

MANAGEMENT LOCATION: OFFSITE

MANAGEMENT DESCRIPTION:

H061 - FUEL BLENDING PRIOR TO ENERGY RECOVERY AT ANOTHER SITE (WASTE GENERATED EITHER ON-SITE OR RECEIVED FROM OFF-SITE)

GENERATOR ID INCLUDED IN NBR: YES

GENERATOR WASTE STREAM INCLUDED IN NBR: YES

QUANTITY GENERATED IN TONS: 6.427

Biennial Reporting System (BRS)

MANAGER ID INCLUDED IN NBR: **NO**
MANAGER WASTE STREAM INCLUDED IN NBR: **NO**
QUANTITY MANAGED IN TONS: **0**
SHIPPER ID INCLUDED IN NBR: **YES**
SHIPPER WASTE STREAM INCLUDED IN NBR: **YES**
SHIPPER ID: **TXD089793608**
SHIPPER STATE: **TEXAS**
QUANTITY SHIPPED IN TONS: **6.427**
RECEIVER ID INCLUDED IN NBR: **NO**
RECEIVER WASTE STREAM INCLUDED IN NBR: **NO**
RECEIVER ID: **TXD077603371**
RECEIVER STATE: **TEXAS**
QUANTITY RECEIVED IN TONS: **0**
FEDERAL WASTE: **YES**
WASTEWATER CHARACTERISTIC INDICATOR: **NO**
WASTE DESCRIPTION SIC: **484121 -**

EPA HAZARDOUS WASTE CODES:

REPORTED YEAR: **2005**
EPA HAZARDOUS WASTE CODE DESCRIPTION: **D001 - IGNITABLE WASTE**

REPORTED YEAR: **2005**
EPA HAZARDOUS WASTE CODE DESCRIPTION: **F003 - THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.**

WASTE INFORMATION:

REPORTED YEAR: **2005**
SOURCE CODE DESCRIPTION:
G01 - DIP, FLUSH OR SPRAY RINSING (USING SOLVENTS TO CLEAN OR PREPARE PARTS OR ASSEMBLIES FOR FURTHER PROCESSING - I.E. PAINTING OR ASSEMBLY)
FORM CODE DESCRIPTION:
W205 - OIL-WATER EMULSION OR MIXTURE
WASTE MINIMIZATION CODE DESCRIPTION:
NOT REPORTED - NOT REPORTED

REPORTED YEAR: **2005**
SOURCE CODE DESCRIPTION:
G13 - CLEANING OUT PROCESS EQUIPMENT (PERIODIC SLUDGE OR RESIDUAL REMOVAL FROM ENCLOSED PROCESSES INCLUDING INTERNAL SCRUBBING OR CLEANING)
FORM CODE DESCRIPTION:
W210 - REACTIVE OR POLYMERIZABLE ORGANIC LIQUIDS AND ADHESIVES

Biennial Reporting System (BRS)

WASTE MINIMIZATION CODE DESCRIPTION:

NOT REPORTED - NOT REPORTED

[Back to Report Summary](#)

Enforcement and Compliance History Information (ECHOR06)

MAP ID# 33

Distance from Property: 0.009 mi. (48 ft.) NW

Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

UNIQUE ID: 110005040696

REGISTRY ID: 110005040696

NAME: CLEVELAND MACK SALES INC

ADDRESS: 3840 IH 10 S

BEAUMONT, TX 77705

COUNTY: JEFFERSON

FACILITY LINK: [Facility Detail Report](#)

[Back to Report Summary](#)

Enforcement and Compliance History Information (ECHOR06)

MAP ID# 33

Distance from Property: 0.009 mi. (48 ft.) NW

Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

UNIQUE ID: 110008149985

REGISTRY ID: 110008149985

NAME: TRANSPORT SERVICE COMPANY

ADDRESS: 3840 IH 10 S

BEAUMONT, TX 77705

COUNTY: JEFFERSON

FACILITY LINK: [Facility Detail Report](#)

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 33

Distance from Property: 0.009 mi. (48 ft.) NW

Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRY ID: 110005040696

NAME: CLEVELAND MACK SALES INC

LOCATION ADDRESS: 3840 IH 10 S
BEAUMONT, TX 77705

COUNTY: JEFFERSON

EPA REGION: 06

FEDERAL FACILITY: NOT REPORTED

TRIBAL LAND: NOT REPORTED

ALTERNATIVE NAME/S:

CLEVELAND MACK SALES

PROGRAM/S LISTED FOR THIS FACILITY

RCRAINFO - RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 33

Distance from Property: 0.009 mi. (48 ft.) NW
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRY ID: 110008149985

NAME: **TRANSPORT SERVICE COMPANY**

LOCATION ADDRESS: **3840 IH 10 S**
BEAUMONT, TX 77705-4227

COUNTY: **JEFFERSON**

EPA REGION: **06**

FEDERAL FACILITY: **NOT REPORTED**

TRIBAL LAND: **NOT REPORTED**

ALTERNATIVE NAME/S:

MISSION PETRO CARRIERS

TRANSPORT SERVICE COMPANY

PROGRAM/S LISTED FOR THIS FACILITY

TX-TCEQ ACR - TEXAS COMMISSION ON ENVIRONMENTAL QUALITY - AGENCY CENTRAL REGISTRY

RCRAINFO - RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

BR - BR

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

484121 - GENERAL FREIGHT TRUCKING, LONG-DISTANCE, TRUCKLOAD.

484121 - GENERAL FREIGHT TRUCKING, LONG-DISTANCE, TRUCKLOAD.

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 33

Distance from Property: 0.009 mi. (48 ft.) NW
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRY ID: 110037898674

NAME: MISSION PETROLEUM CARRIERS

LOCATION ADDRESS: 3840 INTERSTATE 10 S
BEAUMONT, TX 77705-4227

COUNTY: CHAMBERS

EPA REGION: 06

FEDERAL FACILITY: NOT REPORTED

TRIBAL LAND: NOT REPORTED

ALTERNATIVE NAME/S:

MISSION PETROLEUM CARRIERS

PROGRAM/S LISTED FOR THIS FACILITY

TX-TCEQ ACR - TEXAS COMMISSION ON ENVIRONMENTAL QUALITY - AGENCY CENTRAL REGISTRY

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

4213 - TRUCKING, EXCEPT LOCAL

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

484121 - GENERAL FREIGHT TRUCKING, LONG-DISTANCE, TRUCKLOAD.

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 33

Distance from Property: 0.009 mi. (48 ft.) NW

Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRATION#: 31732 EPA ID: TXD089793608

TNRCC ID #: 9281

NAME: TRANSPORT SERVICE

ADDRESS: 3840 IH 10 S

BEAUMONT, TX 77705

CONTACT: JAMES KING

PHONE: 630-4725934

BUSINESS DESCRIPTION: MOTOR FREIGHT MAINTENANCE, CLEANING AND DISPATCHING SERVICES. PER REQUEST
RECEIVED TO INACTIVATE REGISTRATION. 6/13/2008.

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR

GENERATOR TYPE: NON-INDUSTRIAL AND/OR MUNICIPAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 07/31/2008

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

WASTE ID: 93871

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

GENERATOR'S DESCRIPTION OF WASTE: WATER TREATING COMPOUND FROM TANKER TRUCK HEELS. DATE OF INITIAL
GENERATION 1/9

WASTE ID: 93872

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

GENERATOR'S DESCRIPTION OF WASTE: TANK CLEANINGS - HEELS. DATE OF INITIAL GENERATION 1/88. PER REQUEST
RECEIVED TO

WASTE ID: 93874

Industrial and Hazardous Waste Sites (IHW)

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **TANK CLEANINGS AND HEELS. DATE OF INITIAL GENERATION 1/88. PER REQUEST RECEIVEDT**

WASTE ID: **93875**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **TANK CLEANINGS AND HEELS,. DATE OF INITIAL GENERATION 1/88. PER REQUEST RECEIVED**

WASTE ID: **93877**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **TANK TRUCK DRAININGS AND FLUSHINGS. DATE OF INITIAL GENERATION 1/88. PER REQUEST**

WASTE ID: **93878**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **PARAFIN WAX FROM TANK TRUCK DRAININGS AND HEELS-NON-HAZARDOUS. DATE OF INITIALG**

WASTE ID: **93879**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **CLAY SLURRY FROM TANKER TRUCK CLEANINGS AND HEELS. DATE OF INITIAL GENERATION 1**

WASTE ID: **93881**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **DINONYL PHENOL - FLASHED BOTTOMS FROM TANKER TRUCK CLEANINGS AND HEELS. DATE OF**

WASTE ID: **93882**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NON- REGULATED RESIN FROM TANKER TRUCK DRAININGS AND HEELS. DATE OF INITIAL GEN**

WASTE ID: **93883**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **DIESEL AND OIL FROM TANKER TRUCK DRAININGS AND HEELS. DATE OF INITIAL**

Industrial and Hazardous Waste Sites (IHW)

GENERATIO

WASTE ID: **100167**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **MOTOR OIL USED IN COMPANY VEHICLES. DATE OF INITIAL GENERATION 1/80.**

PER REQUES

WASTE ID: **100164**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **TANK CLEANINGS, DRAININGS, HEELS AND SLUDGES FROM INITIAL RINSE IN TRAILER CLEAN**

WASTE ID: **100160**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **PETROLEUM NAPHTHA USED FOR PARTS CLEANING DISCHARGE FOR RECYCLE.**

DATE OF INITIAL

WASTE ID: **141978**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **ALUMINUM TANK TRUCK CARCASS WITH ASPHALT RESIDUE DISMANTLING OLD ASPHALT TRANSPO**

WASTE ID: **141979**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NON-REGULATED ASPHALT, SAND AND FLY ASH HEELS OUT OF OLD ASPHALT TRANSPORT TRAIL**

WASTE ID: **156504**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **EXTERIOR WASHINGS OF TOW TRUCK VEHICLES WATER, ROAD DIRT, SOAP (MUD DETERGENT),O**

WASTE ID: **190244**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **WASTE FLAMMABLE LIQUID (WASTE RESIN CLEANED WITH ACETONE AND METHYL ISOBUTYL KET**

WASTE ID: **190245**

WASTE CODE STATUS: **INACTIVE**

Industrial and Hazardous Waste Sites (IHW)

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NONHAZARDOUS WASTE LIQUID (AMINES). GENERATING PROCESS: TANK TRUCK CLEANING OPE**

WASTE ID: **190246**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NONHAZARDOUS WASTE LIQUID (POLY PROPLENE GLYCOLS AND DIETHYLENE GLYCOLS) GENERAT**

WASTE ID: **191346**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **OILY RAGS. CLEAN OUT OF PROCESS EQUIPMENT. 8/15/01. PER REQUEST RECEIVED TO INA**

WASTE ID: **20737**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **20738**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **20739**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **20740**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **20743**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **20744**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

Industrial and Hazardous Waste Sites (IHW)

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **20745**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **20746**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **20748**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **20749**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **20750**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **20741**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **20742**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **20747**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **20751**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

Industrial and Hazardous Waste Sites (IHW)

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 33

Distance from Property: 0.009 mi. (48 ft.) NW

Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRATION#: 74832 EPA ID: TXD021482856

TNRCC ID #: 29195

NAME: CLEVELAND MACK SALES

ADDRESS: 3840 IH 10 S

BEAUMONT, TX 77705

CONTACT: JOHN CESSAC

PHONE: 409-8425830

BUSINESS DESCRIPTION: NOT REPORTED

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR

GENERATOR TYPE: NON-INDUSTRIAL AND/OR MUNICIPAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 02/09/2005

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

WASTE ID: 56808

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: YES

GENERATOR'S DESCRIPTION OF WASTE: NOT REPORTED

WASTE ID: 56809

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: YES

GENERATOR'S DESCRIPTION OF WASTE: NOT REPORTED

WASTE ID: 56810

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: YES

Industrial and Hazardous Waste Sites (IHW)

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 33

Distance from Property: 0.009 mi. (48 ft.) NW
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

ID#: 55956
NAME: TRANSPORT SERVICE
ADDRESS: 3840 INTERSTATE 10 S
BEAUMONT, TX 77705
COUNTY: JEFFERSON
REGION: 10
TYPE: FLEET REFUELING
BEGIN DATE: 09/28/1990
STATUS: ACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 1

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 09/05/1990
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 09/18/1990
SIGNATURE NAME & TITLE: A E KELLY, PRES
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600313720
NAME: KAG SPECIALTY PRODUCTS GROUP LLC
CONTACT ADDRESS: 908 N ELM ST STE 101
HINSDALE IL 60521
TYPE: CORPORATION/COMPANY
BEGIN DATE: 07/14/2006
CONTACT ROLE: OWNCON
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: TRANSPORT SERVICE CO
PHONE: (708) 5634122 0
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

OPERATOR NUMBER: CN600313720
NAME: KAG SPECIALTY PRODUCTS GROUP LLC
CONTACT ADDRESS: 2001 SPRING RD STE 400
OAK BROOK IL 60523
TYPE: CORPORATION/COMPANY
BEGIN DATE: 07/14/2006
CONTACT ROLE: OPRCON
CONTACT NAME: VICTOR BELL
CONTACT TITLE: NOT REPORTED

CONTACT INFORMATION

NAME: ARTHUR CAIN
TITLE: NOT REPORTED
ORGANIZATION: TRANSPORT SERVICE
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8421235 0

Petroleum Storage Tanks (PST)

ORGANIZATION: **TRANSPORT SERVICE CO**

PHONE: **(630) 4725904 0**

FAX: **NOT REPORTED**

EMAIL: **NOT REPORTED**

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NOTIFICATION CONSTRUCTION ID: **9042**

APPLICATION RECEIVED DATE: **04/18/2011**

SCHEDULE CONSTRUCTION DATE: **04/18/2011**

GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:

REMOVE OIL/WATER SEPARATOR TANK ABOVEGROUND DIESEL TANK AND ABOVEGROUND WASTEWATER TANKS.

NOTIFICATION CONSTRUCTION ID: **9043**

APPLICATION RECEIVED DATE: **12/20/2010**

SCHEDULE CONSTRUCTION DATE: **12/20/2010**

GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:

REMOVE (4) AST'S AND (1) UST.PLEASE WAIVE 30 DAY NOTICE.

UNDERGROUND STORAGE TANK

NO UNDERGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

ABOVEGROUND STORAGE TANK INFORMATION

AST ID #: **162018** MULTIPLE COMPARTMENT FLAG: **NO**

TANK ID: **1** REGISTRATION DATE: **09/05/1990**

INSTALLATION DATE: **01/01/1990** STATUS BEGIN DATE: **07/14/2006**

TANK CAPACITY (GAL): **8000** REGULATORY STATUS: **FULLY REGULATED**

STATUS: **OUT OF USE** SUBSTANCES: **DIESEL**

MATERIAL OF CONSTRUCTION

STEEL: **YES** CORRUGATED METAL: **NO**

FIBERGLASS: **NO** CONCRETE: **NO**

ALUMINIUM: **NO**

CONTAINMENT

EARTHEN DIKE: **NO** CONCRETE: **YES**

CONTAINMENT LINER: **NO** NONE: **NO**

STAGE I VAPOR RECOVERY: **NOT REPORTED**

STAGE I INSTALLATION DATE: **NOT REPORTED**

AST ID #: **208102** MULTIPLE COMPARTMENT FLAG: **NO**

TANK ID: **1** REGISTRATION DATE: **03/21/2007**

INSTALLATION DATE: **12/01/2006** STATUS BEGIN DATE: **12/01/2006**

TANK CAPACITY (GAL): **10000** REGULATORY STATUS: **FULLY REGULATED**

STATUS: **IN USE** SUBSTANCES: **DIESEL**

MATERIAL OF CONSTRUCTION

STEEL: **YES** CORRUGATED METAL: **NO**

FIBERGLASS: **NO** CONCRETE: **NO**

ALUMINIUM: **NO**

CONTAINMENT

EARTHEN DIKE: **NO** CONCRETE: **YES**

CONTAINMENT LINER: **NO** NONE: **NO**

Petroleum Storage Tanks (PST)

STAGE I VAPOR RECOVERY: **NOT REPORTED**

STAGE I INSTALLATION DATE: **NOT REPORTED**

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

MAP ID# 33

Distance from Property: 0.009 mi. (48 ft.) NW
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

EPA ID#: TXD021482856

NAME: CLEVELAND MACK SALES INC

ADDRESS: 3840 IH 10 S

BEAUMONT, TX 77705

CONTACT NAME: JOHN CESSAC

CONTACT ADDRESS: PO BOX 20516

BEAUMONT TX 77720

CONTACT PHONE: 409-842-5830

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 07/27/2001

CERTIFICATION - NO CERTIFICATION REPORTED -

INDUSTRY CLASSIFICATION (NAICS) - NO NAICS INFORMATION REPORTED -

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: **NON-GENERATOR** LAST UPDATED DATE: **02/17/2005**

SUBJECT TO CORRECTIVE ACTION UNIVERSE: **NO**

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: **NO**

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: **NO**

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: **NO**

CORRECTIVE ACTION WORKLOAD UNIVERSE: **NO**

IMPORTER: **NO**

UNDERGROUND INJECTION: **NO**

MIXED WASTE GENERATOR: **NO**

UNIVERSAL WASTE DESTINATION FACILITY: **NO**

RECYCLER: **NO**

TRANSFER FACILITY: **NO**

TRANSPORTER: **NO**

USED OIL FUEL BURNER: **NO**

ONSITE BURNER EXEMPTION: **NO**

USED OIL PROCESSOR: **NO**

FURNACE EXEMPTION: **NO**

USED OIL FUEL MARKETER TO BURNER: **NO**

USED OIL REFINER: **NO**

SPECIFICATION USED OIL MARKETER: **NO**

USED OIL TRANSFER FACILITY: **NO**

USED OIL TRANSPORTER: **NO**

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS - NO EVALUATIONS REPORTED -

VIOLATIONS - NO VIOLATIONS REPORTED -

ENFORCEMENTS - NO ENFORCEMENTS REPORTED -

HAZARDOUS WASTE

D001 IGNITABLE WASTE

F002 THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLORO BENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLORO BENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

F004 THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: CRESOLS, CRESYLIC ACID, AND NITROBENZENE; AND THE STILL BOTTOMS FROM THE RECOVERY OF THESE SOLVENTS; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

MAP ID# 33

Distance from Property: 0.009 mi. (48 ft.) NW
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

EPA ID#: TXD089793608

NAME: TRANSPORT SERVICE COMPANY

ADDRESS: 3840 IH 10 S

BEAUMONT, TX 77705

CONTACT NAME: JAMES KING

CONTACT ADDRESS: 2001 SPRING RD STE 400
OAK BROOK IL 60523

CONTACT PHONE: 630-472-5934

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 07/31/2008

OWNER TYPE: PRIVATE

OWNER NAME: TRANSPORT SERVICE COMPANY

OPERATOR TYPE: PRIVATE

OPERATOR NAME: TRANSPORT SERVICE COMPANY

CERTIFICATION

CERTIFICATION NAME:	CERTIFICATION TITLE:	CERTIFICATION SIGNED DATE:
WILLIAM C MCNUTT	UNKNOWN	07/31/2008
WILLIAM C MCNUTT	UNKNOWN	06/13/2008
WILLIAM C MCNUTT	UNKNOWN	01/29/2008
VICTOR BELL	UNKNOWN	07/09/2007
VICTOR BELL	UNKNOWN	06/06/2007
VICTOR BELL	UNKNOWN	04/05/2007
VICTOR BELL	UNKNOWN	03/21/2007
VICTOR BELL	UNKNOWN	02/27/2007
JOHN W FEATHERLY	UNKNOWN	09/07/2006
JOHN W FEATHERLY	AUTHORIZEDAGENT	03/01/2006
JOHN W FEATHERLY	UNKNOWN	03/01/2006
JOHN W FEATHERLY	UNKNOWN	11/29/2005
JOHN W FEATHERLY	UNKNOWN	03/24/2005
JOHN W FEATHERLY	AUTHORIZEDAGENT	03/01/2004
BRIAN APFEL	AUTHORIZEDAGENT	03/01/2002
WILTON BRUMLEY	TERMINAL MGR	04/20/1992

INDUSTRY CLASSIFICATION (NAICS)

484121 - GENERAL FREIGHT TRUCKING, LONG-DISTANCE, TRUCKLOAD

488999 - ALL OTHER SUPPORT ACTIVITIES FOR TRANSPORTATION

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: **NON-GENERATOR** LAST UPDATED DATE: **08/18/2008**

SUBJECT TO CORRECTIVE ACTION UNIVERSE: **NO**

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: **NO**

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: **NO**

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: **NO**

CORRECTIVE ACTION WORKLOAD UNIVERSE: **NO**

IMPORTER: **NO**

UNDERGROUND INJECTION: **NO**

MIXED WASTE GENERATOR: **NO**

UNIVERSAL WASTE DESTINATION FACILITY: **NO**

RECYCLER: **NO**

TRANSFER FACILITY: **NO**

TRANSPORTER: **NO**

USED OIL FUEL BURNER: **NO**

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

ONSITE BURNER EXEMPTION: **NO**

USED OIL PROCESSOR: **NO**

FURNACE EXEMPTION: **NO**

USED OIL FUEL MARKETER TO BURNER: **NO**

USED OIL REFINER: **NO**

SPECIFICATION USED OIL MARKETER: **NO**

USED OIL TRANSFER FACILITY: **NO**

USED OIL TRANSPORTER: **NO**

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS

03/22/2005 CEI COMPLIANCE EVALUATION INSPECTION ON-SITE
05/14/1997 CEI COMPLIANCE EVALUATION INSPECTION ON-SITE
07/16/2001 CEI COMPLIANCE EVALUATION INSPECTION ON-SITE
07/25/2002 CEI COMPLIANCE EVALUATION INSPECTION ON-SITE

VIOLATIONS

07/16/2001 262.A GENERATORS - GENERAL
07/16/2001 262.B GENERATORS - MANIFEST
07/16/2001 XXS STATE STATUTE OR REGULATION

ENFORCEMENTS

07/16/2001 110 VERBAL INFORMAL

HAZARDOUS WASTE

D001 IGNITABLE WASTE
D002 CORROSIVE WASTE
D018 BENZENE
D039 TETRACHLOROETHYLENE
F003 THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

UNIVERSAL WASTE

WASTE TYPE:	ACCUMULATED WASTE ON-SITE:	GENERATED WASTE ON-SITE:	SOURCE TYPE:
BATTERIES	NO	NO	ANNUAL/BIENNIAL REPORT
BATTERIES	UNKNOWN	UNKNOWN	ANNUAL/BIENNIAL REPORT
LAMPS	NO	NO	ANNUAL/BIENNIAL REPORT
LAMPS	UNKNOWN	UNKNOWN	ANNUAL/BIENNIAL REPORT
PESTICIDES	NO	NO	ANNUAL/BIENNIAL REPORT
PESTICIDES	UNKNOWN	UNKNOWN	ANNUAL/BIENNIAL REPORT
MERCURY CONTAINING EQUIPMENT	NO	NO	ANNUAL/BIENNIAL REPORT
MERCURY CONTAINING EQUIPMENT	UNKNOWN	UNKNOWN	ANNUAL/BIENNIAL REPORT

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 34

Distance from Property: 0.009 mi. (48 ft.) SE
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRY ID: 110033913040

NAME: **FASTLANE 25**

LOCATION ADDRESS: **2245 INTERSTATE 10 S**
BEAUMONT, TX 77705-1053

COUNTY: **JEFFERSON**

EPA REGION: **06**

FEDERAL FACILITY: **NOT REPORTED**

TRIBAL LAND: **NOT REPORTED**

ALTERNATIVE NAME/S:

FASTLANE 25

PROGRAM/S LISTED FOR THIS FACILITY

TX-TCEQ ACR - TEXAS COMMISSION ON ENVIRONMENTAL QUALITY - AGENCY CENTRAL REGISTRY

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Notice of Violations (NOV)

MAP ID# 34

Distance from Property: 0.009 mi. (48 ft.) SE
Elevation: 15 ft. (Lower than TP)

SITE INFORMATION

REFERENCE #: RN101906527
CUSTOMER #: CN600925200
NAME: FASTLANE 25
ADDRESS: 2245 INTERSTATE 10 S
CITY: BEAUMONT
STATE: TX
ZIPCODE: 77705-1053
COUNTY: JEFFERSON
BUSINESS: RETAIL
CONTACT: GARY HOLCOMBE

SITE DETAILS

VIOLATION ISSUED: 03/08/12

CATEGORY: MODERATE

MEDIA: WASTE

STATUS: RESOLVED

ALLEGATION:

FAILURE TO MAINTAIN DOCUMENTATION OF EMPLOYEE TRAINING.

RESOLUTION DESCRIPTION:

ON FEBRUARY 24, 2012, THE REGION-10 OFFICE RECEIVED DOCUMENTATION VERIFYING THAT MARY HANDLER ATTENDED AND SUCCESSFULLY COMPLETED STAGE II FACILITY REPRESENTATIVE TRAINING ON FEBRUARY 22, 2012, AND THAT CURRENT FACILITY EMPLOYEES HAVE BEEN TRAINED ON STAGE II VAPOR RECOVERY OPERATIONS.

VIOLATION ISSUED: 03/08/12

CATEGORY: MINOR

MEDIA: WASTE

STATUS: RESOLVED

ALLEGATION:

FAILURE TO MAINTAIN COPIES OF STAGE II SYSTEM TEST RESULTS ON-SITE INDEFINITELY.

RESOLUTION DESCRIPTION:

ON FEBRUARY 24, 2012, THE REGION-10 OFFICE RECEIVED DOCUMENTATION VERIFYING THAT 2009 STAGE II TEST RESULTS ARE NOW MAINTAINED ON-SITE AT THE FACILITY.

VIOLATION ISSUED: 03/08/12

CATEGORY: MODERATE

MEDIA: WASTE

STATUS: RESOLVED

ALLEGATION:

FAILURE TO OPERATE THE STAGE II SYSTEM IN ACCORDANCE WITH THE CARB EXECUTIVE ORDER.

RESOLUTION DESCRIPTION:

ON FEBRUARY 21, 2012, THE REGION-10 OFFICE RECEIVED A COPY OF STAGE II SYSTEM TEST RESULTS INDICATING THAT THE FACILITY SYSTEM SUCCESSFULLY PASSED ALL REQUIRED TESTS.

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 34

Distance from Property: 0.009 mi. (48 ft.) SE
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

ID#: 63297
NAME: FASTLANE NO 25
ADDRESS: 2245 INTERSTATE 10 S
BEAUMONT, TX 77705
COUNTY: JEFFERSON
REGION: 10
TYPE: RETAIL
BEGIN DATE: 07/13/1992
STATUS: ACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: YES
NUMBER OF ACTIVE UNDERGROUND TANKS: 3
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 12/11/2018
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 12/06/2018
SIGNATURE NAME & TITLE: BOYD ALLEN, M SUPV
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600925200
NAME: STEINHAGEN OIL COMPANY INC
CONTACT ADDRESS: PO BOX 20037
BEAUMONT TX 77720
TYPE: CORPORATION/COMPANY
BEGIN DATE: 11/28/2001
CONTACT ROLE: OWNCON
CONTACT NAME: GARY HOLCOMBE
CONTACT TITLE: OPS MGR
ORGANIZATION: STEINHAGEN OIL CO INC
PHONE: (409) 8421414 0
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

OPERATOR NUMBER: CN600925200
NAME: STEINHAGEN OIL COMPANY INC
CONTACT ADDRESS: PO BOX 20037
BEAUMONT TX 77720
TYPE: CORPORATION/COMPANY
BEGIN DATE: 11/28/2001
CONTACT ROLE: OWNOPRCON
CONTACT NAME: BOYD ALLEN
CONTACT TITLE: OPS MGR

CONTACT INFORMATION

NAME: NOT REPORTED
TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: NOT REPORTED

Petroleum Storage Tanks (PST)

ORGANIZATION: **STEINHAGEN OIL COMPANY INC**

PHONE: **(409) 8421414 0**

FAX: **NOT REPORTED**

EMAIL: **NOT REPORTED**

SELF-CERTIFICATION

SELF-CERTIFICATION ID: **312621**

SIGNATURE DATE: **12/06/2018**

SIGNATURE NAME & TITLE: **BOYD ALLEN, M SUPV**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **295657**

SIGNATURE DATE: **12/05/2017**

SIGNATURE NAME & TITLE: **CRAIG HILL, PRESIDENT**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **281375**

SIGNATURE DATE: **01/20/2017**

SIGNATURE NAME & TITLE: **CRAIG HILL, PRESIDENT**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **262763**

SIGNATURE DATE: **12/17/2015**

SIGNATURE NAME & TITLE: **GARY HOLCOMBE, OPS MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **245876**

SIGNATURE DATE: **12/11/2014**

SIGNATURE NAME & TITLE: **GARY HOLCOMBE, OPS MGR**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **228749**

SIGNATURE DATE: **12/09/2013**

SIGNATURE NAME & TITLE: **GARY HOLCOMBE, OPS SUPERVISER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **34541**

SIGNATURE DATE: **12/28/2012**

SIGNATURE NAME & TITLE: **GARY HOLCOMBE, OPS SUPERVISOR**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **34540**

SIGNATURE DATE: **12/13/2011**

SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, OPERATIONS MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **34539**

SIGNATURE DATE: **12/10/2010**

Petroleum Storage Tanks (PST)

SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, OPERATIONS MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **34538**

SIGNATURE DATE: **12/14/2009**

SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, OPS MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **34537**

SIGNATURE DATE: **12/16/2008**

SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, OPS MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **34536**

SIGNATURE DATE: **12/18/2007**

SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, OPS MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **34535**

SIGNATURE DATE: **12/08/2006**

SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, OPS MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **34534**

SIGNATURE DATE: **12/05/2005**

SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, COMPLIANCE MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **34533**

SIGNATURE DATE: **12/17/2004**

SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, COMPLIANCE MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **34532**

SIGNATURE DATE: **01/09/2004**

SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **34531**

SIGNATURE DATE: **12/30/2002**

SIGNATURE NAME & TITLE: **G HOLCOMBE, NOT REPORTED**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **34530**

SIGNATURE DATE: **01/08/2002**

SIGNATURE NAME & TITLE: **JW HISE, COMPLIANCE OFFICER**

FILING STATUS: **INITIAL**

Petroleum Storage Tanks (PST)

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **34529**

SIGNATURE DATE: **11/15/2000**

SIGNATURE NAME & TITLE: **J W HISE, OPER MGR**

FILING STATUS: **INITIAL**

REGISTRATION FLAG: **YES**

CONSTRUCTION NOTIFICATION

NOTIFICATION CONSTRUCTION ID: **3141**

APPLICATION RECEIVED DATE: **04/09/2001**

SCHEDULE CONSTRUCTION DATE: **05/09/2001**

GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:

NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: **1**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **04/01/1992**

REGISTRATION DATE: **07/10/1992**

TANK CAPACITY (GAL): **9999**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **04/01/1992**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **31296**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **9999**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING,SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

Petroleum Storage Tanks (PST)

PIPING RELEASE DETECTION:

VAPOR MONITORING,ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING),SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **04/01/1992**

REGISTRATION DATE: **07/10/1992**

TANK CAPACITY (GAL): **9999**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **04/01/1992**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **31295**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **9999**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING,SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

VAPOR MONITORING,ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING),SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Petroleum Storage Tanks (PST)

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **31294**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **9999**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING,SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

VAPOR MONITORING,ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING),SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Enforcement and Compliance History Information (ECHOR06)

MAP ID# 35

Distance from Property: 0.009 mi. (48 ft.) E
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

UNIQUE ID: 110005132490

REGISTRY ID: 110005132490

NAME: EXXON MOBIL CORPORATION

ADDRESS: 8051 IH 10 & STAGG DR
BEAUMONT, TX 77701

COUNTY: JEFFERSON

FACILITY LINK: [Facility Detail Report](#)

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 35

Distance from Property: 0.009 mi. (48 ft.) E
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRY ID: 110005132490

NAME: EXXON MOBIL CORPORATION

LOCATION ADDRESS: 8051 IH 10 & STAGG DR
BEAUMONT, TX 77701

COUNTY: JEFFERSON

EPA REGION: 06

FEDERAL FACILITY: NOT REPORTED

TRIBAL LAND: NOT REPORTED

ALTERNATIVE NAME/S:

JAMES EXXON

PROGRAM/S LISTED FOR THIS FACILITY

RCRAINFO - RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 35

Distance from Property: 0.009 mi. (48 ft.) E
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRY ID: 110033833519

NAME: **GATEWAY MOBIL**

LOCATION ADDRESS: **805 IH 10 S**
BEAUMONT, TX 77701-3711

COUNTY: **JEFFERSON**

EPA REGION: **06**

FEDERAL FACILITY: **NOT REPORTED**

TRIBAL LAND: **NOT REPORTED**

ALTERNATIVE NAME/S:

GATEWAY MOBIL

PROGRAM/S LISTED FOR THIS FACILITY

TX-TCEQ ACR - TEXAS COMMISSION ON ENVIRONMENTAL QUALITY - AGENCY CENTRAL REGISTRY

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 35

Distance from Property: 0.009 mi. (48 ft.) E

Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRATION#: 77335 EPA ID: TXD988032074

TNRCC ID #: 31563

NAME: EXXON USA 61300

ADDRESS: 8051 IH 10 & STAGG DR
BEAUMONT, TX 77701

CONTACT: ALDA S POOL

PHONE: 713-6567709

BUSINESS DESCRIPTION: NOT REPORTED

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR

GENERATOR TYPE: NOT REPORTED

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 12/01/2005

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

WASTE ID: 60579

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

GENERATOR'S DESCRIPTION OF WASTE: NOT REPORTED

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 35

Distance from Property: 0.009 mi. (48 ft.) E
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

GEOSEARCH ID: 107043
LPST ID: 107043
FACILITY ID: NOT REPORTED
NAME: EXXON STORE 6 1300
ADDRESS: 805 IH 10 S
BEAUMONT, TX 77701

LEAKING TANK DETAILS

LPST ID: 107043
NAME: EXXON STORE 6 1300
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 8/9/93
REPORTED DATE: 01/11/1993
ENTERED DATE: 08/09/1993
CLOSURE DATE: 10/11/1995

PRP INFORMATION

NAME: EXXON COMPANY USA
ADDRESS: ADDRESS NOT REPORTED
HOUSTON TX 77252
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

NO UNDERGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 35

Distance from Property: 0.009 mi. (48 ft.) E

Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

GEOSEARCH ID: 119855

LPST ID: 119855

FACILITY ID: 0026729

NAME: GATEWAY MOBIL

ADDRESS: 805 IH 10 S

BEAUMONT, TX 77701

LEAKING TANK DETAILS

LPST ID: 119855

NAME: GATEWAY MOBIL

FACILITY LOCATION: NOT REPORTED

PRIORITY CODE: 4.2 - NO GW IMPACT NO APPARENT THREATS OR IMPACTS TO RECEPTORS

CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED

CORRECTIVE ACTION START DATE: 9/10/16

REPORTED DATE: 12/30/2015

ENTERED DATE: 02/24/2016

CLOSURE DATE: 07/21/2016

PRP INFORMATION

NAME: TRI-CON INC

ADDRESS: ADDRESS NOT REPORTED

CITY NOT REPORTED

CONTACT: NOT REPORTED

PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1

INSTALLATION DATE: 01/01/1984

TANK CAPACITY (GAL): 10000

STATUS: REMOVED FROM GROUND

INTERNAL PROTECTION DATE: NOT REPORTED

TANK DESIGN SINGLE WALL: YES

PIPE DESIGN SINGLE WALL: YES

NUMBER OF COMPARTMENTS: 1

REGISTRATION DATE: 05/08/1986

EMPTY TANK: NOT EMPTY

STATUS BEGIN DATE: 11/10/2015

REGULATORY STATUS: FULLY REGULATED

TANK DESIGN DOUBLE WALL: NO

PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: YES

CORROSION PROTECTION VARIANCE: NO VARIANCE

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **86721**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **NOT REPORTED**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1984**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **01/01/1984**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **86721**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

Leaking Petroleum Storage Tanks (LPST)

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1984**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **11/10/2015**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **86720**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **NOT REPORTED**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 2	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1984	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 10000	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 01/01/1984
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **86720**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 3	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1984	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 10000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 11/10/2015
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

Leaking Petroleum Storage Tanks (LPST)

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **86719**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **NOT REPORTED**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1984**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **01/01/1984**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **86719**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1984**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **1000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **12/05/1998**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **86718**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

Leaking Petroleum Storage Tanks (LPST)

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Notice of Violations (NOV)

MAP ID# 35

Distance from Property: 0.009 mi. (48 ft.) E
Elevation: 15 ft. (Lower than TP)

SITE INFORMATION

REFERENCE #: RN101816254
CUSTOMER #: CN600927453
NAME: GATEWAY MOBIL
ADDRESS: 805 IH 10 S
CITY: BEAUMONT
STATE: TX
ZIPCODE: 77701-3711
COUNTY: JEFFERSON
BUSINESS: RETAIL
CONTACT: NOT REPORTED

SITE DETAILS

VIOLATION ISSUED: 02/16/07

CATEGORY: MODERATE

MEDIA: WASTE

STATUS: RESOLVED

ALLEGATION:

FAILURE TO CONDUCT DAILY INSPECTIONS OF THE STAGE II VAPOR RECOVERY EQUIPMENT. ON MARCH 23, 2007, MR. LYNN FAZIO, REPRESENTATIVE, TRI-CON INC. SUBMITTED DOCUMENTATION VIA EMAIL, VERIFYING THAT DAILY INSPECTIONS ARE BEING CONDUCTED.

RESOLUTION DESCRIPTION:

NOT REPORTED

VIOLATION ISSUED: 02/16/07

CATEGORY: MODERATE

MEDIA: WASTE

STATUS: RESOLVED

ALLEGATION:

FAILURE TO CONDUCT DAILY INSPECTIONS OF THE STAGE II VAPOR RECOVERY EQUIPMENT. ON MARCH 23, 2007, MR. LYNN FAZIO, REPRESENTATIVE, TRI-CON INC. SUBMITTED DOCUMENTATION VIA EMAIL, VERIFYING THAT DAILY INSPECTIONS ARE BEING CONDUCTED.

RESOLUTION DESCRIPTION:

NOT REPORTED

VIOLATION ISSUED: 02/16/07

CATEGORY: MODERATE

MEDIA: WASTE

STATUS: RESOLVED

ALLEGATION:

FAILURE TO CONDUCT DAILY INSPECTIONS OF THE STAGE II VAPOR RECOVERY EQUIPMENT. ON MARCH 23, 2007, MR. LYNN FAZIO, REPRESENTATIVE, TRI-CON INC. SUBMITTED DOCUMENTATION VIA EMAIL, VERIFYING THAT DAILY INSPECTIONS ARE BEING CONDUCTED.

RESOLUTION DESCRIPTION:

NOT REPORTED

Notice of Violations (NOV)

VIOLATION ISSUED: **02/16/07**

CATEGORY: **MODERATE**

MEDIA: **WASTE**

STATUS: **RESOLVED**

ALLEGATION:

FAILURE TO CONDUCT DAILY INSPECTIONS OF THE STAGE II VAPOR RECOVERY EQUIPMENT. ON MARCH 23, 2007, MR. LYNN FAZIO, REPRESENTATIVE, TRI-CON INC. SUBMITTED DOCUMENTATION VIA EMAIL, VERIFYING THAT DAILY INSPECTIONS ARE BEING CONDUCTED.

RESOLUTION DESCRIPTION:

NOT REPORTED

VIOLATION ISSUED: **02/16/07**

CATEGORY: **MODERATE**

MEDIA: **WASTE**

STATUS: **RESOLVED**

ALLEGATION:

FAILURE TO CONDUCT DAILY INSPECTIONS OF THE STAGE II VAPOR RECOVERY EQUIPMENT. ON MARCH 23, 2007, MR. LYNN FAZIO, REPRESENTATIVE, TRI-CON INC. SUBMITTED DOCUMENTATION VIA EMAIL, VERIFYING THAT DAILY INSPECTIONS ARE BEING CONDUCTED.

RESOLUTION DESCRIPTION:

NOT REPORTED

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 35

Distance from Property: 0.009 mi. (48 ft.) E
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

ID#: 26729
NAME: GATEWAY MOBIL
ADDRESS: 805 IH 10 S
BEAUMONT, TX 77701
COUNTY: JEFFERSON
REGION: 10
TYPE: RETAIL
BEGIN DATE: 01/01/1984
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: YES
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 11/17/2015
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 11/16/2015
SIGNATURE NAME & TITLE: ELIAS SARKIS, PRES
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600927453
NAME: TRI-CON INC
CONTACT ADDRESS: PO BOX 20555
BEAUMONT TX 77720
TYPE: CORPORATION/COMPANY
BEGIN DATE: 09/01/1990
CONTACT ROLE: OWNCON
CONTACT NAME: ELIAS SARKIS
CONTACT TITLE: PRESIDENT
ORGANIZATION: TRI CON INC
PHONE: (409) 8352237 0
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

OPERATOR NUMBER: CN600927453
NAME: TRI-CON INC
CONTACT ADDRESS: PO BOX 20555
BEAUMONT TX 77720
TYPE: CORPORATION/COMPANY
BEGIN DATE: 09/01/1990
CONTACT ROLE: OWNOPRCON
CONTACT NAME: ELIAS SARKIS
CONTACT TITLE: PRESIDENT

CONTACT INFORMATION

NAME: ELIAS SARKIS
TITLE: PRES
ORGANIZATION: GATEWAY MOBIL
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8352237 0

Petroleum Storage Tanks (PST)

ORGANIZATION: **TRI CON INC**

PHONE: **(409) 8352237 0**

FAX: **NOT REPORTED**

EMAIL: **NOT REPORTED**

SELF-CERTIFICATION

SELF-CERTIFICATION ID: **247777**

SIGNATURE DATE: **12/23/2014**

SIGNATURE NAME & TITLE: **ELIAS SARKIS, PRES**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **228487**

SIGNATURE DATE: **12/04/2013**

SIGNATURE NAME & TITLE: **ELIAS SARKIS, PRES**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **89492**

SIGNATURE DATE: **12/06/2012**

SIGNATURE NAME & TITLE: **ELIAS SARKIS, PRESIDENT**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **89491**

SIGNATURE DATE: **12/08/2011**

SIGNATURE NAME & TITLE: **ELIAS SARKIS, PRES**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **89490**

SIGNATURE DATE: **12/13/2010**

SIGNATURE NAME & TITLE: **ELIAS SARKIS, PRES**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **89489**

SIGNATURE DATE: **01/04/2010**

SIGNATURE NAME & TITLE: **ELIAS SARKIS, PRES**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **89488**

SIGNATURE DATE: **12/08/2008**

SIGNATURE NAME & TITLE: **ELIAS SARKIS, PRES**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **89487**

SIGNATURE DATE: **12/12/2007**

SIGNATURE NAME & TITLE: **ELIAS SARKIS, PRES**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **89486**

SIGNATURE DATE: **12/20/2006**

Petroleum Storage Tanks (PST)

SIGNATURE NAME & TITLE: ELIAS SARKIS, PRES
FILING STATUS: RENEWAL
REGISTRATION FLAG: YES
SELF-CERTIFICATION ID: 89485
SIGNATURE DATE: 12/28/2005
SIGNATURE NAME & TITLE: ELIAS SARKIS, PRESIDENT
FILING STATUS: RENEWAL
REGISTRATION FLAG: YES
SELF-CERTIFICATION ID: 89484
SIGNATURE DATE: 01/06/2005
SIGNATURE NAME & TITLE: ELIAS SARKIS, PRESIDENT
FILING STATUS: RENEWAL
REGISTRATION FLAG: YES
SELF-CERTIFICATION ID: 89483
SIGNATURE DATE: 12/08/2003
SIGNATURE NAME & TITLE: ELIAS SARKIS, PRES
FILING STATUS: RENEWAL
REGISTRATION FLAG: YES
SELF-CERTIFICATION ID: 89482
SIGNATURE DATE: 12/08/2002
SIGNATURE NAME & TITLE: ELIAS SARKIS, PRES
FILING STATUS: RENEWAL
REGISTRATION FLAG: YES
SELF-CERTIFICATION ID: 89481
SIGNATURE DATE: 12/21/2001
SIGNATURE NAME & TITLE: LORI MELANCON, VP
FILING STATUS: RENEWAL
REGISTRATION FLAG: YES
SELF-CERTIFICATION ID: 89480
SIGNATURE DATE: 02/15/2001
SIGNATURE NAME & TITLE: ELIAS SARKIS, PRESIDENT
FILING STATUS: INITIAL
REGISTRATION FLAG: YES

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1984	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 10000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 11/10/2015
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

Petroleum Storage Tanks (PST)

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **86721**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **NOT REPORTED**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

**ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH
FOR PRESSURE PIPING)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1984**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **01/01/1984**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

Petroleum Storage Tanks (PST)

UST COMPARTMENT ID: **86721**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

**ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH
FOR PRESSURE PIPING)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1984**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **11/10/2015**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **86720**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **NOT REPORTED**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

Petroleum Storage Tanks (PST)

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

**ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH
FOR PRESSURE PIPING)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1984**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **01/01/1984**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **86720**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

Petroleum Storage Tanks (PST)

NOT REPORTED

PIPING RELEASE DETECTION:

ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1984**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **11/10/2015**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **86719**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **NOT REPORTED**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Petroleum Storage Tanks (PST)

TANK ID: **3** NUMBER OF COMPARTMENTS: **1**
INSTALLATION DATE: **01/01/1984** REGISTRATION DATE: **05/08/1986**
TANK CAPACITY (GAL): **10000** EMPTY TANK: **NOT EMPTY**
STATUS: **IN USE** STATUS BEGIN DATE: **01/01/1984**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **YES** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **YES** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **86719**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

**ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH
FOR PRESSURE PIPING)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4** NUMBER OF COMPARTMENTS: **1**
INSTALLATION DATE: **01/01/1984** REGISTRATION DATE: **05/08/1986**
TANK CAPACITY (GAL): **1000** EMPTY TANK: **NOT EMPTY**
STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **12/05/1998**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **YES** TANK DESIGN DOUBLE WALL: **NO**

Petroleum Storage Tanks (PST)

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **86718**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

MAP ID# 35

Distance from Property: 0.009 mi. (48 ft.) E
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

EPA ID#: TXD988032074

NAME: EXXON MOBIL CORPORATION

ADDRESS: 8051 IH 10 & STAGG DR
BEAUMONT, TX 77701

CONTACT NAME: ALDA S POOL

CONTACT ADDRESS: PO BOX 4415
HOUSTON TX 77210

CONTACT PHONE: 713-656-7709

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 11/29/2005

OWNER TYPE: PRIVATE

OWNER NAME: EXXON MOBIL CORPORATION

OPERATOR TYPE: PRIVATE

OPERATOR NAME: EXXON MOBIL CORPORATION

CERTIFICATION

CERTIFICATION NAME:

ALDA S POOL

CERTIFICATION TITLE:

UNKNOWN

CERTIFICATION SIGNED DATE:

11/29/2005

INDUSTRY CLASSIFICATION (NAICS) - NO NAICS INFORMATION REPORTED -

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: NON-GENERATOR LAST UPDATED DATE: 12/06/2005

SUBJECT TO CORRECTIVE ACTION UNIVERSE: NO

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: NO

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: NO

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: NO

CORRECTIVE ACTION WORKLOAD UNIVERSE: NO

IMPORTER: NO

UNDERGROUND INJECTION: NO

MIXED WASTE GENERATOR: NO

UNIVERSAL WASTE DESTINATION FACILITY: NO

RECYCLER: NO

TRANSFER FACILITY: NO

TRANSPORTER: NO

USED OIL FUEL BURNER: NO

ONSITE BURNER EXEMPTION: NO

USED OIL PROCESSOR: NO

FURNACE EXEMPTION: NO

USED OIL FUEL MARKETER TO BURNER: NO

USED OIL REFINER: NO

SPECIFICATION USED OIL MARKETER: NO

USED OIL TRANSFER FACILITY: NO

USED OIL TRANSPORTER: NO

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS - NO EVALUATIONS REPORTED -

VIOLATIONS - NO VIOLATIONS REPORTED -

ENFORCEMENTS - NO ENFORCEMENTS REPORTED -

HAZARDOUS WASTE

D001 IGNITABLE WASTE

D018 BENZENE

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

CORRECTIVE ACTION EVENT

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

NO CORRECTIVE ACTION EVENT(S) REPORTED

[Back to Report Summary](#)

Emergency Response Notification System (ERNSTX)

MAP ID# 36

Distance from Property: 0.01 mi. (53 ft.) W
Elevation: 19 ft. (Higher than TP)

INCIDENT INFORMATION

GSID#: 106499

NRC ID#: 106499

INCIDENT LOCATION: NOT REPORTED

INCIDENT ADDRESS: 585 IH10 NORTH
BEAUMONT, TX 75067

INCIDENT COUNTY: JEFFERSON

INCIDENT DETAILS

INCIDENT DATE: 2/12/1992 8:05:00 AM

INCIDENT CAUSE: EQUIPMENT FAILURE

INCIDENT TYPE: MOBILE

INCIDENT OCCURED/DISCOVERED: DISCOVERED

INCIDENT DESCRIPTION: TRACTOR TRAILER SADDLE TANK/ FITTING BROKE

RESPONSIBLE PARTY

RESPONSIBLE COMPANY: MARTIN-BROWER

ADDRESS: ADDRESS NOT REPORTED
LEWISVILLE TX 75067

RESPONSIBLE COMPANY ORGANIZATION TYPE: PRIVATE ENTERPRISE

MATERIALS INVOLVED

CHRIS CODE: ODS

MATERIAL REACHED WATER: YES

WATER AMOUNT: 15 GALLON(S)

MATERIAL RELEASED/AMOUNT: OIL: DIESEL / 20 GALLON(S)

OTHER MATERIALS INVOLVED

- NO OTHER MATERIALS INVOLVED -

REMEDIAL ACTION

REMEDIAL ACTION: VAC TRUCK ENROUTE TO VAC THE STORM DRAIN

[Back to Report Summary](#)

Emergency Response Notification System (ERNSTX)

MAP ID# 36

Distance from Property: 0.01 mi. (53 ft.) W
Elevation: 19 ft. (Higher than TP)

INCIDENT INFORMATION

GSID#: 106501

NRC ID#: 106501

INCIDENT LOCATION: NOT REPORTED

INCIDENT ADDRESS: 585 I-10 N
BEAUMONT, TX

INCIDENT COUNTY: JEFFERSON

INCIDENT DETAILS

INCIDENT DATE: 2/12/1992 7:10:00 AM

INCIDENT CAUSE: EQUIPMENT FAILURE

INCIDENT TYPE: FIXED

INCIDENT OCCURED/DISCOVERED: OCCURRED

INCIDENT DESCRIPTION: FUEL TANK / FUEL LINE BURST

RESPONSIBLE PARTY

RESPONSIBLE COMPANY: MARTIN BROWER CO

ADDRESS: ADDRESS NOT REPORTED
LEWISVILLE TX 75067

RESPONSIBLE COMPANY ORGANIZATION TYPE: PRIVATE ENTERPRISE

MATERIALS INVOLVED

CHRIS CODE: ODS

MATERIAL REACHED WATER: YES

WATER AMOUNT: 20 GALLON(S)

MATERIAL RELEASED/AMOUNT: OIL: DIESEL / 20 GALLON(S)

OTHER MATERIALS INVOLVED

- NO OTHER MATERIALS INVOLVED -

REMEDIAL ACTION

REMEDIAL ACTION: NONE

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 37

Distance from Property: 0.01 mi. (53 ft.) E
Elevation: 29 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRY ID: 110033796701

NAME: **FASTLANE NO 9**

LOCATION ADDRESS: 2810 EASTEX FWY
BEAUMONT, TX 77703-4618

COUNTY: **JEFFERSON**

EPA REGION: **06**

FEDERAL FACILITY: **NOT REPORTED**

TRIBAL LAND: **NOT REPORTED**

ALTERNATIVE NAME/S:

FASTLANE NO 9

PROGRAM/S LISTED FOR THIS FACILITY

TX-TCEQ ACR - TEXAS COMMISSION ON ENVIRONMENTAL QUALITY - AGENCY CENTRAL REGISTRY

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 37

Distance from Property: 0.01 mi. (53 ft.) E
Elevation: 29 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 095105
LPST ID: 095105
FACILITY ID: 0009328
NAME: **TEXACO FOOD MART 9**
ADDRESS: **2810 EASTEX FWY**
BEAUMONT, TX 77703

LEAKING TANK DETAILS

LPST ID: 095105
NAME: **TEXACO FOOD MART 9**
FACILITY LOCATION: **NOT REPORTED**
PRIORITY CODE: **4A - SOIL CONTAMINATION ONLY REQUIRES FULL SITE ASSESSMENT RAP**
CORRECTIVE ACTION STATUS CODE: **6A - FINAL CONCURRENCE ISSUED**
CORRECTIVE ACTION START DATE: **3/30/90**
REPORTED DATE: **02/16/1990**
ENTERED DATE: **03/30/1990**
CLOSURE DATE: **11/29/1990**

PRP INFORMATION

NAME: **STEINHAGEN OIL COMPANY INC**
ADDRESS: **ADDRESS NOT REPORTED**
BEAUMONT TX 77720
CONTACT: **NOT REPORTED**
PHONE: **NOT REPORTED**

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 02/01/1990	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 8000	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 02/24/2018
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: YES

TANK DETAILS

MATERIAL:
COMPOSITE
CORROSION PROTECTION:
COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30792**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE),ISOLATED IN OPEN AREA/2ND CONTAINMENT**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE),ISOLATED IN OPEN AREA/2ND CONTAINMENT**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **02/01/1990**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **EMPTY**

STATUS: **TEMP OUT OF SERVICE**

STATUS BEGIN DATE: **12/16/2016**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30792**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

Leaking Petroleum Storage Tanks (LPST)

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **02/01/1990**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **02/01/1990**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30792**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 1A	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1976	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 4000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 02/15/1990
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30785**

TANK ID: **1A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 2	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 02/01/1990	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 8000	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 02/24/2018
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: YES

TANK DETAILS

Leaking Petroleum Storage Tanks (LPST)

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30791**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE),ISOLATED IN OPEN AREA/2ND CONTAINMENT**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE),ISOLATED IN OPEN AREA/2ND CONTAINMENT**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **02/01/1990**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **EMPTY**

STATUS: **TEMP OUT OF SERVICE**

STATUS BEGIN DATE: **12/16/2016**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30791**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1967**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **6000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **02/15/1990**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30787**

TANK ID: **2A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

Leaking Petroleum Storage Tanks (LPST)

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **02/01/1990**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **9999**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **02/24/2018**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30790**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **9999**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE),ISOLATED IN OPEN AREA/2ND CONTAINMENT**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE),ISOLATED IN OPEN AREA/2ND CONTAINMENT**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 3	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 02/01/1990	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 9999	EMPTY TANK: EMPTY
STATUS: TEMP OUT OF SERVICE	STATUS BEGIN DATE: 12/16/2016
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30790**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **9999**

COMPARTMENT RELEASE DETECTION: **SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 3A	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1967	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 6000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 02/15/1990
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

Leaking Petroleum Storage Tanks (LPST)

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30786**

TANK ID: **3A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **02/01/1990**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **9999**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **02/24/2018**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

Leaking Petroleum Storage Tanks (LPST)

UST COMPARTMENT ID: **30789**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **9999**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE),ISOLATED IN OPEN AREA/2ND CONTAINMENT**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE),ISOLATED IN OPEN AREA/2ND CONTAINMENT**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **02/01/1990**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **9999**

EMPTY TANK: **EMPTY**

STATUS: **TEMP OUT OF SERVICE**

STATUS BEGIN DATE: **12/16/2016**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30789**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **9999**

COMPARTMENT RELEASE DETECTION: **SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALVE

Leaking Petroleum Storage Tanks (LPST)

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **02/01/1990**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **9999**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **02/01/1990**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30789**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **9999**

COMPARTMENT RELEASE DETECTION: **SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 4A	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1967	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 550	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 02/15/1990
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30788**

TANK ID: **4A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **550**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Notice of Violations (NOV)

MAP ID# 37

Distance from Property: 0.01 mi. (53 ft.) E
Elevation: 29 ft. (Higher than TP)

SITE INFORMATION

REFERENCE #: RN101874840
CUSTOMER #: CN600925200
NAME: FASTLANE NO 9
ADDRESS: 2810 EASTEX FWY
CITY: BEAUMONT
STATE: TX
ZIPCODE: 77703-4618
COUNTY: JEFFERSON
BUSINESS: RETAIL
CONTACT: NOT REPORTED

SITE DETAILS

VIOLATION ISSUED: 02/22/13
CATEGORY: MODERATE
MEDIA: WASTE
STATUS: RESOLVED
ALLEGATION:

FAILURE TO CONDUCT MONTHLY STAGE II EQUIPMENT INSPECTIONS.

RESOLUTION DESCRIPTION:

ON JANUARY 16, 2013, THE REGULATED ENTITY SUBMITTED DOCUMENTATION (JANUARY 2013 DAILY/MONTHLY INSPECTION SHEET) VERIFYING THAT STAGE II MONTHLY INSPECTIONS ARE BEING CONDUCTED AT THE FACILITY.

VIOLATION ISSUED: 02/22/13

CATEGORY: MODERATE
MEDIA: WASTE
STATUS: RESOLVED
ALLEGATION:

FAILURE TO MAINTAIN A COPY OF THE CORRECT CARB ORDER ON-SITE.

RESOLUTION DESCRIPTION:

ON JANUARY 16, 2013, THE REGULATED ENTITY SUBMITTED DOCUMENTATION VERIFYING THAT THE CORRECT CARB ORDER (G-70-150-AE) IS ON-SITE AND AVAILABLE FOR REVIEW.

VIOLATION ISSUED: 02/22/13

CATEGORY: MODERATE
MEDIA: WASTE
STATUS: RESOLVED
ALLEGATION:

FAILURE TO SUBMIT 2012 STAGE II TEST RESULTS WITHIN 10 DAYS OF CONDUCTING TESTS.

RESOLUTION DESCRIPTION:

ON JANUARY 16, 2013, THE REGULATED ENTITY SUBMITTED 2012 TEST RESULTS.

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 37

Distance from Property: 0.01 mi. (53 ft.) E
Elevation: 29 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 9328
NAME: PFI 20 MAJOR MART
ADDRESS: 2810 EASTEX FWY
BEAUMONT, TX 77703
COUNTY: JEFFERSON
REGION: 10
TYPE: RETAIL
BEGIN DATE: 07/16/1986
STATUS: ACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: YES
NUMBER OF ACTIVE UNDERGROUND TANKS: 4
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 01/30/2017
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 01/18/2017
SIGNATURE NAME & TITLE: E HARVEY STEINHAGEN, LEGALLY AUTH REP
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600749139
NAME: PETROTEX FUELS INC
CONTACT ADDRESS: PO BOX 7308
BEAUMONT TX 77726

TYPE: CORPORATION/COMPANY
BEGIN DATE: 01/03/2018
CONTACT ROLE: OWNOPRCON
CONTACT NAME: AMY TRULL
CONTACT TITLE: NOT REPORTED
ORGANIZATION: PETROTEX FUELS INC
PHONE: NOT REPORTED
FAX: (409) 8423939

EMAIL: NOT REPORTED
OWNER NUMBER: CN605309939
NAME: HARTZOG
CONTACT ADDRESS: PO BOX 7308
BEAUMONT TX 77726

TYPE: INDIVIDUAL
BEGIN DATE: 12/16/2016
CONTACT ROLE: OWNOPRCON
CONTACT NAME: GRETCHEN S HARTZOG
CONTACT TITLE: NOT REPORTED
ORGANIZATION: GRETCHEN S HARTZOG
PHONE: (409) 8420999 0

CONTACT INFORMATION

NAME: TED WARD
TITLE: NOT REPORTED
ORGANIZATION: PFI 20 MAJOR MART
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (469) 7820237 0

Petroleum Storage Tanks (PST)

FAX: (409) 8423939
EMAIL: NOT REPORTED
OWNER NUMBER: CN600925200
NAME: STEINHAGEN OIL COMPANY INC
CONTACT ADDRESS: PO BOX 20037
BEAUMONT TX 77720
TYPE: CORPORATION/COMPANY
BEGIN DATE: 07/16/1986
CONTACT ROLE: OWNCON
CONTACT NAME: GARY HOLCOMBE
CONTACT TITLE: OPS MGR
ORGANIZATION: STEINHAGEN OIL CO INC
PHONE: (409) 8421414 0
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

OPERATOR NUMBER: CN600749139
NAME: PETROTEX FUELS INC
CONTACT ADDRESS: PO BOX 7308
BEAUMONT TX 77726

TYPE: CORPORATION/COMPANY
BEGIN DATE: 01/03/2018
CONTACT ROLE: OWNOPRCON
CONTACT NAME: AMY TRULL
CONTACT TITLE: NOT REPORTED
ORGANIZATION: PETROTEX FUELS INC
PHONE: NOT REPORTED
FAX: (409) 8423939
EMAIL: NOT REPORTED

OPERATOR NUMBER: CN605309939
NAME: HARTZOG
CONTACT ADDRESS: PO BOX 7308
BEAUMONT TX 77726

TYPE: INDIVIDUAL
BEGIN DATE: 12/16/2016
CONTACT ROLE: OWNOPRCON
CONTACT NAME: GRETCHEN S HARTZOG
CONTACT TITLE: NOT REPORTED
ORGANIZATION: GRETCHEN S HARTZOG
PHONE: (409) 8420999 0
FAX: (409) 8423939
EMAIL: NOT REPORTED

OPERATOR NUMBER: CN600925200
NAME: STEINHAGEN OIL COMPANY INC
CONTACT ADDRESS: PO BOX 20037
BEAUMONT TX 77720
TYPE: CORPORATION/COMPANY

Petroleum Storage Tanks (PST)

BEGIN DATE: 07/16/1986
CONTACT ROLE: OPRCON
CONTACT NAME: GARY HOLCOMBE
CONTACT TITLE: OPS MGR
ORGANIZATION: STEINHAGEN OIL CO INC
PHONE: (409) 8421414 0
FAX: NOT REPORTED
EMAIL: NOT REPORTED

SELF-CERTIFICATION

SELF-CERTIFICATION ID: 304735
SIGNATURE DATE: 05/31/2018
SIGNATURE NAME & TITLE: EH STEINHAGEN III, PRES
FILING STATUS: INITIAL
REGISTRATION FLAG: YES
SELF-CERTIFICATION ID: 262787
SIGNATURE DATE: 12/17/2015
SIGNATURE NAME & TITLE: GARY HOLCOMBE, OPS MANAGER
FILING STATUS: RENEWAL
REGISTRATION FLAG: YES
SELF-CERTIFICATION ID: 245861
SIGNATURE DATE: 12/11/2014
SIGNATURE NAME & TITLE: GARY HOLCOMBE, OPS MGR
FILING STATUS: RENEWAL
REGISTRATION FLAG: YES
SELF-CERTIFICATION ID: 228737
SIGNATURE DATE: 12/09/2013
SIGNATURE NAME & TITLE: GARY HOLCOMBE, OPS SUPERVISOR
FILING STATUS: RENEWAL
REGISTRATION FLAG: YES
SELF-CERTIFICATION ID: 37537
SIGNATURE DATE: 12/28/2012
SIGNATURE NAME & TITLE: GARY HOLCOMBE, OPS SUPERVISOR
FILING STATUS: RENEWAL
REGISTRATION FLAG: YES
SELF-CERTIFICATION ID: 37536
SIGNATURE DATE: 12/13/2011
SIGNATURE NAME & TITLE: GARY M HOLCOMBE, OPERATIONS MANAGER
FILING STATUS: RENEWAL
REGISTRATION FLAG: YES
SELF-CERTIFICATION ID: 37535
SIGNATURE DATE: 12/10/2010
SIGNATURE NAME & TITLE: GARY M HOLCOMBE, OPERATIONS MANAGER
FILING STATUS: RENEWAL
REGISTRATION FLAG: YES
SELF-CERTIFICATION ID: 37534
SIGNATURE DATE: 12/14/2009
SIGNATURE NAME & TITLE: GARY M HOLCOMBE, OPS MANAGER

Petroleum Storage Tanks (PST)

FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **37533**
SIGNATURE DATE: **12/16/2008**
SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, OPS MANAGER**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **37532**
SIGNATURE DATE: **12/18/2007**
SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, OPS MANAGER**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **37531**
SIGNATURE DATE: **12/08/2006**
SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, OPS MANAGER**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **37530**
SIGNATURE DATE: **12/05/2005**
SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, COMPLIANCE MANAGER**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **37529**
SIGNATURE DATE: **12/17/2004**
SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, COMPLIANCE MANAGER**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **37528**
SIGNATURE DATE: **01/09/2004**
SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, MANAGER**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **37527**
SIGNATURE DATE: **12/30/2002**
SIGNATURE NAME & TITLE: **G HOLCOMBE, NOT REPORTED**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **37526**
SIGNATURE DATE: **12/28/2001**
SIGNATURE NAME & TITLE: **JW HISE, COMPLIANCE OFFICER**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **37525**
SIGNATURE DATE: **12/06/2000**
SIGNATURE NAME & TITLE: **GARY HOLCOMBR, MGR**
FILING STATUS: **INITIAL**
REGISTRATION FLAG: **YES**

Petroleum Storage Tanks (PST)

CONSTRUCTION NOTIFICATION

NOTIFICATION CONSTRUCTION ID: **33079**

APPLICATION RECEIVED DATE: **06/01/2018**

SCHEDULE CONSTRUCTION DATE: **02/24/2018**

GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:

RETURNING TANKS TO SERVICE

NOTIFICATION CONSTRUCTION ID: **32498**

APPLICATION RECEIVED DATE: **01/25/2018**

SCHEDULE CONSTRUCTION DATE: **02/24/2018**

GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:

REPLACE ALL EXISTING PRODUCT PIPING WITH DOUBLE WALL FRP AND ADD SUMPS AT DISPENSERS AND STPS

UNDERGROUND STORAGE TANK

TANK ID: **1**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **02/01/1990**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **02/24/2018**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30792**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE),ISOLATED IN OPEN AREA/2ND CONTAINMENT**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH)

Petroleum Storage Tanks (PST)

FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **02/01/1990**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **EMPTY**

STATUS: **TEMP OUT OF SERVICE**

STATUS BEGIN DATE: **12/16/2016**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30792**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING),SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY

CONTROL

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **02/01/1990**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

Petroleum Storage Tanks (PST)

STATUS: **IN USE** STATUS BEGIN DATE: **02/01/1990**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **YES** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **YES** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30792**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING),SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1A**

INSTALLATION DATE: **01/01/1976**

TANK CAPACITY (GAL): **4000**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **05/08/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **02/15/1990**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

Petroleum Storage Tanks (PST)

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30785**

TANK ID: **1A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **02/01/1990**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **02/24/2018**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

Petroleum Storage Tanks (PST)

UST COMPARTMENT ID: **30791**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE),ISOLATED IN OPEN AREA/2ND CONTAINMENT**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

**ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH
FOR PRESSURE PIPING)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **02/01/1990**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **EMPTY**

STATUS: **TEMP OUT OF SERVICE**

STATUS BEGIN DATE: **12/16/2016**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30791**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

Petroleum Storage Tanks (PST)

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING),SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY

CONTROL

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1967**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **6000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **02/15/1990**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30787**

TANK ID: **2A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

Petroleum Storage Tanks (PST)

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **02/01/1990**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **9999**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **02/24/2018**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30790**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **9999**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE),ISOLATED IN OPEN AREA/2ND CONTAINMENT**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **02/01/1990**

REGISTRATION DATE: **05/08/1986**

Petroleum Storage Tanks (PST)

TANK CAPACITY (GAL): **9999** EMPTY TANK: **EMPTY**
STATUS: **TEMP OUT OF SERVICE** STATUS BEGIN DATE: **12/16/2016**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **YES** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **YES** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30790**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **9999**

COMPARTMENT RELEASE DETECTION: **SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING),SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1967**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **6000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **02/15/1990**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

Petroleum Storage Tanks (PST)

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30786**

TANK ID: **3A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **02/01/1990**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **9999**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **02/24/2018**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Petroleum Storage Tanks (PST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30789**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **9999**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE),ISOLATED IN OPEN AREA/2ND CONTAINMENT**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

**ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH
FOR PRESSURE PIPING)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **02/01/1990**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **9999**

EMPTY TANK: **EMPTY**

STATUS: **TEMP OUT OF SERVICE**

STATUS BEGIN DATE: **12/16/2016**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30789**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **9999**

Petroleum Storage Tanks (PST)

COMPARTMENT RELEASE DETECTION: **SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**
SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**
CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**
EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING),SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 4	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 02/01/1990	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 9999	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 02/01/1990
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30789**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **9999**

COMPARTMENT RELEASE DETECTION: **SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**
SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**
CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**
EXTERNAL CONTAINMENT: **NOT REPORTED**

Petroleum Storage Tanks (PST)

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING),SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1967**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **550**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **02/15/1990**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30788**

TANK ID: **4A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **550**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

Petroleum Storage Tanks (PST)

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 38

Distance from Property: 0.01 mi. (53 ft.) W
Elevation: 14 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRY ID: 110034382709

NAME: **E-Z MART 264**

LOCATION ADDRESS: 710 INTERSTATE 10 S
BEAUMONT, TX 77707-4008

COUNTY: **JEFFERSON**

EPA REGION: **06**

FEDERAL FACILITY: **NOT REPORTED**

TRIBAL LAND: **NOT REPORTED**

ALTERNATIVE NAME/S:

E-Z MART 264

PROGRAM/S LISTED FOR THIS FACILITY

TX-TCEQ ACR - TEXAS COMMISSION ON ENVIRONMENTAL QUALITY - AGENCY CENTRAL REGISTRY

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Groundwater Contamination Cases (GWCC)

MAP ID# 38

Distance from Property: 0.01 mi. (53 ft.) W
Elevation: 14 ft. (Lower than TP)

FACILITY INFORMATION

FILE NUMBER: 110387

FILE NAME: E Z MART STORES INC

LOCATION: 710 S IH 10, BEAUMONT, TX

COUNTY: JEFFERSON

AGENCY: TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

DIVISION: REMEDIATION DIVISION/PETROLEUM STORAGE TANK REIMBURSEMENT PROGRAM

DATE OF CONTAMINATION

CONFIRMATION BY AGENCY: 03/11/96

CONTAMINANT(S): GASOLINE, WASTE OIL

ENFORCEMENT STATUS: STAFF ACTION: THE AGENCY INITIATES AN ACTION TO ADDRESS A CONTAMINATION INCIDENT.

ACTIVITY STATUS: ACTION COMPLETED: THE REMEDY IS CONSIDERED COMPLETE.

NEW CASE?: NO

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 38

Distance from Property: 0.01 mi. (53 ft.) W
Elevation: 14 ft. (Lower than TP)

FACILITY INFORMATION

GEOSEARCH ID: 110387
LPST ID: 110387
FACILITY ID: 0010281
NAME: E Z MART 264
ADDRESS: 710 INTERSTATE 10 S
BEAUMONT, TX 77707

LEAKING TANK DETAILS

LPST ID: 110387
NAME: E Z MART 264
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 3/11/96
REPORTED DATE: 12/09/1995
ENTERED DATE: 03/11/1996
CLOSURE DATE: 12/01/2008

PRP INFORMATION

NAME: YATES GROUP INC
ADDRESS: ADDRESS NOT REPORTED
TEXARKANA TX 75504
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1982	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 8016	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 12/05/1995
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
STEEL
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **110509**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8016**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1982**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8016**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **12/05/1995**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **110508**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8016**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP**

PIPING SYSTEMS

Leaking Petroleum Storage Tanks (LPST)

MATERIAL: **FRP**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1982**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **4006**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **12/05/1995**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **110510**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4006**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

Leaking Petroleum Storage Tanks (LPST)

INSTALLATION DATE: **08/31/1987** REGISTRATION DATE: **05/08/1986**
TANK CAPACITY (GAL): **NOT REPORTED** EMPTY TANK: **NOT EMPTY**
STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **10/01/1993**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **110511**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **0**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 38

Distance from Property: 0.01 mi. (53 ft.) W
Elevation: 14 ft. (Lower than TP)

FACILITY INFORMATION

ID#: 10281
NAME: E-Z MART 264
ADDRESS: 710 INTERSTATE 10 S
BEAUMONT, TX 77707
COUNTY: JEFFERSON
REGION: 10
TYPE: RETAIL
BEGIN DATE: 09/01/1987
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/08/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 04/07/1986
SIGNATURE NAME & TITLE: THOMAS E CARTER, GAS OPER MGR
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600448237
NAME: YATES GROUP INC
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: CORPORATION/COMPANY
BEGIN DATE: 09/01/1987
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1982	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 8016	EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: NOT REPORTED
TITLE: NOT REPORTED
ORGANIZATION: E-Z MART 264
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (903) 8326502 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **12/05/1995**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **YES** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **YES** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **110509**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8016**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1982**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8016**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **12/05/1995**

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

Petroleum Storage Tanks (PST)

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **110508**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8016**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

INSTALLATION DATE: **01/01/1982**

TANK CAPACITY (GAL): **4006**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **YES**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **05/08/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **12/05/1995**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **110510**

TANK ID: **3**

Petroleum Storage Tanks (PST)

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4006**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/31/1987**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **NOT REPORTED**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **10/01/1993**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **110511**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **0**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

Petroleum Storage Tanks (PST)

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Enforcement and Compliance History Information (ECHOR06)

MAP ID# 39

Distance from Property: 0.01 mi. (53 ft.) SW
Elevation: 19 ft. (Higher than TP)

FACILITY INFORMATION

UNIQUE ID: 110005041659

REGISTRY ID: 110005041659

NAME: BEAUMONT TRUCK & TRAILER

ADDRESS: 4925 W CARDINAL DRIVE
BEAUMONT, TX 77705

COUNTY: JEFFERSON

FACILITY LINK: [Facility Detail Report](#)

[Back to Report Summary](#)

Emergency Response Notification System (ERNSTX)

MAP ID# 39

Distance from Property: 0.01 mi. (53 ft.) SW
Elevation: 19 ft. (Higher than TP)

INCIDENT INFORMATION

GSID#: 100789

NRC ID#: 100789

INCIDENT LOCATION: NOT REPORTED

INCIDENT ADDRESS: 4925 W CARDINAL DR
BEAUMONT, TX 77705

INCIDENT COUNTY: JEFFERSON

INCIDENT DETAILS

INCIDENT DATE: 12/24/1991 1:30:00 PM

INCIDENT CAUSE: EQUIPMENT FAILURE

INCIDENT TYPE: FIXED

INCIDENT OCCURED/DISCOVERED: OCCURRED

INCIDENT DESCRIPTION: STORAGE TANK/VALVE FAILURE

RESPONSIBLE PARTY

RESPONSIBLE COMPANY: AIRPORT MARINE & TACKLE

ADDRESS: ADDRESS NOT REPORTED
BEAUMONT TX 77705

RESPONSIBLE COMPANY ORGANIZATION TYPE: PRIVATE ENTERPRISE

MATERIALS INVOLVED

CHRIS CODE: GAT

MATERIAL REACHED WATER: YES

WATER AMOUNT: UNKNOWN AMOUNT / NOT REPORTED

MATERIAL RELEASED/AMOUNT: GASOLINE: AUTOMOTIVE (4.23G PB/G / 10 GALLON(S))

OTHER MATERIALS INVOLVED

- NO OTHER MATERIALS INVOLVED -

REMEDIAL ACTION

REMEDIAL ACTION: ABSORBENTS WERE PUT DOWN

[Back to Report Summary](#)

Emergency Response Notification System (ERNSTX)

MAP ID# 39

Distance from Property: 0.01 mi. (53 ft.) SW
Elevation: 19 ft. (Higher than TP)

INCIDENT INFORMATION

GSID#: 101309

NRC ID#: 101309

INCIDENT LOCATION: NOT REPORTED

INCIDENT ADDRESS: 4925 WEST CARDINAL DRIVE
BEAUMONT, TX 77705

INCIDENT COUNTY: JEFFERSON

INCIDENT DETAILS

INCIDENT DATE: 12/31/1991 11:00:00 AM

INCIDENT CAUSE: EQUIPMENT FAILURE

INCIDENT TYPE: FIXED

INCIDENT OCCURED/DISCOVERED: DISCOVERED

INCIDENT DESCRIPTION: STORAGE TANK / VALVE FAILED

RESPONSIBLE PARTY

RESPONSIBLE COMPANY: AIRPORT MARINE BEAUMONT

ADDRESS: ADDRESS NOT REPORTED
BEAUMONT TX 77705

RESPONSIBLE COMPANY ORGANIZATION TYPE: PRIVATE ENTERPRISE

MATERIALS INVOLVED

CHRIS CODE: GAT

MATERIAL REACHED WATER: YES

WATER AMOUNT: UNKNOWN AMOUNT / NOT REPORTED

MATERIAL RELEASED/AMOUNT: GASOLINE: AUTOMOTIVE (4.23G PB/G / 10 GALLON(S))

OTHER MATERIALS INVOLVED

- NO OTHER MATERIALS INVOLVED -

REMEDIAL ACTION

REMEDIAL ACTION: RECOVERED MATERIAL WITH SORBENTS

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 39

Distance from Property: 0.01 mi. (53 ft.) SW
Elevation: 19 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRY ID: 110005041659

NAME: **BEAUMONT TRUCK & TRAILER**

LOCATION ADDRESS: **4925 W CARDINAL DRIVE
BEAUMONT, TX 77705**

COUNTY: **JEFFERSON**

EPA REGION: **06**

FEDERAL FACILITY: **NOT REPORTED**

TRIBAL LAND: **NOT REPORTED**

ALTERNATIVE NAME/S:

AIRPORT MARINE BEUAMONT INC

PROGRAM/S LISTED FOR THIS FACILITY

RCRAINFO - RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 39

Distance from Property: 0.01 mi. (53 ft.) SW
Elevation: 19 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRY ID: 110070289302

NAME: GOODPACK USA, INC.

LOCATION ADDRESS: 4925 WEST CARDINAL DRIVE
BEAUMONT, TX 77705

COUNTY: NOT REPORTED

EPA REGION: 06

FEDERAL FACILITY: NOT REPORTED

TRIBAL LAND: NOT REPORTED

ALTERNATIVE NAME/S:

NO ALTERNATIVE NAME(S) LISTED FOR THIS FACILITY

PROGRAM/S LISTED FOR THIS FACILITY

OSHA-OIS - OSHA-OIS

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

332439 - OTHER METAL CONTAINER MANUFACTURING.

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 39

Distance from Property: 0.01 mi. (53 ft.) SW
Elevation: 19 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRATION#: 66583 EPA ID: TXD026060756

TNRCC ID #: 21851

NAME: BEAUMONT TRUCK & TRAILER

ADDRESS: 4925 W CARDINAL DR
BEAUMONT, TX 77705

CONTACT: JOHN M MARTIN

PHONE: 409-8425375

BUSINESS DESCRIPTION: THIS REGISTRATION WAS INACTIVATED BECAUSE THIS FACILITY WAS REGISTERED PRIOR TO 1994 AND NO WASTE ACTIVITY WAS REPORTED IN 1994, 1995 AND 1996.

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR

GENERATOR TYPE: NON-INDUSTRIAL AND/OR MUNICIPAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 06/04/2010

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

NO RECORDS

OWNER INFORMATION

NAME: BEAUMONT TRUCK & TRAILER

ADDRESS: PO BOX 6027

BEAUMONT, TX 77725

PHONE: 1-409-8425375

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 39

Distance from Property: 0.01 mi. (53 ft.) SW
Elevation: 19 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 43421
NAME: TEXAS STATE OPTICAL
ADDRESS: 4925 W CARDINAL DR
BEAUMONT, TX 77705
COUNTY: JEFFERSON
REGION: 10
TYPE: RETAIL
BEGIN DATE: 08/31/1987
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/20/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 05/16/1986
SIGNATURE NAME & TITLE: J M MARTIN, PRES.
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN601195407
NAME: WILBCO INC
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: CORPORATION/COMPANY
BEGIN DATE: 09/01/1987
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1978	REGISTRATION DATE: 05/20/1986
TANK CAPACITY (GAL): 8000	EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: BRIAN BREAUX
TITLE: PRES.
ORGANIZATION: TEXAS STATE OPTICAL
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8424113 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **12/10/1998**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **124426**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

INSTALLATION DATE: **01/01/1978**

TANK CAPACITY (GAL): **300**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **05/20/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **12/10/1998**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

Petroleum Storage Tanks (PST)

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **124427**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **300**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

MAP ID# 39

Distance from Property: 0.01 mi. (53 ft.) SW
Elevation: 19 ft. (Higher than TP)

FACILITY INFORMATION

EPA ID#: TXD026060756

NAME: BEAUMONT TRUCK & TRAILER

ADDRESS: 4925 W CARDINAL DRIVE

BEAUMONT, TX 77705

CONTACT NAME: JOHN M MARTIN

CONTACT ADDRESS: PO BOX 6027

BEAUMONT TX 77705

CONTACT PHONE: 409-842-5375

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 07/27/2001

CERTIFICATION - NO CERTIFICATION REPORTED -

INDUSTRY CLASSIFICATION (NAICS) - NO NAICS INFORMATION REPORTED -

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: **NON-GENERATOR** LAST UPDATED DATE: **03/25/2004**

SUBJECT TO CORRECTIVE ACTION UNIVERSE: **NO**

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: **NO**

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: **NO**

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: **NO**

CORRECTIVE ACTION WORKLOAD UNIVERSE: **NO**

IMPORTER: **NO**

UNDERGROUND INJECTION: **NO**

MIXED WASTE GENERATOR: **NO**

UNIVERSAL WASTE DESTINATION FACILITY: **NO**

RECYCLER: **NO**

TRANSFER FACILITY: **NO**

TRANSPORTER: **NO**

USED OIL FUEL BURNER: **NO**

ONSITE BURNER EXEMPTION: **NO**

USED OIL PROCESSOR: **NO**

FURNACE EXEMPTION: **NO**

USED OIL FUEL MARKETER TO BURNER: **NO**

USED OIL REFINER: **NO**

SPECIFICATION USED OIL MARKETER: **NO**

USED OIL TRANSFER FACILITY: **NO**

USED OIL TRANSPORTER: **NO**

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS - NO EVALUATIONS REPORTED -

VIOLATIONS - NO VIOLATIONS REPORTED -

ENFORCEMENTS - NO ENFORCEMENTS REPORTED -

HAZARDOUS WASTE

D001 IGNITABLE WASTE

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 40

Distance from Property: 0.011 mi. (58 ft.) N
Elevation: 20 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 40664
NAME: FELTON BLDG
ADDRESS: 2490 IH 10 E
BEAUMONT, TX 77703
COUNTY: JEFFERSON
REGION: 10
TYPE: NOT REPORTED
BEGIN DATE: 01/16/1987
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/08/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 05/02/1986
SIGNATURE NAME & TITLE: JOHN H FELTON, OWNER
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600945877
NAME: DISHMAN
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: INDIVIDUAL
BEGIN DATE: 12/01/1988
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1961	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 6000	EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: JAMES DISHMAN
TITLE: NOT REPORTED
ORGANIZATION: FELTON BLDG
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8661484 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **01/02/1996**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **94769**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1961**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **6000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **01/02/1996**

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

Petroleum Storage Tanks (PST)

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **94770**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

INSTALLATION DATE: **08/31/1987**

TANK CAPACITY (GAL): **1000**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **01/11/1996**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **01/03/1996**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **94771**

TANK ID: **3**

Petroleum Storage Tanks (PST)

COMPARTMENT LETTER: **A**

SUBSTANCES: **UNKNOWN**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/31/1987**

REGISTRATION DATE: **01/11/1996**

TANK CAPACITY (GAL): **550**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **01/04/1996**

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **94772**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **UNKNOWN**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **550**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

Petroleum Storage Tanks (PST)

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 41

Distance from Property: 0.011 mi. (58 ft.) W
Elevation: 27 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRY ID: 110036568292

NAME: AUSTIN MIDDLE

LOCATION ADDRESS: 3410 AUSTIN ST
BEAUMONT, TX 77706-3099

COUNTY: JEFFERSON COUNTY

EPA REGION: 06

FEDERAL FACILITY: NOT REPORTED

TRIBAL LAND: NOT REPORTED

ALTERNATIVE NAME/S:

AUSTIN MIDDLE

PROGRAM/S LISTED FOR THIS FACILITY

NCES - NATIONAL CENTER FOR EDUCATION STATISTICS

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 42

Distance from Property: 0.011 mi. (58 ft.) E
Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 093714
LPST ID: 093714
FACILITY ID: 0013818
NAME: SPORTS AND IMPORTS
ADDRESS: 3195 NORTH ST
BEAUMONT, TX 77702

LEAKING TANK DETAILS

LPST ID: 093714
NAME: SPORTS AND IMPORTS
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 4A - SOIL CONTAMINATION ONLY REQUIRES FULL SITE ASSESSMENT RAP
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 10/13/89
REPORTED DATE: 09/21/1989
ENTERED DATE: 10/13/1989
CLOSURE DATE: 10/31/1989

PRP INFORMATION

NAME: RHS REALTY INC
ADDRESS: ADDRESS NOT REPORTED
BEAUMONT TX 77702
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 0346937	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1965	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 3000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 09/21/1989
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
STEEL
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: NO
CORROSION PROTECTION VARIANCE: NO VARIANCE

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: 145371

TANK ID: 0346937

COMPARTMENT LETTER: A

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **3000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **0346940**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1965**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **3000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **09/21/1989**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: 145373

TANK ID: 0346940

COMPARTMENT LETTER: A

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **3000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

Leaking Petroleum Storage Tanks (LPST)

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **0346943**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1965**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **560**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **09/21/1989**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **145372**

TANK ID: **0346943**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **560**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **0432761**

NUMBER OF COMPARTMENTS: **1**

Leaking Petroleum Storage Tanks (LPST)

INSTALLATION DATE: **01/01/1972** REGISTRATION DATE: **05/08/1986**
TANK CAPACITY (GAL): **8000** EMPTY TANK: **NOT EMPTY**
STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **09/21/1989**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **145374**

TANK ID: **0432761**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 42

Distance from Property: 0.011 mi. (58 ft.) E
Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 13818
NAME: SPORTS AND IMPORTS
ADDRESS: 3195 NORTH ST
BEAUMONT, TX 77702
COUNTY: JEFFERSON
REGION: 10
TYPE: RETAIL
BEGIN DATE: 09/01/1987
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/08/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 04/18/1986
SIGNATURE NAME & TITLE: R K SMOLLER, MKT. ENGR.
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN601027196
NAME: RHS REALTY INC
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: CORPORATION/COMPANY
BEGIN DATE: 09/01/1987
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 0346937
INSTALLATION DATE: 01/01/1965
TANK CAPACITY (GAL): 3000
NUMBER OF COMPARTMENTS: 1
REGISTRATION DATE: 05/08/1986
EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: R K SMOLLER
TITLE: MKT ENGR
ORGANIZATION: SPORTS AND IMPORTS
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (918) 6616600 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **09/21/1989**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **145371**

TANK ID: **0346937**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **3000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **0346940**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1965**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **3000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **09/21/1989**

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

Petroleum Storage Tanks (PST)

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **145373**

TANK ID: **0346940**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **3000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **0346943**

INSTALLATION DATE: **01/01/1965**

TANK CAPACITY (GAL): **560**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **05/08/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **09/21/1989**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **145372**

TANK ID: **0346943**

Petroleum Storage Tanks (PST)

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **560**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **0432761**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1972**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **09/21/1989**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **145374**

TANK ID: **0432761**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

Petroleum Storage Tanks (PST)

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 43

Distance from Property: 0.011 mi. (58 ft.) N
Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

REGISTRY ID: 110036109127

NAME: PREMIER HIGH SCHOOL OF BEAUMONT

LOCATION ADDRESS: 209 NORTH 11TH ST
BEAUMONT, TX 77702-2213

COUNTY: JEFFERSON COUNTY

EPA REGION: 06

FEDERAL FACILITY: NOT REPORTED

TRIBAL LAND: NOT REPORTED

ALTERNATIVE NAME/S:

EAGLE ACADEMIES OF TEXAS AT BEAUMO

PROGRAM/S LISTED FOR THIS FACILITY

NCES - NATIONAL CENTER FOR EDUCATION STATISTICS

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 43

Distance from Property: 0.024 mi. (127 ft.) N
Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

GEOSEARCH ID: 109974
LPST ID: 109974
FACILITY ID: 0015197
NAME: SHELL SERVICE STATION
ADDRESS: 255 N 11TH ST
BEAUMONT, TX 77702

LEAKING TANK DETAILS

LPST ID: 109974
NAME: SHELL SERVICE STATION
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 4.2 - NO GW IMPACT NO APPARENT THREATS OR IMPACTS TO RECEPTORS
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 12/7/95
REPORTED DATE: 08/23/1993
ENTERED DATE: 12/07/1995
CLOSURE DATE: 11/13/1995

PRP INFORMATION

NAME: FERTITTA MARK
ADDRESS: ADDRESS NOT REPORTED
BEAUMONT TX 77725
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1971	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 4000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 07/28/1994
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
STEEL
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: NO
CORROSION PROTECTION VARIANCE: NO VARIANCE

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **49218**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1971**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **4000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **07/28/1994**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **49217**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

Leaking Petroleum Storage Tanks (LPST)

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1971**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **6000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **07/28/1994**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **49216**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

Leaking Petroleum Storage Tanks (LPST)

INSTALLATION DATE: **01/01/1971** REGISTRATION DATE: **05/08/1986**
TANK CAPACITY (GAL): **550** EMPTY TANK: **NOT EMPTY**
STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **07/28/1994**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **49219**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **550**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 43

Distance from Property: 0.024 mi. (127 ft.) N
Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

ID#: 15197
NAME: 11TH STREET SHELL
ADDRESS: 255 N 11TH ST
BEAUMONT, TX 77702
COUNTY: JEFFERSON
REGION: 10
TYPE: UNKNOWN
BEGIN DATE: 08/15/1986
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/08/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 05/06/1986
SIGNATURE NAME & TITLE: HANK RICHARDS, OFFICE MGR.
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600966626
NAME: FERTITTA MARK
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: ORGANIZATION
BEGIN DATE: 09/07/1994
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1
INSTALLATION DATE: 01/01/1971
TANK CAPACITY (GAL): 4000
NUMBER OF COMPARTMENTS: 1
REGISTRATION DATE: 05/08/1986
EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: NOT REPORTED
TITLE: NOT REPORTED
ORGANIZATION: 11TH STREET SHELL
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8386424 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **07/28/1994**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **49218**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1971**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **4000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **07/28/1994**

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

Petroleum Storage Tanks (PST)

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **49217**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

INSTALLATION DATE: **01/01/1971**

TANK CAPACITY (GAL): **6000**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **05/08/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **07/28/1994**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **49216**

TANK ID: **3**

Petroleum Storage Tanks (PST)

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1971**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **550**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **07/28/1994**

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **49219**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **550**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

Petroleum Storage Tanks (PST)

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 44

Distance from Property: 0.011 mi. (58 ft.) E
Elevation: 25 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRY ID: 110011449655

NAME: CATHEDRAL IN THE PINE SCHOOL & DAY CARE

LOCATION ADDRESS: 2350 EASTEX FREEWAY
BEAUMONT, TX 77703-4626

COUNTY: JEFFERSON

EPA REGION: 06

FEDERAL FACILITY: NOT REPORTED

TRIBAL LAND: NOT REPORTED

ALTERNATIVE NAME/S:

CATHEDRAL IN THE PINE SCHOOL & DAY CARE

PROGRAM/S LISTED FOR THIS FACILITY

NCDB - NATIONAL COMPLIANCE DATABASE SYSTEM

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

8211 - ELEMENTARY AND SECONDARY SCHOOLS

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 44

Distance from Property: 0.011 mi. (58 ft.) E
Elevation: 25 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRY ID: 110026086027

NAME: CATHEDRAL IN THE PINES SCHOOL

LOCATION ADDRESS: NO STREET REPORTED
BEAUMONT WEST, TX

COUNTY: JEFFERSON

EPA REGION: 06

FEDERAL FACILITY: NOT REPORTED

TRIBAL LAND: NOT REPORTED

ALTERNATIVE NAME/S:

CATHEDRAL IN THE PINES SCHOOL

PROGRAM/S LISTED FOR THIS FACILITY

GNIS - GEOGRAPHIC NAMES INFORMATION SYSTEM

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 45

Distance from Property: 0.012 mi. (63 ft.) W

Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRY ID: 110034633029

NAME: COWBOY HONDA IRON HORSE ENTERPRISES

LOCATION ADDRESS: 1280 INTERSTATE 10 S
BEAUMONT, TX 77707-4013

COUNTY: JEFFERSON

EPA REGION: 06

FEDERAL FACILITY: NOT REPORTED

TRIBAL LAND: NOT REPORTED

ALTERNATIVE NAME/S:

COWBOY HONDA IRON HORSE ENTERPRISES

PROGRAM/S LISTED FOR THIS FACILITY

TX-TCEQ ACR - TEXAS COMMISSION ON ENVIRONMENTAL QUALITY - AGENCY CENTRAL REGISTRY

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Enforcement and Compliance History Information (ECHOR06)

MAP ID# 46

Distance from Property: 0.012 mi. (63 ft.) W

Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

UNIQUE ID: 110008159875

REGISTRY ID: 110008159875

NAME: STAR ENTERPRISES INC

ADDRESS: 205 IH 10 LAUREL
BEAUMONT, TX 77707

COUNTY: JEFFERSON

FACILITY LINK: [Facility Detail Report](#)

[Back to Report Summary](#)

Enforcement and Compliance History Information (ECHOR06)

MAP ID# 46

Distance from Property: 0.012 mi. (63 ft.) W

Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

UNIQUE ID: 110033766565

REGISTRY ID: 110033766565

NAME: FASTLANE 16

ADDRESS: 205 INTERSTATE 10 N
BEAUMONT, TX 77707

COUNTY: JEFFERSON

FACILITY LINK: [Facility Detail Report](#)

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 46

Distance from Property: 0.012 mi. (63 ft.) W

Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

REGISTRY ID: 110008159875

NAME: STAR ENTERPRISES INC

LOCATION ADDRESS: 205 IH 10 LAUREL
BEAUMONT, TX 77707

COUNTY: JEFFERSON

EPA REGION: 06

FEDERAL FACILITY: NOT REPORTED

TRIBAL LAND: NOT REPORTED

ALTERNATIVE NAME/S:

STAR ENTERPRISE

PROGRAM/S LISTED FOR THIS FACILITY

RCRAINFO - RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 46

Distance from Property: 0.012 mi. (63 ft.) W
Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

REGISTRY ID: 110033766565

NAME: **FASTLANE 16**

LOCATION ADDRESS: **205 INTERSTATE 10 N
BEAUMONT, TX 77707-2233**

COUNTY: **JEFFERSON**

EPA REGION: **06**

FEDERAL FACILITY: **NOT REPORTED**

TRIBAL LAND: **NOT REPORTED**

ALTERNATIVE NAME/S:

FASTLANE 16

PROGRAM/S LISTED FOR THIS FACILITY

TX-TCEQ ACR - TEXAS COMMISSION ON ENVIRONMENTAL QUALITY - AGENCY CENTRAL REGISTRY

NPDES - NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

5541 - GASOLINE SERVICE STATIONS

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

447110 - GASOLINE STATIONS WITH CONVENIENCE STORES.

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 46

Distance from Property: 0.012 mi. (63 ft.) W

Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

REGISTRATION#: 75684 EPA ID: TXD987993508

TNRCC ID #: 30031

NAME: STAR ENTERPRISES

ADDRESS: 205 IH 10 LAUREL

BEAUMONT, TX 77707

CONTACT: DAVID GUMBLEY

PHONE: 214-6500200

BUSINESS DESCRIPTION: THIS REGISTRATION WAS INACTIVATED BECAUSE THERE WERE ONLY 6-DIGIT WASTE CODES ON THE NOR AND NO WASTE ACTIVITY WAS REPORTED IN 1994, 1995 AND 1996.

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR

GENERATOR TYPE: NON-INDUSTRIAL AND/OR MUNICIPAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 06/22/2004

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

WASTE ID: 58209

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: YES

GENERATOR'S DESCRIPTION OF WASTE: NOT REPORTED

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 46

Distance from Property: 0.012 mi. (63 ft.) W

Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

GEOSEARCH ID: 091059

LPST ID: 091059

FACILITY ID: 0023007

NAME: TEXACO

ADDRESS: 205 INTERSTATE 10 N
BEAUMONT, TX 77707

LEAKING TANK DETAILS

LPST ID: 091059

NAME: TEXACO

FACILITY LOCATION: NOT REPORTED

PRIORITY CODE: 4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS

CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED

CORRECTIVE ACTION START DATE: 1/27/86

REPORTED DATE: 01/27/1986

ENTERED DATE: 01/27/1986

CLOSURE DATE: 07/14/2000

PRP INFORMATION

NAME: MOTIVA ENTERPRISES LLC

ADDRESS: ADDRESS NOT REPORTED
HOUSTON TX 77060

CONTACT: NOT REPORTED

PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1

INSTALLATION DATE: 01/01/1983

TANK CAPACITY (GAL): 15000

STATUS: REMOVED FROM GROUND

INTERNAL PROTECTION DATE: NOT REPORTED

TANK DESIGN SINGLE WALL: YES

PIPE DESIGN SINGLE WALL: YES

NUMBER OF COMPARTMENTS: 1

REGISTRATION DATE: 05/08/1986

EMPTY TANK: NOT EMPTY

STATUS BEGIN DATE: 08/21/2018

REGULATORY STATUS: FULLY REGULATED

TANK DESIGN DOUBLE WALL: NO

PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: YES

CORROSION PROTECTION VARIANCE: NO VARIANCE

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: 119630

TANK ID: 1

COMPARTMENT LETTER: A

SUBSTANCES: **NOT REPORTED**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **15000**

COMPARTMENT RELEASE DETECTION: **SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 1

NUMBER OF COMPARTMENTS: 1

INSTALLATION DATE: **01/01/1983**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **15000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **01/01/1983**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: 119630

TANK ID: 1

COMPARTMENT LETTER: A

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **15000**

COMPARTMENT RELEASE DETECTION: **SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

Leaking Petroleum Storage Tanks (LPST)

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1983**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **08/21/2018**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **119632**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **NOT REPORTED**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 2	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1983	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 10000	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 01/01/1983
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **119632**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 3	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1983	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 10000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 08/21/2018
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

Leaking Petroleum Storage Tanks (LPST)

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **119631**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **NOT REPORTED**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1983**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **01/01/1983**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **119631**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1983**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **08/21/2018**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **119629**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **NOT REPORTED**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

Leaking Petroleum Storage Tanks (LPST)

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1983**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **01/01/1983**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **119629**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

Leaking Petroleum Storage Tanks (LPST)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 46

Distance from Property: 0.012 mi. (63 ft.) W
Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

ID#: 23007
NAME: FASTLANE 16
ADDRESS: 205 INTERSTATE 10 N
BEAUMONT, TX 77707
COUNTY: JEFFERSON
REGION: 10
TYPE: RETAIL
BEGIN DATE: 01/01/1983
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: YES
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 08/29/2018
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 08/27/2018
SIGNATURE NAME & TITLE: BOYD ALLEN, SIGNATURE TITLE NOT REPORTED
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600925200
NAME: STEINHAGEN OIL COMPANY INC
CONTACT ADDRESS: PO BOX 20037
BEAUMONT TX 77720
TYPE: CORPORATION/COMPANY
BEGIN DATE: 12/21/2004
CONTACT ROLE: OWNCON
CONTACT NAME: GARY HOLCOMBE
CONTACT TITLE: OPS MGR
ORGANIZATION: STEINHAGEN OIL CO INC
PHONE: (409) 8421414 0
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

OPERATOR NUMBER: CN600925200
NAME: STEINHAGEN OIL COMPANY INC
CONTACT ADDRESS: PO BOX 20037
BEAUMONT TX 77720
TYPE: CORPORATION/COMPANY
BEGIN DATE: 12/21/2004
CONTACT ROLE: OWNOPRCON
CONTACT NAME: BOYD ALLEN
CONTACT TITLE: OPS MGR

CONTACT INFORMATION

NAME: GARY HOLCOMBE
TITLE: NOT REPORTED
ORGANIZATION: FASTLANE 16
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8421414 0

Petroleum Storage Tanks (PST)

ORGANIZATION: **STEINHAGEN OIL COMPANY INC**

PHONE: **(409) 8421414 0**

FAX: **NOT REPORTED**

EMAIL: **NOT REPORTED**

SELF-CERTIFICATION

SELF-CERTIFICATION ID: **295672**

SIGNATURE DATE: **12/05/2017**

SIGNATURE NAME & TITLE: **CRAIG HILL, PRESIDENT**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **281378**

SIGNATURE DATE: **01/20/2017**

SIGNATURE NAME & TITLE: **CRAIG HILL, PRES**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **262776**

SIGNATURE DATE: **12/17/2015**

SIGNATURE NAME & TITLE: **GARY HOLCOMBE, OPS MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **245866**

SIGNATURE DATE: **12/11/2014**

SIGNATURE NAME & TITLE: **GARY HOLCOMBE, OPS MGR**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **228746**

SIGNATURE DATE: **12/09/2013**

SIGNATURE NAME & TITLE: **GARY HOLCOMBE, OPS SUPERVISER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **127716**

SIGNATURE DATE: **12/28/2012**

SIGNATURE NAME & TITLE: **GARY HOLCOMBE, OPS SUPERVISOR**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **127715**

SIGNATURE DATE: **12/13/2011**

SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, OPERATIONS MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **127714**

SIGNATURE DATE: **12/10/2010**

SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, OPERATIONS MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **127713**

SIGNATURE DATE: **12/14/2009**

Petroleum Storage Tanks (PST)

SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, OPS MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **127712**

SIGNATURE DATE: **12/16/2008**

SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, OPS MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **127711**

SIGNATURE DATE: **12/19/2007**

SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, OPS MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **127710**

SIGNATURE DATE: **12/08/2006**

SIGNATURE NAME & TITLE: **GARY HOLCOMBE, OPS MGR**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **127709**

SIGNATURE DATE: **12/05/2005**

SIGNATURE NAME & TITLE: **GARY HOLCOMBE, COMPLIANCE MGR**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **127708**

SIGNATURE DATE: **01/05/2005**

SIGNATURE NAME & TITLE: **GARY HOLCOMBE, COMPL MGR**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **127707**

SIGNATURE DATE: **12/29/2004**

SIGNATURE NAME & TITLE: **GARY HOLCOMBE, COMPL MGR**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **127706**

SIGNATURE DATE: **01/15/2004**

SIGNATURE NAME & TITLE: **DAVID MULKEY, HSE COMP COOR**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **127705**

SIGNATURE DATE: **02/20/2003**

SIGNATURE NAME & TITLE: **DAVID MULKEY, HSE COMP COORD**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **127704**

SIGNATURE DATE: **02/16/2002**

SIGNATURE NAME & TITLE: **DAVID J MULKEY, SH&E C C**

FILING STATUS: **RENEWAL**

Petroleum Storage Tanks (PST)

REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **127703**
SIGNATURE DATE: **10/20/2000**
SIGNATURE NAME & TITLE: **DAVID MULKEY, ENV COOR**
FILING STATUS: **INITIAL**
REGISTRATION FLAG: **YES**

CONSTRUCTION NOTIFICATION

NOTIFICATION CONSTRUCTION ID: **32565**
APPLICATION RECEIVED DATE: **02/07/2018**
SCHEDULE CONSTRUCTION DATE: **03/07/2018**
GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:
REMOVE 4 EXISTING FRP UST'S AND REPLACE WITH 3 MODERN WELDING, GSII STEEL/FRP UST'S. INSTALL NEW DOUBLE WALL FRP PIPING AND SINGLE WALL FRP SUMPS.

NOTIFICATION CONSTRUCTION ID: **13612**
APPLICATION RECEIVED DATE: **11/28/2011**
SCHEDULE CONSTRUCTION DATE: **11/28/2011**
GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:
REMOVE DAMAGED PUMP ISLAND AND REPLACE DISPENSERS,

NOTIFICATION CONSTRUCTION ID: **13613**
APPLICATION RECEIVED DATE: **07/05/2011**
SCHEDULE CONSTRUCTION DATE: **07/29/2011**
GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:
BREAK OUT PUMP ISLAND & INSTALL NEW DISPENSER BOXES, AND SET DISPENSERS TO GRADE .

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1983	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 15000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 08/21/2018
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
FRP
CORROSION PROTECTION:
FRP TANK OR PIPING (NONCORRODIBLE)
EXTERNAL CONTAINMENT:
NOT REPORTED

TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **119630**
TANK ID: **1**
COMPARTMENT LETTER: **A**
SUBSTANCES: **NOT REPORTED**
OTHER SUBSTANCES: **NOT REPORTED**

Petroleum Storage Tanks (PST)

CAPACITY (GAL): **15000**

COMPARTMENT RELEASE DETECTION: **SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

**AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING),SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY
CONTROL**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1983**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **15000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **01/01/1983**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **119630**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **15000**

COMPARTMENT RELEASE DETECTION: **SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

Petroleum Storage Tanks (PST)

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING),SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1983**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **08/21/2018**

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **119632**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **NOT REPORTED**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING),SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL

PIPE COMPLIANCE FLAG

Petroleum Storage Tanks (PST)

CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 2	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1983	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 10000	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 01/01/1983
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **119632**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING),SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 3	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1983	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 10000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 08/21/2018
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED

Petroleum Storage Tanks (PST)

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **119631**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **NOT REPORTED**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING),SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY

CONTROL

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1983**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **01/01/1983**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

Petroleum Storage Tanks (PST)

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **119631**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING),SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1983**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **08/21/2018**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

Petroleum Storage Tanks (PST)

UST COMPARTMENT ID: 119629

TANK ID: 4

COMPARTMENT LETTER: A

SUBSTANCES: **NOT REPORTED**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING),SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 4

NUMBER OF COMPARTMENTS: 1

INSTALLATION DATE: **01/01/1983**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **01/01/1983**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: 119629

TANK ID: 4

COMPARTMENT LETTER: A

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

Petroleum Storage Tanks (PST)

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING),SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY

CONTROL

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

MAP ID# 46

Distance from Property: 0.012 mi. (63 ft.) W
Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

EPA ID#: TXD987993508

NAME: STAR ENTERPRISES INC

ADDRESS: 205 IH 10 LAUREL

BEAUMONT, TX 77707

CONTACT NAME: DAVID GUMBLEY

CONTACT ADDRESS: PO BOX 152045

IRVING TX 75015

CONTACT PHONE: 214-650-0200

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 07/27/2001

CERTIFICATION - NO CERTIFICATION REPORTED -

INDUSTRY CLASSIFICATION (NAICS) - NO NAICS INFORMATION REPORTED -

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: **NON-GENERATOR** LAST UPDATED DATE: **03/25/2004**

SUBJECT TO CORRECTIVE ACTION UNIVERSE: **NO**

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: **NO**

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: **NO**

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: **NO**

CORRECTIVE ACTION WORKLOAD UNIVERSE: **NO**

IMPORTER: **NO**

UNDERGROUND INJECTION: **NO**

MIXED WASTE GENERATOR: **NO**

UNIVERSAL WASTE DESTINATION FACILITY: **NO**

RECYCLER: **NO**

TRANSFER FACILITY: **NO**

TRANSPORTER: **NO**

USED OIL FUEL BURNER: **NO**

ONSITE BURNER EXEMPTION: **NO**

USED OIL PROCESSOR: **NO**

FURNACE EXEMPTION: **NO**

USED OIL FUEL MARKETER TO BURNER: **NO**

USED OIL REFINER: **NO**

SPECIFICATION USED OIL MARKETER: **NO**

USED OIL TRANSFER FACILITY: **NO**

USED OIL TRANSPORTER: **NO**

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS - NO EVALUATIONS REPORTED -

VIOLATIONS - NO VIOLATIONS REPORTED -

ENFORCEMENTS - NO ENFORCEMENTS REPORTED -

HAZARDOUS WASTE

D001 IGNITABLE WASTE

D018 BENZENE

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

[Back to Report Summary](#)

Enforcement and Compliance History Information (ECHOR06)

[MAP ID# 47](#)

Distance from Property: 0.012 mi. (63 ft.) N
Elevation: 22 ft. (Higher than TP)

FACILITY INFORMATION

UNIQUE ID: 110008144766

REGISTRY ID: 110008144766

NAME: UNIVAR USA INC

ADDRESS: 2150 IH 10 E
BEAUMONT, TX 77703

COUNTY: JEFFERSON

FACILITY LINK: [Facility Detail Report](#)

[Back to Report Summary](#)

Facility Registry System (FRSTX)

[MAP ID# 47](#)

Distance from Property: 0.012 mi. (63 ft.) N
Elevation: 22 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRY ID: 110008144766

NAME: UNIVAR USA INC

LOCATION ADDRESS: 2150 IH 10 E
BEAUMONT, TX 77703

COUNTY: JEFFERSON

EPA REGION: 06

FEDERAL FACILITY: NOT REPORTED

TRIBAL LAND: NOT REPORTED

ALTERNATIVE NAME/S:

VAN WATERS & ROGERS BEAUMONT

PROGRAM/S LISTED FOR THIS FACILITY

RCRAINFO - RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

[MAP ID# 47](#)

Distance from Property: 0.012 mi. (63 ft.) N

Elevation: 22 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRATION#: 70908 EPA ID: TXD026060962

TNRCC ID #: 25696

NAME: UNIVAR

ADDRESS: 2150 IH 10 E

BEAUMONT, TX 77703

CONTACT: JERRY HOOD

PHONE: 409-8353426

BUSINESS DESCRIPTION: NOT REPORTED

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: NOT REPORTED

GENERATOR TYPE: NON-INDUSTRIAL AND/OR MUNICIPAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 07/27/2007

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

NO RECORDS

OWNER INFORMATION

NAME: UNIVAR USA INC

ADDRESS: PO BOX 2355

BEAUMONT, TX 77704

PHONE: 1-409-8353426

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

MAP ID# 47

Distance from Property: 0.012 mi. (63 ft.) N
Elevation: 22 ft. (Higher than TP)

FACILITY INFORMATION

EPA ID#: TXD026060962

NAME: UNIVAR USA INC

ADDRESS: 2150 IH 10 E

BEAUMONT, TX 77703

CONTACT NAME: JERRY HOOD

CONTACT ADDRESS: PO BOX 2355

BEAUMONT TX 77704

CONTACT PHONE: 409-835-3426

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 07/27/2007

OWNER TYPE: PRIVATE

OWNER NAME: UNIVAR USA INC

OPERATOR TYPE: PRIVATE

OPERATOR NAME: UNIVAR USA INC

CERTIFICATION

CERTIFICATION NAME:

JERRY HOOD

CERTIFICATION TITLE:

OPERATIONS MANA

CERTIFICATION SIGNED DATE:

07/27/2007

INDUSTRY CLASSIFICATION (NAICS) - NO NAICS INFORMATION REPORTED -

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: NON-GENERATOR LAST UPDATED DATE: 08/03/2007

SUBJECT TO CORRECTIVE ACTION UNIVERSE: NO

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: NO

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: NO

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: NO

CORRECTIVE ACTION WORKLOAD UNIVERSE: NO

IMPORTER: NO

UNDERGROUND INJECTION: NO

MIXED WASTE GENERATOR: NO

UNIVERSAL WASTE DESTINATION FACILITY: NO

RECYCLER: NO

TRANSFER FACILITY: NO

TRANSPORTER: NO

USED OIL FUEL BURNER: NO

ONSITE BURNER EXEMPTION: NO

USED OIL PROCESSOR: NO

FURNACE EXEMPTION: NO

USED OIL FUEL MARKETER TO BURNER: NO

USED OIL REFINER: NO

SPECIFICATION USED OIL MARKETER: NO

USED OIL TRANSFER FACILITY: NO

USED OIL TRANSPORTER: NO

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS - NO EVALUATIONS REPORTED -

VIOLATIONS - NO VIOLATIONS REPORTED -

ENFORCEMENTS - NO ENFORCEMENTS REPORTED -

HAZARDOUS WASTE

D002 CORROSIVE WASTE

D005 BARIUM

D007 CHROMIUM

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

F001	THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
F002	THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
P001	2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYLBUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3%
P001	WARFARIN, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3%
P006	ALUMINUM PHOSPHIDE (R,T)
P020	DINOSEB
P020	PHENOL, 2-(1-METHYLPROPYL)-4,6-DINITRO-
P022	CARBON DISULFIDE
P029	COPPER CYANIDE
P029	COPPER CYANIDE CU(CN)
P030	CYANIDES (SOLUBLE CYANIDE SALTS), NOT OTHERWISE SPECIFIED
P035	
P044	DIMETHOATE
P044	PHOSPHORODITHIOIC ACID, O,O-DIMETHYL S-[2-(METHYLAMINO)-2-OXOETHYL] ESTER
P050	6,9-METHANO-2,4,3-BENZODIOXATHIEPIN, 6,7,8,9,10,10-HEXACHLORO-1,5,5A,6,9,9A-HEXAHYDRO-, 3-OXIDE
P050	ENDOSULFAN
P051	2,7:3,6-DIMETHANONAPHTH[2,3-B]OXIRENE, 3,4,5,6,9,9-HEXACHLORO-1A,2,2A,3,6,6A,7,7A-OCTAHYDRO-, (1AALPHA, 2BETA, 2ABETA, 3ALPHA, 6ALPHA, 6ABETA, 7BETA, 7AALPHA)- & METABOLITES
P051	ENDRIN
P051	ENDRIN, & METABOLITES
P053	
P059	4,7-METHANO-1H-INDENE, 1,4,5,6,7,8,8-HEPTACHLORO-3A,4,7,7A-TETRAHYDRO-
P059	HEPTACHLOR
P066	ETHANIMIDOTHIOIC ACID, N-[(METHYLAMINO)CARBONYL]OXY-, METHYL ESTER
P066	METHOMYL
P071	METHYL PARATHION
P071	PHOSPHOROTHIOIC ACID, O,O,-DIMETHYL O-(4-NITROPHENYL) ESTER
P075	NICOTINE, & SALTS
P075	PYRIDINE, 3-(1-METHYL-2-PYRROLIDINYL)-,(S)-, & SALTS
P088	7-OXABICYCLO[2.2.1]HEPTANE-2,3-DICARBOXYLIC ACID
P088	ENDOTHALL
P090	
P096	HYDROGEN PHOSPHIDE
P096	PHOSPHINE
P098	POTASSIUM CYANIDE
P098	POTASSIUM CYANIDE K(CN)
P106	SODIUM CYANIDE

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

P106	SODIUM CYANIDE NA(CN)
P108	STRYCHNIDIN-10-ONE, & SALTS
P108	STRYCHNINE, & SALTS
P117	
P121	ZINC CYANIDE
P121	ZINC CYANIDE ZN(CN) ₂
P122	ZINC PHOSPHIDE ZN ₃ P ₂ , WHEN PRESENT AT CONCENTRATIONS GREATER THAN 10% (R,T)
U002	2-PROPANONE (I)
U002	ACETONE (I)
U031	1-BUTANOL (I)
U031	N-BUTYL ALCOHOL (I)
U036	4,7-METHANO-1H-INDENE, 1,2,4,5,6,7,8,8-OCTACHLORO-2,3,3A,4,7,7A-HEXAHYDRO-
U036	CHLORDANE, ALPHA & GAMMA ISOMERS
U037	BENZENE, CHLORO-
U037	CHLOROBENZENE
U044	CHLOROFORM
U044	METHANE, TRICHLORO-
U054	
U056	BENZENE, HEXAHYDRO- (I)
U056	CYCLOHEXANE (I)
U057	CYCLOHEXANONE (I)
U069	1,2-BENZENEDICARBOXYLIC ACID, DIBUTYL ESTER
U069	DIBUTYL PHTHALATE
U077	ETHANE, 1,2-DICHLORO-
U077	ETHYLENE DICHLORIDE
U080	METHANE, DICHLORO-
U080	METHYLENE CHLORIDE
U092	DIMETHYLAMINE (I)
U092	METHANAMINE, N-METHYL- (I)
U107	1,2-BENZENEDICARBOXYLIC ACID, DIOCTYL ESTER
U107	DI-N-OCTYL PHTHALATE
U108	1,4-DIETHYLENEOXIDE
U108	1,4-DIOXANE
U112	ACETIC ACID, ETHYL ESTER (I)
U112	ETHYL ACETATE (I)
U122	FORMALDEHYDE
U123	FORMIC ACID (C,T)
U133	HYDRAZINE (R,T)
U134	HYDROFLUORIC ACID (C,T)
U134	HYDROGEN FLUORIDE (C,T)
U140	1-PROPANOL, 2-METHYL- (I,T)
U140	ISOBUTYL ALCOHOL (I,T)
U154	METHANOL (I)
U154	METHYL ALCOHOL (I)
U159	2-BUTANONE (I,T)

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

U159 METHYL ETHYL KETONE (MEK) (I,T)
U161 4-METHYL-2-PENTANONE (I)
U161 METHYL ISOBUTYL KETONE (I)
U161 PENTANOL, 4-METHYL-
U165 NAPHTHALENE
U171 2-NITROPROPANE (I,T)
U171 PROPANE, 2-NITRO- (I,T)
U188 PHENOL
U210 ETHENE, TETRACHLORO-
U211 CARBON TETRACHLORIDE
U211 METHANE, TETRACHLORO-
U213 FURAN, TETRAHYDRO-(I)
U213 TETRAHYDROFURAN (I)
U219 THIOUREA
U220 BENZENE, METHYL-
U220 TOLUENE
U226 ETHANE, 1,1,1-TRICHLORO-
U226 METHYL CHLOROFORM
U228 ETHENE, TRICHLORO-
U228 TRICHLOROETHYLENE
U229
U232
U239 BENZENE, DIMETHYL- (I,T)
U239 XYLENE (I)

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

[Back to Report Summary](#)

Enforcement and Compliance History Information (ECHOR06)

MAP ID# 48

Distance from Property: 0.012 mi. (63 ft.) E
Elevation: 29 ft. (Higher than TP)

FACILITY INFORMATION

UNIQUE ID: 110005146029

REGISTRY ID: 110005146029

NAME: VERNON WEST MOBIL

ADDRESS: 2790 EASTEX FRWY AT DELAWARE
BEAUMONT, TX 77703

COUNTY: JEFFERSON

FACILITY LINK: [Facility Detail Report](#)

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 48

Distance from Property: 0.012 mi. (63 ft.) E
Elevation: 29 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRY ID: 110005146029

NAME: VERNON WEST MOBIL

LOCATION ADDRESS: 2790 EASTEX FRWY AT DELAWARE
BEAUMONT, TX 77703

COUNTY: JEFFERSON

EPA REGION: 06

FEDERAL FACILITY: NOT REPORTED

TRIBAL LAND: NOT REPORTED

ALTERNATIVE NAME/S:

VERNON WEST MOBIL

PROGRAM/S LISTED FOR THIS FACILITY

RCRAINFO - RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 48

Distance from Property: 0.012 mi. (63 ft.) E
Elevation: 29 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRY ID: 110033956761

NAME: **KEVINS MOBIL**

LOCATION ADDRESS: 2790 EASTEX FWY
BEAUMONT, TX 77703-4617

COUNTY: **JEFFERSON**

EPA REGION: **06**

FEDERAL FACILITY: **NOT REPORTED**

TRIBAL LAND: **NOT REPORTED**

ALTERNATIVE NAME/S:

KEVINS MOBIL

PROGRAM/S LISTED FOR THIS FACILITY

TX-TCEQ ACR - TEXAS COMMISSION ON ENVIRONMENTAL QUALITY - AGENCY CENTRAL REGISTRY

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Groundwater Contamination Cases (GWCC)

MAP ID# 48

Distance from Property: 0.012 mi. (63 ft.) E
Elevation: 29 ft. (Higher than TP)

FACILITY INFORMATION

FILE NUMBER: 119570

FILE NAME: KEVINS MOBIL

LOCATION: 2790 EASTEX FWY, BEAUMONT

COUNTY: JEFFERSON

AGENCY: TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

DIVISION: NOT REPORTED

DATE OF CONTAMINATION

CONFIRMATION BY AGENCY: 12/08/14

CONTAMINANT(S): GASOLINE

ENFORCEMENT STATUS: NOT REPORTED

ACTIVITY STATUS: NOT REPORTED

NEW CASE?: NO

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 48

Distance from Property: 0.012 mi. (63 ft.) E
Elevation: 29 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 119570
LPST ID: 119570
FACILITY ID: 0017654
NAME: KEVINS MOBIL
ADDRESS: 2790 EASTEX FWY
BEAUMONT, TX 77703

LEAKING TANK DETAILS

LPST ID: 119570
NAME: KEVINS MOBIL
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS
CORRECTIVE ACTION STATUS CODE: 3 - MONITORING
CORRECTIVE ACTION START DATE: 3/3/16
REPORTED DATE: 12/08/2014
ENTERED DATE: 02/05/2015
CLOSURE DATE: 12/31/3000

PRP INFORMATION

NAME: TRI-CON INC
ADDRESS: ADDRESS NOT REPORTED
CITY NOT REPORTED
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1970	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 10000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 10/15/2014
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
FRP
CORROSION PROTECTION:
FRP TANK OR PIPING (NONCORRODIBLE)
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: YES
CORROSION PROTECTION VARIANCE: NO VARIANCE

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **86716**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **NOT REPORTED**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1970**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **10/15/2014**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **86716**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

Leaking Petroleum Storage Tanks (LPST)

SPILL CONTAINER/BUCKET/SUMP, FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: FRP

CORROSION PROTECTION: FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT: NOT REPORTED

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: FRP TANK OR PIPING (NONCORRODIBLE)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: YES

CORROSION PROTECTION VARIANCE: NO VARIANCE

TANK ID: 2

NUMBER OF COMPARTMENTS: 1

INSTALLATION DATE: 01/01/1970

REGISTRATION DATE: 05/08/1986

TANK CAPACITY (GAL): 8000

EMPTY TANK: NOT EMPTY

STATUS: REMOVED FROM GROUND

STATUS BEGIN DATE: 10/15/2014

INTERNAL PROTECTION DATE: NOT REPORTED

REGULATORY STATUS: FULLY REGULATED

TANK DESIGN SINGLE WALL: YES

TANK DESIGN DOUBLE WALL: NO

PIPE DESIGN SINGLE WALL: YES

PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FACTORY INSTALLATION, CATHODIC PROTECTION - FIELD INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: YES

CORROSION PROTECTION VARIANCE: NO VARIANCE

COMPARTMENT DETAILS

UST COMPARTMENT ID: 86717

TANK ID: 2

COMPARTMENT LETTER: A

SUBSTANCES: NOT REPORTED

OTHER SUBSTANCES: NOT REPORTED

CAPACITY (GAL): NOT REPORTED

COMPARTMENT RELEASE DETECTION: SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL

SPILL CONTAINMENT AND OVERFILL PREVENTION: TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP, FACTORY - BUILT

SPILL CONTAINER/BUCKET/SUMP, FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: FRP

CORROSION PROTECTION: FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT: NOT REPORTED

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: FRP TANK OR PIPING (NONCORRODIBLE)

PIPE COMPLIANCE FLAG

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 2	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1970	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 8000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 10/15/2014
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FACTORY INSTALLATION,CATHODIC PROTECTION - FIELD INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **86717**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 3	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1970	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 7000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 10/15/2014
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

Leaking Petroleum Storage Tanks (LPST)

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FACTORY INSTALLATION,CATHODIC PROTECTION - FIELD INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **86714**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **NOT REPORTED**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1970**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **7000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **10/15/2014**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FACTORY INSTALLATION,CATHODIC PROTECTION - FIELD INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **86714**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1966**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **500**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **11/30/1998**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **86715**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **500**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

Leaking Petroleum Storage Tanks (LPST)

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Notice of Violations (NOV)

MAP ID# 48

Distance from Property: 0.012 mi. (63 ft.) E
Elevation: 29 ft. (Higher than TP)

SITE INFORMATION

REFERENCE #: RN101819431
CUSTOMER #: CN600927453
NAME: KEVINS MOBIL
ADDRESS: 2790 EASTEX FWY
CITY: BEAUMONT
STATE: TX
ZIPCODE: 77703-4617
COUNTY: JEFFERSON
BUSINESS: RETAIL
CONTACT: ELIAS SARKIS

SITE DETAILS

VIOLATION ISSUED: 10/06/10

CATEGORY: MODERATE

MEDIA: WASTE

STATUS: RESOLVED

ALLEGATION:

FAILURE TO LOCK/SECURE A TEMPORARILY OUT OF SERVICE PST FACILITY FROM UNAUTHORIZED ACCESS.

RESOLUTION DESCRIPTION:

NOT REPORTED

VIOLATION ISSUED: 10/06/10

CATEGORY: MODERATE

MEDIA: WASTE

STATUS: RESOLVED

ALLEGATION:

FAILURE TO LOCK/SECURE A TEMPORARILY OUT OF SERVICE PST FACILITY FROM UNAUTHORIZED ACCESS.

RESOLUTION DESCRIPTION:

NOT REPORTED

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 48

Distance from Property: 0.012 mi. (63 ft.) E
Elevation: 29 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 17654
NAME: KEVINS MOBIL
ADDRESS: 2790 EASTEX FWY
BEAUMONT, TX 77703
COUNTY: JEFFERSON
REGION: 10
TYPE: RETAIL
BEGIN DATE: 01/01/1970
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: YES
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/08/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 06/26/1992
SIGNATURE NAME & TITLE: DAVID HEADRICK, VP
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600927453
NAME: TRI-CON INC
CONTACT ADDRESS: PO BOX 20555
BEAUMONT TX 77720
TYPE: CORPORATION/COMPANY
BEGIN DATE: 09/01/1989
CONTACT ROLE: OWNCON
CONTACT NAME: ELIAS SARKIS
CONTACT TITLE: PRESIDENT
ORGANIZATION: TRI CON INC
PHONE: (409) 8352237 0
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

OPERATOR NUMBER: CN600927453
NAME: TRI-CON INC
CONTACT ADDRESS: PO BOX 20555
BEAUMONT TX 77720
TYPE: CORPORATION/COMPANY
BEGIN DATE: 09/01/1989
CONTACT ROLE: OWNOPRCON
CONTACT NAME: ELIAS SARKIS
CONTACT TITLE: PRESIDENT

CONTACT INFORMATION

NAME: IMAD SARKIS
TITLE: DIV MGR
ORGANIZATION: KEVINS MOBIL
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8352237 0

Petroleum Storage Tanks (PST)

ORGANIZATION: **TRI CON INC**

PHONE: **(409) 8352237 0**

FAX: **NOT REPORTED**

EMAIL: **NOT REPORTED**

SELF-CERTIFICATION

SELF-CERTIFICATION ID: **89479**

SIGNATURE DATE: **12/20/2005**

SIGNATURE NAME & TITLE: **ELIAS SARKIS, PRES**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **89478**

SIGNATURE DATE: **01/06/2005**

SIGNATURE NAME & TITLE: **ELIAS SARKIS, PRESIDENT**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **89477**

SIGNATURE DATE: **12/08/2003**

SIGNATURE NAME & TITLE: **ELIAS SARKIS, PRES**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **89476**

SIGNATURE DATE: **12/08/2002**

SIGNATURE NAME & TITLE: **ELIAS SARKIS, PRES**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **89475**

SIGNATURE DATE: **12/21/2001**

SIGNATURE NAME & TITLE: **LORI MELANCON, VP**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **89474**

SIGNATURE DATE: **02/15/2001**

SIGNATURE NAME & TITLE: **ELIAS SARKIS, PRESIDENT**

FILING STATUS: **INITIAL**

REGISTRATION FLAG: **YES**

CONSTRUCTION NOTIFICATION

NOTIFICATION CONSTRUCTION ID: **26441**

APPLICATION RECEIVED DATE: **09/15/2014**

SCHEDULE CONSTRUCTION DATE: **10/12/2014**

GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:

REMOVE (3) UST'S

UNDERGROUND STORAGE TANK

TANK ID: **1**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1970**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **10/15/2014**

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**

Petroleum Storage Tanks (PST)

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **86716**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **NOT REPORTED**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH

FOR PRESSURE PIPING),SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1970**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **10/15/2014**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

Petroleum Storage Tanks (PST)

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **86716**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

**ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH
FOR PRESSURE PIPING),SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1970**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **10/15/2014**

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FACTORY INSTALLATION,CATHODIC PROTECTION - FIELD INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

Petroleum Storage Tanks (PST)

UST COMPARTMENT ID: **86717**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **NOT REPORTED**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

**ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH
FOR PRESSURE PIPING),SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1970**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **10/15/2014**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FACTORY INSTALLATION,CATHODIC PROTECTION - FIELD INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **86717**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

Petroleum Storage Tanks (PST)

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING),SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1970**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **7000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **10/15/2014**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FACTORY INSTALLATION,CATHODIC PROTECTION - FIELD INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **86714**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **NOT REPORTED**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

Petroleum Storage Tanks (PST)

NOT REPORTED

PIPING RELEASE DETECTION:

ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING),SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1970**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **7000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **10/15/2014**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FACTORY INSTALLATION,CATHODIC PROTECTION - FIELD INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **86714**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING),SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Petroleum Storage Tanks (PST)

TANK ID: **4** NUMBER OF COMPARTMENTS: **1**
INSTALLATION DATE: **01/01/1966** REGISTRATION DATE: **05/08/1986**
TANK CAPACITY (GAL): **500** EMPTY TANK: **NOT EMPTY**
STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **11/30/1998**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **YES** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **YES** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **86715**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **500**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Generator (RCRAGR06)

MAP ID# 48

Distance from Property: 0.012 mi. (63 ft.) E
Elevation: 29 ft. (Higher than TP)

FACILITY INFORMATION

EPA ID#: TXD988060596

NAME: VERNON WEST MOBIL

ADDRESS: 2790 EASTEX FRWY AT DELAWARE
BEAUMONT, TX 77703

CONTACT NAME: VERNON WEST

CONTACT ADDRESS: 2790 EASTEX FRWY AT DELAWARE
BEAUMONT TX 77703

CONTACT PHONE: 409-892-3566

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 01/23/1992

CERTIFICATION - NO CERTIFICATION REPORTED -

INDUSTRY CLASSIFICATION (NAICS) - NO NAICS INFORMATION REPORTED -

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: **CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR** LAST UPDATED DATE: **09/02/2000**

SUBJECT TO CORRECTIVE ACTION UNIVERSE: **NO**

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: **NO**

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: **NO**

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: **NO**

CORRECTIVE ACTION WORKLOAD UNIVERSE: **NO**

IMPORTER: **NO**

UNDERGROUND INJECTION: **NO**

MIXED WASTE GENERATOR: **NO**

UNIVERSAL WASTE DESTINATION FACILITY: **NO**

RECYCLER: **NO**

TRANSFER FACILITY: **NO**

TRANSPORTER: **NO**

USED OIL FUEL BURNER: **NO**

ONSITE BURNER EXEMPTION: **NO**

USED OIL PROCESSOR: **NO**

FURNACE EXEMPTION: **NO**

USED OIL FUEL MARKETER TO BURNER: **NO**

USED OIL REFINER: **NO**

SPECIFICATION USED OIL MARKETER: **NO**

USED OIL TRANSFER FACILITY: **NO**

USED OIL TRANSPORTER: **NO**

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS - NO EVALUATIONS REPORTED -

VIOLATIONS - NO VIOLATIONS REPORTED -

ENFORCEMENTS - NO ENFORCEMENTS REPORTED -

HAZARDOUS WASTE

D001 IGNITABLE WASTE

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 49

Distance from Property: 0.012 mi. (63 ft.) NW
Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRY ID: 110034695569

NAME: **EXXPRESS MART 10**

LOCATION ADDRESS: **2210 IH 10 S**
BEAUMONT, TX 77707-4427

COUNTY: **JEFFERSON**

EPA REGION: **06**

FEDERAL FACILITY: **NOT REPORTED**

TRIBAL LAND: **NOT REPORTED**

ALTERNATIVE NAME/S:

EXXPRESS MART 10

PROGRAM/S LISTED FOR THIS FACILITY

TX-TCEQ ACR - TEXAS COMMISSION ON ENVIRONMENTAL QUALITY - AGENCY CENTRAL REGISTRY

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Groundwater Contamination Cases (GWCC)

MAP ID# 49

Distance from Property: 0.012 mi. (63 ft.) NW
Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

FILE NUMBER: 119990

FILE NAME: EXPRESS MART 10

LOCATION: 2210 IH 10 S, BEAUMONT

COUNTY: JEFFERSON

AGENCY: TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

DIVISION: NOT REPORTED

DATE OF CONTAMINATION

CONFIRMATION BY AGENCY: 05/17/16

CONTAMINANT(S): GASOLINE, DIESEL

ENFORCEMENT STATUS: NOT REPORTED

ACTIVITY STATUS: NOT REPORTED

NEW CASE?: NO

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 49

Distance from Property: 0.012 mi. (63 ft.) NW
Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

GEOSEARCH ID: 119990
LPST ID: 119990
FACILITY ID: 0026690
NAME: EXPRESS MART 10
ADDRESS: 2210 IH 10 S
BEAUMONT, TX 77707

LEAKING TANK DETAILS

LPST ID: 119990
NAME: EXPRESS MART 10
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS
CORRECTIVE ACTION STATUS CODE: 2 - SITE ASSESSMENT
CORRECTIVE ACTION START DATE: 10/25/16
REPORTED DATE: 05/17/2016
ENTERED DATE: 08/10/2016
CLOSURE DATE: 12/31/3000

PRP INFORMATION

NAME: TRI-CON INC
ADDRESS: ADDRESS NOT REPORTED
CITY NOT REPORTED
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/19/1995	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 10000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 05/05/2016
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: YES
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: YES

TANK DETAILS

MATERIAL:
COMPOSITE
CORROSION PROTECTION:
COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **38531**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **NOT REPORTED**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **NONMETALLIC FLEXIBLE PIPING**

CORROSION PROTECTION: **NONMETALLIC FLEXIBLE PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NONMETALLIC FLEXIBLE PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/19/1995**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **01/19/1995**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **38531**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

Leaking Petroleum Storage Tanks (LPST)

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **NONMETALLIC FLEXIBLE PIPING**

CORROSION PROTECTION: **NONMETALLIC FLEXIBLE PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NONMETALLIC FLEXIBLE PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1965**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **6000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **09/04/1986**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **38530**

TANK ID: **1A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 2	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/19/1995	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 10000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 05/05/2016
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: YES
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: YES

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **38532**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **NOT REPORTED**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **NONMETALLIC FLEXIBLE PIPING**

CORROSION PROTECTION: **NONMETALLIC FLEXIBLE PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NONMETALLIC FLEXIBLE PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 2	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/19/1995	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 10000	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 01/19/1995
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: YES
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: YES

TANK DETAILS

Leaking Petroleum Storage Tanks (LPST)

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **38532**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **NONMETALLIC FLEXIBLE PIPING**

CORROSION PROTECTION: **NONMETALLIC FLEXIBLE PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NONMETALLIC FLEXIBLE PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1965**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **09/04/1986**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **38529**

TANK ID: **2A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/19/1995**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **05/05/2016**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **38533**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **NOT REPORTED**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

Leaking Petroleum Storage Tanks (LPST)

PIPING SYSTEMS

MATERIAL: **NONMETALLIC FLEXIBLE PIPING**

CORROSION PROTECTION: **NONMETALLIC FLEXIBLE PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NONMETALLIC FLEXIBLE PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/19/1995**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **01/19/1995**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **38533**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **NONMETALLIC FLEXIBLE PIPING**

CORROSION PROTECTION: **NONMETALLIC FLEXIBLE PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NONMETALLIC FLEXIBLE PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 3A	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1965	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 8000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 09/04/1986
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **38528**

TANK ID: **3A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 4	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/19/1995	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 10000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 05/05/2016
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: YES
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: YES

TANK DETAILS

MATERIAL:

Leaking Petroleum Storage Tanks (LPST)

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **38534**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **NOT REPORTED**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **NONMETALLIC FLEXIBLE PIPING**

CORROSION PROTECTION: **NONMETALLIC FLEXIBLE PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NONMETALLIC FLEXIBLE PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/19/1995**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **01/19/1995**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

Leaking Petroleum Storage Tanks (LPST)

UST COMPARTMENT ID: **38534**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **NONMETALLIC FLEXIBLE PIPING**

CORROSION PROTECTION: **NONMETALLIC FLEXIBLE PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NONMETALLIC FLEXIBLE PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1965**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **550**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **09/04/1986**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **38527**

TANK ID: **4A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **550**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

Leaking Petroleum Storage Tanks (LPST)

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **5**

NUMBER OF COMPARTMENTS: **3**

INSTALLATION DATE: **06/10/2016**

REGISTRATION DATE: **04/10/2017**

TANK CAPACITY (GAL): **32000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **06/10/2016**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

EXTERNAL NONMETTALIC JACKET

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **191437**

TANK ID: **5**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL,INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET,SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 5	NUMBER OF COMPARTMENTS: 3
INSTALLATION DATE: 06/10/2016	REGISTRATION DATE: 04/10/2017
TANK CAPACITY (GAL): 32000	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 06/10/2016
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: YES
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: YES

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

EXTERNAL NONMETALLIC JACKET

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **191438**

TANK ID: **5**

COMPARTMENT LETTER: **B**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **20000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL,INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET,SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 5	NUMBER OF COMPARTMENTS: 3
INSTALLATION DATE: 06/10/2016	REGISTRATION DATE: 04/10/2017
TANK CAPACITY (GAL): 32000	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 06/10/2016
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED

Leaking Petroleum Storage Tanks (LPST)

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

EXTERNAL NONMETTALIC JACKET

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **191439**

TANK ID: **5**

COMPARTMENT LETTER: **C**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL,INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET,SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Notice of Violations (NOV)

MAP ID# 49

Distance from Property: 0.012 mi. (63 ft.) NW
Elevation: 16 ft. (Lower than TP)

SITE INFORMATION

REFERENCE #: RN101729218
CUSTOMER #: CN600927453
NAME: EXPRESS MART 10
ADDRESS: 2210 IH 10 S
CITY: BEAUMONT
STATE: TX
ZIPCODE: 77707-4427
COUNTY: JEFFERSON
BUSINESS: RETAIL
CONTACT: NOT REPORTED

SITE DETAILS

VIOLATION ISSUED: 02/27/06
CATEGORY: MODERATE
MEDIA: WASTE
STATUS: RESOLVED
ALLEGATION:
FAILURE TO OPERATE, MAINTAIN, AND MANAGE UST SYSTEMS IN ACCORDANCE WITH ACCEPTED INDUSTRY PRACTICES.
RESOLUTION DESCRIPTION:
NOT REPORTED

VIOLATION ISSUED: 02/27/06
CATEGORY: MODERATE
MEDIA: WASTE
STATUS: RESOLVED
ALLEGATION:
FAILURE TO OPERATE, MAINTAIN, AND MANAGE UST SYSTEMS IN ACCORDANCE WITH ACCEPTED INDUSTRY PRACTICES.
RESOLUTION DESCRIPTION:
NOT REPORTED

VIOLATION ISSUED: 02/27/06
CATEGORY: MODERATE
MEDIA: WASTE
STATUS: RESOLVED
ALLEGATION:
FAILURE TO OPERATE, MAINTAIN, AND MANAGE UST SYSTEMS IN ACCORDANCE WITH ACCEPTED INDUSTRY PRACTICES.
RESOLUTION DESCRIPTION:
NOT REPORTED

VIOLATION ISSUED: 02/27/06
CATEGORY: MODERATE
MEDIA: WASTE
STATUS: RESOLVED
ALLEGATION:

Notice of Violations (NOV)

FAILURE TO OPERATE, MAINTAIN, AND MANAGE UST SYSTEMS IN ACCORDANCE WITH ACCEPTED INDUSTRY PRACTICES.

RESOLUTION DESCRIPTION:

NOT REPORTED

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 49

Distance from Property: 0.012 mi. (63 ft.) NW
Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

ID#: 26690
NAME: EXPRESS MART 10
ADDRESS: 2210 IH 10 S
BEAUMONT, TX 77707
COUNTY: JEFFERSON
REGION: 10
TYPE: RETAIL
BEGIN DATE: 10/16/1986
STATUS: ACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: YES
NUMBER OF ACTIVE UNDERGROUND TANKS: 1
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 12/13/2018
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 12/05/2018
SIGNATURE NAME & TITLE: ELIAS SARKIS, PRES
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600927453
NAME: TRI-CON INC
CONTACT ADDRESS: PO BOX 20555
BEAUMONT TX 77720
TYPE: CORPORATION/COMPANY
BEGIN DATE: 08/01/1994
CONTACT ROLE: OWNCON
CONTACT NAME: ELIAS SARKIS
CONTACT TITLE: PRESIDENT
ORGANIZATION: TRI CON INC
PHONE: (409) 8352237 0
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

OPERATOR NUMBER: CN600927453
NAME: TRI-CON INC
CONTACT ADDRESS: PO BOX 20555
BEAUMONT TX 77720
TYPE: CORPORATION/COMPANY
BEGIN DATE: 08/01/1994
CONTACT ROLE: OWNOPRCON
CONTACT NAME: ELIAS SARKIS
CONTACT TITLE: PRESIDENT

CONTACT INFORMATION

NAME: IMAD SARKIS
TITLE: DIV MGR
ORGANIZATION: EXPRESS MART 10
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8352237 0

Petroleum Storage Tanks (PST)

ORGANIZATION: **TRI CON INC**

PHONE: **(409) 8352237 0**

FAX: **NOT REPORTED**

EMAIL: **NOT REPORTED**

SELF-CERTIFICATION

SELF-CERTIFICATION ID: **313623**

SIGNATURE DATE: **12/05/2018**

SIGNATURE NAME & TITLE: **ELIAS SARKIS, PRES**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **296764**

SIGNATURE DATE: **12/26/2017**

SIGNATURE NAME & TITLE: **ELIAS SARKIS, PRESIDENT**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **285096**

SIGNATURE DATE: **03/30/2017**

SIGNATURE NAME & TITLE: **ELIAS SARKIS, PRESIDENT**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **262918**

SIGNATURE DATE: **12/08/2015**

SIGNATURE NAME & TITLE: **ELIAS SARKIS, PRES**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **247793**

SIGNATURE DATE: **12/23/2014**

SIGNATURE NAME & TITLE: **ELIAS SARKIS, PRES**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **228483**

SIGNATURE DATE: **12/04/2013**

SIGNATURE NAME & TITLE: **ELIAS SARKIS, PRES**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **39227**

SIGNATURE DATE: **12/06/2012**

SIGNATURE NAME & TITLE: **ELIAS SARKIS, PRESIDENT**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **38998**

SIGNATURE DATE: **12/08/2011**

SIGNATURE NAME & TITLE: **ELIAS SARKIS, PRES**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **38997**

SIGNATURE DATE: **12/13/2010**

Petroleum Storage Tanks (PST)

SIGNATURE NAME & TITLE: ELIAS SARKIS, PRES
FILING STATUS: RENEWAL
REGISTRATION FLAG: YES
SELF-CERTIFICATION ID: 38996
SIGNATURE DATE: 01/04/2010
SIGNATURE NAME & TITLE: ELIAS SARKIS, PRES
FILING STATUS: RENEWAL
REGISTRATION FLAG: YES
SELF-CERTIFICATION ID: 38995
SIGNATURE DATE: 12/08/2008
SIGNATURE NAME & TITLE: ELIAS SARKIS, PRES
FILING STATUS: RENEWAL
REGISTRATION FLAG: YES
SELF-CERTIFICATION ID: 38994
SIGNATURE DATE: 12/12/2007
SIGNATURE NAME & TITLE: ELIAS SARKIS, PRES
FILING STATUS: RENEWAL
REGISTRATION FLAG: YES
SELF-CERTIFICATION ID: 38993
SIGNATURE DATE: 12/20/2006
SIGNATURE NAME & TITLE: ELIAS SARKIS, PRES
FILING STATUS: RENEWAL
REGISTRATION FLAG: YES
SELF-CERTIFICATION ID: 38992
SIGNATURE DATE: 12/27/2005
SIGNATURE NAME & TITLE: ELIAS SARKIS, PRESIDENT
FILING STATUS: RENEWAL
REGISTRATION FLAG: YES
SELF-CERTIFICATION ID: 38991
SIGNATURE DATE: 01/06/2005
SIGNATURE NAME & TITLE: ELIAS SARKIS, PRESIDENT
FILING STATUS: RENEWAL
REGISTRATION FLAG: YES
SELF-CERTIFICATION ID: 38990
SIGNATURE DATE: 12/08/2003
SIGNATURE NAME & TITLE: ELIAS SARKIS, PRES
FILING STATUS: RENEWAL
REGISTRATION FLAG: YES
SELF-CERTIFICATION ID: 38989
SIGNATURE DATE: 12/08/2002
SIGNATURE NAME & TITLE: ELIAS SARKIS, PRES
FILING STATUS: RENEWAL
REGISTRATION FLAG: YES
SELF-CERTIFICATION ID: 38988
SIGNATURE DATE: 12/21/2001
SIGNATURE NAME & TITLE: LORI MELANCON, VP
FILING STATUS: RENEWAL

Petroleum Storage Tanks (PST)

REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **38987**
SIGNATURE DATE: **02/15/2001**
SIGNATURE NAME & TITLE: **ELIAS SARKIS, PRESIDENT**
FILING STATUS: **INITIAL**
REGISTRATION FLAG: **YES**

CONSTRUCTION NOTIFICATION

NOTIFICATION CONSTRUCTION ID: **28508**
APPLICATION RECEIVED DATE: **11/13/2015**
SCHEDULE CONSTRUCTION DATE: **11/09/2016**
GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:
REMOVE & DISPOSE OF EXISTING TANKS & DISPENSERS. INSTALL NEW FUEL SYSTEM. REC'D REVISED NOC 6-1-16 WITH NEW INSTALL DATE OF 6/1/16. RCVD A REVISED NOC 11/9/16 SHOWING NEW INSTALL DATE OF 11/9/16. ****

NOTIFICATION CONSTRUCTION ID: **3425**
APPLICATION RECEIVED DATE: **10/10/2011**
SCHEDULE CONSTRUCTION DATE: **10/10/2011**
GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:
REPLACE FLEXIBLE PIPING BETWEEN PUMPS 3/4 & 7/8.

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/19/1995	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 10000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 05/05/2016
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: YES
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: YES

TANK DETAILS

MATERIAL:
COMPOSITE
CORROSION PROTECTION:
COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)
EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **38531**
TANK ID: **1**
COMPARTMENT LETTER: **A**
SUBSTANCES: **NOT REPORTED**
OTHER SUBSTANCES: **NOT REPORTED**
CAPACITY (GAL): **10000**
COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**
SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

Petroleum Storage Tanks (PST)

MATERIAL: **NONMETALLIC FLEXIBLE PIPING**

CORROSION PROTECTION: **NONMETALLIC FLEXIBLE PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/19/1995**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **01/19/1995**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **38531**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **NONMETALLIC FLEXIBLE PIPING**

CORROSION PROTECTION: **NONMETALLIC FLEXIBLE PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH

Petroleum Storage Tanks (PST)

FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1965**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **6000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **09/04/1986**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **38530**

TANK ID: **1A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/19/1995**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **05/05/2016**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

Petroleum Storage Tanks (PST)

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **38532**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **NOT REPORTED**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP, FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **NONMETALLIC FLEXIBLE PIPING**

CORROSION PROTECTION: **NONMETALLIC FLEXIBLE PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH), AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/19/1995**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **01/19/1995**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

Petroleum Storage Tanks (PST)

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **38532**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **NONMETALLIC FLEXIBLE PIPING**

CORROSION PROTECTION: **NONMETALLIC FLEXIBLE PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

**ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH
FOR PRESSURE PIPING)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1965**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **09/04/1986**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

Petroleum Storage Tanks (PST)

UST COMPARTMENT ID: **38529**

TANK ID: **2A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/19/1995**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **05/05/2016**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **38533**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **NOT REPORTED**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

Petroleum Storage Tanks (PST)

PIPING SYSTEMS

MATERIAL: **NONMETALLIC FLEXIBLE PIPING**

CORROSION PROTECTION: **NONMETALLIC FLEXIBLE PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/19/1995**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **01/19/1995**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **38533**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **NONMETALLIC FLEXIBLE PIPING**

CORROSION PROTECTION: **NONMETALLIC FLEXIBLE PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

Petroleum Storage Tanks (PST)

ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 3A	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1965	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 8000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 09/04/1986
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:
NOT REPORTED

EXTERNAL CONTAINMENT:
NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **38528**

TANK ID: **3A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 4	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/19/1995	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 10000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 05/05/2016

Petroleum Storage Tanks (PST)

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **YES**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **38534**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **NOT REPORTED**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **NONMETALLIC FLEXIBLE PIPING**

CORROSION PROTECTION: **NONMETALLIC FLEXIBLE PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/19/1995**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **01/19/1995**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

COMPOSITE

Petroleum Storage Tanks (PST)

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **38534**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **NONMETALLIC FLEXIBLE PIPING**

CORROSION PROTECTION: **NONMETALLIC FLEXIBLE PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1965**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **550**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **09/04/1986**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Petroleum Storage Tanks (PST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **38527**

TANK ID: **4A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **550**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **5**

NUMBER OF COMPARTMENTS: **3**

INSTALLATION DATE: **06/10/2016**

REGISTRATION DATE: **04/10/2017**

TANK CAPACITY (GAL): **32000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **06/10/2016**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

EXTERNAL NONMETTALIC JACKET

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **191437**

TANK ID: **5**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL,INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET,SIR (STAT. INVENTORY RECONCILIATION) &**

Petroleum Storage Tanks (PST)

INVENTORY CONTROL

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

**AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING),SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY
CONTROL**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **5**

NUMBER OF COMPARTMENTS: **3**

INSTALLATION DATE: **06/10/2016**

REGISTRATION DATE: **04/10/2017**

TANK CAPACITY (GAL): **32000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **06/10/2016**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

EXTERNAL NONMETTALIC JACKET

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **191438**

TANK ID: **5**

COMPARTMENT LETTER: **B**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **20000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY
CONTROL,INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET,SIR (STAT. INVENTORY RECONCILIATION) &
INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

Petroleum Storage Tanks (PST)

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **5**

NUMBER OF COMPARTMENTS: **3**

INSTALLATION DATE: **06/10/2016**

REGISTRATION DATE: **04/10/2017**

TANK CAPACITY (GAL): **32000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **06/10/2016**

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

EXTERNAL NONMETTALIC JACKET

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **191439**

TANK ID: **5**

COMPARTMENT LETTER: **C**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL,INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET,SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

Petroleum Storage Tanks (PST)

ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH), SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Enforcement and Compliance History Information (ECHOR06)

MAP ID# 50

Distance from Property: 0.013 mi. (69 ft.) S
Elevation: 22 ft. (Higher than TP)

FACILITY INFORMATION

UNIQUE ID: 110011618534

REGISTRY ID: 110011618534

NAME: TAYLOR MEDICAL, INC.

ADDRESS: 2155 IH - 10 EAST, PO BOX 4904
BEAUMONT, TX 77704

COUNTY: JEFFERSON

FACILITY LINK: [Facility Detail Report](#)

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 50

Distance from Property: 0.013 mi. (69 ft.) S
Elevation: 22 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRY ID: 110011618534

NAME: TAYLOR MEDICAL, INC.

LOCATION ADDRESS: 2155 IH - 10 EAST, PO BOX 4904
BEAUMONT, TX 77704

COUNTY: JEFFERSON

EPA REGION: 06

FEDERAL FACILITY: NOT REPORTED

TRIBAL LAND: NOT REPORTED

ALTERNATIVE NAME/S:

TAYLOR MEDICAL, INC.

PROGRAM/S LISTED FOR THIS FACILITY

ICIS - INTEGRATED COMPLIANCE INFORMATION SYSTEM

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Integrated Compliance Information System (formerly DOCKETS) (ICIS)

MAP ID# 50

Distance from Property: 0.013 mi. (69 ft.) S
Elevation: 22 ft. (Higher than TP)

SITE INFORMATION

GEOSEARCH ID: 110011618534

REGISTRY ID: 110011618534

NAME: TAYLOR MEDICAL, INC.

ADDRESS: 2155 IH - 10 EAST, PO BOX 4904
BEAUMONT TX 77704

STANDARD INDUSTRIAL CLASSIFICATION: NOT REPORTED

REGIONAL DOCKETS

FIFRA-95-H-09

RELATED ACTIVITIES

- NO RELATED ACTIVITIES REPORTED

VIOLATIONS

CASE NUMBER: HQ-1995-0020

RANK ORDER: 1

VIOLATION: FIFRA

CASE IDENTIFIER

CASE NUMBER: HQ-1995-0020

FISCAL YEAR: 1995

CASE NAME: TAYLOR MEDICAL, INC.

ACTIVITY TYPE: ADMINISTRATIVE - FORMAL

ACTIVITY STATUS: CLOSED

ACTIVITY STATUS DATE: 10/25/1996

LEAD: EPA

CASE STATUS DATE: 10/25/1996

DOJ DOCKET NUMBER: NOT REPORTED

ENFORCEMENT OUTCOME: SOURCE AGREES

MULTIMEDIA FLAG: N

ENFORCEMENT SUMMARY:

10/26/95 - 2155IH-10 EAST

P.O. BOX 4904

BEAUMONT, TX. 77704-4904

**

SALE AND DISTRIBUTION OF WIPE OUT

DISINFECTANT

TOWELETTES

ENFORCEMENT TYPE

ENFORCEMENT TYPE: FIFRA 14 AO FOR COMP AND PENALTIES (OLD)

POLLUTANTS CITED

POLLUTANT DESCRIPTION: NONE

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 51

Distance from Property: 0.013 mi. (69 ft.) W
Elevation: 30 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRY ID: 110070171165

NAME: RAS 6 3139

LOCATION ADDRESS: 2795 EASTEX FWY
BEAUMONT, TX 77706-3037

COUNTY: JEFFERSON

EPA REGION: 06

FEDERAL FACILITY: NOT REPORTED

TRIBAL LAND: NOT REPORTED

ALTERNATIVE NAME/S:

NO ALTERNATIVE NAME(S) LISTED FOR THIS FACILITY

PROGRAM/S LISTED FOR THIS FACILITY

TX-TCEQ ACR - TEXAS COMMISSION ON ENVIRONMENTAL QUALITY - AGENCY CENTRAL REGISTRY

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 51

Distance from Property: 0.013 mi. (69 ft.) W
Elevation: 30 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 25115
NAME: OWEN BRUCE CALEY
ADDRESS: 2795 EASTEX FWY
BEAUMONT, TX 77706
COUNTY: JEFFERSON
REGION: 10
TYPE: RETAIL
BEGIN DATE: 10/07/1986
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 09/02/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 08/27/1986
SIGNATURE NAME & TITLE: OWEN B CALEY, OWNER
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600948921
NAME: OWEN BRUCE CALEY
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: ORGANIZATION
BEGIN DATE: 10/07/1986
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1
INSTALLATION DATE: 01/01/1985
TANK CAPACITY (GAL): 6000
NUMBER OF COMPARTMENTS: 1
REGISTRATION DATE: 09/02/1986
EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: OWEN BRUCE CALEY
TITLE: OWNER
ORGANIZATION: OWEN BRUCE CALEY
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8920124 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **12/17/1998**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **77571**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

INSTALLATION DATE: **01/01/1985**

TANK CAPACITY (GAL): **6000**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **09/02/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **12/17/1998**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

Petroleum Storage Tanks (PST)

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **77573**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

INSTALLATION DATE: **01/01/1985**

TANK CAPACITY (GAL): **4000**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **09/02/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **12/17/1998**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **77572**

TANK ID: **3**

Petroleum Storage Tanks (PST)

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 51

Distance from Property: 0.013 mi. (69 ft.) W
Elevation: 30 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 26746
NAME: RAS 6 3139
ADDRESS: 2795 EASTEX FWY
BEAUMONT, TX 77706
COUNTY: JEFFERSON
REGION: 10
TYPE: RETAIL
BEGIN DATE: 10/15/1986
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/08/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 05/05/1986
SIGNATURE NAME & TITLE: R N ATHERTON, SUPV
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600123939
NAME: EXXON MOBIL CORPORATION
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: CORPORATION/COMPANY
BEGIN DATE: 10/15/1986
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1967	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 6000	EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: E SVOBODA
TITLE: ENGR
ORGANIZATION: RAS 6 3139
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (713) 7975435 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **07/30/1987**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **39392**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

INSTALLATION DATE: **01/01/1967**

TANK CAPACITY (GAL): **8000**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **05/08/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **07/30/1987**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

Petroleum Storage Tanks (PST)

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **39393**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

INSTALLATION DATE: **01/01/1967**

TANK CAPACITY (GAL): **8000**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **05/08/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **07/30/1987**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **39395**

TANK ID: **3**

Petroleum Storage Tanks (PST)

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1967**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **550**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **07/30/1987**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **39394**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **550**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

Petroleum Storage Tanks (PST)

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Alternative Fueling Stations (ALTFUELS)

MAP ID# 52

Distance from Property: 0.013 mi. (69 ft.) ESE
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

GEOSEARCH ID: **60495**

UNIQUE IDENTIFIER FOR THIS SPECIFIC STATION: **60495**

STATION NAME: **BMW BEAUMONT**

ADDRESS: **1855 INTERSTATE 10 S
BEAUMONT, TX 77701**

INTERSECTION DIRECTIONS: **STATION 01**

STATION PHONE: **888-758-4389**

STATION CURRENT STATUS: **OPEN: THE STATION IS OPEN.**

TYPE OF ALTERNATIVE FUEL THE STATION PROVIDES: **ELECTRIC**

OWNER TYPE: **NOT REPORTED**

FEDERAL AGENCY ID: **NOT REPORTED**

FEDERAL AGENCY NAME: **NOT REPORTED**

DATE THAT THE STATION BEGAN OFFERING THE FUEL: **NOT REPORTED**

DATE THE STATION'S DETAILS WERE LAST CONFIRMED: **3/12/2019**

TIME THE STATION'S DETAILS WERE LAST UPDATED (ISO 8601 FORMAT): **2019-03-12 09:06:43 UTC**

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 52

Distance from Property: 0.013 mi. (69 ft.) ESE

Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRATION#: **81247** EPA ID: **NOT REPORTED**

TNRCC ID #: **36155**

NAME: **MIKE SMITH AUTOPLEX 2000**

ADDRESS: **1855 IH 10 S**

BEAUMONT, TX 77701

CONTACT: **CINDY POWELL**

PHONE: **409-8402000**

BUSINESS DESCRIPTION: **NEW AND USED AUTOMOBILES, SALES AND SERVICE**

INDUSTRIAL WASTE PERMIT #: **NOT REPORTED**

MUNICIPAL WASTE PERMIT #: **NOT REPORTED**

SIC CODE: **NOT REPORTED**

WASTE GENERATOR: **YES**

WASTE RECEIVER: **NO**

WASTE TRANSPORTER: **NO**

TRANSFER FACILITY: **NO**

MAQUILADORA (MEXICAN FACILITY): **NO**

STATUS: **INACTIVE**

AMOUNT OF WASTE GENERATED: **CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR**

GENERATOR TYPE: **NON-INDUSTRIAL AND/OR MUNICIPAL**

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): **02/09/2005**

ACTIVITIES

ACTIVITY TYPE: **UNKNOWN**

ACTIVITY DESCRIPTION: **NOT REPORTED**

WASTE

WASTE ID: **72408**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **SPENT SOLVENT VARSOL, SPENT SOLVENT CARBURETOR CLEANER**

[Back to Report Summary](#)

Enforcement and Compliance History Information (ECHOR06)

[MAP ID# 53](#)

Distance from Property: 0.013 mi. (69 ft.) NNE

Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

UNIQUE ID: 110005170331

REGISTRY ID: 110005170331

NAME: LAMAR ADVERTISING

ADDRESS: 4520 W CARDINAL
BEAUMONT, TX 77705

COUNTY: JEFFERSON

FACILITY LINK: [Facility Detail Report](#)

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 53

Distance from Property: 0.013 mi. (69 ft.) NNE
Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRY ID: 110005170331

NAME: LAMAR ADVERTISING

LOCATION ADDRESS: 4520 W CARDINAL
BEAUMONT, TX 77705

COUNTY: JEFFERSON

EPA REGION: 06

FEDERAL FACILITY: NOT REPORTED

TRIBAL LAND: NOT REPORTED

ALTERNATIVE NAME/S:

LAMAR ADVERTISING

PROGRAM/S LISTED FOR THIS FACILITY

RCRAINFO - RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

323119 - OTHER COMMERCIAL PRINTING.

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 53

Distance from Property: 0.013 mi. (69 ft.) NNE

Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRATION#: **84318** EPA ID: **TXR000011189**

TNRCC ID #: **103220**

NAME: **LAMAR ADVERTISING**

ADDRESS: **4520 W CARDINAL DR**

BEAUMONT, TX 77705

CONTACT: **JO SEALS**

PHONE: **409-8424881**

BUSINESS DESCRIPTION: **5-17-04 REGISTRATION INACTIVATED PER CORRESPONDENCE DATED 5-14-04 FROM JO SEALS--
JM BILLBOARD PAINTING**

INDUSTRIAL WASTE PERMIT #: **NOT REPORTED**

MUNICIPAL WASTE PERMIT #: **NOT REPORTED**

SIC CODE: **NOT REPORTED**

WASTE GENERATOR: **YES**

WASTE RECEIVER: **NO**

WASTE TRANSPORTER: **NO**

TRANSFER FACILITY: **NO**

MAQUILADORA (MEXICAN FACILITY): **NO**

STATUS: **INACTIVE**

AMOUNT OF WASTE GENERATED: **SMALL QUANTITY GENERATOR**

GENERATOR TYPE: **NON-INDUSTRIAL AND/OR MUNICIPAL**

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): **05/17/2004**

ACTIVITIES

ACTIVITY TYPE: **UNKNOWN**

ACTIVITY DESCRIPTION: **NOT REPORTED**

WASTE

WASTE ID: **143906**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **NAPHTHA SOLVENT**

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

MAP ID# 53

Distance from Property: 0.013 mi. (69 ft.) NNE
Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

EPA ID#: TXR000011189

NAME: LAMAR ADVERTISING

ADDRESS: 4520 W CARDINAL

BEAUMONT, TX 77705

CONTACT NAME: JO SEALS

CONTACT ADDRESS: 4520 W CARDINAL

BEAUMONT TX 77705

CONTACT PHONE: 409-842-4881

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 05/14/2004

CERTIFICATION - NO CERTIFICATION REPORTED -

INDUSTRY CLASSIFICATION (NAICS)

323119 - OTHER COMMERCIAL PRINTING

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: **NON-GENERATOR** LAST UPDATED DATE: **05/26/2004**

SUBJECT TO CORRECTIVE ACTION UNIVERSE: **NO**

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: **NO**

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: **NO**

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: **NO**

CORRECTIVE ACTION WORKLOAD UNIVERSE: **NO**

IMPORTER: **NO**

UNDERGROUND INJECTION: **NO**

MIXED WASTE GENERATOR: **NO**

UNIVERSAL WASTE DESTINATION FACILITY: **NO**

RECYCLER: **NO**

TRANSFER FACILITY: **NO**

TRANSPORTER: **NO**

USED OIL FUEL BURNER: **NO**

ONSITE BURNER EXEMPTION: **NO**

USED OIL PROCESSOR: **NO**

FURNACE EXEMPTION: **NO**

USED OIL FUEL MARKETER TO BURNER: **NO**

USED OIL REFINER: **NO**

SPECIFICATION USED OIL MARKETER: **NO**

USED OIL TRANSFER FACILITY: **NO**

USED OIL TRANSPORTER: **NO**

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS - NO EVALUATIONS REPORTED -

VIOLATIONS - NO VIOLATIONS REPORTED -

ENFORCEMENTS - NO ENFORCEMENTS REPORTED -

HAZARDOUS WASTE

D001 IGNITABLE WASTE

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

[Back to Report Summary](#)

Emergency Response Notification System (ERNSTX)

MAP ID# 54

Distance from Property: 0.013 mi. (69 ft.) NW
Elevation: 15 ft. (Lower than TP)

INCIDENT INFORMATION

GSID#: 37549

NRC ID#: 37549

INCIDENT LOCATION: NOT REPORTED

INCIDENT ADDRESS: 3950 I-10 S. PARKING LOT OF HOLIDAY INN
BEAUMONT, TX

INCIDENT COUNTY: JEFFERSON

INCIDENT DETAILS

INCIDENT DATE: 8/30/1990 1:10:00 AM

INCIDENT CAUSE: UNKNOWN

INCIDENT TYPE: UNKNOWN SHEEN

INCIDENT OCCURED/DISCOVERED: DISCOVERED

INCIDENT DESCRIPTION: UNKNOWN / UNKNOWN SPILL FOUND IN PARKING LOT

RESPONSIBLE PARTY

RESPONSIBLE COMPANY: NOT REPORTED

ADDRESS: ADDRESS NOT REPORTED
CITY NOT REPORTED

RESPONSIBLE COMPANY ORGANIZATION TYPE: UNKNOWN

MATERIALS INVOLVED

CHRIS CODE: ODS

MATERIAL REACHED WATER: YES

WATER AMOUNT: UNKNOWN AMOUNT / NOT REPORTED

MATERIAL RELEASED/AMOUNT: OIL: DIESEL / 15 GALLON(S)

OTHER MATERIALS INVOLVED

- NO OTHER MATERIALS INVOLVED -

REMEDIAL ACTION

REMEDIAL ACTION: CONTAINED THE SPILL, WILL USE SORBENTS TO CLEAN AREA

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 54

Distance from Property: 0.013 mi. (69 ft.) NW
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRY ID: 110033799361

NAME: **FASTLANE NO 5**

LOCATION ADDRESS: **3890 INTERSTATE 10 S**
BEAUMONT, TX 77705-4227

COUNTY: **JEFFERSON**

EPA REGION: **06**

FEDERAL FACILITY: **NOT REPORTED**

TRIBAL LAND: **NOT REPORTED**

ALTERNATIVE NAME/S:

FASTLANE NO 5

PROGRAM/S LISTED FOR THIS FACILITY

TX-TCEQ ACR - TEXAS COMMISSION ON ENVIRONMENTAL QUALITY - AGENCY CENTRAL REGISTRY

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 54

Distance from Property: 0.013 mi. (69 ft.) NW
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

ID#: 46395
NAME: FASTLANE NO 5
ADDRESS: 3890 INTERSTATE 10 S
BEAUMONT, TX 77705
COUNTY: JEFFERSON
REGION: 10
TYPE: RETAIL
BEGIN DATE: 08/29/1988
STATUS: ACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: YES
NUMBER OF ACTIVE UNDERGROUND TANKS: 4
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 12/11/2018
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 12/06/2018
SIGNATURE NAME & TITLE: BOYD ALLEN, M SUPV
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600925200
NAME: STEINHAGEN OIL COMPANY INC
CONTACT ADDRESS: PO BOX 20037
BEAUMONT TX 77720
TYPE: CORPORATION/COMPANY
BEGIN DATE: 08/29/1988
CONTACT ROLE: OWNCON
CONTACT NAME: GARY HOLCOMBE
CONTACT TITLE: OPS MGR
ORGANIZATION: STEINHAGEN OIL CO INC
PHONE: (409) 8421414 0
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

OPERATOR NUMBER: CN600925200
NAME: STEINHAGEN OIL COMPANY INC
CONTACT ADDRESS: PO BOX 20037
BEAUMONT TX 77720
TYPE: CORPORATION/COMPANY
BEGIN DATE: 08/29/1988
CONTACT ROLE: OWNOPRCON
CONTACT NAME: BOYD ALLEN
CONTACT TITLE: OPS MGR

CONTACT INFORMATION

NAME: NOT REPORTED
TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: NOT REPORTED

Petroleum Storage Tanks (PST)

ORGANIZATION: **STEINHAGEN OIL COMPANY INC**

PHONE: **(409) 8421414 0**

FAX: **NOT REPORTED**

EMAIL: **NOT REPORTED**

SELF-CERTIFICATION

SELF-CERTIFICATION ID: **312618**

SIGNATURE DATE: **12/06/2018**

SIGNATURE NAME & TITLE: **BOYD ALLEN, M SUPV**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **295665**

SIGNATURE DATE: **12/05/2017**

SIGNATURE NAME & TITLE: **CRAIG HILL, PRESIDENT**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **281383**

SIGNATURE DATE: **01/20/2017**

SIGNATURE NAME & TITLE: **CRAIG HILL, PRES**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **262789**

SIGNATURE DATE: **12/17/2015**

SIGNATURE NAME & TITLE: **GARY HOLCOMBE, OPS MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **245880**

SIGNATURE DATE: **12/11/2014**

SIGNATURE NAME & TITLE: **GARY HOLCOMBE, OPS MGR**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **228735**

SIGNATURE DATE: **12/09/2013**

SIGNATURE NAME & TITLE: **GARY HOLCOMBE, OPS SUPERVISER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **37815**

SIGNATURE DATE: **12/28/2012**

SIGNATURE NAME & TITLE: **GARY HOLCOMBE, OPS SUPERVISOR**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **37577**

SIGNATURE DATE: **12/13/2011**

SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, OPERATIONS MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **37576**

SIGNATURE DATE: **12/10/2010**

Petroleum Storage Tanks (PST)

SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, OPERATIONS MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **37575**

SIGNATURE DATE: **12/14/2009**

SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, OPS MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **37574**

SIGNATURE DATE: **12/16/2008**

SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, OPS MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **37573**

SIGNATURE DATE: **12/18/2007**

SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, OPS MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **37572**

SIGNATURE DATE: **12/08/2006**

SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, OPS MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **37571**

SIGNATURE DATE: **12/05/2005**

SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, COMPLIANCE MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **37570**

SIGNATURE DATE: **12/17/2004**

SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, COMPLIANCE MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **37569**

SIGNATURE DATE: **01/09/2004**

SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **37568**

SIGNATURE DATE: **12/30/2002**

SIGNATURE NAME & TITLE: **G HOLCOMBE, NOT REPORTED**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **37567**

SIGNATURE DATE: **12/28/2001**

SIGNATURE NAME & TITLE: **JW HISE, COMPLIANCE OFFICER**

FILING STATUS: **RENEWAL**

Petroleum Storage Tanks (PST)

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **37566**

SIGNATURE DATE: **12/06/2000**

SIGNATURE NAME & TITLE: **GARY HOLCOMBR, MGR**

FILING STATUS: **INITIAL**

REGISTRATION FLAG: **YES**

CONSTRUCTION NOTIFICATION

NOTIFICATION CONSTRUCTION ID: **3773**

APPLICATION RECEIVED DATE: **01/12/2009**

SCHEDULE CONSTRUCTION DATE: **02/11/2009**

GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:

NOT REPORTED

NOTIFICATION CONSTRUCTION ID: **3772**

APPLICATION RECEIVED DATE: **05/05/2008**

SCHEDULE CONSTRUCTION DATE: **05/05/2008**

GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:

NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: **1**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1988**

REGISTRATION DATE: **08/17/1988**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **01/01/1988**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION,FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **31504**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

Petroleum Storage Tanks (PST)

CORROSION PROTECTION: **CATHODIC PROTECTION - FIELD INSTALLATION**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING),SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1988**

REGISTRATION DATE: **08/17/1988**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **01/01/1988**

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION,FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **31507**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **CATHODIC PROTECTION - FIELD INSTALLATION**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING),SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL

Petroleum Storage Tanks (PST)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1988**

REGISTRATION DATE: **08/17/1988**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **01/01/1988**

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION,FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **31506**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **CATHODIC PROTECTION - FIELD INSTALLATION**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING),SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1988**

REGISTRATION DATE: **08/17/1988**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **01/01/1988**

Petroleum Storage Tanks (PST)

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **YES** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **YES** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION,FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **31505**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **CATHODIC PROTECTION - FIELD INSTALLATION**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING),SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 55

Distance from Property: 0.013 mi. (69 ft.) NW
Elevation: 20 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRY ID: 110034849476

NAME: **SUNSHINE QUICK STOP**

LOCATION ADDRESS: 2015 N 11TH ST
BEAUMONT, TX 77703-4909

COUNTY: **JEFFERSON**

EPA REGION: **06**

FEDERAL FACILITY: **NOT REPORTED**

TRIBAL LAND: **NOT REPORTED**

ALTERNATIVE NAME/S:

SUNSHINE QUICK STOP

PROGRAM/S LISTED FOR THIS FACILITY

TX-TCEQ ACR - TEXAS COMMISSION ON ENVIRONMENTAL QUALITY - AGENCY CENTRAL REGISTRY

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

5411 - GROCERY STORES

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Groundwater Contamination Cases (GWCC)

MAP ID# 55

Distance from Property: 0.013 mi. (69 ft.) NW
Elevation: 20 ft. (Higher than TP)

FACILITY INFORMATION

FILE NUMBER: 104525

FILE NAME: DARBY GAS & OIL CO INC

LOCATION: 2015 N 11TH, BEAUMONT, TX

COUNTY: JEFFERSON

AGENCY: TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

DIVISION: REMEDIATION DIVISION/PETROLEUM STORAGE TANK REIMBURSEMENT PROGRAM

DATE OF CONTAMINATION

CONFIRMATION BY AGENCY: 10/23/92

CONTAMINANT(S): GASOLINE

ENFORCEMENT STATUS: STAFF ACTION: THE AGENCY INITIATES AN ACTION TO ADDRESS A CONTAMINATION INCIDENT.

ACTIVITY STATUS: ACTION COMPLETED: THE REMEDY IS CONSIDERED COMPLETE.

NEW CASE?: NO

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 55

Distance from Property: 0.013 mi. (69 ft.) NW
Elevation: 20 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 104525
LPST ID: 104525
FACILITY ID: 0046784
NAME: DARBY 10
ADDRESS: 2015 N 11TH ST
BEAUMONT, TX 77703

LEAKING TANK DETAILS

LPST ID: 104525
NAME: DARBY 10
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 10/23/92
REPORTED DATE: 11/13/1990
ENTERED DATE: 10/23/1992
CLOSURE DATE: 04/30/2008

PRP INFORMATION

NAME: DARBY GAS OIL CO INC
ADDRESS: ADDRESS NOT REPORTED
PORT ARTHUR TX 77642
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1979	REGISTRATION DATE: 12/05/1988
TANK CAPACITY (GAL): 8000	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 01/01/1979
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
FRP
CORROSION PROTECTION:
FRP TANK OR PIPING (NONCORRODIBLE)
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: YES
CORROSION PROTECTION VARIANCE: NO VARIANCE

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **31286**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1967**

REGISTRATION DATE: **12/05/1988**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **01/01/1967**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FACTORY INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **31288**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

Leaking Petroleum Storage Tanks (LPST)

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1967**

REGISTRATION DATE: **12/05/1988**

TANK CAPACITY (GAL): **6000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **01/01/1967**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FACTORY INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **31287**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 4	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1967	REGISTRATION DATE: 12/05/1988
TANK CAPACITY (GAL): 6000	EMPTY TANK: NOT EMPTY
STATUS: PERM FILLED IN PLACE	STATUS BEGIN DATE: 01/01/1996
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:
NOT REPORTED

EXTERNAL CONTAINMENT:
NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **31285**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING,GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 5	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1967	REGISTRATION DATE: 12/05/1988
TANK CAPACITY (GAL): 550	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 01/01/1996
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

Leaking Petroleum Storage Tanks (LPST)

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **31289**

TANK ID: **5**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **550**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 55

Distance from Property: 0.013 mi. (69 ft.) NW
Elevation: 20 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 46784
NAME: SUNSHINE QUICK STOP
ADDRESS: 2015 N 11TH ST
BEAUMONT, TX 77703
COUNTY: JEFFERSON
REGION: 10
TYPE: RETAIL
BEGIN DATE: 12/05/1988
STATUS: ACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: YES
NUMBER OF ACTIVE UNDERGROUND TANKS: 3
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 09/24/2018
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 09/22/2018
SIGNATURE NAME & TITLE: RAHIM JASANI, OFFICER
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN603679424
NAME: KALANIKETAN USA INC
CONTACT ADDRESS: 2015 N 11TH ST
BEAUMONT TX 77703
TYPE: CORPORATION/COMPANY
BEGIN DATE: 05/01/2010
CONTACT ROLE: OWNCON
CONTACT NAME: RAHIM JASANI
CONTACT TITLE: NOT REPORTED
ORGANIZATION: KALANIKETAN USA INC
PHONE: (409) 4895200 0
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

OPERATOR NUMBER: CN603679424
NAME: KALANIKETAN USA INC
CONTACT ADDRESS: 2015 N 11TH ST
BEAUMONT TX 77703
TYPE: CORPORATION/COMPANY
BEGIN DATE: 05/01/2010
CONTACT ROLE: OPRCON
CONTACT NAME: RAHIM JASANI
CONTACT TITLE: NOT REPORTED

CONTACT INFORMATION

NAME: NOT REPORTED
TITLE: NOT REPORTED
ORGANIZATION: SUNSHINE QUICK STOP
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 4895200 0

Petroleum Storage Tanks (PST)

ORGANIZATION: **KALANIKETAN USA INC**

PHONE: **(409) 4895200 0**

FAX: **NOT REPORTED**

EMAIL: **NOT REPORTED**

SELF-CERTIFICATION

SELF-CERTIFICATION ID: **310555**

SIGNATURE DATE: **09/22/2018**

SIGNATURE NAME & TITLE: **RAHIM JASANI, OFFICER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **294156**

SIGNATURE DATE: **09/12/2017**

SIGNATURE NAME & TITLE: **RAHIM JASANI, OFFICER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **277622**

SIGNATURE DATE: **09/21/2016**

SIGNATURE NAME & TITLE: **RAHIM JASANI, OFFICER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **260617**

SIGNATURE DATE: **09/23/2015**

SIGNATURE NAME & TITLE: **RAHIM JARAM, OFFICER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **244256**

SIGNATURE DATE: **10/14/2014**

SIGNATURE NAME & TITLE: **ASMITA MANSIYA, REP**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **227523**

SIGNATURE DATE: **10/08/2013**

SIGNATURE NAME & TITLE: **ANIL MOMIN, REP**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **34515**

SIGNATURE DATE: **09/17/2012**

SIGNATURE NAME & TITLE: **PARVEZ JIWANI, PRESIDENT**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **34514**

SIGNATURE DATE: **09/20/2011**

SIGNATURE NAME & TITLE: **PARVEZ JIWANI, PRES**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **34513**

SIGNATURE DATE: **08/26/2010**

Petroleum Storage Tanks (PST)

SIGNATURE NAME & TITLE: **KARAM ALI, OFFICER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **34512**

SIGNATURE DATE: **05/20/2010**

SIGNATURE NAME & TITLE: **KARAM ALI, OFFICER**

FILING STATUS: **INITIAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **34511**

SIGNATURE DATE: **12/08/2006**

SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, OPS MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **34510**

SIGNATURE DATE: **12/05/2005**

SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, COMPLIANCE MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **34509**

SIGNATURE DATE: **12/17/2004**

SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, COMPLIANCE MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **34508**

SIGNATURE DATE: **01/09/2004**

SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **34507**

SIGNATURE DATE: **12/30/2002**

SIGNATURE NAME & TITLE: **G HOLCOMBE, NOT REPORTED**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **34506**

SIGNATURE DATE: **01/08/2002**

SIGNATURE NAME & TITLE: **JW HISE, COMPLIANCE OFFICER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **34505**

SIGNATURE DATE: **11/15/2000**

SIGNATURE NAME & TITLE: **JW HISE, OPER MGR**

FILING STATUS: **INITIAL**

REGISTRATION FLAG: **YES**

CONSTRUCTION NOTIFICATION

NOTIFICATION CONSTRUCTION ID: **3139**

APPLICATION RECEIVED DATE: **04/09/2001**

SCHEDULE CONSTRUCTION DATE: **05/09/2001**

Petroleum Storage Tanks (PST)

GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:

NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1
INSTALLATION DATE: 01/01/1979
TANK CAPACITY (GAL): 8000
STATUS: **IN USE**
INTERNAL PROTECTION DATE: **NOT REPORTED**
TANK DESIGN SINGLE WALL: **YES**
PIPE DESIGN SINGLE WALL: **YES**

NUMBER OF COMPARTMENTS: 1
REGISTRATION DATE: 12/05/1988
EMPTY TANK: **NOT EMPTY**
STATUS BEGIN DATE: 01/01/1979
REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: 31286

TANK ID: 1

COMPARTMENT LETTER: A

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALVE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING),SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 2

INSTALLATION DATE: 01/01/1967

TANK CAPACITY (GAL): 8000

STATUS: **IN USE**

NUMBER OF COMPARTMENTS: 1

REGISTRATION DATE: 12/05/1988

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: 01/01/1967

Petroleum Storage Tanks (PST)

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **YES** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **YES** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FACTORY INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **31288**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALVE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING),SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

INSTALLATION DATE: **01/01/1967**

TANK CAPACITY (GAL): **6000**

STATUS: **IN USE**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **YES**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **12/05/1988**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **01/01/1967**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

Petroleum Storage Tanks (PST)

CORROSION PROTECTION:

CATHODIC PROTECTION - FACTORY INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **31287**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING),SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1967**

REGISTRATION DATE: **12/05/1988**

TANK CAPACITY (GAL): **6000**

EMPTY TANK: **NOT EMPTY**

STATUS: **PERM FILLED IN PLACE**

STATUS BEGIN DATE: **01/01/1996**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Petroleum Storage Tanks (PST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: 31285

TANK ID: 4

COMPARTMENT LETTER: A

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING,GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

VAPOR MONITORING,GROUNDWATER MONITORING,AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 5

NUMBER OF COMPARTMENTS: 1

INSTALLATION DATE: **01/01/1967**

REGISTRATION DATE: **12/05/1988**

TANK CAPACITY (GAL): **550**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **01/01/1996**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: 31289

TANK ID: 5

COMPARTMENT LETTER: A

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **550**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

Petroleum Storage Tanks (PST)

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 56

Distance from Property: 0.014 mi. (74 ft.) W

Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRY ID: 110033400184

NAME: **BIRDSONG FUELS & SERVICES**

LOCATION ADDRESS: **860 IH 10 S**
BEAUMONT, TX 77707-4009

COUNTY: **JEFFERSON**

EPA REGION: **06**

FEDERAL FACILITY: **NOT REPORTED**

TRIBAL LAND: **NOT REPORTED**

ALTERNATIVE NAME/S:

BIRDSONG FUELS & SERVICES

PROGRAM/S LISTED FOR THIS FACILITY

TX-TCEQ ACR - TEXAS COMMISSION ON ENVIRONMENTAL QUALITY - AGENCY CENTRAL REGISTRY

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

5541 - GASOLINE SERVICE STATIONS

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

447110 - GASOLINE STATIONS WITH CONVENIENCE STORES.

[Back to Report Summary](#)

Notice of Violations (NOV)

MAP ID# 56

Distance from Property: 0.014 mi. (74 ft.) W
Elevation: 16 ft. (Lower than TP)

SITE INFORMATION

REFERENCE #: RN101813616
CUSTOMER #: CN603338419
NAME: BIRDSONG FUELS & SERVICES
ADDRESS: 860 IH 10 S
CITY: BEAUMONT
STATE: TX
ZIPCODE: 77707-4009
COUNTY: JEFFERSON
BUSINESS: RETAIL
CONTACT: NOT REPORTED

SITE DETAILS

VIOLATION ISSUED: 05/26/08
CATEGORY: MINOR
MEDIA: WASTE
STATUS: RESOLVED
ALLEGATION:
FAILURE TO UPGRADE AN OUT OF SERVICE TANK TO MEET ALL TECHNICAL STANDARDS.
RESOLUTION DESCRIPTION:
NOT REPORTED

VIOLATION ISSUED: 05/26/08
CATEGORY: MODERATE
MEDIA: WASTE
STATUS: RESOLVED
ALLEGATION:
FAILURE TO UPGRADE AN OUT OF SERVICE TANK TO MEET ALL TECHNICAL STANDARDS.
RESOLUTION DESCRIPTION:
NOT REPORTED

VIOLATION ISSUED: 05/26/08
CATEGORY: MODERATE
MEDIA: WASTE
STATUS: RESOLVED
ALLEGATION:
FAILURE TO UPGRADE AN OUT OF SERVICE TANK TO MEET ALL TECHNICAL STANDARDS.
RESOLUTION DESCRIPTION:
NOT REPORTED

VIOLATION ISSUED: 05/26/08
CATEGORY: MODERATE
MEDIA: WASTE
STATUS: RESOLVED
ALLEGATION:

Notice of Violations (NOV)

FAILURE TO UPGRADE AN OUT OF SERVICE TANK TO MEET ALL TECHNICAL STANDARDS.

RESOLUTION DESCRIPTION:

NOT REPORTED

VIOLATION ISSUED: **04/06/06**

CATEGORY: **MODERATE**

MEDIA: **WASTE**

STATUS: **ACTIVE**

ALLEGATION:

FAILURE TO UPGRADE AN OUT OF SERVICE TANK TO MEET ALL TECHNICAL STANDARDS.

RESOLUTION DESCRIPTION:

NOT REPORTED

VIOLATION ISSUED: **04/06/06**

CATEGORY: **MODERATE**

MEDIA: **WASTE**

STATUS: **ACTIVE**

ALLEGATION:

FAILURE TO UPGRADE AN OUT OF SERVICE TANK TO MEET ALL TECHNICAL STANDARDS.

RESOLUTION DESCRIPTION:

NOT REPORTED

VIOLATION ISSUED: **04/06/06**

CATEGORY: **MODERATE**

MEDIA: **WASTE**

STATUS: **ACTIVE**

ALLEGATION:

FAILURE TO UPGRADE AN OUT OF SERVICE TANK TO MEET ALL TECHNICAL STANDARDS.

RESOLUTION DESCRIPTION:

NOT REPORTED

VIOLATION ISSUED: **04/06/06**

CATEGORY: **MODERATE**

MEDIA: **WASTE**

STATUS: **ACTIVE**

ALLEGATION:

FAILURE TO UPGRADE AN OUT OF SERVICE TANK TO MEET ALL TECHNICAL STANDARDS.

RESOLUTION DESCRIPTION:

NOT REPORTED

VIOLATION ISSUED: **04/06/06**

CATEGORY: **MODERATE**

MEDIA: **WASTE**

STATUS: **ACTIVE**

ALLEGATION:

FAILURE TO UPGRADE AN OUT OF SERVICE TANK TO MEET ALL TECHNICAL STANDARDS.

RESOLUTION DESCRIPTION:

Notice of Violations (NOV)

NOT REPORTED

VIOLATION ISSUED: 04/06/06

CATEGORY: MODERATE

MEDIA: WASTE

STATUS: ACTIVE

ALLEGATION:

FAILURE TO UPGRADE AN OUT OF SERVICE TANK TO MEET ALL TECHNICAL STANDARDS.

RESOLUTION DESCRIPTION:

NOT REPORTED

VIOLATION ISSUED: 04/06/06

CATEGORY: MODERATE

MEDIA: WASTE

STATUS: ACTIVE

ALLEGATION:

FAILURE TO UPGRADE AN OUT OF SERVICE TANK TO MEET ALL TECHNICAL STANDARDS.

RESOLUTION DESCRIPTION:

NOT REPORTED

VIOLATION ISSUED: 04/06/06

CATEGORY: MODERATE

MEDIA: WASTE

STATUS: ACTIVE

ALLEGATION:

FAILURE TO UPGRADE AN OUT OF SERVICE TANK TO MEET ALL TECHNICAL STANDARDS.

RESOLUTION DESCRIPTION:

NOT REPORTED

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 56

Distance from Property: 0.014 mi. (74 ft.) W
Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

ID#: 49072
NAME: GIT N GO
ADDRESS: 860 IH 10 S
BEAUMONT, TX 77707
COUNTY: JEFFERSON
REGION: 10
TYPE: RETAIL
BEGIN DATE: 09/20/1989
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 08/29/1989
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 08/25/1989
SIGNATURE NAME & TITLE: SAME, SAME
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN603812280
NAME: GIT N GO LTD
CONTACT ADDRESS: 10864 AUDELIA RD STE 9464
DALLAS TX 75238

TYPE: PARTNERSHIP
BEGIN DATE: 09/01/2007
CONTACT ROLE: OWNCON
CONTACT NAME: JOHN GESSNER
CONTACT TITLE: GEN COUNSEL
ORGANIZATION: GIT N GO LTD
PHONE: (214) 3439464 0
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

OPERATOR NUMBER: CN603812280
NAME: GIT N GO LTD
CONTACT ADDRESS: 10864 AUDELIA RD STE 9464
DALLAS TX 75238

TYPE: PARTNERSHIP
BEGIN DATE: 09/01/2007
CONTACT ROLE: OPRCON
CONTACT NAME: JOHN GESSNER
CONTACT TITLE: GEN COUNSEL

CONTACT INFORMATION

NAME: JASON HALL
TITLE: NOT REPORTED
ORGANIZATION: GIT N GO
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (214) 4351702 0

Petroleum Storage Tanks (PST)

ORGANIZATION: **GIT N GO LTD**

PHONE: **(214) 3439464 0**

FAX: **NOT REPORTED**

EMAIL: **NOT REPORTED**

SELF-CERTIFICATION

SELF-CERTIFICATION ID: **130493**

SIGNATURE DATE: **07/30/2003**

SIGNATURE NAME & TITLE: **CARL THOMAS BIRDSONG, OWNER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **130492**

SIGNATURE DATE: **05/08/2001**

SIGNATURE NAME & TITLE: **CARL THOMAS BIRDSONG, OWNER**

FILING STATUS: **INITIAL**

REGISTRATION FLAG: **YES**

CONSTRUCTION NOTIFICATION

NOTIFICATION CONSTRUCTION ID: **13290**

APPLICATION RECEIVED DATE: **10/07/2011**

SCHEDULE CONSTRUCTION DATE: **10/17/2011**

GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:

REMOVE (2) 12,000 GALLON USTS AND ASSOCIATED PIPING IN ACCORDANCE WITH TCEQ REGULATIONS, LOCAL FIRE CODES AND API - 1604 TANK REMOVAL GUIDELINES. COLLECT SOIL/WATER SAMPLES AND DELIVER TO A THIRD PARTY LABORATORY FOR ANALYSIS TO BE PERFORMED. SUBM

NOTIFICATION CONSTRUCTION ID: **13291**

APPLICATION RECEIVED DATE: **04/12/2011**

SCHEDULE CONSTRUCTION DATE: **05/12/2011**

GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:

WE WILL BE PERFORMING A TANK REMOVAL OF (2) TANKS. THE TANK MEASUREMENTS ARE (2) 12,000 GAL TANKS.

UNDERGROUND STORAGE TANK

TANK ID: **1A**

NUMBER OF COMPARTMENTS: **2**

INSTALLATION DATE: **06/01/1995**

REGISTRATION DATE: **08/29/1989**

TANK CAPACITY (GAL): **12000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **10/27/2011**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

Petroleum Storage Tanks (PST)

UST COMPARTMENT ID: **134967**

TANK ID: **1A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

**ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH
FOR PRESSURE PIPING)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1A**

NUMBER OF COMPARTMENTS: **2**

INSTALLATION DATE: **06/01/1995**

REGISTRATION DATE: **08/29/1989**

TANK CAPACITY (GAL): **12000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **10/27/2011**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **134968**

TANK ID: **1A**

COMPARTMENT LETTER: **B**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

Petroleum Storage Tanks (PST)

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1B**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1978**

REGISTRATION DATE: **08/29/1989**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **06/07/1995**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **134961**

TANK ID: **1B**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

Petroleum Storage Tanks (PST)

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2A**

NUMBER OF COMPARTMENTS: **3**

INSTALLATION DATE: **06/01/1995**

REGISTRATION DATE: **08/29/1989**

TANK CAPACITY (GAL): **12000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **10/27/2011**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **134969**

TANK ID: **2A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2A**

NUMBER OF COMPARTMENTS: **3**

INSTALLATION DATE: **06/01/1995**

REGISTRATION DATE: **08/29/1989**

Petroleum Storage Tanks (PST)

TANK CAPACITY (GAL): **12000** EMPTY TANK: **NOT EMPTY**
STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **10/27/2011**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **YES** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **YES** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **134970**

TANK ID: **2A**

COMPARTMENT LETTER: **B**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2A**

NUMBER OF COMPARTMENTS: **3**

INSTALLATION DATE: **06/01/1995**

REGISTRATION DATE: **08/29/1989**

TANK CAPACITY (GAL): **12000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **10/27/2011**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

Petroleum Storage Tanks (PST)

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **134971**

TANK ID: **2A**

COMPARTMENT LETTER: **C**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2B**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1968**

REGISTRATION DATE: **08/29/1989**

TANK CAPACITY (GAL): **4000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **06/07/1995**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

Petroleum Storage Tanks (PST)

CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **134964**
TANK ID: **2B**
COMPARTMENT LETTER: **A**
SUBSTANCES: **GASOLINE**
OTHER SUBSTANCES: **NOT REPORTED**
CAPACITY (GAL): **4000**
COMPARTMENT RELEASE DETECTION: **NOT REPORTED**
SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**
CORROSION PROTECTION: **NOT REPORTED**
EXTERNAL CONTAINMENT: **NOT REPORTED**
CONNECTORS & VALVES:
NOT REPORTED
PIPING RELEASE DETECTION:
NOT REPORTED
PIPE COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 3	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1968	REGISTRATION DATE: 08/29/1989
TANK CAPACITY (GAL): 4000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 06/07/1995
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
STEEL
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **134965**
TANK ID: **3**
COMPARTMENT LETTER: **A**
SUBSTANCES: **GASOLINE**
OTHER SUBSTANCES: **NOT REPORTED**
CAPACITY (GAL): **4000**

Petroleum Storage Tanks (PST)

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1968**

REGISTRATION DATE: **08/29/1989**

TANK CAPACITY (GAL): **4000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **06/07/1995**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **134962**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

Petroleum Storage Tanks (PST)

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **5**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1968**

REGISTRATION DATE: **08/29/1989**

TANK CAPACITY (GAL): **4000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **06/07/1995**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **134963**

TANK ID: **5**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **6**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/31/1987**

REGISTRATION DATE: **08/29/1989**

TANK CAPACITY (GAL): **550**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **06/20/1995**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

Petroleum Storage Tanks (PST)

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **134966**

TANK ID: **6**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **550**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Enforcement and Compliance History Information (ECHOR06)

MAP ID# 57

Distance from Property: 0.014 mi. (74 ft.) E
Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

UNIQUE ID: 110005161252

REGISTRY ID: 110005161252

NAME: TKS WEST END AUTOMOTIVE

ADDRESS: 3190 N ST
BEAUMONT, TX 77702

COUNTY: JEFFERSON

FACILITY LINK: [Facility Detail Report](#)

[Back to Report Summary](#)

Facility Registry System (FRSTX)

[MAP ID# 57](#)

Distance from Property: 0.014 mi. (74 ft.) E
Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRY ID: 110005161252

NAME: TKS WEST END AUTOMOTIVE

LOCATION ADDRESS: 3190 N ST
BEAUMONT, TX 77702

COUNTY: JEFFERSON

EPA REGION: 06

FEDERAL FACILITY: NOT REPORTED

TRIBAL LAND: NOT REPORTED

ALTERNATIVE NAME/S:

TKS WEST END AUTOMOTIVE

PROGRAM/S LISTED FOR THIS FACILITY

RCRAINFO - RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 57

Distance from Property: 0.014 mi. (74 ft.) E
Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRY ID: 110070166391

NAME: NORTH STREET SHELL

LOCATION ADDRESS: 3190 NORTH ST
BEAUMONT, TX 77702-1420

COUNTY: JEFFERSON

EPA REGION: 06

FEDERAL FACILITY: NOT REPORTED

TRIBAL LAND: NOT REPORTED

ALTERNATIVE NAME/S:

NO ALTERNATIVE NAME(S) LISTED FOR THIS FACILITY

PROGRAM/S LISTED FOR THIS FACILITY

TX-TCEQ ACR - TEXAS COMMISSION ON ENVIRONMENTAL QUALITY - AGENCY CENTRAL REGISTRY

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 57

Distance from Property: 0.014 mi. (74 ft.) E
Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: **096849**
LPST ID: **096849**
FACILITY ID: **0015181**
NAME: **PORTER SHELL**
ADDRESS: **3190 NORTH ST**
BEAUMONT, TX 77702

LEAKING TANK DETAILS

LPST ID: **096849**
NAME: **PORTER SHELL**
FACILITY LOCATION: **NOT REPORTED**
PRIORITY CODE: **4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS**
CORRECTIVE ACTION STATUS CODE: **6A - FINAL CONCURRENCE ISSUED**
CORRECTIVE ACTION START DATE: **10/3/90**
REPORTED DATE: **10/02/1990**
ENTERED DATE: **10/03/1990**
CLOSURE DATE: **07/01/2002**

PRP INFORMATION

NAME: **WINK INC**
ADDRESS: **ADDRESS NOT REPORTED**
AUSTIN TX 78731
CONTACT: **NOT REPORTED**
PHONE: **NOT REPORTED**

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1980	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 6000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 10/01/1990
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
STEEL
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **49201**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1980**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **6000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **10/01/1990**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **49203**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

Leaking Petroleum Storage Tanks (LPST)

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1980**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **10/01/1990**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **49205**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

Leaking Petroleum Storage Tanks (LPST)

INSTALLATION DATE: **01/01/1976** REGISTRATION DATE: **05/08/1986**
TANK CAPACITY (GAL): **1000** EMPTY TANK: **NOT EMPTY**
STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **10/01/1990**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **49204**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **5**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1966**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **4000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **10/01/1990**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **EXEMPT NON-USE SINCE 1974**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **49202**

TANK ID: **5**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **6**

INSTALLATION DATE: **01/01/1966**

TANK CAPACITY (GAL): **3000**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **05/08/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **10/01/1990**

REGULATORY STATUS: **EXEMPT NON-USE SINCE 1974**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **49206**

TANK ID: **6**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT LETTER: **A**
SUBSTANCES: **GASOLINE**
OTHER SUBSTANCES: **NOT REPORTED**
CAPACITY (GAL): **3000**
COMPARTMENT RELEASE DETECTION: **NOT REPORTED**
SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**
CORROSION PROTECTION: **NOT REPORTED**
EXTERNAL CONTAINMENT: **NOT REPORTED**
CONNECTORS & VALVES:
NOT REPORTED
CORROSION PROTECTION: **NOT REPORTED**
PIPE COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 7	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1966	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 3000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 10/01/1990
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: EXEMPT NON-USE SINCE 1974
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
STEEL
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **49207**
TANK ID: **7**
COMPARTMENT LETTER: **A**
SUBSTANCES: **GASOLINE**
OTHER SUBSTANCES: **NOT REPORTED**
CAPACITY (GAL): **3000**
COMPARTMENT RELEASE DETECTION: **NOT REPORTED**
SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**
CORROSION PROTECTION: **NOT REPORTED**
EXTERNAL CONTAINMENT: **NOT REPORTED**

Leaking Petroleum Storage Tanks (LPST)

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 57

Distance from Property: 0.014 mi. (74 ft.) E
Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 15181
NAME: FORMER PORTER SHELL
ADDRESS: 3190 NORTH ST
BEAUMONT, TX 77702
COUNTY: JEFFERSON
REGION: 10
TYPE: RETAIL
BEGIN DATE: 08/15/1986
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/08/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 05/06/1986
SIGNATURE NAME & TITLE: HANK RICHARDS, OFFICE MGR.
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN604185561
NAME: WINK INC
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: CORPORATION/COMPANY
BEGIN DATE: 08/09/2002
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1
INSTALLATION DATE: 01/01/1980
TANK CAPACITY (GAL): 6000
NUMBER OF COMPARTMENTS: 1
REGISTRATION DATE: 05/08/1986
EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: WES CALLAWAY
TITLE: NOT REPORTED
ORGANIZATION: FORMER PORTER SHELL
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (512) 4522388 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **10/01/1990**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **49201**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

INSTALLATION DATE: **01/01/1980**

TANK CAPACITY (GAL): **6000**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **05/08/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **10/01/1990**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

Petroleum Storage Tanks (PST)

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **49203**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

INSTALLATION DATE: **01/01/1980**

TANK CAPACITY (GAL): **8000**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **05/08/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **10/01/1990**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **49205**

TANK ID: **3**

Petroleum Storage Tanks (PST)

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1976**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **1000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **10/01/1990**

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **49204**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

Petroleum Storage Tanks (PST)

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **5**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1966**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **4000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **10/01/1990**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **EXEMPT NON-USE SINCE 1974**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **49202**

TANK ID: **5**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **6**

NUMBER OF COMPARTMENTS: **1**

Petroleum Storage Tanks (PST)

INSTALLATION DATE: **01/01/1966** REGISTRATION DATE: **05/08/1986**
TANK CAPACITY (GAL): **3000** EMPTY TANK: **NOT EMPTY**
STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **10/01/1990**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **EXEMPT NON-USE SINCE 1974**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **49206**

TANK ID: **6**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **3000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **7**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1966**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **3000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **10/01/1990**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **EXEMPT NON-USE SINCE 1974**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

Petroleum Storage Tanks (PST)

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **49207**

TANK ID: **7**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **3000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Generator (RCRAGR06)

MAP ID# 57

Distance from Property: 0.014 mi. (74 ft.) E
Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

EPA ID#: TXD988089579

NAME: TKS WEST END AUTOMOTIVE

ADDRESS: 3190 N ST

BEAUMONT, TX 77702

CONTACT NAME: SAJEEU KRISHAN

CONTACT ADDRESS: 3190 N ST

BEAUMONT TX 77702

CONTACT PHONE: 409-892-7908

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 07/30/1993

CERTIFICATION - NO CERTIFICATION REPORTED -

INDUSTRY CLASSIFICATION (NAICS) - NO NAICS INFORMATION REPORTED -

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: **CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR** LAST UPDATED DATE: **09/02/2000**

SUBJECT TO CORRECTIVE ACTION UNIVERSE: **NO**

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: **NO**

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: **NO**

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: **NO**

CORRECTIVE ACTION WORKLOAD UNIVERSE: **NO**

IMPORTER: **NO**

UNDERGROUND INJECTION: **NO**

MIXED WASTE GENERATOR: **NO**

UNIVERSAL WASTE DESTINATION FACILITY: **NO**

RECYCLER: **NO**

TRANSFER FACILITY: **NO**

TRANSPORTER: **NO**

USED OIL FUEL BURNER: **NO**

ONSITE BURNER EXEMPTION: **NO**

USED OIL PROCESSOR: **NO**

FURNACE EXEMPTION: **NO**

USED OIL FUEL MARKETER TO BURNER: **NO**

USED OIL REFINER: **NO**

SPECIFICATION USED OIL MARKETER: **NO**

USED OIL TRANSFER FACILITY: **NO**

USED OIL TRANSPORTER: **NO**

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS - NO EVALUATIONS REPORTED -

VIOLATIONS - NO VIOLATIONS REPORTED -

ENFORCEMENTS - NO ENFORCEMENTS REPORTED -

HAZARDOUS WASTE

D001 IGNITABLE WASTE

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

[Back to Report Summary](#)

Enforcement and Compliance History Information (ECHOR06)

MAP ID# 58

Distance from Property: 0.014 mi. (74 ft.) W

Elevation: 20 ft. (Higher than TP)

FACILITY INFORMATION

UNIQUE ID: 110005018480

REGISTRY ID: 110005018480

NAME: J R CHEVORON

ADDRESS: 3355 GLADYS
BEAUMONT, TX 77706

COUNTY: JEFFERSON

FACILITY LINK: [Facility Detail Report](#)

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 58

Distance from Property: 0.014 mi. (74 ft.) W

Elevation: 20 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRY ID: 110005018480

NAME: J R CHEVORON

LOCATION ADDRESS: 3355 GLADYS
BEAUMONT, TX 77706

COUNTY: JEFFERSON

EPA REGION: 06

FEDERAL FACILITY: NOT REPORTED

TRIBAL LAND: NOT REPORTED

ALTERNATIVE NAME/S:

J R CHEVORON

PROGRAM/S LISTED FOR THIS FACILITY

RCRAINFO - RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Groundwater Contamination Cases (GWCC)

MAP ID# 58

Distance from Property: 0.014 mi. (74 ft.) W
Elevation: 20 ft. (Higher than TP)

FACILITY INFORMATION

FILE NUMBER: 091343

FILE NAME: HEATH VAUGHN ENTERPRISES

LOCATION: 3355 GLAYDS, BEAUMONT, TX

COUNTY: JEFFERSON

AGENCY: TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

DIVISION: REMEDIATION DIVISION/PETROLEUM STORAGE TANK REIMBURSEMENT PROGRAM

DATE OF CONTAMINATION

CONFIRMATION BY AGENCY: 06/16/87

CONTAMINANT(S): UNKNOWN

ENFORCEMENT STATUS: STAFF ACTION: THE AGENCY INITIATES AN ACTION TO ADDRESS A CONTAMINATION INCIDENT.

ACTIVITY STATUS: ACTION COMPLETED: THE REMEDY IS CONSIDERED COMPLETE.

NEW CASE?: NO

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 58

Distance from Property: 0.014 mi. (74 ft.) W
Elevation: 20 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 091343
LPST ID: 091343
FACILITY ID: 0047121
NAME: HEATH VAUGHN ENTERPRISES JRS GULF
ADDRESS: 3355 GLADYS AVE
BEAUMONT, TX 77706

LEAKING TANK DETAILS

LPST ID: 091343
NAME: HEATH VAUGHN ENTERPRISES JRS GULF
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 6/16/87
REPORTED DATE: 04/23/1987
ENTERED DATE: 06/16/1987
CLOSURE DATE: 07/12/2007

PRP INFORMATION

NAME: HEATH VAUGHN ENTERPRISES INC
ADDRESS: ADDRESS NOT REPORTED
BEAUMONT TX 77706
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 08/31/1987	REGISTRATION DATE: 01/03/1989
TANK CAPACITY (GAL): NOT REPORTED	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 05/29/1998
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
STEEL
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **109991**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **0**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/31/1987**

REGISTRATION DATE: **01/03/1989**

TANK CAPACITY (GAL): **NOT REPORTED**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **05/29/1998**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **109993**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **0**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

Leaking Petroleum Storage Tanks (LPST)

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/31/1987**

REGISTRATION DATE: **01/03/1989**

TANK CAPACITY (GAL): **NOT REPORTED**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **05/29/1998**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **109992**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **0**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

Leaking Petroleum Storage Tanks (LPST)

INSTALLATION DATE: **08/31/1987** REGISTRATION DATE: **01/03/1989**
TANK CAPACITY (GAL): **NOT REPORTED** EMPTY TANK: **NOT EMPTY**
STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **05/29/1998**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **109994**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **0**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **5**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/31/1987**

REGISTRATION DATE: **01/03/1989**

TANK CAPACITY (GAL): **NOT REPORTED**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **05/29/1998**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **109990**

TANK ID: **5**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **0**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **6**

INSTALLATION DATE: **08/31/1987**

TANK CAPACITY (GAL): **NOT REPORTED**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **01/03/1989**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **05/29/1998**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **109995**

TANK ID: **6**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **0**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 58

Distance from Property: 0.014 mi. (74 ft.) W
Elevation: 20 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 47121
NAME: HEATH VAUGHN ENTERPRISES
ADDRESS: 3355 GLADYS AVE
BEAUMONT, TX 77706
COUNTY: JEFFERSON
REGION: 10
TYPE: UNKNOWN
BEGIN DATE: 02/21/1989
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 01/03/1989
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 12/28/1988
SIGNATURE NAME & TITLE: SAME, SIGNATURE TITLE NOT REPORTED
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600956031
NAME: HEATH VAUGHN ENTERPRISES INC
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: CORPORATION/COMPANY
BEGIN DATE: 02/21/1989
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 08/31/1987	REGISTRATION DATE: 01/03/1989
TANK CAPACITY (GAL): NOT REPORTED	EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: NOT REPORTED
TITLE: NOT REPORTED
ORGANIZATION: HEATH VAUGHN ENTERPRISES
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8992675 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **05/29/1998**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **109991**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **0**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

INSTALLATION DATE: **08/31/1987**

TANK CAPACITY (GAL): **NOT REPORTED**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **01/03/1989**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **05/29/1998**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

Petroleum Storage Tanks (PST)

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **109993**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **0**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

INSTALLATION DATE: **08/31/1987**

TANK CAPACITY (GAL): **NOT REPORTED**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **01/03/1989**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **05/29/1998**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **109992**

TANK ID: **3**

Petroleum Storage Tanks (PST)

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **0**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/31/1987**

REGISTRATION DATE: **01/03/1989**

TANK CAPACITY (GAL): **NOT REPORTED**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **05/29/1998**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **109994**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **0**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

Petroleum Storage Tanks (PST)

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **5**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/31/1987**

REGISTRATION DATE: **01/03/1989**

TANK CAPACITY (GAL): **NOT REPORTED**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **05/29/1998**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **109990**

TANK ID: **5**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **0**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **6**

NUMBER OF COMPARTMENTS: **1**

Petroleum Storage Tanks (PST)

INSTALLATION DATE: **08/31/1987** REGISTRATION DATE: **01/03/1989**
TANK CAPACITY (GAL): **NOT REPORTED** EMPTY TANK: **NOT EMPTY**
STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **05/29/1998**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **109995**

TANK ID: **6**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **0**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Generator (RCRAGR06)

MAP ID# 58

Distance from Property: 0.014 mi. (74 ft.) W
Elevation: 20 ft. (Higher than TP)

FACILITY INFORMATION

EPA ID#: TX0000452516

NAME: J R CHEVORON

ADDRESS: 3355 GLADYS

BEAUMONT, TX 77706

CONTACT NAME: J R CLARK

CONTACT ADDRESS: 3355 GLADYS

BEAUMONT TX 77706

CONTACT PHONE: 409-899-2675

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 07/07/1994

CERTIFICATION - NO CERTIFICATION REPORTED -

INDUSTRY CLASSIFICATION (NAICS) - NO NAICS INFORMATION REPORTED -

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: **CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR** LAST UPDATED DATE: **07/10/2001**

SUBJECT TO CORRECTIVE ACTION UNIVERSE: **NO**

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: **NO**

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: **NO**

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: **NO**

CORRECTIVE ACTION WORKLOAD UNIVERSE: **NO**

IMPORTER: **NO**

UNDERGROUND INJECTION: **NO**

MIXED WASTE GENERATOR: **NO**

UNIVERSAL WASTE DESTINATION FACILITY: **NO**

RECYCLER: **NO**

TRANSFER FACILITY: **NO**

TRANSPORTER: **NO**

USED OIL FUEL BURNER: **NO**

ONSITE BURNER EXEMPTION: **NO**

USED OIL PROCESSOR: **NO**

FURNACE EXEMPTION: **NO**

USED OIL FUEL MARKETER TO BURNER: **NO**

USED OIL REFINER: **NO**

SPECIFICATION USED OIL MARKETER: **NO**

USED OIL TRANSFER FACILITY: **NO**

USED OIL TRANSPORTER: **NO**

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS - NO EVALUATIONS REPORTED -

VIOLATIONS - NO VIOLATIONS REPORTED -

ENFORCEMENTS - NO ENFORCEMENTS REPORTED -

HAZARDOUS WASTE

D001 IGNITABLE WASTE

F001 THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING:
TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON
TETRACHLORIDE AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN
DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE
OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005; AND STILL
BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

Resource Conservation & Recovery Act - Generator (RCRAGR06)

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

[Back to Report Summary](#)

Alternative Fueling Stations (ALTFUELS)

MAP ID# 59

Distance from Property: 0.014 mi. (74 ft.) E
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

GEOSEARCH ID: **39713**

UNIQUE IDENTIFIER FOR THIS SPECIFIC STATION: **39713**

STATION NAME: **MIKE SMITH NISSAN**

ADDRESS: **1515 INTERSTATE 10 S
BEAUMONT, TX 77701**

INTERSECTION DIRECTIONS: **NOT REPORTED**

STATION PHONE: **409-833-7100**

STATION CURRENT STATUS: **OPEN: THE STATION IS OPEN.**

TYPE OF ALTERNATIVE FUEL THE STATION PROVIDES: **ELECTRIC**

OWNER TYPE: **PRIVATELY OWNED**

FEDERAL AGENCY ID: **NOT REPORTED**

FEDERAL AGENCY NAME: **NOT REPORTED**

DATE THAT THE STATION BEGAN OFFERING THE FUEL: **3/15/2011**

DATE THE STATION'S DETAILS WERE LAST CONFIRMED: **7/9/2018**

TIME THE STATION'S DETAILS WERE LAST UPDATED (ISO 8601 FORMAT): **2019-01-17 00:33:46 UTC**

[Back to Report Summary](#)

Alternative Fueling Stations (ALTFUELS)

MAP ID# 59

Distance from Property: 0.014 mi. (74 ft.) E
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

GEOSEARCH ID: **48321**

UNIQUE IDENTIFIER FOR THIS SPECIFIC STATION: **48321**

STATION NAME: **MIKE SMITH NISSAN**

ADDRESS: **1515 INTERSTATE 10 S
BEAUMONT, TX 77701**

INTERSECTION DIRECTIONS: **NOT REPORTED**

STATION PHONE: **409-833-7100**

STATION CURRENT STATUS: **OPEN: THE STATION IS OPEN.**

TYPE OF ALTERNATIVE FUEL THE STATION PROVIDES: **ELECTRIC**

OWNER TYPE: **PRIVATELY OWNED**

FEDERAL AGENCY ID: **NOT REPORTED**

FEDERAL AGENCY NAME: **NOT REPORTED**

DATE THAT THE STATION BEGAN OFFERING THE FUEL: **3/15/2011**

DATE THE STATION'S DETAILS WERE LAST CONFIRMED: **7/9/2018**

TIME THE STATION'S DETAILS WERE LAST UPDATED (ISO 8601 FORMAT): **2019-01-17 00:33:46 UTC**

[Back to Report Summary](#)

Enforcement and Compliance History Information (ECHOR06)

MAP ID# 59

Distance from Property: 0.014 mi. (74 ft.) E
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

UNIQUE ID: 110008158108

REGISTRY ID: 110008158108

NAME: MIKE SMITH AUTO PLAZA

ADDRESS: 1515 S IH 10
BEAUMONT, TX 77706

COUNTY: JEFFERSON

FACILITY LINK: [Facility Detail Report](#)

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 59

Distance from Property: 0.014 mi. (74 ft.) E
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRY ID: 110008158108

NAME: MIKE SMITH AUTO PLAZA

LOCATION ADDRESS: 1515 S IH 10
BEAUMONT, TX 77706

COUNTY: JEFFERSON

EPA REGION: 06

FEDERAL FACILITY: NOT REPORTED

TRIBAL LAND: NOT REPORTED

ALTERNATIVE NAME/S:

MIKE SMITH AUTO PLAZA

PROGRAM/S LISTED FOR THIS FACILITY

RCRAINFO - RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 59

Distance from Property: 0.014 mi. (74 ft.) E

Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRATION#: 73436 EPA ID: NOT REPORTED

TNRCC ID #: 27854

NAME: MIKE SMITH HONDA INC.

ADDRESS: 1515 IH 10 S
BEAUMONT, TX 77701

CONTACT: JOHN A LASALLE

PHONE: 409-8337100

BUSINESS DESCRIPTION: NOT REPORTED

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: MERGED

AMOUNT OF WASTE GENERATED: CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR

GENERATOR TYPE: NON-INDUSTRIAL AND/OR MUNICIPAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 06/04/2010

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

WASTE ID: 54183

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

GENERATOR'S DESCRIPTION OF WASTE: NOT REPORTED

WASTE ID: 54184

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

GENERATOR'S DESCRIPTION OF WASTE: NOT REPORTED

WASTE ID: 54185

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

Industrial and Hazardous Waste Sites (IHW)

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 59

Distance from Property: 0.014 mi. (74 ft.) E

Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRATION#: 76342 EPA ID: TXD982548414

TNRCC ID #: 30664

NAME: MIKE SMITH AUTO PLAZA

ADDRESS: 1515 IH 10 S

BEAUMONT, TX 77701

CONTACT: DICK MARSHALL

PHONE: 409-8337100

BUSINESS DESCRIPTION: NOT REPORTED

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR

GENERATOR TYPE: NON-INDUSTRIAL AND/OR MUNICIPAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 10/24/2006

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

WASTE ID: 59110

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: YES

GENERATOR'S DESCRIPTION OF WASTE: NOT REPORTED

WASTE ID: 59111

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: YES

GENERATOR'S DESCRIPTION OF WASTE: NOT REPORTED

WASTE ID: 157626

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

Industrial and Hazardous Waste Sites (IHW)

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **157627**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **157628**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 59

Distance from Property: 0.014 mi. (74 ft.) E
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

ID#: 69457
NAME: MIKE SMITH AUTO PLAZA
ADDRESS: 1515 IH 10 S
BEAUMONT, TX 77701
COUNTY: JEFFERSON
REGION: 10

TYPE: RETAIL
BEGIN DATE: 08/31/1987
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 04/03/1997
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 04/01/1997
SIGNATURE NAME & TITLE: PAM COMEAUX, OFFICE MGR
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN601230527
NAME: SMITH MIKE
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: ORGANIZATION
BEGIN DATE: 08/31/1987
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 08/31/1987	REGISTRATION DATE: 04/03/1997
TANK CAPACITY (GAL): 500	EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: MIKE SMITH
TITLE: NOT REPORTED
ORGANIZATION: MIKE SMITH AUTO PLAZA
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8337100 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **03/31/1997**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **173819**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **UNKNOWN**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **500**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

MAP ID# 59

Distance from Property: 0.014 mi. (74 ft.) E
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

EPA ID#: TXD982548414

NAME: MIKE SMITH AUTO PLAZA

ADDRESS: 1515 S IH 10

BEAUMONT, TX 77706

CONTACT NAME: DICK MARSHALL

CONTACT ADDRESS: 1515 S IH 10

BEAUMONT TX 77706

CONTACT PHONE: 409-833-7100

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 10/24/2006

OWNER TYPE: PRIVATE

OWNER NAME: MIKE SMITH AUTO PLAZA

OPERATOR TYPE: PRIVATE

OPERATOR NAME: MIKE SMITH AUTO PLAZA

CERTIFICATION

CERTIFICATION NAME:

CERTIFICATION TITLE:

CERTIFICATION SIGNED DATE:

DICK MARSHALL

UNKNOWN

10/24/2006

INDUSTRY CLASSIFICATION (NAICS)

44111 - NEW CAR DEALERS

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: **NON-GENERATOR** LAST UPDATED DATE: 11/02/2006

SUBJECT TO CORRECTIVE ACTION UNIVERSE: **NO**

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: **NO**

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: **NO**

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: **NO**

CORRECTIVE ACTION WORKLOAD UNIVERSE: **NO**

IMPORTER: **NO**

UNDERGROUND INJECTION: **NO**

MIXED WASTE GENERATOR: **NO**

UNIVERSAL WASTE DESTINATION FACILITY: **NO**

RECYCLER: **NO**

TRANSFER FACILITY: **NO**

TRANSPORTER: **NO**

USED OIL FUEL BURNER: **NO**

ONSITE BURNER EXEMPTION: **NO**

USED OIL PROCESSOR: **NO**

FURNACE EXEMPTION: **NO**

USED OIL FUEL MARKETER TO BURNER: **NO**

USED OIL REFINER: **NO**

SPECIFICATION USED OIL MARKETER: **NO**

USED OIL TRANSFER FACILITY: **NO**

USED OIL TRANSPORTER: **NO**

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS

07/03/2014 CEI COMPLIANCE EVALUATION INSPECTION ON-SITE

08/14/2002 CEI COMPLIANCE EVALUATION INSPECTION ON-SITE

VIOLATIONS - NO VIOLATIONS REPORTED -

ENFORCEMENTS - NO ENFORCEMENTS REPORTED -

HAZARDOUS WASTE

D000

D001 IGNITABLE WASTE

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

- F002 THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
- F003 THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
- F004 THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: CRESOLS, CRESYLIC ACID, AND NITROBENZENE; AND THE STILL BOTTOMS FROM THE RECOVERY OF THESE SOLVENTS; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
- F005 THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

[Back to Report Summary](#)

Enforcement and Compliance History Information (ECHOR06)

MAP ID# 60

Distance from Property: 0.015 mi. (79 ft.) E
Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

UNIQUE ID: 110022307804

REGISTRY ID: 110022307804

NAME: **NTB NO 689**

ADDRESS: 1355 IH 10 S
BEAUMONT, TX 77701

COUNTY: **JEFFERSON**

FACILITY LINK: [Facility Detail Report](#)

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 60

Distance from Property: 0.015 mi. (79 ft.) E
Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRY ID: 110022307804

NAME: **NTB NO 689**

LOCATION ADDRESS: 1355 IH 10 S
BEAUMONT, TX 77701

COUNTY: **JEFFERSON**

EPA REGION: **06**

FEDERAL FACILITY: **NOT REPORTED**

TRIBAL LAND: **NOT REPORTED**

ALTERNATIVE NAME/S:

NTB NO 689

PROGRAM/S LISTED FOR THIS FACILITY

RCRAINFO - RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

811111 - GENERAL AUTOMOTIVE REPAIR.

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Generator (RCRAGR06)

MAP ID# 60

Distance from Property: 0.015 mi. (79 ft.) E
Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

EPA ID#: TXR000063552

NAME: NTB NO 8689

ADDRESS: 1355 IH 10 S

BEAUMONT, TX 77701

CONTACT NAME: AARON ENGI

CONTACT ADDRESS: 4280 PROFESSIONAL CENTER DR. STE 400
PALM BEACH GARDENS FL 33410

CONTACT PHONE: 561-383-3000

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 03/12/2019

OWNER TYPE: PRIVATE

OWNER NAME: TIRE KINGDOM

OPERATOR TYPE: PRIVATE

OPERATOR NAME: TIRE KINGDOM

CERTIFICATION

CERTIFICATION NAME:

CERTIFICATION TITLE:

CERTIFICATION SIGNED DATE:

DANIELLE MELNICK

MGR. ENV. COMPL.

02/06/2019

DAVID ZOLNOWSKI

RISK MANAGER

03/08/2005

INDUSTRY CLASSIFICATION (NAICS)

811111 - GENERAL AUTOMOTIVE REPAIR

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: **CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR** LAST UPDATED DATE: **03/18/2019**

SUBJECT TO CORRECTIVE ACTION UNIVERSE: **NO**

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: **NO**

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: **NO**

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: **NO**

CORRECTIVE ACTION WORKLOAD UNIVERSE: **NO**

IMPORTER: **NO**

UNDERGROUND INJECTION: **NO**

MIXED WASTE GENERATOR: **NO**

UNIVERSAL WASTE DESTINATION FACILITY: **NO**

RECYCLER: **NO**

TRANSFER FACILITY: **NO**

TRANSPORTER: **NO**

USED OIL FUEL BURNER: **NO**

ONSITE BURNER EXEMPTION: **NO**

USED OIL PROCESSOR: **NO**

FURNACE EXEMPTION: **NO**

USED OIL FUEL MARKETER TO BURNER: **NO**

USED OIL REFINER: **NO**

SPECIFICATION USED OIL MARKETER: **NO**

USED OIL TRANSFER FACILITY: **NO**

USED OIL TRANSPORTER: **NO**

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS - **NO EVALUATIONS REPORTED** -

VIOLATIONS - **NO VIOLATIONS REPORTED** -

ENFORCEMENTS - **NO ENFORCEMENTS REPORTED** -

HAZARDOUS WASTE

D001 **IGNITABLE WASTE**

D008 **LEAD**

D039 **TETRACHLOROETHYLENE**

UNIVERSAL WASTE - **NO UNIVERSAL WASTE REPORTED** -

Resource Conservation & Recovery Act - Generator (RCRAGR06)

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -
CORRECTIVE ACTION EVENT
NO CORRECTIVE ACTION EVENT(S) REPORTED

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 61

Distance from Property: 0.015 mi. (79 ft.) ESE
Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

REGISTRY ID: 110033392068

NAME: **B & L AUTO BROKERS**

LOCATION ADDRESS: 4595 FANNETT RD
BEAUMONT, TX 77705-2605

COUNTY: **JEFFERSON**

EPA REGION: **06**

FEDERAL FACILITY: **NOT REPORTED**

TRIBAL LAND: **NOT REPORTED**

ALTERNATIVE NAME/S:

B & L AUTO BROKERS

PROGRAM/S LISTED FOR THIS FACILITY

TX-TCEQ ACR - TEXAS COMMISSION ON ENVIRONMENTAL QUALITY - AGENCY CENTRAL REGISTRY

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 61

Distance from Property: 0.015 mi. (79 ft.) ESE
Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

ID#: 23292
NAME: B & L AUTO BROKERS
ADDRESS: 4595 FANNETT RD
BEAUMONT, TX 77705
COUNTY: JEFFERSON
REGION: 10
TYPE: RETAIL
BEGIN DATE: 09/25/1986
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/08/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 04/16/1986
SIGNATURE NAME & TITLE: R L EBERT, DIV. MGR.
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN601003882
NAME: LAVENDER AUTO INC
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: ORGANIZATION
BEGIN DATE: 01/01/1997
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1
INSTALLATION DATE: 01/01/1970
TANK CAPACITY (GAL): 550
NUMBER OF COMPARTMENTS: 1
REGISTRATION DATE: 05/08/1986
EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: BILLY LAVENDER
TITLE: NOT REPORTED
ORGANIZATION: B & L AUTO BROKERS
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8424100 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **12/01/1979**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **146077**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **550**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

INSTALLATION DATE: **01/01/1970**

TANK CAPACITY (GAL): **10000**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **05/08/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **12/01/1979**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

Petroleum Storage Tanks (PST)

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **146076**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

INSTALLATION DATE: **01/01/1970**

TANK CAPACITY (GAL): **10000**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **05/08/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **12/01/1979**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **146079**

TANK ID: **3**

Petroleum Storage Tanks (PST)

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1970**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **4000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **12/01/1979**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **146078**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

Petroleum Storage Tanks (PST)

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Enforcement and Compliance History Information (ECHOR06)

MAP ID# 62

Distance from Property: 0.015 mi. (79 ft.) WNW

Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

UNIQUE ID: 110008160943

REGISTRY ID: 110008160943

NAME: MAXIM TECHNOLOGIES INC SOUTHWESTERN LABS

ADDRESS: 1850 IH-10 S
BEAUMONT, TX 77707

COUNTY: JEFFERSON

FACILITY LINK: [Facility Detail Report](#)

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 62

Distance from Property: 0.015 mi. (79 ft.) WNW

Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRY ID: 110008160943

NAME: MAXIM TECHNOLOGIES INC SOUTHWESTERN LABS

LOCATION ADDRESS: 1850 IH-10 S
BEAUMONT, TX 77707

COUNTY: JEFFERSON

EPA REGION: 06

FEDERAL FACILITY: NOT REPORTED

TRIBAL LAND: NOT REPORTED

ALTERNATIVE NAME/S:

SOUTHWESTERN LABORATORIES

PROGRAM/S LISTED FOR THIS FACILITY

RCRAINFO - RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

MAP ID# 62

Distance from Property: 0.015 mi. (79 ft.) WNW
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

EPA ID#: TXD988025763

NAME: MAXIM TECHNOLOGIES INC SOUTHWESTERN LABS

ADDRESS: 1850 IH-10 S

BEAUMONT, TX 77707

CONTACT NAME: SUSAN D HARMS PHD IHIT

CONTACT ADDRESS: PO BOX 5296

BEAUMONT TX 77702

CONTACT PHONE: 713-696-6332

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 02/14/2001

OWNER TYPE: NOT REPORTED

OWNER NAME: NOT REPORTED

OPERATOR TYPE: NOT REPORTED

OPERATOR NAME: NOT REPORTED

CERTIFICATION

CERTIFICATION NAME:

CERTIFICATION TITLE:

CERTIFICATION SIGNED DATE:

SUSAN D HARMS PHD IHIT

UNKNOWN

02/14/2001

INDUSTRY CLASSIFICATION (NAICS) - NO NAICS INFORMATION REPORTED -

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: NON-GENERATOR LAST UPDATED DATE: 01/11/2006

SUBJECT TO CORRECTIVE ACTION UNIVERSE: NO

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: NO

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: NO

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: NO

CORRECTIVE ACTION WORKLOAD UNIVERSE: NO

IMPORTER: NO

UNDERGROUND INJECTION: NO

MIXED WASTE GENERATOR: NO

UNIVERSAL WASTE DESTINATION FACILITY: NO

RECYCLER: NO

TRANSFER FACILITY: NO

TRANSPORTER: NO

USED OIL FUEL BURNER: NO

ONSITE BURNER EXEMPTION: NO

USED OIL PROCESSOR: NO

FURNACE EXEMPTION: NO

USED OIL FUEL MARKETER TO BURNER: NO

USED OIL REFINER: NO

SPECIFICATION USED OIL MARKETER: NO

USED OIL TRANSFER FACILITY: NO

USED OIL TRANSPORTER: NO

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS

10/04/1999 FCI FOCUSED COMPLIANCE INSPECTION

VIOLATIONS - NO VIOLATIONS REPORTED -

ENFORCEMENTS - NO ENFORCEMENTS REPORTED -

HAZARDOUS WASTE

D000

D001 IGNITABLE WASTE

D002 CORROSIVE WASTE

D011 SILVER

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

F002 THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 63

Distance from Property: 0.016 mi. (84 ft.) ESE
Elevation: 21 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 70420
NAME: HILTON BEAUMONT
ADDRESS: 2355 INTERSTATE 10 S
BEAUMONT, TX 77705
COUNTY: JEFFERSON
REGION: 10
TYPE: NOT REPORTED
BEGIN DATE: 08/31/1987
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 02/18/1998
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 02/10/1998
SIGNATURE NAME & TITLE: PAMELA J WINN, ROOMS DIV MGR.
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN601440324
NAME: LB BEAUMONT LLC
CONTACT ADDRESS: 2355 INTERSTATE 10 S
BEAUMONT TX 77705
TYPE: CORPORATION/COMPANY
BEGIN DATE: 10/04/2000
CONTACT ROLE: OWNCON
CONTACT NAME: JAKE DAIGLE
CONTACT TITLE: CHIEF ENG
ORGANIZATION: LB BEAUMONT LLC
PHONE: (409) 8423600 0
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

OPERATOR NUMBER: CN601440324
NAME: LB BEAUMONT LLC
CONTACT ADDRESS: 2355 INTERSTATE 10 S
BEAUMONT TX 77705
TYPE: CORPORATION/COMPANY
BEGIN DATE: 10/04/2000
CONTACT ROLE: OPRCON
CONTACT NAME: JAKE DAIGLE
CONTACT TITLE: NOT REPORTED

CONTACT INFORMATION

NAME: JAKE DAIGLE
TITLE: NOT REPORTED
ORGANIZATION: HILTON BEAUMONT
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8423600 0

Petroleum Storage Tanks (PST)

ORGANIZATION: **LB BEAUMONT LLC**

PHONE: **(409) 8423600 0**

FAX: **NOT REPORTED**

EMAIL: **NOT REPORTED**

SELF-CERTIFICATION

SELF-CERTIFICATION ID: **178817**

SIGNATURE DATE: **07/18/2002**

SIGNATURE NAME & TITLE: **JAKE DAIGLE, NOT REPORTED**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **178816**

SIGNATURE DATE: **07/17/2002**

SIGNATURE NAME & TITLE: **JAKE DAIGLE, NOT REPORTED**

FILING STATUS: **INITIAL**

REGISTRATION FLAG: **YES**

CONSTRUCTION NOTIFICATION

NOTIFICATION CONSTRUCTION ID: **18754**

APPLICATION RECEIVED DATE: **09/09/2002**

SCHEDULE CONSTRUCTION DATE: **10/09/2002**

GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:

NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: **1A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **02/09/1998**

REGISTRATION DATE: **02/18/1998**

TANK CAPACITY (GAL): **300**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **09/17/2002**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **166467**

TANK ID: **1A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **300**

COMPARTMENT RELEASE DETECTION: **MONTHLY TANK GAUGING (FOR EMER. GENERATOR TANKS)**

Petroleum Storage Tanks (PST)

SPILL CONTAINMENT AND OVERFILL PREVENTION: **FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **NONMETALLIC FLEXIBLE PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

TRIENNIAL TIGHTNESS TEST (FOR SUCTION/GRAVITY PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1B**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/31/1987**

REGISTRATION DATE: **02/18/1998**

TANK CAPACITY (GAL): **200**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **08/31/1997**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **166466**

TANK ID: **1B**

COMPARTMENT LETTER: **A**

SUBSTANCES: **UNKNOWN**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **200**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

Petroleum Storage Tanks (PST)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 64

Distance from Property: 0.016 mi. (84 ft.) W

Elevation: 19 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 113674

LPST ID: 113674

FACILITY ID: 0005890

NAME: WESTEND CONOCO

ADDRESS: 3390 HARRISON AVE
BEAUMONT, TX 77706

LEAKING TANK DETAILS

LPST ID: 113674

NAME: WESTEND CONOCO

FACILITY LOCATION: NOT REPORTED

PRIORITY CODE: 4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS

CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED

CORRECTIVE ACTION START DATE: 2/10/99

REPORTED DATE: 11/12/1998

ENTERED DATE: 02/10/1999

CLOSURE DATE: 01/12/2005

PRP INFORMATION

NAME: PETROFUELS CORPORATION

ADDRESS: ADDRESS NOT REPORTED
BEAUMONT TX 77707

CONTACT: NOT REPORTED

PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1

INSTALLATION DATE: 01/01/1973

TANK CAPACITY (GAL): 8000

STATUS: REMOVED FROM GROUND

INTERNAL PROTECTION DATE: NOT REPORTED

TANK DESIGN SINGLE WALL: NO

PIPE DESIGN SINGLE WALL: NO

NUMBER OF COMPARTMENTS: 1

REGISTRATION DATE: 05/08/1986

EMPTY TANK: NOT EMPTY

STATUS BEGIN DATE: 10/06/1999

REGULATORY STATUS: FULLY REGULATED

TANK DESIGN DOUBLE WALL: NO

PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: NO

CORROSION PROTECTION VARIANCE: NO VARIANCE

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: 124577

TANK ID: 1

COMPARTMENT LETTER: A

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 2

NUMBER OF COMPARTMENTS: 1

INSTALLATION DATE: **01/01/1973**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **10/06/1999**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: 124579

TANK ID: 2

COMPARTMENT LETTER: A

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

Leaking Petroleum Storage Tanks (LPST)

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1975**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **5000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **10/06/1999**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **124578**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **5000**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 64

Distance from Property: 0.016 mi. (84 ft.) W
Elevation: 19 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 5890
NAME: C & L EXPRESS MARKET
ADDRESS: 3390 HARRISON AVE
BEAUMONT, TX 77706
COUNTY: JEFFERSON
REGION: 10
TYPE: RETAIL
BEGIN DATE: 08/31/1988
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/08/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 04/28/1986
SIGNATURE NAME & TITLE: J C WEITZEL, SEC TREAS
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN601279946
NAME: PETROFUELS CORPORATION
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: CORPORATION/COMPANY
BEGIN DATE: 09/01/1988
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1973	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 8000	EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: JOHN WEITZEL
TITLE: NOT REPORTED
ORGANIZATION: C & L EXPRESS MARKET
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8354555 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **10/06/1999**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **124577**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

VAPOR MONITORING

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

INSTALLATION DATE: **01/01/1973**

TANK CAPACITY (GAL): **8000**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **05/08/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **10/06/1999**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

Petroleum Storage Tanks (PST)

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **124579**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

VAPOR MONITORING

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1975**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **5000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **10/06/1999**

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

Petroleum Storage Tanks (PST)

UST COMPARTMENT ID: **124578**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **5000**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

VAPOR MONITORING

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Alternative Fueling Stations (ALTFUELS)

MAP ID# 65

Distance from Property: 0.016 mi. (84 ft.) ESE
Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: **20203**

UNIQUE IDENTIFIER FOR THIS SPECIFIC STATION: **20203**

STATION NAME: **U-HAUL**

ADDRESS: **3885 MILAM ST
BEAUMONT, TX 77701**

INTERSECTION DIRECTIONS: **AT I-10 E**

STATION PHONE: **409-833-4358**

STATION CURRENT STATUS: **OPEN: THE STATION IS OPEN.**

TYPE OF ALTERNATIVE FUEL THE STATION PROVIDES: **LIQUEFIED PETROLEUM GAS (PROPANE)**

OWNER TYPE: **PRIVATELY OWNED**

FEDERAL AGENCY ID: **NOT REPORTED**

FEDERAL AGENCY NAME: **NOT REPORTED**

DATE THAT THE STATION BEGAN OFFERING THE FUEL: **NOT REPORTED**

DATE THE STATION'S DETAILS WERE LAST CONFIRMED: **9/10/2018**

TIME THE STATION'S DETAILS WERE LAST UPDATED (ISO 8601 FORMAT): **2019-01-17 00:33:46 UTC**

[Back to Report Summary](#)

Enforcement and Compliance History Information (ECHOR06)

[MAP ID# 65](#)

Distance from Property: 0.016 mi. (84 ft.) ESE
Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

UNIQUE ID: 110005095930

REGISTRY ID: 110005095930

NAME: U-HAUL CO OF HOUSTON

ADDRESS: 3885 MILAM
BEAUMONT, TX 77701

COUNTY: JEFFERSON

FACILITY LINK: [Facility Detail Report](#)

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 65

Distance from Property: 0.016 mi. (84 ft.) ESE
Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRY ID: 110005095930

NAME: U-HAUL CO OF HOUSTON

LOCATION ADDRESS: 3885 MILAM
BEAUMONT, TX 77701

COUNTY: JEFFERSON

EPA REGION: 06

FEDERAL FACILITY: NOT REPORTED

TRIBAL LAND: NOT REPORTED

ALTERNATIVE NAME/S:

U-HAUL

PROGRAM/S LISTED FOR THIS FACILITY

RCRAINFO - RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 65

Distance from Property: 0.016 mi. (84 ft.) ESE

Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRATION#: 70637 EPA ID: TXD981609480

TNRCC ID #: 25450

NAME: U HAUL OF HOUSTON

ADDRESS: 3885 MILAM ST
BEAUMONT, TX 77701

CONTACT: EDDIE LIONEL

PHONE: 409-8334358

BUSINESS DESCRIPTION: THIS REGISTRATION WAS INACTIVATED BECAUSE THERE WERE ONLY 6-DIGIT WASTE CODES ON THE NOR AND NO WASTE ACTIVITY WAS REPORTED IN 1994, 1995 AND 1996.

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR

GENERATOR TYPE: NON-INDUSTRIAL AND/OR MUNICIPAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 03/14/2003

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

WASTE ID: 50977

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

GENERATOR'S DESCRIPTION OF WASTE: NOT REPORTED

WASTE ID: 50978

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

GENERATOR'S DESCRIPTION OF WASTE: NOT REPORTED

WASTE ID: 50979

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

Industrial and Hazardous Waste Sites (IHW)

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **50980**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 65

Distance from Property: 0.016 mi. (84 ft.) ESE
Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 20880
NAME: 746-71 U HAUL BEAUMONT
ADDRESS: 3885 MILAM ST
BEAUMONT, TX 77701
COUNTY: JEFFERSON
REGION: 10
TYPE: UNKNOWN
BEGIN DATE: 09/12/1986
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/08/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 03/24/1986
SIGNATURE NAME & TITLE: J J BRESLIN, REP
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600896807
NAME: U-HAUL CO OF HOUSTON
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: ORGANIZATION
BEGIN DATE: 09/12/1986
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

OPERATOR NUMBER: CN600896807
NAME: U-HAUL CO OF HOUSTON
CONTACT ADDRESS: 3885 MILAM ST
BEAUMONT TX 77701

TYPE: ORGANIZATION
BEGIN DATE: 09/12/1986
CONTACT ROLE: OPRCON
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED

CONTACT INFORMATION

NAME: S MOSES
TITLE: GEN MGR
ORGANIZATION: 746-71 U-HAUL - BEAUMONT
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8334358 0

Petroleum Storage Tanks (PST)

ORGANIZATION: **UHAUL OF HOUSTON**

PHONE: **(409) 8334358 0**

FAX: **NOT REPORTED**

EMAIL: **NOT REPORTED**

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: **1**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1979**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **07/30/1998**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **23688**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,FLOW**

RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

Petroleum Storage Tanks (PST)

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 2	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1984	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 550	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 07/30/1998
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **23690**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **550**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 3	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1979	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 550	EMPTY TANK: NOT EMPTY
STATUS: PERM FILLED IN PLACE	STATUS BEGIN DATE: 03/31/1985
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

Petroleum Storage Tanks (PST)

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **23689**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Generator (RCRAGR06)

MAP ID# 65

Distance from Property: 0.038 mi. (201 ft.) ESE
Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

EPA ID#: TX8141799918

NAME: BIG THICKET NATIONAL PRESERVE

ADDRESS: 3785 MILAN ST

BEAUMONT, TX 77701

CONTACT NAME: CHUNCK BOETTCHER

CONTACT ADDRESS: 3785 MILAN ST

BEAUMONT TX 77701

CONTACT PHONE: 409-839-2691

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 04/09/1991

CERTIFICATION - NO CERTIFICATION REPORTED -

INDUSTRY CLASSIFICATION (NAICS) - NO NAICS INFORMATION REPORTED -

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: SMALL QUANTITY GENERATOR LAST UPDATED DATE: 09/02/2000

SUBJECT TO CORRECTIVE ACTION UNIVERSE: NO

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: NO

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: NO

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: NO

CORRECTIVE ACTION WORKLOAD UNIVERSE: NO

IMPORTER: NO

UNDERGROUND INJECTION: NO

MIXED WASTE GENERATOR: NO

UNIVERSAL WASTE DESTINATION FACILITY: NO

RECYCLER: NO

TRANSFER FACILITY: NO

TRANSPORTER: YES

USED OIL FUEL BURNER: NO

ONSITE BURNER EXEMPTION: NO

USED OIL PROCESSOR: NO

FURNACE EXEMPTION: NO

USED OIL FUEL MARKETER TO BURNER: NO

USED OIL REFINER: NO

SPECIFICATION USED OIL MARKETER: NO

USED OIL TRANSFER FACILITY: NO

USED OIL TRANSPORTER: NO

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS - NO EVALUATIONS REPORTED -

VIOLATIONS - NO VIOLATIONS REPORTED -

ENFORCEMENTS - NO ENFORCEMENTS REPORTED -

HAZARDOUS WASTE

UNKN

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

MAP ID# 65

Distance from Property: 0.016 mi. (84 ft.) ESE
Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

EPA ID#: TXD981609480

NAME: U-HAUL CO OF HOUSTON

ADDRESS: 3885 MILAM

BEAUMONT, TX 77701

CONTACT NAME: EDDIE LIONEL

CONTACT ADDRESS: 3885 MILAM

BEAUMONT TX 77701

CONTACT PHONE: 409-833-4358

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 08/23/2001

CERTIFICATION - NO CERTIFICATION REPORTED -

INDUSTRY CLASSIFICATION (NAICS) - NO NAICS INFORMATION REPORTED -

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: **NON-GENERATOR** LAST UPDATED DATE: **03/25/2004**

SUBJECT TO CORRECTIVE ACTION UNIVERSE: **NO**

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: **NO**

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: **NO**

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: **NO**

CORRECTIVE ACTION WORKLOAD UNIVERSE: **NO**

IMPORTER: **NO**

UNDERGROUND INJECTION: **NO**

MIXED WASTE GENERATOR: **NO**

UNIVERSAL WASTE DESTINATION FACILITY: **NO**

RECYCLER: **NO**

TRANSFER FACILITY: **NO**

TRANSPORTER: **NO**

USED OIL FUEL BURNER: **NO**

ONSITE BURNER EXEMPTION: **NO**

USED OIL PROCESSOR: **NO**

FURNACE EXEMPTION: **NO**

USED OIL FUEL MARKETER TO BURNER: **NO**

USED OIL REFINER: **NO**

SPECIFICATION USED OIL MARKETER: **NO**

USED OIL TRANSFER FACILITY: **NO**

USED OIL TRANSPORTER: **NO**

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS - NO EVALUATIONS REPORTED -

VIOLATIONS - NO VIOLATIONS REPORTED -

ENFORCEMENTS - NO ENFORCEMENTS REPORTED -

HAZARDOUS WASTE

D000

D001 IGNITABLE WASTE

D008 LEAD

F002 THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

F004 THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: CRESOLS, CRESYLIC ACID, AND NITROBENZENE; AND THE STILL BOTTOMS FROM THE RECOVERY OF THESE SOLVENTS; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

[Back to Report Summary](#)

Groundwater Contamination Cases (GWCC)

MAP ID# 66

Distance from Property: 0.016 mi. (84 ft.) W

Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

FILE NUMBER: 117931

FILE NAME: FORMER BURGER KING

LOCATION: 1550 IH 10, BEAUMONT, TX

COUNTY: JEFFERSON

AGENCY: TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

DIVISION: REMEDIATION DIVISION/PETROLEUM STORAGE TANK REIMBURSEMENT PROGRAM (TCEQ)

DATE OF CONTAMINATION

CONFIRMATION BY AGENCY: 12/15/08

CONTAMINANT(S): GASOLINE

ENFORCEMENT STATUS: NOT REPORTED

ACTIVITY STATUS: NOT REPORTED

NEW CASE?: NO

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 66

Distance from Property: 0.016 mi. (84 ft.) W
Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

GEOSEARCH ID: 117931
LPST ID: 117931
FACILITY ID: NOT REPORTED
NAME: FORMER BURGER KING
ADDRESS: 1550 IH 10
BEAUMONT, TX 77705

LEAKING TANK DETAILS

LPST ID: 117931
NAME: FORMER BURGER KING
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 12/15/08
REPORTED DATE: 10/15/2008
ENTERED DATE: 12/15/2008
CLOSURE DATE: 03/28/2013

PRP INFORMATION

NAME: HERITAGE RIDGE BEAUMONT
ADDRESS: ADDRESS NOT REPORTED
TEMPLE TX 76501
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

NO UNDERGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Enforcement and Compliance History Information (ECHOR06)

[MAP ID# 67](#)

Distance from Property: 0.016 mi. (84 ft.) W

Elevation: 21 ft. (Higher than TP)

FACILITY INFORMATION

UNIQUE ID: 110008155799

REGISTRY ID: 110008155799

NAME: CABELLS DAIRIES INC

ADDRESS: 490 INTERSTATE 10 S
BEAUMONT, TX 77706

COUNTY: JEFFERSON

FACILITY LINK: [Facility Detail Report](#)

[Back to Report Summary](#)

Facility Registry System (FRSTX)

[MAP ID# 67](#)

Distance from Property: 0.016 mi. (84 ft.) W

Elevation: 21 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRY ID: 110008155799

NAME: CABELLS DAIRIES INC

LOCATION ADDRESS: 490 INTERSTATE 10 S
BEAUMONT, TX 77706

COUNTY: JEFFERSON

EPA REGION: 06

FEDERAL FACILITY: NOT REPORTED

TRIBAL LAND: NOT REPORTED

ALTERNATIVE NAME/S:

CABELLS DAIRY

PROGRAM/S LISTED FOR THIS FACILITY

RCRAINFO - RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Facility Registry System (FRSTX)

[MAP ID# 67](#)

Distance from Property: 0.016 mi. (84 ft.) W

Elevation: 21 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRY ID: 110034247802

NAME: **DEANS FOODS**

LOCATION ADDRESS: **490 INTERSTATE 10 S
BEAUMONT, TX 77707-4005**

COUNTY: **JEFFERSON**

EPA REGION: **06**

FEDERAL FACILITY: **NOT REPORTED**

TRIBAL LAND: **NOT REPORTED**

ALTERNATIVE NAME/S:

DEANS FOODS

PROGRAM/S LISTED FOR THIS FACILITY

TX-TCEQ ACR - TEXAS COMMISSION ON ENVIRONMENTAL QUALITY - AGENCY CENTRAL REGISTRY

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

2026 - FLUID MILK

4212 - LOCAL TRUCKING WITHOUT STORAGE

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Facility Registry System (FRSTX)

[MAP ID# 67](#)

Distance from Property: 0.016 mi. (84 ft.) W

Elevation: 21 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRY ID: 110070166427

NAME: CABELL DAIRY

LOCATION ADDRESS: 490 S IH 10

BEAUMONT, TX 77706

COUNTY: JEFFERSON

EPA REGION: 06

FEDERAL FACILITY: NOT REPORTED

TRIBAL LAND: NOT REPORTED

ALTERNATIVE NAME/S:

NO ALTERNATIVE NAME(S) LISTED FOR THIS FACILITY

PROGRAM/S LISTED FOR THIS FACILITY

TX-TCEQ ACR - TEXAS COMMISSION ON ENVIRONMENTAL QUALITY - AGENCY CENTRAL REGISTRY

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

[MAP ID# 67](#)

Distance from Property: 0.016 mi. (84 ft.) W

Elevation: 21 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRATION#: 72179 EPA ID: TXD981594492

TNRCC ID #: 26622

NAME: CABELLS DAIRY

ADDRESS: 490 INTERSTATE 10 S
BEAUMONT, TX 77707

CONTACT: LC ALDERMAN

PHONE: 214-9411147

BUSINESS DESCRIPTION: THIS REGISTRATION WAS INACTIVATED BECAUSE THERE WERE ONLY 6-DIGIT WASTE CODES ON THE NOR AND NO WASTE ACTIVITY WAS REPORTED IN 1994, 1995 AND 1996.

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: SMALL QUANTITY GENERATOR

GENERATOR TYPE: NOT REPORTED

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 06/04/2010

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

WASTE ID: 52114

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: YES

GENERATOR'S DESCRIPTION OF WASTE: NOT REPORTED

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 67

Distance from Property: 0.016 mi. (84 ft.) W
Elevation: 21 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 091730
LPST ID: 091730
FACILITY ID: 0034687
NAME: CABELL DAIRY
ADDRESS: 490 S IH 10
BEAUMONT, TX 77706

LEAKING TANK DETAILS

LPST ID: 091730
NAME: CABELL DAIRY
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 2A - GROUNDWATER OTHER THAN 1B SITE CHARACTERIZATION INCOMPLETE
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 3/14/88
REPORTED DATE: 03/14/1988
ENTERED DATE: 03/14/1988
CLOSURE DATE: 06/10/1988

PRP INFORMATION

NAME: SOUTHLAND CORP
ADDRESS: ADDRESS NOT REPORTED
DALLAS TX 75221
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1975	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 8000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 03/28/1988
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
STEEL
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **87925**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 67

Distance from Property: 0.016 mi. (84 ft.) W
Elevation: 21 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 34687
NAME: CABELL DAIRY
ADDRESS: 490 S IH 10
BEAUMONT, TX 77706
COUNTY: JEFFERSON
REGION: 10
TYPE: FLEET REFUELING
BEGIN DATE: 12/10/1986
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/08/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 04/25/1986
SIGNATURE NAME & TITLE: A LOCKETT, GARAGE ACCT
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600968382
NAME: CABELL DAIRY
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: CORPORATION/COMPANY
BEGIN DATE: 12/10/1986
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1
INSTALLATION DATE: 01/01/1975
TANK CAPACITY (GAL): 8000
NUMBER OF COMPARTMENTS: 1
REGISTRATION DATE: 05/08/1986
EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: A LOCKETT
TITLE: GARAGE ACCT
ORGANIZATION: CABELL DAIRY
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8421403 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **03/28/1988**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **87925**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

MAP ID# 67

Distance from Property: 0.016 mi. (84 ft.) W
Elevation: 21 ft. (Higher than TP)

FACILITY INFORMATION

EPA ID#: TXD981594492

NAME: CABELLS DAIRIES INC

ADDRESS: 490 INTERSTATE 10 S

BEAUMONT, TX 77706

CONTACT NAME: LC ALDERMAN

CONTACT ADDRESS: PO BOX 655178

DALLAS TX 75265

CONTACT PHONE: 214-941-1147

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 09/26/2006

OWNER TYPE: NOT REPORTED

OWNER NAME: NOT REPORTED

OPERATOR TYPE: NOT REPORTED

OPERATOR NAME: NOT REPORTED

CERTIFICATION

CERTIFICATION NAME:

CERTIFICATION TITLE:

CERTIFICATION SIGNED DATE:

LC ALDERMAN

UNKNOWN

09/26/2006

INDUSTRY CLASSIFICATION (NAICS) - NO NAICS INFORMATION REPORTED -

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: NON-GENERATOR LAST UPDATED DATE: 10/02/2006

SUBJECT TO CORRECTIVE ACTION UNIVERSE: NO

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: NO

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: NO

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: NO

CORRECTIVE ACTION WORKLOAD UNIVERSE: NO

IMPORTER: NO

UNDERGROUND INJECTION: NO

MIXED WASTE GENERATOR: NO

UNIVERSAL WASTE DESTINATION FACILITY: NO

RECYCLER: NO

TRANSFER FACILITY: NO

TRANSPORTER: NO

USED OIL FUEL BURNER: NO

ONSITE BURNER EXEMPTION: NO

USED OIL PROCESSOR: NO

FURNACE EXEMPTION: NO

USED OIL FUEL MARKETER TO BURNER: NO

USED OIL REFINER: NO

SPECIFICATION USED OIL MARKETER: NO

USED OIL TRANSFER FACILITY: NO

USED OIL TRANSPORTER: NO

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS

08/14/1987

FCI FOCUSED COMPLIANCE INSPECTION

VIOLATIONS - NO VIOLATIONS REPORTED -

ENFORCEMENTS - NO ENFORCEMENTS REPORTED -

HAZARDOUS WASTE

D001 IGNITABLE WASTE

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

CORRECTIVE ACTION EVENT

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

NO CORRECTIVE ACTION EVENT(S) REPORTED

[Back to Report Summary](#)

Enforcement and Compliance History Information (ECHOR06)

MAP ID# 68

Distance from Property: 0.017 mi. (90 ft.) ESE

Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

UNIQUE ID: 110061534451

REGISTRY ID: 110061534451

NAME: SAM'S CLUB #8275

ADDRESS: 1615 INTERSTATE 10 S

BEAUMONT, TX 77701

COUNTY: JEFFERSON

FACILITY LINK: [Facility Detail Report](#)

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 68

Distance from Property: 0.017 mi. (90 ft.) ESE
Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRY ID: 110008169016

NAME: **SAMS CLUB 8275**

LOCATION ADDRESS: 1615 IH 10 S
BEAUMONT, TX 77701-4759

COUNTY: **JEFFERSON**

EPA REGION: **06**

FEDERAL FACILITY: **NOT REPORTED**

TRIBAL LAND: **NOT REPORTED**

ALTERNATIVE NAME/S:

SAMS CLUB NO 8275

SAMS CLUB 8275

PROGRAM/S LISTED FOR THIS FACILITY

RCRAINFO - RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

TX-TCEQ ACR - TEXAS COMMISSION ON ENVIRONMENTAL QUALITY - AGENCY CENTRAL REGISTRY

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

45291 - WAREHOUSE CLUBS AND SUPERCENTERS

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 68

Distance from Property: 0.017 mi. (90 ft.) ESE
Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRY ID: 110061534451

NAME: SAM'S CLUB #8275

LOCATION ADDRESS: 1615 INTERSTATE 10 S
BEAUMONT, TX 77701

COUNTY: JEFFERSON

EPA REGION: 06

FEDERAL FACILITY: NOT REPORTED

TRIBAL LAND: NOT REPORTED

ALTERNATIVE NAME/S:

SAMS CLUB NO 8275

SAMS CLUB 8275

PROGRAM/S LISTED FOR THIS FACILITY

TX-TCEQ ACR - TEXAS COMMISSION ON ENVIRONMENTAL QUALITY - AGENCY CENTRAL REGISTRY

RCRAINFO - RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

45291 - WAREHOUSE CLUBS AND SUPERCENTERS

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 68

Distance from Property: 0.017 mi. (90 ft.) ESE

Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRATION#: 88251 EPA ID: TXR000007773

TNRCC ID #: 121570

NAME: SAMS CLUB 8275

ADDRESS: 1615 IH 10 S
BEAUMONT, TX 77701

CONTACT: ROSE ARNOLD

PHONE: 479-2778972

BUSINESS DESCRIPTION: NOT REPORTED

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: ACTIVE

AMOUNT OF WASTE GENERATED: CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR

GENERATOR TYPE: NON-INDUSTRIAL AND/OR MUNICIPAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS REQUIRED TO SUBMIT AN ANNUAL WASTE REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 11/23/2016

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

WASTE ID: 225319

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: YES

GENERATOR'S DESCRIPTION OF WASTE: GASOLINE AND OTHER MOTOR FUELS CONT; ONE TIME SHIPMENT.

WASTE ID: 225320

WASTE CODE STATUS: ACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

GENERATOR'S DESCRIPTION OF WASTE: FLAMMABLE SOLIDS

WASTE ID: 225321

WASTE CODE STATUS: ACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

Industrial and Hazardous Waste Sites (IHW)

GENERATOR'S DESCRIPTION OF WASTE: **AEROSOLS**

WASTE ID: **225322**

WASTE CODE STATUS: **ACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **CORROSIVE LIQUIDS**

WASTE ID: **225323**

WASTE CODE STATUS: **ACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **FLAMMABLE LIQUIDS**

WASTE ID: **225324**

WASTE CODE STATUS: **ACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **LIGHTERS**

WASTE ID: **225325**

WASTE CODE STATUS: **ACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **OXIDIZING SOLIDS**

WASTE ID: **225326**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **PROPANE CYLINDERS; DUE TO CHANGE(S) IN THE PRODUCT PRODUCED, THIS WASTE IS NO LON**

WASTE ID: **225327**

WASTE CODE STATUS: **ACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **TOXIC SOLIDS**

WASTE ID: **249969**

WASTE CODE STATUS: **ACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **OXIDIZING LIQUIDS**

WASTE ID: **249970**

WASTE CODE STATUS: **ACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **TOXIC LIQUIDS**

WASTE ID: **249971**

WASTE CODE STATUS: **ACTIVE**

WASTE IS RADIOACTIVE: **NO**

Industrial and Hazardous Waste Sites (IHW)

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **P-LISTED WASTE PHARMACEUTICALS**

WASTE ID: **249972**

WASTE CODE STATUS: **ACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **FLAMMABLE WASTE PHARMACEUTICALS**

WASTE ID: **249973**

WASTE CODE STATUS: **ACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **ORGANIC PEROXIDES**

[Back to Report Summary](#)

Notice of Violations (NOV)

MAP ID# 68

Distance from Property: 0.017 mi. (90 ft.) ESE
Elevation: 16 ft. (Lower than TP)

SITE INFORMATION

REFERENCE #: RN101503407

CUSTOMER #: CN600761597

NAME: SAMS CLUB 8275

ADDRESS: 1615 IH 10 S

CITY: BEAUMONT

STATE: TX

ZIPCODE: 77701-4759

COUNTY: JEFFERSON

BUSINESS: RETAIL

CONTACT: KEVIN ALLEN

SITE DETAILS

VIOLATION ISSUED: 06/10/01

CATEGORY: MODERATE

MEDIA: WASTE

STATUS: RESOLVED

ALLEGATION:

FAILURE TO MAINTAIN DOCUMENTATION FOR STAGE II FACILITY REPRESENTATIVE.

RESOLUTION DESCRIPTION:

NOT REPORTED

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 68

Distance from Property: 0.017 mi. (90 ft.) ESE
Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

ID#: 73359
NAME: SAMS CLUB 8275
ADDRESS: 1615 IH 10 S
BEAUMONT, TX 77701
COUNTY: JEFFERSON
REGION: 10
TYPE: RETAIL
BEGIN DATE: 02/24/2000
STATUS: ACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: YES
NUMBER OF ACTIVE UNDERGROUND TANKS: 2
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 09/04/2018
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 08/06/2018
SIGNATURE NAME & TITLE: DIANE CONLEY, LIC SUPPORT
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600761597
NAME: SAMS EAST INC
CONTACT ADDRESS: PO BOX 8041
BENTONVILLE AR 72712
TYPE: CORPORATION/COMPANY
BEGIN DATE: 02/24/2000
CONTACT ROLE: OWNCON
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: SAMS EAST INC
PHONE: (479) 2042231 0
FAX: NOT REPORTED
EMAIL: TERESA.PRUITT@WAL-MART.COM

OPERATOR

OPERATOR NUMBER: CN600761597
NAME: SAMS EAST INC
CONTACT ADDRESS: 702 SW 8TH ST
BENTONVILLE AR 72712
TYPE: CORPORATION/COMPANY
BEGIN DATE: 02/24/2000
CONTACT ROLE: OPRCON
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED

CONTACT INFORMATION

NAME: NOT REPORTED
TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: NOT REPORTED

Petroleum Storage Tanks (PST)

ORGANIZATION: **SAMS EAST INC**

PHONE: **(479) 2042188 0**

FAX: **NOT REPORTED**

EMAIL: **NOT REPORTED**

SELF-CERTIFICATION

SELF-CERTIFICATION ID: **309427**

SIGNATURE DATE: **08/06/2018**

SIGNATURE NAME & TITLE: **DIANE CONLEY, LIC SUPPORT**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **291192**

SIGNATURE DATE: **08/14/2017**

SIGNATURE NAME & TITLE: **DIANE CONLEY, LICENSE SUPP**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **274961**

SIGNATURE DATE: **08/08/2016**

SIGNATURE NAME & TITLE: **DIANE GRABMILLER, CB&I LIC SUPP**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **258499**

SIGNATURE DATE: **08/10/2015**

SIGNATURE NAME & TITLE: **DIANE CONLEY, AGENT**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **241159**

SIGNATURE DATE: **08/08/2014**

SIGNATURE NAME & TITLE: **DIANE CONLEY, CB & L LIC SUP**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **225833**

SIGNATURE DATE: **08/16/2013**

SIGNATURE NAME & TITLE: **DIANE CONLEY, LIC SUPPORT**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **193406**

SIGNATURE DATE: **08/07/2012**

SIGNATURE NAME & TITLE: **LALITHA ASIRVADAM, LICENSING SUPPORT**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **193405**

SIGNATURE DATE: **08/02/2011**

SIGNATURE NAME & TITLE: **TONYA REESE, LIC SUPPORT**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **193404**

SIGNATURE DATE: **08/03/2010**

Petroleum Storage Tanks (PST)

SIGNATURE NAME & TITLE: **TONYA REESE, LIC SUPPORT**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **193403**
SIGNATURE DATE: **09/17/2009**
SIGNATURE NAME & TITLE: **LYNETTE CLEMENT, LICENSE COMP MGR**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **193402**
SIGNATURE DATE: **07/29/2008**
SIGNATURE NAME & TITLE: **VICKY SINCLAIR, LIC COMP SPEC**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **193401**
SIGNATURE DATE: **09/20/2007**
SIGNATURE NAME & TITLE: **VICKY SINCLAIR, LIC COMP SPEC**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **193400**
SIGNATURE DATE: **08/29/2006**
SIGNATURE NAME & TITLE: **SHEILA DEARING, LICENSE ANALYST**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **193399**
SIGNATURE DATE: **08/10/2005**
SIGNATURE NAME & TITLE: **SHEILA DEARING, LIC AGENT**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **193398**
SIGNATURE DATE: **07/29/2004**
SIGNATURE NAME & TITLE: **JANET LYNN, DIR OF LICENSING**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **193397**
SIGNATURE DATE: **08/12/2003**
SIGNATURE NAME & TITLE: **DANIEL GROSS, EPA MGR**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **193396**
SIGNATURE DATE: **08/06/2002**
SIGNATURE NAME & TITLE: **DANIEL GROSS, NOT REPORTED**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **193395**
SIGNATURE DATE: **07/12/2001**
SIGNATURE NAME & TITLE: **DANIEL H GROSS, EPA MGR**
FILING STATUS: **INITIAL**

Petroleum Storage Tanks (PST)

REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **193394**
SIGNATURE DATE: **05/21/2001**
SIGNATURE NAME & TITLE: **DAN GROSS, NOT REPORTED**
FILING STATUS: **INITIAL**
REGISTRATION FLAG: **YES**

CONSTRUCTION NOTIFICATION

NOTIFICATION CONSTRUCTION ID: **18481**
APPLICATION RECEIVED DATE: **07/16/2010**
SCHEDULE CONSTRUCTION DATE: **07/18/2010**
GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:

NOT REPORTED

NOTIFICATION CONSTRUCTION ID: **18482**
APPLICATION RECEIVED DATE: **06/04/2003**
SCHEDULE CONSTRUCTION DATE: **06/04/2003**
GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:

NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 02/24/2000	REGISTRATION DATE: 07/31/2000
TANK CAPACITY (GAL): 20000	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 02/24/2000
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: YES
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: YES

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **171672**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **20000**

COMPARTMENT RELEASE DETECTION: **INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE

PIPING SYSTEMS

MATERIAL: **FRP**

Petroleum Storage Tanks (PST)

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **2**

INSTALLATION DATE: **02/24/2000**

REGISTRATION DATE: **07/31/2000**

TANK CAPACITY (GAL): **20000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **02/24/2000**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **171673**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

Petroleum Storage Tanks (PST)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **2**

INSTALLATION DATE: **02/24/2000**

REGISTRATION DATE: **07/31/2000**

TANK CAPACITY (GAL): **20000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **02/24/2000**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **171674**

TANK ID: **2**

COMPARTMENT LETTER: **B**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **12000**

COMPARTMENT RELEASE DETECTION: **INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 68

Distance from Property: 0.017 mi. (90 ft.) ESE
Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

ID#: 83513
NAME: SAMS CLUB
ADDRESS: 1615 INTERSTATE 10 S
BAYTOWN, TX 77523
COUNTY: NOT REPORTED
REGION: 12

TYPE: NOT REPORTED
BEGIN DATE: NOT REPORTED
STATUS: NOT REPORTED
EXEMPT STATUS: NOT REPORTED
RECORDS OFF-SITE: NOT REPORTED
NUMBER OF ACTIVE UNDERGROUND TANKS: NOT REPORTED
NUMBER OF ACTIVE ABOVEGROUND TANKS: NOT REPORTED

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: NOT REPORTED
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: NOT REPORTED
SIGNATURE NAME & TITLE: SIGNATURE NAME NOT REPORTED, SIGNATURE TITLE NOT REPORTED
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

NO OWNER INFORMATION REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

NO UNDERGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

CONTACT INFORMATION

NAME: NOT REPORTED
TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: NOT REPORTED

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Generator (RCRAGR06)

MAP ID# 68

Distance from Property: 0.017 mi. (90 ft.) ESE
Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

EPA ID#: TXR000007773

NAME: SAMS CLUB 8275

ADDRESS: 1615 IH 10 S

BEAUMONT, TX 77701-4759

CONTACT NAME: TERESA PRUITT

CONTACT ADDRESS: 1300 SE 8TH ST

BENTONVILLE AR 72716-0605

CONTACT PHONE: 479-204-2231

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 01/26/2011

OWNER TYPE: PRIVATE

OWNER NAME: SAMS EAST INC,

OPERATOR TYPE: PRIVATE

OPERATOR NAME: SAMS EAST INC,

CERTIFICATION

CERTIFICATION NAME:	CERTIFICATION TITLE:	CERTIFICATION SIGNED DATE:
TERESA PRUITT	DIRECTOR OF HAZ WASTE	01/26/2011
TERESA PRUITT	DIRECTOR OF HAZ	03/18/2008
RICH DAILEY	DIR OF ENVIRONM	02/19/2008
RICH DAILEY	DIR OF ENVIRONM	10/09/2007
RICH DAILEY	DIR OF ENVIRONM	08/06/2007
RICH DAILEY	DIR OF ENVIRONM	07/19/2007

INDUSTRY CLASSIFICATION (NAICS)

45291 - WAREHOUSE CLUBS AND SUPERCENTERS

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: **SMALL QUANTITY GENERATOR** LAST UPDATED DATE: **02/03/2011**

SUBJECT TO CORRECTIVE ACTION UNIVERSE: **NO**

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: **NO**

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: **NO**

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: **NO**

CORRECTIVE ACTION WORKLOAD UNIVERSE: **NO**

IMPORTER: **NO**

UNDERGROUND INJECTION: **NO**

MIXED WASTE GENERATOR: **NO**

UNIVERSAL WASTE DESTINATION FACILITY: **NO**

RECYCLER: **NO**

TRANSFER FACILITY: **NO**

TRANSPORTER: **NO**

USED OIL FUEL BURNER: **NO**

ONSITE BURNER EXEMPTION: **NO**

USED OIL PROCESSOR: **NO**

FURNACE EXEMPTION: **NO**

USED OIL FUEL MARKETER TO BURNER: **NO**

USED OIL REFINER: **NO**

SPECIFICATION USED OIL MARKETER: **NO**

USED OIL TRANSFER FACILITY: **NO**

USED OIL TRANSPORTER: **NO**

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS - **NO EVALUATIONS REPORTED -**

VIOLATIONS - **NO VIOLATIONS REPORTED -**

ENFORCEMENTS - **NO ENFORCEMENTS REPORTED -**

HAZARDOUS WASTE

Resource Conservation & Recovery Act - Generator (RCRAGR06)

D001	IGNITABLE WASTE
D002	CORROSIVE WASTE
D003	REACTIVE WASTE
D004	ARSENIC
D005	BARIUM
D006	CADMIUM
D007	CHROMIUM
D008	LEAD
D009	MERCURY
D010	SELENIUM
D011	SILVER
D016	2,4-D (2,4-DICHLOROPHENOXYACETIC ACID)
D018	BENZENE
D024	M-CRESOL
D026	CRESOL
D027	1,4-DICHLOROBENZENE
D035	METHYL ETHYL KETONE
D039	TETRACHLOROETHYLENE
P001	2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYLBUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3%
P001	WARFARIN, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3%
P075	NICOTINE, & SALTS
P075	PYRIDINE, 3-(1-METHYL-2-PYRROLIDINYL)-,(S)-, & SALTS
U034	ACETALDEHYDE, TRICHLORO-
U034	CHLORAL
U035	BENZENEBUTANOIC ACID, 4-[BIS(2-CHLOROETHYL)AMINO]-
U035	CHLORAMBUCIL
U058	2H-1,3,2-OXAZAPHOSPHORIN-2-AMINE, N,NBIS(2-CHLOROETHYL)TETRAHYDRO-, 2-OXIDE
U058	CYCLOPHOSPHAMIDE
U080	METHANE, DICHLORO-
U080	METHYLENE CHLORIDE
U122	FORMALDEHYDE
U129	CYCLOHEXANE, 1,2,3,4,5,6-HEXACHLORO-, (1ALPHA, 2ALPHA, 3BETA, 4ALPHA, 5ALPHA, 6BETA)-
U129	LINDANE
U132	HEXACHLOROPHENE
U132	PHENOL, 2,2'-METHYLENEBIS[3,4,6-TRICHLORO-
U150	L-PHENYLALANINE, 4-[BIS(2-CHLOROETHYL)AMINO]-
U150	MELPHALAN
U159	2-BUTANONE (I,T)
U159	METHYL ETHYL KETONE (MEK) (I,T)
U182	1,3,5-TRIOXANE, 2,4,6-TRIMETHYL-
U182	PARALDEHYDE
U188	PHENOL
U200	RESERPINE
U200	YOHIMBAN-16-CARBOXYLIC ACID, 11,17-DIMETHOXY-18-[(3,4,5-TRIMETHOXYBENZOYL)OXY]-, METHYL ESTER,(3BETA, 16BETA, 17ALPHA, 18BETA, 20ALPHA)-

Resource Conservation & Recovery Act - Generator (RCRAGR06)

U205 SELENIUM SULFIDE
U205 SELENIUM SULFIDE SES2 (R,T)
U248 2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYL-BUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS OF 0.3% OR LESS
U248 WARFARIN, & SALTS, WHEN PRESENT AT CONCENTRATIONS OF 0.3% OR LESS
U249 ZINC PHOSPHIDE ZN3P2, WHEN PRESENT AT CONCENTRATIONS OF 10% OR LESS
U279
U409 CARBAMIC ACID, [1,2-PHENYLENE BIS(IMINOCARBONOTHIOL)]BIS-, DIMETHYL ESTER
U409 THIOPHANATE-METHYL
U411 PHENOL, 2-(1-METHYLETHOXY)-, METHYLCARBAMATE
U411 PROPOXUR

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

[Back to Report Summary](#)

Tier I I Chemical Reporting Program Facilities (TIERII)

MAP ID# 68

Distance from Property: 0.017 mi. (90 ft.) ESE
Elevation: 16 ft. (Lower than TP)

SITE INFORMATION

UNIQUE ID: 2555D8021UY9
SITE ID: FATR20122555D8021UY9
NAME: SAM'S CLUB #8275
ADDRESS: 1615 INTERSTATE 10 S
BEAUMONT, TX 77701
SIGNED DATE: 1/23/2013
VALIDATION REPORT: NOT REPORTED
MAILING ADDRESS: P.O. BOX 8041
BENTONVILLE, AR 72712-8041

SITE DETAILS

SITE TYPE: MISCELLANEOUS GENERAL STORES
SITE TYPE: WAREHOUSE CLUBS AND SUPERSTORES
SITE TYPE: MISCELLANEOUS GENERAL STORES
SITE TYPE: WAREHOUSE CLUBS AND SUPERSTORES
SITE TYPE: MISCELLANEOUS GENERAL STORES
SITE TYPE: WAREHOUSE CLUBS AND SUPERSTORES
SITE TYPE: MISCELLANEOUS GENERAL STORES
SITE TYPE: WAREHOUSE CLUBS AND SUPERSTORES
SITE TYPE: MISCELLANEOUS GENERAL STORES
SITE TYPE: WAREHOUSE CLUBS AND SUPERSTORES

CHEMICAL LOCATION:

FORK LIFT MAINTENANCE & CHARGING AREA

CHEMICAL AMOUNT: 29715 POUNDS

CHEMICAL LOCATION:

FORK LIFT MAINTENANCE & CHARGING AREA

CHEMICAL AMOUNT: 2936 POUNDS

CHEMICAL LOCATION:

FORK LIFT MAINTENANCE & CHARGING AREA

CHEMICAL AMOUNT: 2936 POUNDS

CHEMICAL LOCATION:

FORK LIFT MAINTENANCE & CHARGING AREA

CHEMICAL AMOUNT: 2936 POUNDS

CHEMICAL LOCATION:

FORK LIFT MAINTENANCE & CHARGING AREA

CHEMICAL AMOUNT: 29715 POUNDS

CHEMICAL NAME: BATTERIES - LEAD-ACID BATTERIES

MAXIMUM AMOUNT: 29715 POUNDS

FIRE: NOT REPORTED GAS: NOT REPORTED LIQUID: YES SOLID: YES

PURE: NOT REPORTED MIXTURE: YES

CHEMICAL NAME: BATTERY ELECTROLYTE 35% SULFURIC ACID SOLUTION

MAXIMUM AMOUNT: 2936 POUNDS

FIRE: NOT REPORTED GAS: NOT REPORTED LIQUID: YES SOLID: NOT REPORTED

PURE: NOT REPORTED MIXTURE: YES

Tier I I Chemical Reporting Program Facilities (TIERII)

CHEMICAL NAME: **BATTERY ELECTROLYTE 35% SULFURIC ACID SOLUTION**

MAXIMUM AMOUNT: **2936 POUNDS**

FIRE: **NOT REPORTED** GAS: **NOT REPORTED** LIQUID: **YES** SOLID: **NOT REPORTED**

PURE: **NOT REPORTED** MIXTURE: **YES**

CHEMICAL NAME: **BATTERY ELECTROLYTE 35% SULFURIC ACID SOLUTION**

MAXIMUM AMOUNT: **2936 POUNDS**

FIRE: **NOT REPORTED** GAS: **NOT REPORTED** LIQUID: **YES** SOLID: **NOT REPORTED**

PURE: **NOT REPORTED** MIXTURE: **YES**

CHEMICAL NAME: **BATTERIES - LEAD-ACID BATTERIES**

MAXIMUM AMOUNT: **29715 POUNDS**

FIRE: **NOT REPORTED** GAS: **NOT REPORTED** LIQUID: **YES** SOLID: **YES**

PURE: **NOT REPORTED** MIXTURE: **YES**

MIXTURE CHEMICAL: **SULFURIC ACID**

MIXTURE CHEMICAL: **LEAD**

MIXTURE CHEMICAL: **SULFURIC ACID SOLUTION**

MIXTURE CHEMICAL: **WATER**

MIXTURE CHEMICAL: **SULFURIC ACID SOLUTION**

MIXTURE CHEMICAL: **WATER**

MIXTURE CHEMICAL: **SULFURIC ACID SOLUTION**

MIXTURE CHEMICAL: **WATER**

MIXTURE CHEMICAL: **SULFURIC ACID**

MIXTURE CHEMICAL: **LEAD**

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 69

Distance from Property: 0.017 mi. (90 ft.) NW

Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

GEOSEARCH ID: 102430

LPST ID: 102430

FACILITY ID: 0009302

NAME: STEINHAGEN OIL CO INC

ADDRESS: 3850 INTERSTATE 10 S

BEAUMONT, TX 77705

LEAKING TANK DETAILS

LPST ID: 102430

NAME: STEINHAGEN OIL CO INC

FACILITY LOCATION: NOT REPORTED

PRIORITY CODE: 4.2 - NO GW IMPACT NO APPARENT THREATS OR IMPACTS TO RECEPTORS

CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED

CORRECTIVE ACTION START DATE: 9/8/94

REPORTED DATE: 02/26/1992

ENTERED DATE: 09/08/1994

CLOSURE DATE: 07/20/2004

PRP INFORMATION

NAME: STEINHAGEN OIL COMPANY INC

ADDRESS: ADDRESS NOT REPORTED

BEAUMONT TX 77720

CONTACT: NOT REPORTED

PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1

INSTALLATION DATE: 01/01/1965

TANK CAPACITY (GAL): 20000

STATUS: REMOVED FROM GROUND

INTERNAL PROTECTION DATE: NOT REPORTED

TANK DESIGN SINGLE WALL: YES

PIPE DESIGN SINGLE WALL: NO

NUMBER OF COMPARTMENTS: 1

REGISTRATION DATE: 07/16/1986

EMPTY TANK: NOT EMPTY

STATUS BEGIN DATE: 04/16/1996

REGULATORY STATUS: FULLY REGULATED

TANK DESIGN DOUBLE WALL: NO

PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: NO

CORROSION PROTECTION VARIANCE: NO VARIANCE

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30682**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **20000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1965**

REGISTRATION DATE: **07/16/1986**

TANK CAPACITY (GAL): **20000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **04/16/1996**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30681**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **20000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

Leaking Petroleum Storage Tanks (LPST)

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1965**

REGISTRATION DATE: **07/16/1986**

TANK CAPACITY (GAL): **20000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **04/16/1996**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30680**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **20000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

Leaking Petroleum Storage Tanks (LPST)

AST ID #: **NOT REPORTED** MULTIPLE COMPARTMENT FLAG: **NOT REPORTED**
TANK ID: **1** REGISTRATION DATE: **07/16/86**
INSTALLATION DATE: **NOT REPORTED** STATUS BEGIN DATE: **NOT REPORTED**
TANK CAPACITY (GAL): **10000** REGULATORY STATUS: **NOT REPORTED**
STATUS: **OUT OF USE** SUBSTANCES: **UNKNOWN**

MATERIAL OF CONSTRUCTION

STEEL: **YES** CORRUGATED METAL: **NO**
FIBERGLASS: **NO** CONCRETE: **NO**
ALUMINIUM: **NO**

CONTAINMENT

EARTHEN DIKE: **NO** CONCRETE: **NO**
CONTAINMENT LINER: **NO** NONE: **NO**
STAGE I VAPOR RECOVERY: **NOT REPORTED**
STAGE I INSTALLATION DATE: **NOT REPORTED**

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 69

Distance from Property: 0.017 mi. (90 ft.) NW
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

ID#: 9302
NAME: STEINHAGEN OIL
ADDRESS: 3850 INTERSTATE 10 S
BEAUMONT, TX 77705
COUNTY: JEFFERSON
REGION: 10
TYPE: RETAIL
BEGIN DATE: 07/16/1986
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 07/16/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 04/25/1986
SIGNATURE NAME & TITLE: HARVEY STEINHAGEN, PRESIDENT
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600925200
NAME: STEINHAGEN OIL COMPANY INC
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: CORPORATION/COMPANY
BEGIN DATE: 07/16/1986
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1965	REGISTRATION DATE: 07/16/1986
TANK CAPACITY (GAL): 20000	EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: NOT REPORTED
TITLE: NOT REPORTED
ORGANIZATION: STEINHAGEN OIL
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8421414 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **04/16/1996**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **YES** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30682**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **20000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

INSTALLATION DATE: **01/01/1965**

TANK CAPACITY (GAL): **20000**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **07/16/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **04/16/1996**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

Petroleum Storage Tanks (PST)

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30681**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **20000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

INSTALLATION DATE: **01/01/1965**

TANK CAPACITY (GAL): **20000**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **07/16/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **04/16/1996**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30680**

TANK ID: **3**

Petroleum Storage Tanks (PST)

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **20000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

AST ID #: **NOT REPORTED** MULTIPLE COMPARTMENT FLAG: **NOT REPORTED**

TANK ID: **1** REGISTRATION DATE: **07/16/86**

INSTALLATION DATE: **NOT REPORTED** STATUS BEGIN DATE: **NOT REPORTED**

TANK CAPACITY (GAL): **10000** REGULATORY STATUS: **NOT REPORTED**

STATUS: **OUT OF USE** SUBSTANCES: **UNKNOWN**

MATERIAL OF CONSTRUCTION

STEEL: **YES** CORRUGATED METAL: **NO**

FIBERGLASS: **NO** CONCRETE: **NO**

ALUMINIUM: **NO**

CONTAINMENT

EARTHEN DIKE: **NO** CONCRETE: **NO**

CONTAINMENT LINER: **NO** NONE: **NO**

STAGE I VAPOR RECOVERY: **NOT REPORTED**

STAGE I INSTALLATION DATE: **NOT REPORTED**

[Back to Report Summary](#)

Spills Listing (SPILLS)

MAP ID# 69

Distance from Property: 0.017 mi. (90 ft.) NW
Elevation: 15 ft. (Lower than TP)

INCIDENT INFORMATION

GEOSEARCH ID: 11/14/75001

INCIDENT #: 11/14/75001

SPILL DATE: 11/14/75

SPILL LOCATION / COUNTY:

3850 IH10 S. AT WALDEN RD. BULK STATION / TX

RESPONSIBLE PARTY: **STEINHAGEN OIL CO.**

MATERIAL SPILLED / AMOUNT: **DIESEL FUEL / 2000 GAL.**

AFFECTED WATERWAY: **HILLIBRANDT/TAYLOR BAYOU**

AMOUNT IN WATER: **2000 GAL.**

BASIN: **NOT REPORTED**

COMMENTS:

NOT REPORTED

[Back to Report Summary](#)

Enforcement and Compliance History Information (ECHOR06)

MAP ID# 70

Distance from Property: 0.017 mi. (90 ft.) W

Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

UNIQUE ID: 110008163799

REGISTRY ID: 110008163799

NAME: CHEVRON USA INC

ADDRESS: 195 IH 10 N
BEAUMONT, TX 77707

COUNTY: JEFFERSON

FACILITY LINK: [Facility Detail Report](#)

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 70

Distance from Property: 0.017 mi. (90 ft.) W

Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

REGISTRY ID: 110008163799

NAME: **CHEVRON USA INC**

LOCATION ADDRESS: 195 IH 10 N

BEAUMONT, TX 77707

COUNTY: **JEFFERSON**

EPA REGION: **06**

FEDERAL FACILITY: **NOT REPORTED**

TRIBAL LAND: **NOT REPORTED**

ALTERNATIVE NAME/S:

CHEVRON USA INC #107547

PROGRAM/S LISTED FOR THIS FACILITY

RCRAINFO - RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 70

Distance from Property: 0.017 mi. (90 ft.) W
Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

REGISTRY ID: 110033928793

NAME: **FASTLANE NO 34**

LOCATION ADDRESS: 195 INTERSTATE 10 N
BEAUMONT, TX 77707-2503

COUNTY: **JEFFERSON**

EPA REGION: **06**

FEDERAL FACILITY: **NOT REPORTED**

TRIBAL LAND: **NOT REPORTED**

ALTERNATIVE NAME/S:

FASTLANE NO 34

PROGRAM/S LISTED FOR THIS FACILITY

TX-TCEQ ACR - TEXAS COMMISSION ON ENVIRONMENTAL QUALITY - AGENCY CENTRAL REGISTRY

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 70

Distance from Property: 0.017 mi. (90 ft.) W

Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

REGISTRY ID: 110070168613

NAME: **CHEVRON 107547**

LOCATION ADDRESS: 195 IH 10 N

BEAUMONT, TX 77707-2503

COUNTY: **JEFFERSON**

EPA REGION: **06**

FEDERAL FACILITY: **NOT REPORTED**

TRIBAL LAND: **NOT REPORTED**

ALTERNATIVE NAME/S:

NO ALTERNATIVE NAME(S) LISTED FOR THIS FACILITY

PROGRAM/S LISTED FOR THIS FACILITY

TX-TCEQ ACR - TEXAS COMMISSION ON ENVIRONMENTAL QUALITY - AGENCY CENTRAL REGISTRY

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 70

Distance from Property: 0.017 mi. (90 ft.) W

Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

REGISTRATION#: 79243 EPA ID: TXD988045423

TNRCC ID #: 32797

NAME: CHEVRON FAC 107547

ADDRESS: 195 IH 10 N

BEAUMONT, TX 77707

CONTACT: KATHRYN MINTER

PHONE: 713-7543500

BUSINESS DESCRIPTION: NOT REPORTED

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: SMALL QUANTITY GENERATOR

GENERATOR TYPE: NON-INDUSTRIAL AND/OR MUNICIPAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 12/01/2005

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

WASTE ID: 62813

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

GENERATOR'S DESCRIPTION OF WASTE: NOT REPORTED

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 70

Distance from Property: 0.017 mi. (90 ft.) W
Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

GEOSEARCH ID: 110589
LPST ID: 110589
FACILITY ID: 0028592
NAME: CHEVRON FAC 107547
ADDRESS: 195 INTERSTATE 10 N
BEAUMONT, TX 77707

LEAKING TANK DETAILS

LPST ID: 110589
NAME: CHEVRON FAC 107547
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 2.5 - GW IMPACT PUBLIC/DOMESTIC WATER SUPPLY WELL W/IN 0.25MI
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 8/5/96
REPORTED DATE: 01/15/1996
ENTERED DATE: 08/05/1996
CLOSURE DATE: 06/19/1998

PRP INFORMATION

NAME: CHEVRON USA INC
ADDRESS: ADDRESS NOT REPORTED
HOUSTON TX 77210
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 11/01/1987	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 9741	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 11/01/1987
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
FRP
CORROSION PROTECTION:
FRP TANK OR PIPING (NONCORRODIBLE)
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: YES
CORROSION PROTECTION VARIANCE: NO VARIANCE

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **70147**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **9741**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING,SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **11/01/1987**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **11527**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **11/01/1987**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **70148**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **11527**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING,SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY**

Leaking Petroleum Storage Tanks (LPST)

CONTROL

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **11/01/1987**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **9741**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **11/01/1987**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **70146**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **9741**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING,SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

Leaking Petroleum Storage Tanks (LPST)

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **11/01/1987**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **9741**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **11/01/1987**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **70146**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **9741**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING,SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

Leaking Petroleum Storage Tanks (LPST)

[Back to Report Summary](#)

Notice of Violations (NOV)

MAP ID# 70

Distance from Property: 0.017 mi. (90 ft.) W
Elevation: 17 ft. (Equal to TP)

SITE INFORMATION

REFERENCE #: RN101807071
CUSTOMER #: CN600925200
NAME: FASTLANE NO 34
ADDRESS: 195 INTERSTATE 10 N
CITY: BEAUMONT
STATE: TX
ZIPCODE: 77707-2503
COUNTY: JEFFERSON
BUSINESS: RETAIL
CONTACT: GARY HOLCOMBE

SITE DETAILS

VIOLATION ISSUED: 11/09/07
CATEGORY: MODERATE
MEDIA: WASTE
STATUS: RESOLVED
ALLEGATION:
FAILURE TO CONDUCT/RECORD STAGE II VAPOR RECOVERY SYSTEM MONTHLY INSPECTIONS.
RESOLUTION DESCRIPTION:
NOT REPORTED

VIOLATION ISSUED: 11/09/07
CATEGORY: MODERATE
MEDIA: WASTE
STATUS: RESOLVED
ALLEGATION:
FAILURE TO CONDUCT/RECORD STAGE II VAPOR RECOVERY SYSTEM MONTHLY INSPECTIONS.
RESOLUTION DESCRIPTION:
NOT REPORTED

VIOLATION ISSUED: 11/09/07
CATEGORY: MODERATE
MEDIA: WASTE
STATUS: RESOLVED
ALLEGATION:
FAILURE TO CONDUCT/RECORD STAGE II VAPOR RECOVERY SYSTEM MONTHLY INSPECTIONS.
RESOLUTION DESCRIPTION:
NOT REPORTED

VIOLATION ISSUED: 11/09/07
CATEGORY: MODERATE
MEDIA: WASTE
STATUS: RESOLVED
ALLEGATION:

Notice of Violations (NOV)

FAILURE TO CONDUCT/RECORD STAGE II VAPOR RECOVERY SYSTEM MONTHLY INSPECTIONS.

RESOLUTION DESCRIPTION:

NOT REPORTED

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 70

Distance from Property: 0.017 mi. (90 ft.) W
Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

ID#: 28592
NAME: FASTLANE NO 34
ADDRESS: 195 INTERSTATE 10 N
 BEAUMONT, TX 77707
COUNTY: JEFFERSON
REGION: 10
TYPE: RETAIL
BEGIN DATE: 10/24/1986
STATUS: ACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: YES
NUMBER OF ACTIVE UNDERGROUND TANKS: 3
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 12/11/2018
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 12/06/2018
SIGNATURE NAME & TITLE: BOYD ALLEN, M SUPV
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600925200
NAME: STEINHAGEN OIL COMPANY INC
CONTACT ADDRESS: PO BOX 20037
 BEAUMONT TX 77720
TYPE: CORPORATION/COMPANY
BEGIN DATE: 11/28/2001
CONTACT ROLE: OWNCON
CONTACT NAME: GARY HOLCOMBE
CONTACT TITLE: OPS MGR
ORGANIZATION: STEINHAGEN OIL CO INC
PHONE: (409) 8421414 0
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

OPERATOR NUMBER: CN600925200
NAME: STEINHAGEN OIL COMPANY INC
CONTACT ADDRESS: PO BOX 20037
 BEAUMONT TX 77720
TYPE: CORPORATION/COMPANY
BEGIN DATE: 11/28/2001
CONTACT ROLE: OWNOPRCON
CONTACT NAME: BOYD ALLEN
CONTACT TITLE: OPS MGR

CONTACT INFORMATION

NAME: NOT REPORTED
TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
 CITY NOT REPORTED
PHONE: NOT REPORTED

Petroleum Storage Tanks (PST)

ORGANIZATION: **STEINHAGEN OIL COMPANY INC**

PHONE: **(409) 8421414 0**

FAX: **NOT REPORTED**

EMAIL: **NOT REPORTED**

SELF-CERTIFICATION

SELF-CERTIFICATION ID: **312610**

SIGNATURE DATE: **12/06/2018**

SIGNATURE NAME & TITLE: **BOYD ALLEN, M SUPV**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **295660**

SIGNATURE DATE: **12/05/2017**

SIGNATURE NAME & TITLE: **CRAIG HILL, PRESIDENT**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **281372**

SIGNATURE DATE: **01/20/2017**

SIGNATURE NAME & TITLE: **CRAIG HILL, PRESIDENT**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **262758**

SIGNATURE DATE: **12/17/2015**

SIGNATURE NAME & TITLE: **GARY HOLCOMBE, OPS MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **245869**

SIGNATURE DATE: **12/11/2014**

SIGNATURE NAME & TITLE: **GARY HOLCOMBE, OPS MGR**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **228762**

SIGNATURE DATE: **12/09/2013**

SIGNATURE NAME & TITLE: **GARY HOLCOMBE, OPS SUPERVISER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **75637**

SIGNATURE DATE: **12/28/2012**

SIGNATURE NAME & TITLE: **GARY HOLCOMBE, OPS SUPERVISOR**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **75636**

SIGNATURE DATE: **12/13/2011**

SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, OPERATIONS MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **75635**

SIGNATURE DATE: **12/10/2010**

Petroleum Storage Tanks (PST)

SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, OPERATIONS MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **75634**

SIGNATURE DATE: **12/14/2009**

SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, OPS MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **75633**

SIGNATURE DATE: **12/16/2008**

SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, OPS MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **75632**

SIGNATURE DATE: **12/18/2007**

SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, OPS MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **75631**

SIGNATURE DATE: **12/08/2006**

SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, OPS MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **75630**

SIGNATURE DATE: **12/05/2005**

SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, COMPLIANCE MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **75629**

SIGNATURE DATE: **12/17/2004**

SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, COMPLIANCE MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **75628**

SIGNATURE DATE: **01/09/2004**

SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **75627**

SIGNATURE DATE: **01/08/2003**

SIGNATURE NAME & TITLE: **G HOLCOMBE, NOT REPORTED**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **75626**

SIGNATURE DATE: **01/08/2002**

SIGNATURE NAME & TITLE: **JW HISE, COMPLIANCE OFFICER**

FILING STATUS: **RENEWAL**

Petroleum Storage Tanks (PST)

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **75625**

SIGNATURE DATE: **11/15/2000**

SIGNATURE NAME & TITLE: **J W HISE, OPER MGR**

FILING STATUS: **INITIAL**

REGISTRATION FLAG: **YES**

CONSTRUCTION NOTIFICATION

NOTIFICATION CONSTRUCTION ID: **6245**

APPLICATION RECEIVED DATE: **02/25/2002**

SCHEDULE CONSTRUCTION DATE: **02/25/2002**

GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:

NOT REPORTED

NOTIFICATION CONSTRUCTION ID: **6246**

APPLICATION RECEIVED DATE: **01/10/2000**

SCHEDULE CONSTRUCTION DATE: **02/09/2000**

GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:

NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: **1**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **11/01/1987**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **9741**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **11/01/1987**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **70147**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **9741**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING,SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALVE**

PIPING SYSTEMS

Petroleum Storage Tanks (PST)

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

VAPOR MONITORING,AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING),SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **11/01/1987**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **11527**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **11/01/1987**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **70148**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **11527**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING,SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

Petroleum Storage Tanks (PST)

VAPOR MONITORING,AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING),SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 3	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 11/01/1987	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 9741	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 11/01/1987
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **70146**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **9741**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING,SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

VAPOR MONITORING,AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 3	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 11/01/1987	REGISTRATION DATE: 05/08/1986

Petroleum Storage Tanks (PST)

TANK CAPACITY (GAL): **9741** EMPTY TANK: **NOT EMPTY**
STATUS: **IN USE** STATUS BEGIN DATE: **11/01/1987**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **YES** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **YES** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **70146**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **9741**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING,SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

VAPOR MONITORING,AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

MAP ID# 70

Distance from Property: 0.017 mi. (90 ft.) W
Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

EPA ID#: TXD988045423
NAME: CHEVRON USA INC
ADDRESS: 195 IH 10 N
BEAUMONT, TX 77707

OWNER TYPE: PRIVATE
OWNER NAME: CHEVRON USA INC
OPERATOR TYPE: PRIVATE
OPERATOR NAME: CHEVRON USA INC

CONTACT NAME: KATHRYN MINTER
CONTACT ADDRESS: PO BOX 5004
SAN RAMON CA 94583

CONTACT PHONE: 713-754-3500
NON-NOTIFIER: NOT A NON-NOTIFIER
DATE RECEIVED BY AGENCY: 11/29/2005

CERTIFICATION

CERTIFICATION NAME: KATHRYN MINTER
CERTIFICATION TITLE: UNKNOWN
CERTIFICATION SIGNED DATE: 11/29/2005

INDUSTRY CLASSIFICATION (NAICS) - NO NAICS INFORMATION REPORTED -

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: **NON-GENERATOR** LAST UPDATED DATE: **12/06/2005**
SUBJECT TO CORRECTIVE ACTION UNIVERSE: **NO**
TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: **NO**
TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: **NO**
NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: **NO**
CORRECTIVE ACTION WORKLOAD UNIVERSE: **NO**
IMPORTER: **NO** UNDERGROUND INJECTION: **NO**
MIXED WASTE GENERATOR: **NO** UNIVERSAL WASTE DESTINATION FACILITY: **NO**
RECYCLER: **NO** TRANSFER FACILITY: **NO**
TRANSPORTER: **NO** USED OIL FUEL BURNER: **NO**
ONSITE BURNER EXEMPTION: **NO** USED OIL PROCESSOR: **NO**
FURNACE EXEMPTION: **NO** USED OIL FUEL MARKETER TO BURNER: **NO**
USED OIL REFINER: **NO** SPECIFICATION USED OIL MARKETER: **NO**
USED OIL TRANSFER FACILITY: **NO** USED OIL TRANSPORTER: **NO**

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS - NO EVALUATIONS REPORTED -
VIOLATIONS - NO VIOLATIONS REPORTED -
ENFORCEMENTS - NO ENFORCEMENTS REPORTED -

HAZARDOUS WASTE

D000
D001 IGNITABLE WASTE
D018 BENZENE

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -
CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

[Back to Report Summary](#)

Spills Listing (SPILLS)

MAP ID# 70

Distance from Property: 0.017 mi. (90 ft.) W

Elevation: 17 ft. (Equal to TP)

INCIDENT INFORMATION

GEOSEARCH ID: 3/13/88005

INCIDENT #: 3/13/88005

SPILL DATE: 03/13/88

SPILL LOCATION / COUNTY:

195 IH-10 NORTH, BEAUMONT / TX

RESPONSIBLE PARTY: **GULF STATES UTILITIES**

MATERIAL SPILLED / AMOUNT: **TRANSFORMER OIL / 2 GAL**

AFFECTED WATERWAY: **NONE**

AMOUNT IN WATER: **NONE**

BASIN: **NECHES**

COMMENTS:

NOT REPORTED

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 71

Distance from Property: 0.017 mi. (90 ft.) W
Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

ID#: 71858
NAME: STEPHANIE WILEY PROPERTY
ADDRESS: 1240 IH 10 S
BEAUMONT, TX 77707
COUNTY: JEFFERSON
REGION: 10

TYPE: FARM OR RESIDENTIAL

BEGIN DATE: 08/31/1987

STATUS: INACTIVE

EXEMPT STATUS: NO

RECORDS OFF-SITE: NO

NUMBER OF ACTIVE UNDERGROUND TANKS: 0

NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 04/05/1999

SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 02/11/1999

SIGNATURE NAME & TITLE: STEPHANIE WILEY, EXECUTOR

ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600972079

NAME: WILEY STEPHANIE

CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: ORGANIZATION

BEGIN DATE: 08/31/1987

CONTACT ROLE: NOT REPORTED

CONTACT NAME: NOT REPORTED

CONTACT TITLE: NOT REPORTED

ORGANIZATION: NOT REPORTED

PHONE: NOT REPORTED

FAX: NOT REPORTED

EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1

INSTALLATION DATE: 08/31/1987

TANK CAPACITY (GAL): NOT REPORTED

NUMBER OF COMPARTMENTS: 1

REGISTRATION DATE: 04/05/1999

EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: NOT REPORTED

TITLE: NOT REPORTED

ORGANIZATION: STEPHANIE WILEY PROPERTY

MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED

PHONE: (877) 2151333 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **12/30/1998**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **168115**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **0**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Enforcement and Compliance History Information (ECHOR06)

[MAP ID# 72](#)

Distance from Property: 0.018 mi. (95 ft.) NW
Elevation: 19 ft. (Higher than TP)

FACILITY INFORMATION

UNIQUE ID: 110005193682

REGISTRY ID: 110005193682

NAME: ENVIRONMENTAL OIL CO

ADDRESS: 4610 FANNETT
BEAUMONT, TX 77705

COUNTY: JEFFERSON

FACILITY LINK: [Facility Detail Report](#)

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 72

Distance from Property: 0.018 mi. (95 ft.) NW
Elevation: 19 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRY ID: 110005193682

NAME: ENVIRONMENTAL OIL CO

LOCATION ADDRESS: 4610 FANNETT
BEAUMONT, TX 77705

COUNTY: JEFFERSON

EPA REGION: 06

FEDERAL FACILITY: NOT REPORTED

TRIBAL LAND: NOT REPORTED

ALTERNATIVE NAME/S:

ENVIRONMENTAL OIL CO

PROGRAM/S LISTED FOR THIS FACILITY

RCRAINFO - RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 72

Distance from Property: 0.018 mi. (95 ft.) NW
Elevation: 19 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 60275
NAME: MOBILE MAINTENANCE
ADDRESS: 4610 FANNETT RD
BEAUMONT, TX 77705
COUNTY: JEFFERSON
REGION: 10
TYPE: UNKNOWN
BEGIN DATE: 06/29/1986
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 10/04/1991
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 09/30/1991
SIGNATURE NAME & TITLE: WILLIAM J CHALMERS, OWNER
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600948293
NAME: CHALMERS JR WILLIAM J
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: ORGANIZATION
BEGIN DATE: 06/29/1986
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NOTIFICATION CONSTRUCTION ID: 15417
APPLICATION RECEIVED DATE: 11/28/2000
SCHEDULE CONSTRUCTION DATE: 12/04/2000
GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:
NOT REPORTED

CONTACT INFORMATION

NAME: LLOYD MCNEIL
TITLE: NOT REPORTED
ORGANIZATION: MOBILE MAINTENANCE
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8422239 0

Petroleum Storage Tanks (PST)

UNDERGROUND STORAGE TANK

TANK ID: 1
INSTALLATION DATE: 06/29/1986
TANK CAPACITY (GAL): 10000
STATUS: **REMOVED FROM GROUND**
INTERNAL PROTECTION DATE: **NOT REPORTED**
TANK DESIGN SINGLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: 1
REGISTRATION DATE: 10/04/1991
EMPTY TANK: **NOT EMPTY**
STATUS BEGIN DATE: 06/30/1986
REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: 138756

TANK ID: 1

COMPARTMENT LETTER: A

SUBSTANCES: **UNKNOWN**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): 10000

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 2

INSTALLATION DATE: 06/29/1986

TANK CAPACITY (GAL): 10000

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: 1

REGISTRATION DATE: 10/04/1991

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: 06/30/1986

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

Petroleum Storage Tanks (PST)

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **138755**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **UNKNOWN**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **06/29/1986**

REGISTRATION DATE: **10/04/1991**

TANK CAPACITY (GAL): **550**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **06/30/1986**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Petroleum Storage Tanks (PST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **138754**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **UNKNOWN**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **550**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

MAP ID# 72

Distance from Property: 0.018 mi. (95 ft.) NW
Elevation: 19 ft. (Higher than TP)

FACILITY INFORMATION

EPA ID#: TXT490014867

NAME: ENVIRONMENTAL OIL CO

ADDRESS: 4610 FANNETT

BEAUMONT, TX 77705

CONTACT NAME: BILLY DEROUEN

CONTACT ADDRESS: 4610 FANNETT

BEAUMONT TX 77705

CONTACT PHONE: 713-842-9732

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 06/30/1981

CERTIFICATION - NO CERTIFICATION REPORTED -

INDUSTRY CLASSIFICATION (NAICS) - NO NAICS INFORMATION REPORTED -

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: **NON-GENERATOR** LAST UPDATED DATE: **04/14/2015**

SUBJECT TO CORRECTIVE ACTION UNIVERSE: **NO**

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: **NO**

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: **NO**

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: **NO**

CORRECTIVE ACTION WORKLOAD UNIVERSE: **NO**

IMPORTER: **NO**

UNDERGROUND INJECTION: **NO**

MIXED WASTE GENERATOR: **NO**

UNIVERSAL WASTE DESTINATION FACILITY: **NO**

RECYCLER: **NO**

TRANSFER FACILITY: **NO**

TRANSPORTER: **NO**

USED OIL FUEL BURNER: **NO**

ONSITE BURNER EXEMPTION: **NO**

USED OIL PROCESSOR: **NO**

FURNACE EXEMPTION: **NO**

USED OIL FUEL MARKETER TO BURNER: **NO**

USED OIL REFINER: **NO**

SPECIFICATION USED OIL MARKETER: **NO**

USED OIL TRANSFER FACILITY: **NO**

USED OIL TRANSPORTER: **NO**

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS - NO EVALUATIONS REPORTED -

VIOLATIONS - NO VIOLATIONS REPORTED -

ENFORCEMENTS - NO ENFORCEMENTS REPORTED -

HAZARDOUS WASTE

- NO HAZARDOUS WASTE INFORMATION REPORTED -

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 73

Distance from Property: 0.018 mi. (95 ft.) ESE
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRY ID: 110034051335

NAME: **FASTLANE NO 24**

LOCATION ADDRESS: **3875 INTERSTATE 10 S**
BEAUMONT, TX 77705-4226

COUNTY: **JEFFERSON**

EPA REGION: **06**

FEDERAL FACILITY: **NOT REPORTED**

TRIBAL LAND: **NOT REPORTED**

ALTERNATIVE NAME/S:

FASTLANE NO 24

PROGRAM/S LISTED FOR THIS FACILITY

TX-TCEQ ACR - TEXAS COMMISSION ON ENVIRONMENTAL QUALITY - AGENCY CENTRAL REGISTRY

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Notice of Violations (NOV)

MAP ID# 73

Distance from Property: 0.018 mi. (95 ft.) ESE
Elevation: 15 ft. (Lower than TP)

SITE INFORMATION

REFERENCE #: RN101909133
CUSTOMER #: CN602295370
NAME: FASTLANE NO 24
ADDRESS: NOT REPORTED
CITY: BEAUMONT
STATE: TX
ZIPCODE: NOT REPORTED
COUNTY: JEFFERSON
BUSINESS: RETAIL
CONTACT: GARY HOLCOMBE

SITE DETAILS

VIOLATION ISSUED: 04/17/14

CATEGORY: MINOR

MEDIA: WASTE

STATUS: RESOLVED

ALLEGATION:

FAILURE TO MAINTAIN EMPLOYEE TRAINING DOCUMENTATION ON STAGE II SYSTEM OPERATIONS. EIC C7, MINOR

RESOLUTION DESCRIPTION:

ON FEBRUARY 26, 2014, EMPLOYEE TRAINING DOCUMENTATION FOR MS. HEATHER SEARS WAS SUBMITTED TO THE TCEQ REGION-10 OFFICE.

VIOLATION ISSUED: 04/17/14

CATEGORY: MODERATE

MEDIA: WASTE

STATUS: RESOLVED

ALLEGATION:

FAILURE TO SUBMIT 2012 STAGE II SYSTEM TEST RESULTS TO THE TCEQ WITHIN 10 WORKING DAYS. EIC C3, MINOR

RESOLUTION DESCRIPTION:

ON APRIL 03, 2014, DOCUMENTATION DEMONSTRATING HOW THE FACILITY WILL MAINTAIN COMPLIANCE WITH REGARD TO THE SUBMITTAL OF FUTURE STAGE II VAPOR RECOVERY TEST RESULTS WAS RECEIVED AT THE TCEQ REGION-10 OFFICE.

VIOLATION ISSUED: 04/17/14

CATEGORY: MINOR

MEDIA: WASTE

STATUS: RESOLVED

ALLEGATION:

FAILURE TO MAINTAIN COPY OF 2013 STAGE II SYSTEM TEST RESULTS ON-SITE. EIC C3, MINOR

RESOLUTION DESCRIPTION:

ON FEBRUARY 26, 2014, DOCUMENTATION DEMONSTRATING THAT A COPY OF THE 2013 STAGE II SYSTEM TEST RESULTS WERE BEING MAINTAINED ON-SITE WAS SUBMITTED TO THE TCEQ.

VIOLATION ISSUED: 04/17/14

Notice of Violations (NOV)

CATEGORY: **MODERATE**

MEDIA: **WASTE**

STATUS: **RESOLVED**

ALLEGATION:

FAILURE TO SUBMIT STAGE II PRE-TEST NOTIFICATION FOR 2012.

RESOLUTION DESCRIPTION:

ON APRIL 03, 2014, DOCUMENTATION DEMONSTRATING HOW THE FACILITY WILL MAINTAIN COMPLIANCE WITH REGARD TO THE SUBMITTAL OF FUTURE STAGE II PRE-TEST NOTIFICATIONS WAS RECEIVED AT THE TCEQ REGION-10 OFFICE.

VIOLATION ISSUED: **04/17/14**

CATEGORY: **MINOR**

MEDIA: **WASTE**

STATUS: **RESOLVED**

ALLEGATION:

FAILURE TO MAINTAIN EMPLOYEE TRAINING DOCUMENTATION ON STAGE II SYSTEM OPERATIONS. EIC C7, MINOR

RESOLUTION DESCRIPTION:

ON FEBRUARY 26, 2014, EMPLOYEE TRAINING DOCUMENTATION FOR MS. HEATHER SEARS WAS SUBMITTED TO THE TCEQ REGION-10 OFFICE.

VIOLATION ISSUED: **04/17/14**

CATEGORY: **MINOR**

MEDIA: **WASTE**

STATUS: **RESOLVED**

ALLEGATION:

FAILURE TO MAINTAIN COPY OF 2013 STAGE II SYSTEM TEST RESULTS ON-SITE. EIC C3, MINOR

RESOLUTION DESCRIPTION:

ON FEBRUARY 26, 2014, DOCUMENTATION DEMONSTRATING THAT A COPY OF THE 2013 STAGE II SYSTEM TEST RESULTS WERE BEING MAINTAINED ON-SITE WAS SUBMITTED TO THE TCEQ.

VIOLATION ISSUED: **04/17/14**

CATEGORY: **MODERATE**

MEDIA: **WASTE**

STATUS: **RESOLVED**

ALLEGATION:

FAILURE TO SUBMIT 2012 STAGE II SYSTEM TEST RESULTS TO THE TCEQ WITHIN 10 WORKING DAYS. EIC C3, MINOR

RESOLUTION DESCRIPTION:

ON APRIL 03, 2014, DOCUMENTATION DEMONSTRATING HOW THE FACILITY WILL MAINTAIN COMPLIANCE WITH REGARD TO THE SUBMITTAL OF FUTURE STAGE II VAPOR RECOVERY TEST RESULTS WAS RECEIVED AT THE TCEQ REGION-10 OFFICE.

VIOLATION ISSUED: **04/17/14**

CATEGORY: **MODERATE**

MEDIA: **WASTE**

STATUS: **RESOLVED**

ALLEGATION:

FAILURE TO SUBMIT STAGE II PRE-TEST NOTIFICATION FOR 2012.

RESOLUTION DESCRIPTION:

Notice of Violations (NOV)

ON APRIL 03, 2014, DOCUMENTATION DEMONSTRATING HOW THE FACILITY WILL MAINTAIN COMPLIANCE WITH REGARD TO THE SUBMITTAL OF FUTURE STAGE II PRE-TEST NOTIFICATIONS WAS RECEIVED AT THE TCEQ REGION-10 OFFICE.

VIOLATION ISSUED: 10/11/07

CATEGORY: MODERATE

MEDIA: WASTE

STATUS: RESOLVED

ALLEGATION:

FAILURE TO MAINTAIN A RECORD OF THE RESULTS OF STAGE II VAPOR RECOVERY SYSTEM TESTING CONDUCTED AT THE MOTOR VEHICLE FUEL DISPENSING FACILITY.

RESOLUTION DESCRIPTION:

NOT REPORTED

VIOLATION ISSUED: 10/11/07

CATEGORY: MODERATE

MEDIA: WASTE

STATUS: RESOLVED

ALLEGATION:

FAILURE TO MAINTAIN A RECORD OF THE RESULTS OF STAGE II VAPOR RECOVERY SYSTEM TESTING CONDUCTED AT THE MOTOR VEHICLE FUEL DISPENSING FACILITY.

RESOLUTION DESCRIPTION:

NOT REPORTED

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 73

Distance from Property: 0.018 mi. (95 ft.) ESE
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

ID#: 58585
NAME: FASTLANE NO 24
ADDRESS: 3875 INTERSTATE 10 S
BEAUMONT, TX 77705
COUNTY: JEFFERSON
REGION: 10
TYPE: RETAIL
BEGIN DATE: 06/17/1991
STATUS: ACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: YES
NUMBER OF ACTIVE UNDERGROUND TANKS: 4
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 12/11/2018
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 12/06/2018
SIGNATURE NAME & TITLE: BOYD ALLEN, M SUPV
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600925200
NAME: STEINHAGEN OIL COMPANY INC
CONTACT ADDRESS: PO BOX 20037
BEAUMONT TX 77720
TYPE: CORPORATION/COMPANY
BEGIN DATE: 11/28/2001
CONTACT ROLE: OWNCON
CONTACT NAME: GARY HOLCOMBE
CONTACT TITLE: OPS MGR
ORGANIZATION: STEINHAGEN OIL CO INC
PHONE: (409) 8421414 0
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

OPERATOR NUMBER: CN600925200
NAME: STEINHAGEN OIL COMPANY INC
CONTACT ADDRESS: PO BOX 20037
BEAUMONT TX 77720
TYPE: CORPORATION/COMPANY
BEGIN DATE: 11/28/2001
CONTACT ROLE: OWNOPRCON
CONTACT NAME: BOYD ALLEN
CONTACT TITLE: OPS MGR

CONTACT INFORMATION

NAME: NOT REPORTED
TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: NOT REPORTED

Petroleum Storage Tanks (PST)

ORGANIZATION: **STEINHAGEN OIL COMPANY INC**

PHONE: **(409) 8421414 0**

FAX: **NOT REPORTED**

EMAIL: **NOT REPORTED**

SELF-CERTIFICATION

SELF-CERTIFICATION ID: **312619**

SIGNATURE DATE: **12/06/2018**

SIGNATURE NAME & TITLE: **BOYD ALLEN, M SUPV**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **295656**

SIGNATURE DATE: **12/05/2017**

SIGNATURE NAME & TITLE: **CRAIG HILL, PRESIDENT**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **281376**

SIGNATURE DATE: **01/20/2017**

SIGNATURE NAME & TITLE: **CRAIG HILL, PRES**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **262764**

SIGNATURE DATE: **12/17/2015**

SIGNATURE NAME & TITLE: **GARY HOLCOMBE, OPS MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **245877**

SIGNATURE DATE: **12/11/2014**

SIGNATURE NAME & TITLE: **GARY HOLCOMBE, OPS MGR**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **228748**

SIGNATURE DATE: **12/09/2013**

SIGNATURE NAME & TITLE: **GARY HOLCOMBE, OPS SUPERVISOR**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **34528**

SIGNATURE DATE: **12/28/2012**

SIGNATURE NAME & TITLE: **GARY HOLCOMBE, OPS SUPERVISOR**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **34527**

SIGNATURE DATE: **12/13/2011**

SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, OPERATIONS MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **34526**

SIGNATURE DATE: **12/10/2010**

Petroleum Storage Tanks (PST)

SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, OPERATIONS MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **34525**

SIGNATURE DATE: **12/14/2009**

SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, OPS MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **34524**

SIGNATURE DATE: **12/16/2008**

SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, OPS MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **34523**

SIGNATURE DATE: **12/18/2007**

SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, OPS MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **34522**

SIGNATURE DATE: **12/08/2006**

SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, OPS MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **34521**

SIGNATURE DATE: **12/05/2005**

SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, COMPLIANCE MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **34520**

SIGNATURE DATE: **12/17/2004**

SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, COMPLIANCE MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **34519**

SIGNATURE DATE: **01/09/2004**

SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **34518**

SIGNATURE DATE: **12/30/2002**

SIGNATURE NAME & TITLE: **G HOLCOMBE, NOT REPORTED**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **34517**

SIGNATURE DATE: **01/08/2002**

SIGNATURE NAME & TITLE: **JW HISE, COMPLIANCE OFFICER**

FILING STATUS: **INITIAL**

Petroleum Storage Tanks (PST)

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **34516**

SIGNATURE DATE: **11/15/2000**

SIGNATURE NAME & TITLE: **J W HISE, OPER MGR**

FILING STATUS: **INITIAL**

REGISTRATION FLAG: **YES**

CONSTRUCTION NOTIFICATION

NOTIFICATION CONSTRUCTION ID: **3140**

APPLICATION RECEIVED DATE: **07/05/2011**

SCHEDULE CONSTRUCTION DATE: **07/29/2011**

GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:

BREAK OUT PUMP ISLANDS & INSTALL NEW DISPENSER BOXES, AND SET DISPENSERS TO GRAD E.

UNDERGROUND STORAGE TANK

TANK ID: **1**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **04/01/1991**

REGISTRATION DATE: **06/13/1991**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **04/01/1991**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **31290**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING,GROUNDWATER MONITORING,SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE),ISOLATED IN OPEN AREA/2ND CONTAINMENT**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

Petroleum Storage Tanks (PST)

PIPING RELEASE DETECTION:

VAPOR MONITORING,GROUNDWATER MONITORING,AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING),SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **04/01/1991**

REGISTRATION DATE: **06/13/1991**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **04/01/1991**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **31291**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING,GROUNDWATER MONITORING,SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE),ISOLATED IN OPEN AREA/2ND CONTAINMENT**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

VAPOR MONITORING,GROUNDWATER MONITORING,AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING),SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Petroleum Storage Tanks (PST)

TANK ID: **3** NUMBER OF COMPARTMENTS: **1**
INSTALLATION DATE: **04/01/1991** REGISTRATION DATE: **06/13/1991**
TANK CAPACITY (GAL): **8000** EMPTY TANK: **NOT EMPTY**
STATUS: **IN USE** STATUS BEGIN DATE: **04/01/1991**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **YES** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **YES** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **31293**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING,GROUNDWATER MONITORING,SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE),ISOLATED IN OPEN AREA/2ND CONTAINMENT**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

VAPOR MONITORING,GROUNDWATER MONITORING,AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING),SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4** NUMBER OF COMPARTMENTS: **1**
INSTALLATION DATE: **04/01/1991** REGISTRATION DATE: **06/13/1991**
TANK CAPACITY (GAL): **8000** EMPTY TANK: **NOT EMPTY**
STATUS: **IN USE** STATUS BEGIN DATE: **04/01/1991**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**

Petroleum Storage Tanks (PST)

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **31292**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING,GROUNDWATER MONITORING,SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

VAPOR MONITORING,GROUNDWATER MONITORING,AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING),SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Groundwater Contamination Cases (GWCC)

MAP ID# 74

Distance from Property: 0.019 mi. (100 ft.) S
Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

FILE NUMBER: 113546

FILE NAME: CONN APPLIANCES INC

LOCATION: 2815 LAUREL, BEAUMONT, TX

COUNTY: JEFFERSON

AGENCY: TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

DIVISION: REMEDIATION DIVISION/PETROLEUM STORAGE TANK REIMBURSEMENT PROGRAM

DATE OF CONTAMINATION

CONFIRMATION BY AGENCY: 10/26/98

CONTAMINANT(S): GASOLINE, DIESEL

ENFORCEMENT STATUS: STAFF ACTION: THE AGENCY INITIATES AN ACTION TO ADDRESS A CONTAMINATION INCIDENT.

ACTIVITY STATUS: ACTION COMPLETED: THE REMEDY IS CONSIDERED COMPLETE.

NEW CASE?: NO

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 74

Distance from Property: 0.019 mi. (100 ft.) S
Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

GEOSEARCH ID: 113546
LPST ID: 113546
FACILITY ID: 0012784
NAME: CONN APPLIANCES WAREHOUSE
ADDRESS: 2815 LAUREL ST
BEAUMONT, TX 77702

LEAKING TANK DETAILS

LPST ID: 113546
NAME: CONN APPLIANCES WAREHOUSE
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 10/26/98
REPORTED DATE: 06/17/1998
ENTERED DATE: 10/26/1998
CLOSURE DATE: 05/06/2009

PRP INFORMATION

NAME: CONN APPLIANCES INC
ADDRESS: ADDRESS NOT REPORTED
BEAUMONT TX 77701
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1978	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 7000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 06/02/1998
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
NOT REPORTED
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: NO
CORROSION PROTECTION VARIANCE: NO VARIANCE

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **42873**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **7000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1978**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **7000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **06/02/1998**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **42872**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **7000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

Leaking Petroleum Storage Tanks (LPST)

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 74

Distance from Property: 0.019 mi. (100 ft.) S
Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

ID#: 12784
NAME: CONNS APPLIANCE
ADDRESS: 2815 LAUREL ST
BEAUMONT, TX 77702
COUNTY: JEFFERSON
REGION: 10
TYPE: FLEET REFUELING
BEGIN DATE: 08/04/1986
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/08/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 04/25/1986
SIGNATURE NAME & TITLE: P J ILLEGIBLE, VP
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600976807
NAME: CONNS APPLIANCE
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: ORGANIZATION
BEGIN DATE: 08/04/1986
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1
INSTALLATION DATE: 01/01/1978
TANK CAPACITY (GAL): 7000
NUMBER OF COMPARTMENTS: 1
REGISTRATION DATE: 05/08/1986
EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: J COLO
TITLE: WHSE MGR
ORGANIZATION: CONNS APPLIANCE
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8321696 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **06/02/1998**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **42873**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **7000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

INSTALLATION DATE: **01/01/1978**

TANK CAPACITY (GAL): **7000**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **05/08/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **06/02/1998**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

Petroleum Storage Tanks (PST)

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **42872**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **7000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Dry Cleaner Registration Database (DCR)

MAP ID# 75

Distance from Property: 0.02 mi. (106 ft.) W
Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRATION #: RN104001110

CUSTOMER #: CN605078351

NAME: ALAMO CLEANERS

ADDRESS: 3315 CALDER AVE
BEAUMONT, TX 77706

ACCOUNT NUMBER: 24007360

PRINCIPAL NAME: MALLEY CLEANERS INC

PHONE NUMBER: 409-8329732

SITE TYPE: FACILITY REGISTRATION

FISCAL YEAR: FY2018

SOLVENT: PETROLEUM

QUANTITY: 1 GALLONS

FISCAL YEAR: FY2017

SOLVENT: PETROLEUM

QUANTITY: 100 GALLONS

FISCAL YEAR: FY2017

SOLVENT: PETROLEUM

QUANTITY: 100 GALLONS

FISCAL YEAR: FY2016

SOLVENT: PETROLEUM

QUANTITY: 1500 GALLONS

FISCAL YEAR: FY2015

SOLVENT: PETROLEUM

QUANTITY: 500 GALLONS

FISCAL YEAR: FY2014

SOLVENT: PETROLEUM

Dry Cleaner Registration Database (DCR)

QUANTITY: 1500 GALLONS

FISCAL YEAR: FY2013

SOLVENT: PETROLEUM

QUANTITY: 1500 GALLONS

FISCAL YEAR: FY2012

SOLVENT: PETROLEUM

QUANTITY: 1500 GALLONS

FISCAL YEAR: FY2011

SOLVENT: PETROLEUM

QUANTITY: 1500 GALLONS

FISCAL YEAR: FY2010

SOLVENT: PETROLEUM

QUANTITY: 745 GALLONS

FISCAL YEAR: FY2009

SOLVENT: PETROLEUM

QUANTITY: 1500 GALLONS

FISCAL YEAR: FY2008

SOLVENT: PETROLEUM

QUANTITY: 1500 GALLONS

FISCAL YEAR: FY2007

SOLVENT: PERCHLOROETHYLENE (TETRACHLOROETHYLENE)

QUANTITY: 305 GALLONS

FISCAL YEAR: FY2007

SOLVENT: PETROLEUM

QUANTITY: 525 GALLONS

FISCAL YEAR: FY2006

SOLVENT: PERCHLOROETHYLENE (TETRACHLOROETHYLENE)

QUANTITY: 660 GALLONS

FISCAL YEAR: FY2006

SOLVENT: PETROLEUM

QUANTITY: 540. GALLONS

FISCAL YEAR: FY2005

SOLVENT: PERCHLOROETHYLENE (TETRACHLOROETHYLENE)

QUANTITY: 0 GALLONS

FISCAL YEAR: FY2005

Dry Cleaner Registration Database (DCR)

SOLVENT: **PETROLEUM**

QUANTITY: **0 GALLONS**

FISCAL YEAR: **FY2004**

SOLVENT: **NOT REPORTED**

QUANTITY: **NOT REPORTED**

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 75

Distance from Property: 0.02 mi. (106 ft.) W
Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRY ID: 110031354175

NAME: ALAMO CLEANERS

LOCATION ADDRESS: 3315 CALDER AVE
BEAUMONT, TX 77706

COUNTY: JEFFERSON

EPA REGION: 06

FEDERAL FACILITY: NOT REPORTED

TRIBAL LAND: NOT REPORTED

ALTERNATIVE NAME/S:

ALAMO CLEANERS

ALAMO CLEANERS INC

PROGRAM/S LISTED FOR THIS FACILITY

TX-TCEQ ACR - TEXAS COMMISSION ON ENVIRONMENTAL QUALITY - AGENCY CENTRAL REGISTRY

RCRAINFO - RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

812320 - DRYCLEANING AND LAUNDRY SERVICES (EXCEPT COIN-OPERATED).

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Generator (RCRAGR06)

MAP ID# 75

Distance from Property: 0.02 mi. (106 ft.) W
Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

EPA ID#: TXR000077545

NAME: ALAMO CLEANERS INC

ADDRESS: 3315 CALDER AVE

BEAUMONT, TX 77706

OWNER TYPE: NOT REPORTED

OWNER NAME: NOT REPORTED

OPERATOR TYPE: NOT REPORTED

OPERATOR NAME: NOT REPORTED

CONTACT NAME: NOT REPORTED

CONTACT ADDRESS: 3315 CALDER AVE

BEAUMONT TX 77706

CONTACT PHONE: NOT REPORTED

NON-NOTIFIER: E - INITIALLY A NON-NOTIFIER, SUBSEQUENTLY DETERMINED TO BE EXEMPT FROM REQUIREMENTS TO NOTIFY.

DATE RECEIVED BY AGENCY: 02/21/2007

CERTIFICATION

CERTIFICATION NAME:

CERTIFICATION TITLE:

CERTIFICATION SIGNED DATE:

VANESSA MARROQUIN

TCEQ REG 10

02/19/2007

INDUSTRY CLASSIFICATION (NAICS) - NO NAICS INFORMATION REPORTED -

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: **CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR** LAST UPDATED DATE: 02/21/2007

SUBJECT TO CORRECTIVE ACTION UNIVERSE: **NO**

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: **NO**

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: **NO**

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: **NO**

CORRECTIVE ACTION WORKLOAD UNIVERSE: **NO**

IMPORTER: **NO**

UNDERGROUND INJECTION: **NO**

MIXED WASTE GENERATOR: **NO**

UNIVERSAL WASTE DESTINATION FACILITY: **NO**

RECYCLER: **NO**

TRANSFER FACILITY: **NO**

TRANSPORTER: **NO**

USED OIL FUEL BURNER: **NO**

ONSITE BURNER EXEMPTION: **NO**

USED OIL PROCESSOR: **NO**

FURNACE EXEMPTION: **NO**

USED OIL FUEL MARKETER TO BURNER: **NO**

USED OIL REFINER: **NO**

SPECIFICATION USED OIL MARKETER: **NO**

USED OIL TRANSFER FACILITY: **NO**

USED OIL TRANSPORTER: **NO**

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS

02/16/2007 CEI COMPLIANCE EVALUATION INSPECTION ON-SITE

11/14/2018 CEI COMPLIANCE EVALUATION INSPECTION ON-SITE

VIOLATIONS - NO VIOLATIONS REPORTED -

ENFORCEMENTS - NO ENFORCEMENTS REPORTED -

HAZARDOUS WASTE

- NO HAZARDOUS WASTE INFORMATION REPORTED -

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

Resource Conservation & Recovery Act - Generator (RCRAGR06)

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Generator (RCRAGR06)

MAP ID# 76

Distance from Property: 0.02 mi. (106 ft.) SSW
Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

EPA ID#: TXD988047460

OWNER TYPE: PRIVATE

NAME: BLOOD CENTER OF SOUTHEAST TX

OWNER NAME: LOUISIANA BLOOD CTR

ADDRESS: 2850 LAUREL

OPERATOR TYPE: NOT REPORTED

BEAUMONT, TX 77702

OPERATOR NAME: NOT REPORTED

CONTACT NAME: DOLORES DOUCET

CONTACT ADDRESS: 2850 LAUREL

BEAUMONT TX 77702

CONTACT PHONE: 409-838-5289

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 08/22/1991

CERTIFICATION - NO CERTIFICATION REPORTED -

INDUSTRY CLASSIFICATION (NAICS) - NO NAICS INFORMATION REPORTED -

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: SMALL QUANTITY GENERATOR LAST UPDATED DATE: 09/02/2000

SUBJECT TO CORRECTIVE ACTION UNIVERSE: NO

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: NO

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: NO

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: NO

CORRECTIVE ACTION WORKLOAD UNIVERSE: NO

IMPORTER: NO

UNDERGROUND INJECTION: NO

MIXED WASTE GENERATOR: NO

UNIVERSAL WASTE DESTINATION FACILITY: NO

RECYCLER: NO

TRANSFER FACILITY: NO

TRANSPORTER: NO

USED OIL FUEL BURNER: NO

ONSITE BURNER EXEMPTION: NO

USED OIL PROCESSOR: NO

FURNACE EXEMPTION: NO

USED OIL FUEL MARKETER TO BURNER: NO

USED OIL REFINER: NO

SPECIFICATION USED OIL MARKETER: NO

USED OIL TRANSFER FACILITY: NO

USED OIL TRANSPORTER: NO

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS - NO EVALUATIONS REPORTED -

VIOLATIONS - NO VIOLATIONS REPORTED -

ENFORCEMENTS - NO ENFORCEMENTS REPORTED -

HAZARDOUS WASTE

F001

THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING:
TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON
TETRACHLORIDE AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN
DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE
OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005; AND STILL
BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Resource Conservation & Recovery Act - Generator (RCRAGR06)

F002 THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 77

Distance from Property: 0.021 mi. (111 ft.) ESE
Elevation: 19 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 63290
NAME: **SPEEDY STOP 18**
ADDRESS: **1055 IH 10 S**
BEAUMONT, TX 77701
COUNTY: **JEFFERSON**
REGION: **10**
TYPE: **RETAIL**
BEGIN DATE: **07/10/1992**
STATUS: **ACTIVE**
EXEMPT STATUS: **NO**
RECORDS OFF-SITE: **YES**
NUMBER OF ACTIVE UNDERGROUND TANKS: **4**
NUMBER OF ACTIVE ABOVEGROUND TANKS: **0**

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: **07/09/1992**
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: **07/06/1992**
SIGNATURE NAME & TITLE: **C C THOMAS, PRESIDENT**
ENFORCEMENT ACTION DATE: **NOT REPORTED**

OWNER

OWNER NUMBER: **CN603234246**
NAME: **SPEEDY STOP FOOD STORES LLC**
CONTACT ADDRESS: **PO BOX 1876**
VICTORIA TX 77902
TYPE: **CORPORATION/COMPANY**
BEGIN DATE: **01/10/1996**
CONTACT ROLE: **OWNCON**
CONTACT NAME: **CARLTON LABEFF**
CONTACT TITLE: **AUTHORIZED AGENT**
ORGANIZATION: **SPEEDY STOP FOOD STORES LLC**
PHONE: **(361) 5825121 0**
FAX: **NOT REPORTED**
EMAIL: **NOT REPORTED**

OPERATOR

OPERATOR NUMBER: **CN603234246**
NAME: **SPEEDY STOP FOOD STORES LLC**
CONTACT ADDRESS: **PO BOX 1876**
VICTORIA TX 77902
TYPE: **CORPORATION/COMPANY**
BEGIN DATE: **01/10/1996**
CONTACT ROLE: **OWNOPRCON**
CONTACT NAME: **CARLTON LABEFF**
CONTACT TITLE: **AUTHORIZED AGENT**

CONTACT INFORMATION

NAME: **NOT REPORTED**
TITLE: **NOT REPORTED**
ORGANIZATION: **SPEEDY STOP 18**
MAIL ADDRESS: **MAILING ADDRESS NOT REPORTED**
CITY NOT REPORTED
PHONE: **(409) 8325700 0**

Petroleum Storage Tanks (PST)

ORGANIZATION: **SPEEDY STOP FOOD STORES LLC**

PHONE: **(361) 5825121 0**

FAX: **NOT REPORTED**

EMAIL: **NOT REPORTED**

SELF-CERTIFICATION

SELF-CERTIFICATION ID: **312989**

SIGNATURE DATE: **12/28/2018**

SIGNATURE NAME & TITLE: **MATTHEW NELSON, AUTHORIZED AGENT**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **295465**

SIGNATURE DATE: **12/06/2017**

SIGNATURE NAME & TITLE: **MATTHEW NELSON, FUEL MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **281087**

SIGNATURE DATE: **01/20/2017**

SIGNATURE NAME & TITLE: **LAURA KING, SFTY&ENVIRON SPCLST**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **264003**

SIGNATURE DATE: **01/22/2016**

SIGNATURE NAME & TITLE: **LAURA KING, SAFETY&ENVIRONMENTAL**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **247915**

SIGNATURE DATE: **01/29/2015**

SIGNATURE NAME & TITLE: **MEGAN ZETTLEMOYER, ENVIRONMENTAL COMP**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **229340**

SIGNATURE DATE: **01/02/2014**

SIGNATURE NAME & TITLE: **MEGAN ZETTLEMOYER, ENVIRON COMPLIANCE**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **24644**

SIGNATURE DATE: **01/04/2013**

SIGNATURE NAME & TITLE: **MEGAN ZETTLEMOYER, AUTHORIZED AGENT**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **24643**

SIGNATURE DATE: **11/17/2011**

SIGNATURE NAME & TITLE: **CARLTON LABEFF, AUTHORIZED REP**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **24642**

SIGNATURE DATE: **01/24/2011**

Petroleum Storage Tanks (PST)

SIGNATURE NAME & TITLE: ALICIA HENRY, AUTHORIZED AGENT

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 24641

SIGNATURE DATE: 02/02/2010

SIGNATURE NAME & TITLE: ALICIA HENRY, AUTHORIZED AGENT

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 24640

SIGNATURE DATE: 02/03/2009

SIGNATURE NAME & TITLE: CARLTON L LABEFF, AUTHORIZED AGENT

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 24639

SIGNATURE DATE: 01/28/2008

SIGNATURE NAME & TITLE: CARLTON LABEFF, AGT

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 24638

SIGNATURE DATE: 01/02/2007

SIGNATURE NAME & TITLE: CARLTON L LABEFF, AUTHORIZED AGENT

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 24637

SIGNATURE DATE: 01/30/2006

SIGNATURE NAME & TITLE: CARLTON L LABEFF, OWNER

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 24636

SIGNATURE DATE: 12/22/2004

SIGNATURE NAME & TITLE: CARLTON L LABEFF, OWNER

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 24635

SIGNATURE DATE: 12/30/2003

SIGNATURE NAME & TITLE: CARLTON L LABEFF, AUTHORIZED AGENT

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 24634

SIGNATURE DATE: 12/27/2002

SIGNATURE NAME & TITLE: CARLTON LABEFF, AUTH REP

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 24633

SIGNATURE DATE: 01/03/2002

SIGNATURE NAME & TITLE: CARLTON LABEFF, AUTH REP

FILING STATUS: RENEWAL

Petroleum Storage Tanks (PST)

REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **24632**
SIGNATURE DATE: **01/15/2001**
SIGNATURE NAME & TITLE: **CARLTON LABEFF, AUTH REP**
FILING STATUS: **INITIAL**
REGISTRATION FLAG: **YES**

CONSTRUCTION NOTIFICATION

NOTIFICATION CONSTRUCTION ID: **33369**
APPLICATION RECEIVED DATE: **08/09/2018**
SCHEDULE CONSTRUCTION DATE: **08/01/2018**
GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:

REPAIR DSL SPILL BUCKET

NOTIFICATION CONSTRUCTION ID: **1779**
APPLICATION RECEIVED DATE: **12/08/2008**
SCHEDULE CONSTRUCTION DATE: **01/07/2009**
GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:

NOT REPORTED

NOTIFICATION CONSTRUCTION ID: **1780**
APPLICATION RECEIVED DATE: **01/10/2005**
SCHEDULE CONSTRUCTION DATE: **01/10/2005**
GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:

NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 04/01/1992	REGISTRATION DATE: 07/09/1992
TANK CAPACITY (GAL): 12000	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 04/01/1992
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: YES

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **19756**
TANK ID: **1**
COMPARTMENT LETTER: **A**
SUBSTANCES: **GASOLINE**
OTHER SUBSTANCES: **NOT REPORTED**
CAPACITY (GAL): **12000**

Petroleum Storage Tanks (PST)

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL,MONTHLY TANK GAUGING (FOR EMER. GENERATOR TANKS),SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**
SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **04/01/1992**

REGISTRATION DATE: **07/09/1992**

TANK CAPACITY (GAL): **9990**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **04/01/1992**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **19755**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **9990**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL,MONTHLY TANK GAUGING (FOR EMER. GENERATOR TANKS),SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

Petroleum Storage Tanks (PST)

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **04/01/1992**

REGISTRATION DATE: **07/09/1992**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **04/01/1992**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **19754**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

Petroleum Storage Tanks (PST)

PIPING RELEASE DETECTION:

ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **07/08/1998**

REGISTRATION DATE: **08/24/1998**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **07/08/1998**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **19757**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,FRP TANK OR PIPING**

(NONCORRODIBLE)

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

Petroleum Storage Tanks (PST)

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 78

Distance from Property: 0.023 mi. (121 ft.) SSW
Elevation: 19 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: **100242**
LPST ID: **100242**
FACILITY ID: **0003141**
NAME: **SITTON OIL CO**
ADDRESS: **4655 W CARDINAL DR**
BEAUMONT, TX 77705

LEAKING TANK DETAILS

LPST ID: **100242**
NAME: **SITTON OIL CO**
FACILITY LOCATION: **NOT REPORTED**
PRIORITY CODE: **5 - MINOR SOIL CONTAMINATION - DOES NOT REQUIRE A RAP**
CORRECTIVE ACTION STATUS CODE: **6A - FINAL CONCURRENCE ISSUED**
CORRECTIVE ACTION START DATE: **11/5/91**
REPORTED DATE: **09/11/1991**
ENTERED DATE: **11/05/1991**
CLOSURE DATE: **11/13/1992**

PRP INFORMATION

NAME: **SITTON OIL CO**
ADDRESS: **ADDRESS NOT REPORTED**
BEAUMONT TX
CONTACT: **NOT REPORTED**
PHONE: **NOT REPORTED**

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 09/01/1991	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 9685	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 09/01/1991
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,CATHODIC PROTECTION - FACTORY INSTALLATION,FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **11216**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **9685**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING,GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL, WEEKLY MANUAL TANK GAUGING (TANKS <= 1000 GAL),MONTHLY TANK GAUGING (FOR EMER. GENERATOR TANKS)**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,CATHODIC PROTECTION - FACTORY INSTALLATION,FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,CATHODIC PROTECTION - FACTORY INSTALLATION,FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1978**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **09/01/1991**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **11211**

TANK ID: **1A**

COMPARTMENT LETTER: **A**

Leaking Petroleum Storage Tanks (LPST)

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **09/01/1991**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **9685**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **09/01/1991**

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,CATHODIC PROTECTION - FACTORY INSTALLATION,FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **11217**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **9685**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING,GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE**

TEST & INVENTORY CONTROL

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,CATHODIC PROTECTION - FACTORY INSTALLATION,FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,CATHODIC PROTECTION - FACTORY INSTALLATION,FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1978**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **09/01/1991**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **11213**

TANK ID: **2A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

TANK ID: **3** NUMBER OF COMPARTMENTS: **1**
INSTALLATION DATE: **09/01/1991** REGISTRATION DATE: **05/08/1986**
TANK CAPACITY (GAL): **9685** EMPTY TANK: **NOT EMPTY**
STATUS: **IN USE** STATUS BEGIN DATE: **09/01/1991**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **YES** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **YES** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,CATHODIC PROTECTION - FACTORY INSTALLATION,FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **11218**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **9685**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING,GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE**

TEST & INVENTORY CONTROL

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,CATHODIC PROTECTION - FACTORY INSTALLATION,FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,CATHODIC PROTECTION - FACTORY INSTALLATION,FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3A** NUMBER OF COMPARTMENTS: **1**
INSTALLATION DATE: **01/01/1978** REGISTRATION DATE: **05/08/1986**
TANK CAPACITY (GAL): **6000** EMPTY TANK: **NOT EMPTY**
STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **09/01/1991**

Leaking Petroleum Storage Tanks (LPST)

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **11212**

TANK ID: **3A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **12/21/2008**

REGISTRATION DATE: **12/30/2008**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **12/21/2008**

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES** TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

Leaking Petroleum Storage Tanks (LPST)

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **11219**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **06/01/1985**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **09/01/1991**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **11214**

TANK ID: **4A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

Leaking Petroleum Storage Tanks (LPST)

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **5**

NUMBER OF COMPARTMENTS: **2**

INSTALLATION DATE: **05/15/2010**

REGISTRATION DATE: **08/05/2010**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **05/15/2010**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **11220**

TANK ID: **5**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **7000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

Leaking Petroleum Storage Tanks (LPST)

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **5**

NUMBER OF COMPARTMENTS: **2**

INSTALLATION DATE: **05/15/2010**

REGISTRATION DATE: **08/05/2010**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **05/15/2010**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **11221**

TANK ID: **5**

COMPARTMENT LETTER: **B**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **3000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **5A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **06/01/1985**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **NOT REPORTED**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **06/01/1985**

Leaking Petroleum Storage Tanks (LPST)

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **11215**

TANK ID: **5A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **0**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 78

Distance from Property: 0.023 mi. (121 ft.) SSW
Elevation: 19 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 117804
LPST ID: 117804
FACILITY ID: 0060275
NAME: CHAMBLERS PROPERTY
ADDRESS: 4610 FANNETT RD
BEAUMONT, TX 77705

LEAKING TANK DETAILS

LPST ID: 117804
NAME: CHAMBLERS PROPERTY
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 4.2 - NO GW IMPACT NO APPARENT THREATS OR IMPACTS TO RECEPTORS
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 8/13/08
REPORTED DATE: 08/07/2008
ENTERED DATE: 08/13/2008
CLOSURE DATE: 10/10/2008

PRP INFORMATION

NAME: CHALMERS, WILLIAM
ADDRESS: ADDRESS NOT REPORTED
LEAGUE CITY TX 77573
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 06/29/1986	REGISTRATION DATE: 10/04/1991
TANK CAPACITY (GAL): 10000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 06/30/1986
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
NOT REPORTED
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: NO
CORROSION PROTECTION VARIANCE: NO VARIANCE

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **138756**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **UNKNOWN**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **06/29/1986**

REGISTRATION DATE: **10/04/1991**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **06/30/1986**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **138755**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **UNKNOWN**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

Leaking Petroleum Storage Tanks (LPST)

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **06/29/1986**

REGISTRATION DATE: **10/04/1991**

TANK CAPACITY (GAL): **550**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **06/30/1986**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **138754**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **UNKNOWN**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **550**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

Leaking Petroleum Storage Tanks (LPST)

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 78

Distance from Property: 0.023 mi. (121 ft.) SSW
Elevation: 19 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 3141
NAME: **GATORS 2**
ADDRESS: **4655 W CARDINAL DR**
BEAUMONT, TX 77705
COUNTY: **JEFFERSON**
REGION: **10**
TYPE: **RETAIL**
BEGIN DATE: **06/12/1986**
STATUS: **ACTIVE**
EXEMPT STATUS: **NO**
RECORDS OFF-SITE: **NO**
NUMBER OF ACTIVE UNDERGROUND TANKS: **5**
NUMBER OF ACTIVE ABOVEGROUND TANKS: **0**

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: **03/28/2018**
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: **03/22/2018**
SIGNATURE NAME & TITLE: **GARY SITTON, CEO**
ENFORCEMENT ACTION DATE: **NOT REPORTED**

OWNER

OWNER NUMBER: **CN600243356**
NAME: **SITTON OIL AND MARINE COMPANY INC**
CONTACT ADDRESS: **OWNER ADDRESS NOT REPORTED**
CITY NOT REPORTED

TYPE: **CORPORATION/COMPANY**
BEGIN DATE: **12/29/2008**
CONTACT ROLE: **NOT REPORTED**
CONTACT NAME: **NOT REPORTED**
CONTACT TITLE: **NOT REPORTED**
ORGANIZATION: **NOT REPORTED**
PHONE: **NOT REPORTED**
FAX: **NOT REPORTED**
EMAIL: **NOT REPORTED**

OPERATOR

OPERATOR NUMBER: **CN604240648**
NAME: **GATORS EXXON LLC**
CONTACT ADDRESS: **OPERATOR ADDRESS NOT REPORTED**
CITY NOT REPORTED

TYPE: **ORGANIZATION**
BEGIN DATE: **08/01/2012**
CONTACT ROLE: **NOT REPORTED**
CONTACT NAME: **NOT REPORTED**
CONTACT TITLE: **NOT REPORTED**

CONTACT INFORMATION

NAME: **MARK NGUYEN**
TITLE: **NOT REPORTED**
ORGANIZATION: **GATORS 2**
MAIL ADDRESS: **MAILING ADDRESS NOT REPORTED**
CITY NOT REPORTED
PHONE: **(409) 8422225 0**

Petroleum Storage Tanks (PST)

ORGANIZATION: **NOT REPORTED**

PHONE: **NOT REPORTED**

FAX: **NOT REPORTED**

EMAIL: **NOT REPORTED**

SELF-CERTIFICATION

SELF-CERTIFICATION ID: **301782**

SIGNATURE DATE: **03/22/2018**

SIGNATURE NAME & TITLE: **GARY SITTON, CEO**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **283140**

SIGNATURE DATE: **02/09/2017**

SIGNATURE NAME & TITLE: **GL SITTON, CEO**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **266552**

SIGNATURE DATE: **02/08/2016**

SIGNATURE NAME & TITLE: **G L SITTON, CEO**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **250301**

SIGNATURE DATE: **01/25/2015**

SIGNATURE NAME & TITLE: **G.L. SITTON, CEO**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **233505**

SIGNATURE DATE: **02/12/2014**

SIGNATURE NAME & TITLE: **G L SITTON, CEO**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **12283**

SIGNATURE DATE: **02/28/2013**

SIGNATURE NAME & TITLE: **G L SITTON, CEO**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **12282**

SIGNATURE DATE: **02/21/2012**

SIGNATURE NAME & TITLE: **GARY SITTON, OWNER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **12281**

SIGNATURE DATE: **02/12/2011**

SIGNATURE NAME & TITLE: **GARY SITTON, OWNER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **12280**

SIGNATURE DATE: **08/02/2010**

Petroleum Storage Tanks (PST)

SIGNATURE NAME & TITLE: **GARY SITTON, OWNER**
FILING STATUS: **AMENDMENT**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **12279**
SIGNATURE DATE: **02/07/2010**
SIGNATURE NAME & TITLE: **GARY SITTON, OWNER**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **12278**
SIGNATURE DATE: **01/14/2009**
SIGNATURE NAME & TITLE: **GARY SITTON, OWNER**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **12277**
SIGNATURE DATE: **12/30/2008**
SIGNATURE NAME & TITLE: **GARY SITTON, OWNER**
FILING STATUS: **AMENDMENT**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **12276**
SIGNATURE DATE: **01/30/2008**
SIGNATURE NAME & TITLE: **GARY SITTON, OWNER**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **12275**
SIGNATURE DATE: **02/09/2007**
SIGNATURE NAME & TITLE: **GARY L SITTON, OWNER**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **12274**
SIGNATURE DATE: **02/06/2006**
SIGNATURE NAME & TITLE: **GARY L SITTON, OWNER**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **12273**
SIGNATURE DATE: **02/08/2005**
SIGNATURE NAME & TITLE: **GARY SITTON, NOT REPORTED**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **12272**
SIGNATURE DATE: **02/27/2004**
SIGNATURE NAME & TITLE: **NEIL MOMIN, VICE PRESIDENT**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **12271**
SIGNATURE DATE: **07/10/2003**
SIGNATURE NAME & TITLE: **NEIL MOMIN, OPERATOR**
FILING STATUS: **RENEWAL**

Petroleum Storage Tanks (PST)

REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **12270**
SIGNATURE DATE: **08/01/2002**
SIGNATURE NAME & TITLE: **NEIL MOMIN, OPERATOR**
FILING STATUS: **AMENDMENT**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **12269**
SIGNATURE DATE: **01/25/2002**
SIGNATURE NAME & TITLE: **NEIL MOMIN, OPER**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **12268**
SIGNATURE DATE: **06/06/2001**
SIGNATURE NAME & TITLE: **NEIL MOMIN, OPER**
FILING STATUS: **INITIAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **12267**
SIGNATURE DATE: **09/29/2000**
SIGNATURE NAME & TITLE: **NICK MORRISON, OPERATOR**
FILING STATUS: **INITIAL**
REGISTRATION FLAG: **YES**

CONSTRUCTION NOTIFICATION

NOTIFICATION CONSTRUCTION ID: **1045**
APPLICATION RECEIVED DATE: **04/27/2011**
SCHEDULE CONSTRUCTION DATE: **04/27/2011**
GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:

REPAIR SUPER UNLEAD LINE THAT DIDN'T PASS TEST.

NOTIFICATION CONSTRUCTION ID: **1046**
APPLICATION RECEIVED DATE: **03/01/2010**
SCHEDULE CONSTRUCTION DATE: **03/24/2010**
GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:

INSTALL NEW FUEL SYSTEM INCLUDING: NEW TANKS, PRODUCT PIPING, STAGE I, SPILL/OVERFILL, ATG AND NEW DISPENSERS.

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 09/01/1991	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 9685	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 09/01/1991
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,CATHODIC PROTECTION - FACTORY INSTALLATION,FRP TANK OR PIPING (NONCORRODIBLE)

Petroleum Storage Tanks (PST)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **11216**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **9685**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING,GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL, WEEKLY MANUAL TANK GAUGING (TANKS <= 1000 GAL),MONTHLY TANK GAUGING (FOR EMER. GENERATOR TANKS)**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,CATHODIC PROTECTION - FACTORY INSTALLATION,FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

VAPOR MONITORING,GROUNDWATER MONITORING,ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1978**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **09/01/1991**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

Petroleum Storage Tanks (PST)

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **11211**

TANK ID: **1A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

INSTALLATION DATE: **09/01/1991**

TANK CAPACITY (GAL): **9685**

STATUS: **IN USE**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **YES**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **05/08/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **09/01/1991**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,CATHODIC PROTECTION - FACTORY INSTALLATION,FRP TANK OR

PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **11217**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **9685**

Petroleum Storage Tanks (PST)

COMPARTMENT RELEASE DETECTION: VAPOR MONITORING,GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL

SPILL CONTAINMENT AND OVERFILL PREVENTION: TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: FRP

CORROSION PROTECTION: EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,CATHODIC PROTECTION - FACTORY INSTALLATION,FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT: NOT REPORTED

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

VAPOR MONITORING,GROUNDWATER MONITORING,ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: YES

CORROSION PROTECTION VARIANCE: NO VARIANCE

TANK ID: 2A

NUMBER OF COMPARTMENTS: 1

INSTALLATION DATE: 01/01/1978

REGISTRATION DATE: 05/08/1986

TANK CAPACITY (GAL): 8000

EMPTY TANK: NOT EMPTY

STATUS: REMOVED FROM GROUND

STATUS BEGIN DATE: 09/01/1991

INTERNAL PROTECTION DATE: NOT REPORTED

REGULATORY STATUS: FULLY REGULATED

TANK DESIGN SINGLE WALL: NO

TANK DESIGN DOUBLE WALL: NO

PIPE DESIGN SINGLE WALL: NO

PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: NO

CORROSION PROTECTION VARIANCE: NO VARIANCE

COMPARTMENT DETAILS

UST COMPARTMENT ID: 11213

TANK ID: 2A

COMPARTMENT LETTER: A

SUBSTANCES: GASOLINE

OTHER SUBSTANCES: NOT REPORTED

CAPACITY (GAL): 8000

COMPARTMENT RELEASE DETECTION: NOT REPORTED

SPILL CONTAINMENT AND OVERFILL PREVENTION: NOT REPORTED

PIPING SYSTEMS

MATERIAL: STEEL

CORROSION PROTECTION: NOT REPORTED

Petroleum Storage Tanks (PST)

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **09/01/1991**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **9685**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **09/01/1991**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,CATHODIC PROTECTION - FACTORY INSTALLATION,FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **11218**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **9685**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING,GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,CATHODIC PROTECTION - FACTORY INSTALLATION,FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

VAPOR MONITORING,GROUNDWATER MONITORING,ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING

Petroleum Storage Tanks (PST)

(@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1978**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **6000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **09/01/1991**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **11212**

TANK ID: **3A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **12/21/2008**

REGISTRATION DATE: **12/30/2008**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **12/21/2008**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

Petroleum Storage Tanks (PST)

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **11219**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP, FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH), AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **06/01/1985**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **09/01/1991**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

Petroleum Storage Tanks (PST)

EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **11214**

TANK ID: **4A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

GROUNDWATER MONITORING

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **5**

INSTALLATION DATE: **05/15/2010**

TANK CAPACITY (GAL): **10000**

STATUS: **IN USE**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

NUMBER OF COMPARTMENTS: **2**

REGISTRATION DATE: **08/05/2010**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **05/15/2010**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **11220**

TANK ID: **5**

Petroleum Storage Tanks (PST)

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **7000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **5**

NUMBER OF COMPARTMENTS: **2**

INSTALLATION DATE: **05/15/2010**

REGISTRATION DATE: **08/05/2010**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **05/15/2010**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **11221**

TANK ID: **5**

COMPARTMENT LETTER: **B**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **3000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

Petroleum Storage Tanks (PST)

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **5A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **06/01/1985**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **NOT REPORTED**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **06/01/1985**

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **11215**

TANK ID: **5A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **0**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

Petroleum Storage Tanks (PST)

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 79

Distance from Property: 0.023 mi. (121 ft.) W

Elevation: 21 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRATION#: 80608 EPA ID: TXD988064259

TNRCC ID #: 35393

NAME: GERHARDTS

ADDRESS: 550 IH 10 S

BEAUMONT, TX 77707

CONTACT: CHARLES GRAVES

PHONE: 409-8424145

BUSINESS DESCRIPTION: REPAIR AND SERVICE ENGINES, PUMPS, AND TURBOMACHINERY. PARTS SALES FOR ABOVE EQUIPMENT.

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: SMALL QUANTITY GENERATOR

GENERATOR TYPE: NON-INDUSTRIAL AND/OR MUNICIPAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 06/04/2010

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

WASTE ID: 69384

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: YES

GENERATOR'S DESCRIPTION OF WASTE: COMPOUND CLEANING LIQUID

WASTE ID: 69385

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: YES

GENERATOR'S DESCRIPTION OF WASTE: WASTE PETROLEUM NAPHTHA

WASTE ID: 69386

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

Industrial and Hazardous Waste Sites (IHW)

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **WASTE OIL/WASTE WATER**

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Generator (RCRAGR06)

MAP ID# 79

Distance from Property: 0.023 mi. (121 ft.) W
Elevation: 21 ft. (Higher than TP)

FACILITY INFORMATION

EPA ID#: TXR000027441

NAME: COLLISION & CLASSICS

ADDRESS: 550 S I-10 STE 101

BEAUMONT, TX 77707

CONTACT NAME: GERALD CONDON

CONTACT ADDRESS: 550 S I-10 STE 101

BEAUMONT TX 77707

CONTACT PHONE: 409-842-2324

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 06/14/2000

CERTIFICATION - NO CERTIFICATION REPORTED -

INDUSTRY CLASSIFICATION (NAICS) - NO NAICS INFORMATION REPORTED -

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: **CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR** LAST UPDATED DATE: **09/02/2000**

SUBJECT TO CORRECTIVE ACTION UNIVERSE: **NO**

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: **NO**

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: **NO**

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: **NO**

CORRECTIVE ACTION WORKLOAD UNIVERSE: **NO**

IMPORTER: **NO**

UNDERGROUND INJECTION: **NO**

MIXED WASTE GENERATOR: **NO**

UNIVERSAL WASTE DESTINATION FACILITY: **NO**

RECYCLER: **NO**

TRANSFER FACILITY: **NO**

TRANSPORTER: **NO**

USED OIL FUEL BURNER: **NO**

ONSITE BURNER EXEMPTION: **NO**

USED OIL PROCESSOR: **NO**

FURNACE EXEMPTION: **NO**

USED OIL FUEL MARKETER TO BURNER: **NO**

USED OIL REFINER: **NO**

SPECIFICATION USED OIL MARKETER: **NO**

USED OIL TRANSFER FACILITY: **NO**

USED OIL TRANSPORTER: **NO**

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS - NO EVALUATIONS REPORTED -

VIOLATIONS - NO VIOLATIONS REPORTED -

ENFORCEMENTS - NO ENFORCEMENTS REPORTED -

HAZARDOUS WASTE

D001 IGNITABLE WASTE

F001 THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING:
TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON
TETRACHLORIDE AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN
DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE
OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005; AND STILL
BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Resource Conservation & Recovery Act - Generator (RCRAGR06)

- F002 THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
- F003 THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
- F005 THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

MAP ID# 79

Distance from Property: 0.023 mi. (121 ft.) W
Elevation: 21 ft. (Higher than TP)

FACILITY INFORMATION

EPA ID#: TXD988064259

NAME: GERHARDTS INC

ADDRESS: 550 IH 10 S

BEAUMONT, TX 77707

CONTACT NAME: CHARLES GRAVES

CONTACT ADDRESS: PO BOX 20579

BEAUMONT TX 77720

CONTACT PHONE: 409-842-4145

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 02/14/2001

CERTIFICATION - NO CERTIFICATION REPORTED -

INDUSTRY CLASSIFICATION (NAICS)

336399 - ALL OTHER MOTOR VEHICLE PARTS MANUFACTURING

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: **NON-GENERATOR** LAST UPDATED DATE: **03/25/2004**

SUBJECT TO CORRECTIVE ACTION UNIVERSE: **NO**

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: **NO**

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: **NO**

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: **NO**

CORRECTIVE ACTION WORKLOAD UNIVERSE: **NO**

IMPORTER: **NO**

UNDERGROUND INJECTION: **NO**

MIXED WASTE GENERATOR: **NO**

UNIVERSAL WASTE DESTINATION FACILITY: **NO**

RECYCLER: **NO**

TRANSFER FACILITY: **NO**

TRANSPORTER: **NO**

USED OIL FUEL BURNER: **NO**

ONSITE BURNER EXEMPTION: **NO**

USED OIL PROCESSOR: **NO**

FURNACE EXEMPTION: **NO**

USED OIL FUEL MARKETER TO BURNER: **NO**

USED OIL REFINER: **NO**

SPECIFICATION USED OIL MARKETER: **NO**

USED OIL TRANSFER FACILITY: **NO**

USED OIL TRANSPORTER: **NO**

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS - NO EVALUATIONS REPORTED -

VIOLATIONS - NO VIOLATIONS REPORTED -

ENFORCEMENTS - NO ENFORCEMENTS REPORTED -

HAZARDOUS WASTE

D001 IGNITABLE WASTE

D018 BENZENE

D039 TETRACHLOROETHYLENE

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

- F001 THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
- F002 THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Generator (RCRAGR06)

MAP ID# 80

Distance from Property: 0.025 mi. (132 ft.) S
Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

EPA ID#: TX0000981134

NAME: JOELS PAINT & BODY

ADDRESS: 210 N 18TH ST

BEAUMONT, TX 77707

CONTACT NAME: JOEL ESTER

CONTACT ADDRESS: 210 N 18TH ST

BEAUMONT TX 77707

CONTACT PHONE: 409-838-1199

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 12/14/1994

CERTIFICATION - NO CERTIFICATION REPORTED -

INDUSTRY CLASSIFICATION (NAICS) - NO NAICS INFORMATION REPORTED -

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: **CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR** LAST UPDATED DATE: **09/02/2000**

SUBJECT TO CORRECTIVE ACTION UNIVERSE: **NO**

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: **NO**

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: **NO**

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: **NO**

CORRECTIVE ACTION WORKLOAD UNIVERSE: **NO**

IMPORTER: **NO**

UNDERGROUND INJECTION: **NO**

MIXED WASTE GENERATOR: **NO**

UNIVERSAL WASTE DESTINATION FACILITY: **NO**

RECYCLER: **NO**

TRANSFER FACILITY: **NO**

TRANSPORTER: **NO**

USED OIL FUEL BURNER: **NO**

ONSITE BURNER EXEMPTION: **NO**

USED OIL PROCESSOR: **NO**

FURNACE EXEMPTION: **NO**

USED OIL FUEL MARKETER TO BURNER: **NO**

USED OIL REFINER: **NO**

SPECIFICATION USED OIL MARKETER: **NO**

USED OIL TRANSFER FACILITY: **NO**

USED OIL TRANSPORTER: **NO**

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS - NO EVALUATIONS REPORTED -

VIOLATIONS - NO VIOLATIONS REPORTED -

ENFORCEMENTS - NO ENFORCEMENTS REPORTED -

HAZARDOUS WASTE

D001 IGNITABLE WASTE

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 81

Distance from Property: 0.025 mi. (132 ft.) NW
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

ID#: 57585
NAME: BEAUMONT VMF
ADDRESS: 5817 WALDEN RD
BEAUMONT, TX 77707
COUNTY: JEFFERSON
REGION: 10
TYPE: FLEET REFUELING
BEGIN DATE: 02/20/1991
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 02/13/1991
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 02/07/1991
SIGNATURE NAME & TITLE: TED GREEN, ACTG. SUPT.
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN601245400
NAME: UNITED STATES POSTAL SERVICE
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: FEDERAL GOVERNMENT
BEGIN DATE: 02/20/1991
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 11/01/1987	REGISTRATION DATE: 02/13/1991
TANK CAPACITY (GAL): 12000	EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: NOT REPORTED
TITLE: NOT REPORTED
ORGANIZATION: BEAUMONT VMF
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8427280 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **04/14/1994**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **YES**
PIPE DESIGN SINGLE WALL: **YES** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **39915**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **12000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING, INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

INSTALLATION DATE: **11/01/1987**

TANK CAPACITY (GAL): **12000**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **02/13/1991**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **04/14/1994**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

Petroleum Storage Tanks (PST)

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **39914**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **12000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING, INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **11/01/1987**

REGISTRATION DATE: **02/13/1991**

TANK CAPACITY (GAL): **1000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **04/14/1994**

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

Petroleum Storage Tanks (PST)

UST COMPARTMENT ID: **39913**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **NEW OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING,INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **11/01/1987**

REGISTRATION DATE: **02/13/1991**

TANK CAPACITY (GAL): **1000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **04/14/1994**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **39912**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING,INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET**

Petroleum Storage Tanks (PST)

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 82

Distance from Property: 0.026 mi. (137 ft.) W
Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

ID#: 84157
NAME: BEAUMONT CHEVRON
ADDRESS: 1050 IH 10 S
BEAUMONT, TX 77707
COUNTY: JEFFERSON
REGION: 10
TYPE: RETAIL
BEGIN DATE: 02/02/2011
STATUS: ACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 1
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 09/11/2018
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 08/30/2018
SIGNATURE NAME & TITLE: SOMI MAREDDIA, REP
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN603937434
NAME: COMBINE RETAIL LLC
CONTACT ADDRESS: 1050 IH 10 S
BEAUMONT TX 77707
TYPE: CORPORATION/COMPANY
BEGIN DATE: 02/02/2011
CONTACT ROLE: OWNOPRCON
CONTACT NAME: KEVIN AKHANI
CONTACT TITLE: GM
ORGANIZATION: COMBINE RETAIL LLC
PHONE: (213) 6755750 0
FAX: NOT REPORTED
EMAIL: KEVINAKHANI@GMAIL.COM

OPERATOR

OPERATOR NUMBER: CN603937434
NAME: COMBINE RETAIL LLC
CONTACT ADDRESS: 1050 IH 10 S
BEAUMONT TX 77707
TYPE: CORPORATION/COMPANY
BEGIN DATE: 02/02/2011
CONTACT ROLE: OWNOPRCON
CONTACT NAME: KEVIN AKHANI
CONTACT TITLE: GM

CONTACT INFORMATION

NAME: KEVIN AKHANI
TITLE: NOT REPORTED
ORGANIZATION: BEAUMONT CHEVRON
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (213) 6755750 0

Petroleum Storage Tanks (PST)

ORGANIZATION: **COMBINE RETAIL LLC**

PHONE: **(213) 6755750 0**

FAX: **NOT REPORTED**

EMAIL: **KEVINAKHANI@GMAIL.COM**

SELF-CERTIFICATION

SELF-CERTIFICATION ID: **309702**

SIGNATURE DATE: **08/30/2018**

SIGNATURE NAME & TITLE: **SOMI MAREDIA, REP**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **294043**

SIGNATURE DATE: **09/27/2017**

SIGNATURE NAME & TITLE: **SOMI MAREDIA, REP**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **277682**

SIGNATURE DATE: **10/04/2016**

SIGNATURE NAME & TITLE: **SOMI MAREDIA, REP**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **260387**

SIGNATURE DATE: **10/02/2015**

SIGNATURE NAME & TITLE: **KEVIN AKHANI, GM**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **241754**

SIGNATURE DATE: **08/22/2014**

SIGNATURE NAME & TITLE: **ASMITA MANSIYA, REP**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **224801**

SIGNATURE DATE: **08/14/2013**

SIGNATURE NAME & TITLE: **ANIL MOMIN, REP**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **216156**

SIGNATURE DATE: **10/02/2012**

SIGNATURE NAME & TITLE: **ANIL MOMIN, REPRESENTATIVE**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **216155**

SIGNATURE DATE: **05/24/2011**

SIGNATURE NAME & TITLE: **KEVIN AKHANI, OWNER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **216154**

SIGNATURE DATE: **05/23/2011**

Petroleum Storage Tanks (PST)

SIGNATURE NAME & TITLE: **KEVIN AKHANI, OWNER**

FILING STATUS: **INITIAL**

REGISTRATION FLAG: **YES**

CONSTRUCTION NOTIFICATION

NOTIFICATION CONSTRUCTION ID: **23371**

APPLICATION RECEIVED DATE: **12/09/2010**

SCHEDULE CONSTRUCTION DATE: **01/10/2011**

GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:

INSTALL (1) 30K GALLON TANK SPLIT IN 3 COMPARTMENTS

UNDERGROUND STORAGE TANK

TANK ID: **1**

NUMBER OF COMPARTMENTS: **3**

INSTALLATION DATE: **02/02/2011**

REGISTRATION DATE: **06/23/2011**

TANK CAPACITY (GAL): **42000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **02/02/2011**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

EXTERNAL NONMETTALIC JACKET

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **179847**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **30000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL,INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,FLOW**

RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

Petroleum Storage Tanks (PST)

CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 1	NUMBER OF COMPARTMENTS: 3
INSTALLATION DATE: 02/02/2011	REGISTRATION DATE: 06/23/2011
TANK CAPACITY (GAL): 42000	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 02/02/2011
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: YES
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: YES

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

EXTERNAL NONMETTALIC JACKET

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **179848**

TANK ID: **1**

COMPARTMENT LETTER: **B**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **5000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL,INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,FLOW**

RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 1	NUMBER OF COMPARTMENTS: 3
INSTALLATION DATE: 02/02/2011	REGISTRATION DATE: 06/23/2011
TANK CAPACITY (GAL): 42000	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 02/02/2011
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED

Petroleum Storage Tanks (PST)

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

EXTERNAL NONMETTALIC JACKET

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **179849**

TANK ID: **1**

COMPARTMENT LETTER: **C**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **7000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL,INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,FLOW**

RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 83

Distance from Property: 0.026 mi. (137 ft.) E

Elevation: 20 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRATION#: 70161 EPA ID: TXD981594690

TNRCC ID #: 24997

NAME: JERRY ALLEN MOTORS

ADDRESS: 10 IH 10 N

BEAUMONT, TX 77702

CONTACT: DALE OWEN

PHONE: 409-8386316

BUSINESS DESCRIPTION: THIS REGISTRATION WAS INACTIVATED BECAUSE THERE WERE ONLY 6-DIGIT WASTE CODES ON THE NOR AND NO WASTE ACTIVITY WAS REPORTED IN 1994, 1995 AND 1996.

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR

GENERATOR TYPE: NON-INDUSTRIAL AND/OR MUNICIPAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 06/04/2010

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

WASTE ID: 50371

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: YES

GENERATOR'S DESCRIPTION OF WASTE: NOT REPORTED

WASTE ID: 50372

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: YES

GENERATOR'S DESCRIPTION OF WASTE: NOT REPORTED

WASTE ID: 50373

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

Industrial and Hazardous Waste Sites (IHW)

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 83

Distance from Property: 0.026 mi. (137 ft.) E

Elevation: 20 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRATION#: 70880 EPA ID: TXD981594690

TNRCC ID #: 25675

NAME: PRESTIGE CHRYSLER IMPORTS

ADDRESS: 10 IH 10 N

BEAUMONT, TX 77702

CONTACT: DON BATES

PHONE: 409-8386316

BUSINESS DESCRIPTION: NOT REPORTED

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: MERGED

AMOUNT OF WASTE GENERATED: NOT REPORTED

GENERATOR TYPE: NOT REPORTED

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 06/04/2010

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

WASTE ID: 51365

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: YES

GENERATOR'S DESCRIPTION OF WASTE: NOT REPORTED

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 83

Distance from Property: 0.026 mi. (137 ft.) E
Elevation: 20 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 103735
LPST ID: 103735
FACILITY ID: 0000089
NAME: TRAVELAND RV
ADDRESS: 10 IH 10 N
BEAUMONT, TX 77702

LEAKING TANK DETAILS

LPST ID: 103735
NAME: TRAVELAND RV
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 6 - MINOR SOIL CONTAMINATION - NO REMEDIAL ACTION REQUIRED
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 7/29/92
REPORTED DATE: 05/18/1992
ENTERED DATE: 07/29/1992
CLOSURE DATE: 07/09/1992

PRP INFORMATION

NAME: THOMAS PAGEN REALTY PRESTIGE
ADDRESS: ADDRESS NOT REPORTED
GALVESTON TX 77553
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1969	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): NOT REPORTED	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 05/06/1992
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
NOT REPORTED
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: NO
CORROSION PROTECTION VARIANCE: NO VARIANCE

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: 141917

TANK ID: 1

COMPARTMENT LETTER: A

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **0**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 83

Distance from Property: 0.026 mi. (137 ft.) E
Elevation: 20 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 89
NAME: TRAVELAND RV
ADDRESS: 10 IH 10 N
BEAUMONT, TX 77702
COUNTY: JEFFERSON
REGION: 10
TYPE: RETAIL
BEGIN DATE: 08/31/1988
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/08/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 12/23/1985
SIGNATURE NAME & TITLE: J ALLEN, PRESIDENT
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN601417363
NAME: PAGAN THOMAS REALTY
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: ORGANIZATION
BEGIN DATE: 09/01/1988
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1969	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): NOT REPORTED	EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: NOT REPORTED
TITLE: NOT REPORTED
ORGANIZATION: TRAVELAND RV
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8386316 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **05/06/1992**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **141917**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **0**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

MAP ID# 83

Distance from Property: 0.026 mi. (137 ft.) E
Elevation: 20 ft. (Higher than TP)

FACILITY INFORMATION

EPA ID#: TXD981594690

NAME: JERRY ALLEN MOTORS

ADDRESS: 10 IH 10 N

BEAUMONT, TX 77702

CONTACT NAME: DALE OWEN

CONTACT ADDRESS: 10 IH 10 N

BEAUMONT TX 77702

CONTACT PHONE: 409-838-6316

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 07/27/2001

CERTIFICATION - NO CERTIFICATION REPORTED -

INDUSTRY CLASSIFICATION (NAICS) - NO NAICS INFORMATION REPORTED -

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: **NON-GENERATOR** LAST UPDATED DATE: **03/25/2004**

SUBJECT TO CORRECTIVE ACTION UNIVERSE: **NO**

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: **NO**

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: **NO**

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: **NO**

CORRECTIVE ACTION WORKLOAD UNIVERSE: **NO**

IMPORTER: **NO**

UNDERGROUND INJECTION: **NO**

MIXED WASTE GENERATOR: **NO**

UNIVERSAL WASTE DESTINATION FACILITY: **NO**

RECYCLER: **NO**

TRANSFER FACILITY: **NO**

TRANSPORTER: **NO**

USED OIL FUEL BURNER: **NO**

ONSITE BURNER EXEMPTION: **NO**

USED OIL PROCESSOR: **NO**

FURNACE EXEMPTION: **NO**

USED OIL FUEL MARKETER TO BURNER: **NO**

USED OIL REFINER: **NO**

SPECIFICATION USED OIL MARKETER: **NO**

USED OIL TRANSFER FACILITY: **NO**

USED OIL TRANSPORTER: **NO**

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS - NO EVALUATIONS REPORTED -

VIOLATIONS - NO VIOLATIONS REPORTED -

ENFORCEMENTS - NO ENFORCEMENTS REPORTED -

HAZARDOUS WASTE

D001 IGNITABLE WASTE

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 84

Distance from Property: 0.027 mi. (143 ft.) NW
Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

ID#: 49971
NAME: JOC-STOP 24
ADDRESS: 2190 IH 10 S
BEAUMONT, TX 77707
COUNTY: JEFFERSON
REGION: 10
TYPE: RETAIL
BEGIN DATE: 01/29/1990
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 01/15/1990
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 01/10/1990
SIGNATURE NAME & TITLE: SAME, SAME
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600933014
NAME: FEW BUSINESS ENTERPRISES INC
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: CORPORATION/COMPANY
BEGIN DATE: 01/29/1990
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1988	REGISTRATION DATE: 01/15/1990
TANK CAPACITY (GAL): 8000	EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: CYNTHIA ALUIS
TITLE: NOT REPORTED
ORGANIZATION: JOC-STOP 24
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8424147 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **12/09/1998**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **YES** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **28114**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

VAPOR MONITORING,AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

INSTALLATION DATE: **01/01/1988**

TANK CAPACITY (GAL): **6000**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **01/15/1990**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **12/09/1998**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

Petroleum Storage Tanks (PST)

CORROSION PROTECTION:

EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **28112**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

VAPOR MONITORING,AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1988**

REGISTRATION DATE: **01/15/1990**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **12/09/1998**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

Petroleum Storage Tanks (PST)

UST COMPARTMENT ID: **28113**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

VAPOR MONITORING,AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 85

Distance from Property: 0.027 mi. (143 ft.) NE
Elevation: 19 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 28187
NAME: AMERICAN RECREATIONAL VEHICLES I
ADDRESS: 4848 W CARDINAL DR
BEAUMONT, TX 77705
COUNTY: JEFFERSON
REGION: 10
TYPE: FLEET REFUELING
BEGIN DATE: 10/23/1986
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/15/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 05/13/1986
SIGNATURE NAME & TITLE: ANGELA AYERS, SEC/TREASURER
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN601115967
NAME: AMERICAN RECREATIONAL VEHICLES I
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: ORGANIZATION
BEGIN DATE: 10/23/1986
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1969	REGISTRATION DATE: 05/15/1986
TANK CAPACITY (GAL): 1000	EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: GORDON GRUBBS
TITLE: SHOP FOREMAN
ORGANIZATION: AMERICAN RECREATIONAL VEHICLES I
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8425060 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **02/24/1998**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **98782**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 86

Distance from Property: 0.027 mi. (143 ft.) SW
Elevation: 19 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRATION#: 79015 EPA ID: TXD988020772

TNRCC ID #: 32570

NAME: JOHN CRANE

ADDRESS: 5145 W CARDINAL DR
BEAUMONT, TX 77705

CONTACT: KAREN DARCEY

PHONE: 409-8424045

BUSINESS DESCRIPTION: NOT REPORTED

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR

GENERATOR TYPE: NON-INDUSTRIAL AND/OR MUNICIPAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 09/24/2008

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

WASTE ID: 128437

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: YES

GENERATOR'S DESCRIPTION OF WASTE: LAPPING COMPOUND, USED IN METAL FINISHING.

WASTE ID: 62472

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

GENERATOR'S DESCRIPTION OF WASTE: NOT REPORTED

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

MAP ID# 86

Distance from Property: 0.027 mi. (143 ft.) SW
Elevation: 19 ft. (Higher than TP)

FACILITY INFORMATION

EPA ID#: TXD988020772

NAME: JOHN CRANE INC

ADDRESS: 5145 W CARDINAL DR
BEAUMONT, TX 77705

CONTACT NAME: KAREN DARCEY

CONTACT ADDRESS: PO BOX 20138
BEAUMONT TX 77720

CONTACT PHONE: 409-842-4045

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 09/24/2008

OWNER TYPE: PRIVATE

OWNER NAME: JOHN CRANE INC

OPERATOR TYPE: PRIVATE

OPERATOR NAME: JOHN CRANE INC

CERTIFICATION

CERTIFICATION NAME:

CERTIFICATION TITLE:

CERTIFICATION SIGNED DATE:

KAREN DARCEY

ENVIRONMENTAL M

09/24/2008

INDUSTRY CLASSIFICATION (NAICS) - NO NAICS INFORMATION REPORTED -

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: NON-GENERATOR LAST UPDATED DATE: 09/30/2008

SUBJECT TO CORRECTIVE ACTION UNIVERSE: NO

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: NO

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: NO

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: NO

CORRECTIVE ACTION WORKLOAD UNIVERSE: NO

IMPORTER: NO

UNDERGROUND INJECTION: NO

MIXED WASTE GENERATOR: NO

UNIVERSAL WASTE DESTINATION FACILITY: NO

RECYCLER: NO

TRANSFER FACILITY: NO

TRANSPORTER: NO

USED OIL FUEL BURNER: NO

ONSITE BURNER EXEMPTION: NO

USED OIL PROCESSOR: NO

FURNACE EXEMPTION: NO

USED OIL FUEL MARKETER TO BURNER: NO

USED OIL REFINER: NO

SPECIFICATION USED OIL MARKETER: NO

USED OIL TRANSFER FACILITY: NO

USED OIL TRANSPORTER: NO

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS

01/21/2003 CEI COMPLIANCE EVALUATION INSPECTION ON-SITE

VIOLATIONS

01/21/2003 262.D GENERATORS - RECORDS/REPORTING

ENFORCEMENTS

01/21/2003 110 VERBAL INFORMAL

HAZARDOUS WASTE

D001 IGNITABLE WASTE

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

F001 THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING:
TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON
TETRACHLORIDE AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN
DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE
OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005; AND STILL
BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 87

Distance from Property: 0.028 mi. (148 ft.) E

Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRATION#: 79053 EPA ID: TXD988064861

TNRCC ID #: 32607

NAME: AMERICAN TRANSMISSION

ADDRESS: 510 IH 10 N

BEAUMONT, TX 77702

CONTACT: TODD PRINCE

PHONE: 409-8385620

BUSINESS DESCRIPTION: THIS REGISTRATION WAS INACTIVATED BECAUSE THIS FACILITY WAS REGISTERED PRIOR TO 1994 AND NO WASTE ACTIVITY WAS REPORTED IN 1994, 1995 AND 1996.

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: SMALL QUANTITY GENERATOR

GENERATOR TYPE: NON-INDUSTRIAL AND/OR MUNICIPAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 06/04/2010

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

WASTE ID: 100567

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: YES

GENERATOR'S DESCRIPTION OF WASTE: NAPHTHA SOLVENT

WASTE ID: 62530

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

GENERATOR'S DESCRIPTION OF WASTE: NOT REPORTED

WASTE ID: 62531

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

Industrial and Hazardous Waste Sites (IHW)

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 87

Distance from Property: 0.028 mi. (148 ft.) E
Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 091854
LPST ID: 091854
FACILITY ID: 0017653
NAME: FORMER MOBIL 12LVK
ADDRESS: 510 IH 10 N
BEAUMONT, TX 77702

LEAKING TANK DETAILS

LPST ID: 091854
NAME: FORMER MOBIL 12LVK
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 5/3/88
REPORTED DATE: 05/03/1988
ENTERED DATE: 05/03/1988
CLOSURE DATE: 02/08/1999

PRP INFORMATION

NAME: EXXONMOBIL OIL CORPORATION
ADDRESS: ADDRESS NOT REPORTED
DALLAS TX 75212
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1981	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 10000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 04/30/1989
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
FRP
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: NO
CORROSION PROTECTION VARIANCE: NO VARIANCE

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **116781**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1963**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **550**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **04/30/1989**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **116780**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **550**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

Leaking Petroleum Storage Tanks (LPST)

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1963**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **04/30/1989**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **116779**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

Leaking Petroleum Storage Tanks (LPST)

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 87

Distance from Property: 0.028 mi. (148 ft.) E
Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 17653
NAME: 12LVK
ADDRESS: 510 IH 10 N
 BEAUMONT, TX 77702
COUNTY: JEFFERSON
REGION: 10
TYPE: RETAIL
BEGIN DATE: 09/01/1989
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/08/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 04/21/1986
SIGNATURE NAME & TITLE: TB NEWMAN, MGR
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600920748
NAME: EXXONMOBIL OIL CORPORATION
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
 CITY NOT REPORTED

TYPE: CORPORATION/COMPANY
BEGIN DATE: 09/01/1989
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OWNER NUMBER: CN603874918
NAME: MOBIL OIL CORPORATION
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
 CITY NOT REPORTED

TYPE: CORPORATION/COMPANY
BEGIN DATE: 09/01/1989
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED

CONTACT INFORMATION

NAME: K JAKINO
TITLE: DEALER
ORGANIZATION: 12LVK
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
 CITY NOT REPORTED
PHONE: (409) 8327366 0

Petroleum Storage Tanks (PST)

FAX: **NOT REPORTED**

EMAIL: **NOT REPORTED**

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1

NUMBER OF COMPARTMENTS: 1

INSTALLATION DATE: **01/01/1981**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **04/30/1989**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **116781**

TANK ID: 1

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Petroleum Storage Tanks (PST)

TANK ID: **2** NUMBER OF COMPARTMENTS: **1**
INSTALLATION DATE: **01/01/1963** REGISTRATION DATE: **05/08/1986**
TANK CAPACITY (GAL): **550** EMPTY TANK: **NOT EMPTY**
STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **04/30/1989**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **116780**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **550**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3** NUMBER OF COMPARTMENTS: **1**
INSTALLATION DATE: **01/01/1963** REGISTRATION DATE: **05/08/1986**
TANK CAPACITY (GAL): **8000** EMPTY TANK: **NOT EMPTY**
STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **04/30/1989**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

Petroleum Storage Tanks (PST)

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **116779**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

MAP ID# 87

Distance from Property: 0.028 mi. (148 ft.) E
Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

EPA ID#: TXD988064861

NAME: AMERICAN TRANSMISSION

ADDRESS: 510 N IH 10

BEAUMONT, TX 77702

CONTACT NAME: TODD PRINCE

CONTACT ADDRESS: 510 N IH 10

BEAUMONT TX 77702

CONTACT PHONE: 409-838-5620

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 01/27/2001

CERTIFICATION - NO CERTIFICATION REPORTED -

INDUSTRY CLASSIFICATION (NAICS)

811113 - AUTOMOTIVE TRANSMISSION REPAIR

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: **NON-GENERATOR** LAST UPDATED DATE: **03/25/2004**

SUBJECT TO CORRECTIVE ACTION UNIVERSE: **NO**

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: **NO**

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: **NO**

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: **NO**

CORRECTIVE ACTION WORKLOAD UNIVERSE: **NO**

IMPORTER: **NO**

UNDERGROUND INJECTION: **NO**

MIXED WASTE GENERATOR: **NO**

UNIVERSAL WASTE DESTINATION FACILITY: **NO**

RECYCLER: **NO**

TRANSFER FACILITY: **NO**

TRANSPORTER: **NO**

USED OIL FUEL BURNER: **NO**

ONSITE BURNER EXEMPTION: **NO**

USED OIL PROCESSOR: **NO**

FURNACE EXEMPTION: **NO**

USED OIL FUEL MARKETER TO BURNER: **NO**

USED OIL REFINER: **NO**

SPECIFICATION USED OIL MARKETER: **NO**

USED OIL TRANSFER FACILITY: **NO**

USED OIL TRANSPORTER: **NO**

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS - NO EVALUATIONS REPORTED -

VIOLATIONS - NO VIOLATIONS REPORTED -

ENFORCEMENTS - NO ENFORCEMENTS REPORTED -

HAZARDOUS WASTE

D001 IGNITABLE WASTE

F001 THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING:
TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON
TETRACHLORIDE AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN
DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE
OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005; AND STILL
BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 88

Distance from Property: 0.028 mi. (148 ft.) NE
Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 095180
LPST ID: 095180
FACILITY ID: 0040078
NAME: SIGMOR 169
ADDRESS: 390 N 11TH ST
BEAUMONT, TX 77702

LEAKING TANK DETAILS

LPST ID: 095180
NAME: SIGMOR 169
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 4/9/90
REPORTED DATE: 03/26/1990
ENTERED DATE: 04/09/1990
CLOSURE DATE: 08/14/1996

PRP INFORMATION

NAME: DIAMOND SHAMROCK REFINING CORPORATION
ADDRESS: ADDRESS NOT REPORTED
HOUSTON TX 77055
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1A	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 04/01/1990	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 10000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 07/25/2006
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: YES

TANK DETAILS

MATERIAL:
COMPOSITE
CORROSION PROTECTION:
CATHODIC PROTECTION - FIELD INSTALLATION, COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: YES
CORROSION PROTECTION VARIANCE: NO VARIANCE

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **100836**

TANK ID: **1A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1B**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1968**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **01/01/1968**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **100833**

TANK ID: **1B**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

Leaking Petroleum Storage Tanks (LPST)

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **04/01/1990**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **07/25/2006**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION, COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **100837**

TANK ID: **2A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP, FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP, FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 2B	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1968	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 10000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 01/01/1968
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **100834**

TANK ID: **2B**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 3A	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 04/01/1990	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 10000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 07/25/2006
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: YES

TANK DETAILS

MATERIAL:

Leaking Petroleum Storage Tanks (LPST)

COMPOSITE

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION, COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **100838**

TANK ID: **3A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP, FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP, FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3B**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1968**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **01/01/1968**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

Leaking Petroleum Storage Tanks (LPST)

UST COMPARTMENT ID: **100835**

TANK ID: **3B**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 88

Distance from Property: 0.028 mi. (148 ft.) NE
Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 40078
NAME: SUPER STOP 17
ADDRESS: 390 N 11TH ST
BEAUMONT, TX 77702
COUNTY: JEFFERSON
REGION: 10
TYPE: RETAIL
BEGIN DATE: 09/01/1988
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/08/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 04/18/1986
SIGNATURE NAME & TITLE: W J BORRELL, DIV. MGR.
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN603126707
NAME: ZT GLOBAL INVESTMENTS INC
CONTACT ADDRESS: 4265 SAN FELIPE ST STE 1100
HOUSTON TX 77027

TYPE: CORPORATION/COMPANY
BEGIN DATE: 01/01/2006
CONTACT ROLE: OWNCON
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: ZT GROUP OF INVESTMENTS
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

OPERATOR NUMBER: CN603126707
NAME: ZT GLOBAL INVESTMENTS INC
CONTACT ADDRESS: 4265 SAN FELIPE ST STE 1100
HOUSTON TX 77027

TYPE: CORPORATION/COMPANY
BEGIN DATE: 01/01/2006
CONTACT ROLE: OPRCON
CONTACT NAME: TASEER BADAR
CONTACT TITLE: OWNER

CONTACT INFORMATION

NAME: TASEER BADAR
TITLE: OWNER
ORGANIZATION: SUPER STOP 17
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (713) 9606691 0

Petroleum Storage Tanks (PST)

ORGANIZATION: **ZT GROUP OF INVESTMENTS**

PHONE: **(713) 9606691 0**

FAX: **NOT REPORTED**

EMAIL: **NOT REPORTED**

SELF-CERTIFICATION

SELF-CERTIFICATION ID: **104095**

SIGNATURE DATE: **12/29/2003**

SIGNATURE NAME & TITLE: **ZOHRA ROOPANI, OWNER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **104094**

SIGNATURE DATE: **03/08/2003**

SIGNATURE NAME & TITLE: **TASEER BADAR, PRES**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **104093**

SIGNATURE DATE: **02/22/2002**

SIGNATURE NAME & TITLE: **TASEER BADAR, PRESIDENT**

FILING STATUS: **INITIAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **104092**

SIGNATURE DATE: **04/10/2001**

SIGNATURE NAME & TITLE: **MUHAMMAD TALHA, ACCT**

FILING STATUS: **INITIAL**

REGISTRATION FLAG: **YES**

CONSTRUCTION NOTIFICATION

NOTIFICATION CONSTRUCTION ID: **10752**

APPLICATION RECEIVED DATE: **07/13/2006**

SCHEDULE CONSTRUCTION DATE: **08/12/2006**

GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:

NOT REPORTED

NOTIFICATION CONSTRUCTION ID: **10753**

APPLICATION RECEIVED DATE: **02/23/2000**

SCHEDULE CONSTRUCTION DATE: **03/24/2000**

GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:

NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: **1A**

INSTALLATION DATE: **04/01/1990**

TANK CAPACITY (GAL): **10000**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **05/08/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **07/25/2006**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

COMPOSITE

Petroleum Storage Tanks (PST)

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION,COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **100836**

TANK ID: **1A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

TRIENNIAL TIGHTNESS TEST (FOR SUCTION/GRAVITY PIPING),AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE

PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1B**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1968**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **01/01/1968**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Petroleum Storage Tanks (PST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **100833**

TANK ID: **1B**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **04/01/1990**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **07/25/2006**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION, COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **100837**

TANK ID: **2A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP, FACTORY - BUILT**

Petroleum Storage Tanks (PST)

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

TRIENNIAL TIGHTNESS TEST (FOR SUCTION/GRAVITY PIPING),AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2B**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1968**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **01/01/1968**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **100834**

TANK ID: **2B**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

Petroleum Storage Tanks (PST)

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **04/01/1990**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **07/25/2006**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION,COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **100838**

TANK ID: **3A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

TRIENNIAL TIGHTNESS TEST (FOR SUCTION/GRAVITY PIPING),AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3B**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1968**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **01/01/1968**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **100835**

TANK ID: **3B**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 89

Distance from Property: 0.03 mi. (158 ft.) E
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

ID#: 47298
NAME: JAKE MAZZU PRODUCE
ADDRESS: 3898 HOLLYWOOD ST
BEAUMONT, TX 77701
COUNTY: JEFFERSON
REGION: 10
TYPE: UNKNOWN
BEGIN DATE: 09/01/1988
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 01/05/1989
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 12/30/1988
SIGNATURE NAME & TITLE: JAKE MAZZU, OWNER
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600946826
NAME: JAKE MAZZU PRODUCE INC
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: ORGANIZATION
BEGIN DATE: 09/01/1988
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1
INSTALLATION DATE: 01/01/1969
TANK CAPACITY (GAL): 6000
NUMBER OF COMPARTMENTS: 1
REGISTRATION DATE: 01/05/1989
EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: NOT REPORTED
TITLE: NOT REPORTED
ORGANIZATION: JAKE MAZZU PRODUCE
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8353406 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **07/26/1994**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **YES** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **YES** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **112831**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

INSTALLATION DATE: **01/01/1969**

TANK CAPACITY (GAL): **6000**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **YES**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **01/05/1989**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **07/26/1994**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

Petroleum Storage Tanks (PST)

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **112832**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 90

Distance from Property: 0.036 mi. (190 ft.) E

Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

REGISTRATION#: 31286 EPA ID: TXT490010782
TNRCC ID #: 8843
NAME: SALVAGE CENTER GULF STATES UTILITIES C
ADDRESS: 3105 LAUREL ST
BEAUMONT, TX 77702

CONTACT: JOHN D KNIPPA

PHONE: NOT REPORTED

BUSINESS DESCRIPTION: NOT REPORTED

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: YES

WASTE TRANSPORTER: YES

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR

GENERATOR TYPE: NON-INDUSTRIAL AND/OR MUNICIPAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 12/01/2005

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

WASTE ID: 98556

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

GENERATOR'S DESCRIPTION OF WASTE: BATTERIES, ACID- FILLED

WASTE ID: 98557

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

GENERATOR'S DESCRIPTION OF WASTE: SANDBLASTING SAND

WASTE ID: 98555

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

Industrial and Hazardous Waste Sites (IHW)

GENERATOR'S DESCRIPTION OF WASTE: **PAINT, SOLVENT, AND OIL; PAINTING OPERATIONS, DISTILLATION, AND MISCELLANEOUS GE**

WASTE ID: **17401**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **CAPACITORS, NON-PCB, REMOVAL OF ELECTRICAL EQUIPMENT, PRIOR TO 3-1990**

WASTE ID: **17397**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **SOIL AND DEBRIS CONTAINING <50 PPM PCB CLEANUP OF ELECTRICAL EQUIPMENT RELEASES,**

WASTE ID: **70325**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **ELECTRICAL EQUIPMENT - DRAINED - CONTAINING <50 PPM PCB. DRAINING OF ELECTRICAL**

WASTE ID: **70328**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **ELECTRICAL EQUIPMENT - FULL - CONTAINING <50 PPM PCB. REMOVAL OF ELECTRICAL EQU**

WASTE ID: **70333**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **WATER CONTAINING <50 PPM PCB CLEANUP OF ELECTRICAL EQUIPMENT RELEASES, ETC. PRI**

WASTE ID: **17398**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **MINERAL OIL CONTAINING <50 PPM PCB, CLEANUP OF ELECTRICAL EQUIPMENT RELEASES; DR**

WASTE ID: **132502**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **PAINT MATERIAL, SOLID. PAINT RELATED MATERIAL INCLUDING PAINT THINNING, DRYING O**

WASTE ID: **70323**

WASTE CODE STATUS: **INACTIVE**

Industrial and Hazardous Waste Sites (IHW)

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **SOIL AND DEBRIS CONTAINING 50-500 PPM PCB CLEANUP OF ELECTRIC EQUIPMENT RELEASES**

WASTE ID: **70326**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **ELECTRICAL EQUIPMENT - DRAINED - CONTAINING 50-500 PPM PCB. DRAINING OF ELECTRI**

WASTE ID: **70329**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **ELECTRICAL EQUIPMENT-FULL-CONTAINING 50-500 PPM PCB. REMOVED OF ELECTRICAL EQUIP**

WASTE ID: **70334**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **WATER CONTAINING 50-500 PPM PCB CLEANUP OF ELECTRICAL EQUIPMENT RELEASES, ETC. P**

WASTE ID: **17396**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **MINERAL OIL CONTAINING 50-500 PPM PCB, CLEANUP OF ELECTRICAL EQUIPMENT RELEASES;**

WASTE ID: **97187**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **PLANT REFUSE/GARBAGE FROM PLANT OFFICE OPERATIONS. PRIOR TO 5/91**

WASTE ID: **70324**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **SOIL AND DEBRIS CONTAINING >500 PPM PCB CLEANUP OF ELECTRICAL EQUIPMENT RELEASES**

WASTE ID: **70327**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **ELECTRICAL EQUIPMENT - DRAINED - CONTAINING >500 PPM PCB. DRAINING OF ELECTRICA**

Industrial and Hazardous Waste Sites (IHW)

WASTE ID: **70330**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **ELECTRICAL EQUIPMENT-FULL-CONTAINING >500 PPM PCB. REMOVAL OF ELECTRICAL EQUIPM**

WASTE ID: **70335**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **WATER CONTAINING >500 PPM PCB CLEANUP OF ELECTRICAL EQUIPMENT RELEASES, ETC. PR**

WASTE ID: **70331**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **MINERAL OIL CONTAINING >500 PPM PCB. CLEANUP OF ELECTRICAL EQUIPMENT RELEASES;D**

WASTE ID: **155584**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **SAND BLASTING WASTE WITH LEAD, CADMIUM & NON-HALOGENATED SOLVENTS; PAINT REMOVAL**

WASTE ID: **163292**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **SPENT CLEANING SLUDGE**

WASTE ID: **17395**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **17399**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **17400**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **17402**

Industrial and Hazardous Waste Sites (IHW)

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **17403**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **17404**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 90

Distance from Property: 0.036 mi. (190 ft.) E

Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

REGISTRATION#: **39057** EPA ID: **NOT REPORTED**

TNRCC ID #: **15646**

NAME: **BEAUMONT SALVAGE CENTER**

ADDRESS: **3105 LAUREL ST**

BEAUMONT, TX 77702

CONTACT: **BD HICKMAN**

PHONE: **409-8386631**

BUSINESS DESCRIPTION: **NOT REPORTED**

INDUSTRIAL WASTE PERMIT #: **NOT REPORTED**

MUNICIPAL WASTE PERMIT #: **NOT REPORTED**

SIC CODE: **NOT REPORTED**

WASTE GENERATOR: **NO**

WASTE RECEIVER: **YES**

WASTE TRANSPORTER: **NO**

TRANSFER FACILITY: **NO**

MAQUILADORA (MEXICAN FACILITY): **NO**

STATUS: **MERGED**

AMOUNT OF WASTE GENERATED: **NOT REPORTED**

GENERATOR TYPE: **NOT REPORTED**

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): **06/04/2010**

ACTIVITIES

ACTIVITY TYPE: **UNKNOWN**

ACTIVITY DESCRIPTION: **NOT REPORTED**

WASTE

NO RECORDS

OWNER INFORMATION

NAME: **ENERGY GULF STATES INC**

ADDRESS: **NOT REPORTED**

PHONE: **NOT REPORTED**

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

MAP ID# 90

Distance from Property: 0.036 mi. (190 ft.) E
Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

EPA ID#: TXT490010782

NAME: ENTERGY GULF STATES INC

ADDRESS: 3105 LAUREL STREET

BEAUMONT, TX 77702

CONTACT NAME: JOHN D KNIPPA

CONTACT ADDRESS: PO BOX 2951

BEAUMONT TX 77704

CONTACT PHONE: 409-827-5104 80

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 11/29/2005

OWNER TYPE: PRIVATE

OWNER NAME: ENTERGY GULF STATES INC

OPERATOR TYPE: PRIVATE

OPERATOR NAME: ENTERGY GULF STATES INC

CERTIFICATION

CERTIFICATION NAME:

JOHN D KNIPPA

CERTIFICATION TITLE:

UNKNOWN

CERTIFICATION SIGNED DATE:

11/29/2005

INDUSTRY CLASSIFICATION (NAICS)

221122 - ELECTRIC POWER DISTRIBUTION

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: **NON-GENERATOR** LAST UPDATED DATE: **12/06/2005**

SUBJECT TO CORRECTIVE ACTION UNIVERSE: **NO**

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: **NO**

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: **NO**

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: **NO**

CORRECTIVE ACTION WORKLOAD UNIVERSE: **NO**

IMPORTER: **NO**

UNDERGROUND INJECTION: **NO**

MIXED WASTE GENERATOR: **NO**

UNIVERSAL WASTE DESTINATION FACILITY: **NO**

RECYCLER: **NO**

TRANSFER FACILITY: **NO**

TRANSPORTER: **NO**

USED OIL FUEL BURNER: **NO**

ONSITE BURNER EXEMPTION: **NO**

USED OIL PROCESSOR: **NO**

FURNACE EXEMPTION: **NO**

USED OIL FUEL MARKETER TO BURNER: **NO**

USED OIL REFINER: **NO**

SPECIFICATION USED OIL MARKETER: **NO**

USED OIL TRANSFER FACILITY: **NO**

USED OIL TRANSPORTER: **NO**

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS - **NO EVALUATIONS REPORTED -**

VIOLATIONS - **NO VIOLATIONS REPORTED -**

ENFORCEMENTS - **NO ENFORCEMENTS REPORTED -**

HAZARDOUS WASTE

D000

D001 IGNITABLE WASTE

D002 CORROSIVE WASTE

D006 CADMIUM

D007 CHROMIUM

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

D008	LEAD
D018	BENZENE
D019	CARBON TETRACHLORIDE
D021	CHLOROBENZENE
D035	METHYL ETHYL KETONE
D039	TETRACHLOROETHYLENE
D040	TRICHLOROETHYLENE
F001	THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
F002	THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
F003	THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
F005	THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 91

Distance from Property: 0.061 mi. (322 ft.) W

Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRATION#: 37905 EPA ID: TXD982293904

TNRCC ID #: 14551

NAME: INSTY PRINTS OF BEAUMONT

ADDRESS: 3851 PHELAN BLVD

BEAUMONT, TX 77707

CONTACT: RAY KALSER

PHONE: 409-8338209

BUSINESS DESCRIPTION: THIS REGISTRATION WAS INACTIVATED BECAUSE THERE WERE ONLY 6-DIGIT WASTE CODES ON THE NOR AND NO WASTE ACTIVITY WAS REPORTED IN 1994, 1995 AND 1996.

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: NOT REPORTED

GENERATOR TYPE: NOT REPORTED

THIS FACILITY IS A NON-NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 01/05/2004

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

WASTE ID: 38055

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

GENERATOR'S DESCRIPTION OF WASTE: NOT REPORTED

WASTE ID: 38056

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

GENERATOR'S DESCRIPTION OF WASTE: NOT REPORTED

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 91

Distance from Property: 0.039 mi. (206 ft.) W
Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

ID#: 75279
NAME: KROGER FUEL FACILITY 328
ADDRESS: 3845 PHELAN BLVD
BEAUMONT, TX 77707
COUNTY: JEFFERSON
REGION: 10
TYPE: RETAIL
BEGIN DATE: 08/31/1987
STATUS: ACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: YES
NUMBER OF ACTIVE UNDERGROUND TANKS: 2
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 03/13/2017
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 03/13/2017
SIGNATURE NAME & TITLE: RUDY SALAS, SIGNATURE TITLE NOT REPORTED
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN601489354
NAME: KROGER TEXAS LP
CONTACT ADDRESS: 19245 DAVID MEMORIAL DR
SHENANDOAH TX 77385

TYPE: PARTNERSHIP
BEGIN DATE: 07/23/2002
CONTACT ROLE: OWNOPRCON
CONTACT NAME: PATRICIA T ASH
CONTACT TITLE: NOT REPORTED
ORGANIZATION: KROGER TEXAS LP
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

OPERATOR NUMBER: CN601489354
NAME: KROGER TEXAS LP
CONTACT ADDRESS: 19245 DAVID MEMORIAL DR
SHENANDOAH TX 77385

TYPE: PARTNERSHIP
BEGIN DATE: 07/23/2002
CONTACT ROLE: OPRCON
CONTACT NAME: MIKE BOEHM
CONTACT TITLE: NOT REPORTED

CONTACT INFORMATION

NAME: NOT REPORTED
TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: NOT REPORTED

Petroleum Storage Tanks (PST)

ORGANIZATION: **KROGER TEXAS LP**

PHONE: **(713) 5074817 0**

FAX: **NOT REPORTED**

EMAIL: **NOT REPORTED**

SELF-CERTIFICATION

SELF-CERTIFICATION ID: **299473**

SIGNATURE DATE: **02/21/2018**

SIGNATURE NAME & TITLE: **FELITHA DENNIS, BUSINESS LICENSE CLE**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **282377**

SIGNATURE DATE: **02/20/2017**

SIGNATURE NAME & TITLE: **FELITHA DENNIS, BUSINESS LIC CLERK**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **264554**

SIGNATURE DATE: **02/05/2016**

SIGNATURE NAME & TITLE: **ROMAN L WILLIAMS, DIVISION FUEL MGR**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **249282**

SIGNATURE DATE: **02/21/2015**

SIGNATURE NAME & TITLE: **ROMAN L WILLIAMS, DIVISION FUEL MGR**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **231684**

SIGNATURE DATE: **02/07/2014**

SIGNATURE NAME & TITLE: **ROMAN L WILLIAMS, DIVISION FUEL MGR**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **206129**

SIGNATURE DATE: **01/02/2013**

SIGNATURE NAME & TITLE: **ROMAN L WILLIAMS, DIVISION FUEL MGR**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **206128**

SIGNATURE DATE: **01/20/2012**

SIGNATURE NAME & TITLE: **ROMAN L WILLIAMS, DIVISION FUEL MANAGE**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **206127**

SIGNATURE DATE: **01/10/2011**

SIGNATURE NAME & TITLE: **ROMAN L WILLIAMS, DIVISION FUEL MGR**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **206126**

SIGNATURE DATE: **01/04/2010**

Petroleum Storage Tanks (PST)

SIGNATURE NAME & TITLE: ROMAN L WILLIAMS, DIVISION FUEL MANAGE

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 206125

SIGNATURE DATE: 01/06/2009

SIGNATURE NAME & TITLE: ROMAN L WILLIAMS, DIVISION FUEL MANAGE

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 206124

SIGNATURE DATE: 01/15/2008

SIGNATURE NAME & TITLE: ROMAN L WILLIAMS, DIV. FUEL MANAGER

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 206123

SIGNATURE DATE: 02/09/2007

SIGNATURE NAME & TITLE: ROMAN L WILLIAMS, DIVISION FUEL MGR.

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 206122

SIGNATURE DATE: 10/31/2005

SIGNATURE NAME & TITLE: ROMAN WILLIAMS, DIVISION FUEL MGR

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 206121

SIGNATURE DATE: 01/03/2005

SIGNATURE NAME & TITLE: ROMAN L WILLIAMS, DIVISION FUEL MGR.

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 206120

SIGNATURE DATE: 02/02/2004

SIGNATURE NAME & TITLE: ROMAN L WILLIAMS, DIVISON FUEL MANAGER

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 206119

SIGNATURE DATE: 12/27/2002

SIGNATURE NAME & TITLE: ROMAN WILLIAMS, NOT REPORTED

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 206118

SIGNATURE DATE: 07/23/2002

SIGNATURE NAME & TITLE: ROMAN WILLIAMS, NOT REPORTED

FILING STATUS: INITIAL

REGISTRATION FLAG: YES

CONSTRUCTION NOTIFICATION

NOTIFICATION CONSTRUCTION ID: 18557

APPLICATION RECEIVED DATE: 06/09/2008

SCHEDULE CONSTRUCTION DATE: 08/04/2008

Petroleum Storage Tanks (PST)

GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:

NOT REPORTED

NOTIFICATION CONSTRUCTION ID: **18558**

APPLICATION RECEIVED DATE: **11/01/2004**

SCHEDULE CONSTRUCTION DATE: **07/30/2004**

GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:

NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: **1**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **07/02/2002**

REGISTRATION DATE: **07/29/2002**

TANK CAPACITY (GAL): **20000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **07/02/2002**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **169413**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **20000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL, INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP, FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP, DELIVERY SHUT-OFF VALVE, FLOW RESTRICTOR VALVE, ALARM (SET @ <=90%) W3A OR 3B**

PIPING SYSTEMS

MATERIAL: **NONMETALLIC FLEXIBLE PIPING**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE), NONMETALLIC FLEXIBLE PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET, AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

Petroleum Storage Tanks (PST)

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 2	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 07/02/2002	REGISTRATION DATE: 07/29/2002
TANK CAPACITY (GAL): 8000	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 07/02/2002
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: YES
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: YES

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **169414**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL,INTERSTITIAL**

MONITORING WITHIN SECONDARY WALL/JACKET

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALVE,ALARM (SET@<=90%) W3A OR 3B

PIPING SYSTEMS

MATERIAL: **NONMETALLIC FLEXIBLE PIPING**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE),NONMETALLIC FLEXIBLE PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET,AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE

PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

MAP ID# 91

Distance from Property: 0.061 mi. (322 ft.) W
Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

EPA ID#: TXD982293904

NAME: INSTY PRINTS OF BEAUMONT

ADDRESS: 3851 PHELAN BLVD

BEAUMONT, TX 77707

CONTACT NAME: RAY KALSER

CONTACT ADDRESS: 3851 PHELAN BLVD

BEAUMONT TX 77707

CONTACT PHONE: 409-833-8209

NON-NOTIFIER: NON-NOTIFIER

DATE RECEIVED BY AGENCY: 08/23/2001

CERTIFICATION - NO CERTIFICATION REPORTED -

INDUSTRY CLASSIFICATION (NAICS) - NO NAICS INFORMATION REPORTED -

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: **NON-GENERATOR** LAST UPDATED DATE: **03/25/2004**

SUBJECT TO CORRECTIVE ACTION UNIVERSE: **NO**

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: **NO**

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: **NO**

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: **NO**

CORRECTIVE ACTION WORKLOAD UNIVERSE: **NO**

IMPORTER: **NO**

UNDERGROUND INJECTION: **NO**

MIXED WASTE GENERATOR: **NO**

UNIVERSAL WASTE DESTINATION FACILITY: **NO**

RECYCLER: **NO**

TRANSFER FACILITY: **NO**

TRANSPORTER: **NO**

USED OIL FUEL BURNER: **NO**

ONSITE BURNER EXEMPTION: **NO**

USED OIL PROCESSOR: **NO**

FURNACE EXEMPTION: **NO**

USED OIL FUEL MARKETER TO BURNER: **NO**

USED OIL REFINER: **NO**

SPECIFICATION USED OIL MARKETER: **NO**

USED OIL TRANSFER FACILITY: **NO**

USED OIL TRANSPORTER: **NO**

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS

09/24/1987 FCI FOCUSED COMPLIANCE INSPECTION

VIOLATIONS - NO VIOLATIONS REPORTED -

ENFORCEMENTS - NO ENFORCEMENTS REPORTED -

HAZARDOUS WASTE

- NO HAZARDOUS WASTE INFORMATION REPORTED -

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 92

Distance from Property: 0.04 mi. (211 ft.) NNW
Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

ID#: 13819
NAME: PHILLIP 66 017888
ADDRESS: 3595 CALDER AVE
BEAUMONT, TX 77706
COUNTY: JEFFERSON
REGION: 10
TYPE: RETAIL
BEGIN DATE: 09/01/1987
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/08/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 04/18/1986
SIGNATURE NAME & TITLE: R K SMOLLER, MKT. ENGR.
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600985899
NAME: NIGHT HARVEY
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: ORGANIZATION
BEGIN DATE: 09/01/1987
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 0361620
INSTALLATION DATE: 01/01/1965
TANK CAPACITY (GAL): 550
NUMBER OF COMPARTMENTS: 1
REGISTRATION DATE: 05/08/1986
EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: NOT REPORTED
TITLE: NOT REPORTED
ORGANIZATION: PHILLIP 66 CO 017888
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (918) 6616600 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **12/31/1982**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **162857**

TANK ID: **0361620**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **550**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **0361623**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1965**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **3000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **12/31/1982**

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

Petroleum Storage Tanks (PST)

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **162859**

TANK ID: **0361623**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **3000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **0361625**

INSTALLATION DATE: **01/01/1965**

TANK CAPACITY (GAL): **4000**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **05/08/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **12/31/1982**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **162858**

TANK ID: **0361625**

Petroleum Storage Tanks (PST)

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **0361626**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1965**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **3000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **12/31/1982**

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **162860**

TANK ID: **0361626**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **3000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

Petroleum Storage Tanks (PST)

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 93

Distance from Property: 0.043 mi. (227 ft.) SSE
Elevation: 19 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 111739
LPST ID: 111739
FACILITY ID: 0010255
NAME: E Z MART 224
ADDRESS: 1320 N 11TH ST
BEAUMONT, TX 77702

LEAKING TANK DETAILS

LPST ID: 111739
NAME: E Z MART 224
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 10/31/96
REPORTED DATE: 09/23/1996
ENTERED DATE: 10/31/1996
CLOSURE DATE: 02/15/2007

PRP INFORMATION

NAME: YATES GROUP INC
ADDRESS: ADDRESS NOT REPORTED
TEXARKANA TX 75504
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1984	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 12033	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 01/01/1984
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
STEEL
CORROSION PROTECTION:
CATHODIC PROTECTION - FACTORY INSTALLATION, CATHODIC PROTECTION - FIELD INSTALLATION
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **110446**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **12033**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING,SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **CATHODIC PROTECTION - FACTORY INSTALLATION,CATHODIC PROTECTION - FIELD INSTALLATION**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **CATHODIC PROTECTION - FACTORY INSTALLATION,CATHODIC PROTECTION - FIELD INSTALLATION**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1984**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **12033**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **01/01/1984**

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FACTORY INSTALLATION,CATHODIC PROTECTION - FIELD INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **110448**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

Leaking Petroleum Storage Tanks (LPST)

CAPACITY (GAL): **12033**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING,SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **CATHODIC PROTECTION - FACTORY INSTALLATION,CATHODIC PROTECTION - FIELD INSTALLATION**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **CATHODIC PROTECTION - FACTORY INSTALLATION,CATHODIC PROTECTION - FIELD INSTALLATION**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1984**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **12033**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **01/01/1984**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FACTORY INSTALLATION,CATHODIC PROTECTION - FIELD INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **110447**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **12033**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING,SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

Leaking Petroleum Storage Tanks (LPST)

MATERIAL: **FRP**

CORROSION PROTECTION: **CATHODIC PROTECTION - FACTORY INSTALLATION,CATHODIC PROTECTION - FIELD
INSTALLATION**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **CATHODIC PROTECTION - FACTORY INSTALLATION,CATHODIC PROTECTION - FIELD
INSTALLATION**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 93

Distance from Property: 0.043 mi. (227 ft.) SSE
Elevation: 19 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 10255
NAME: FOOD SPOT 4
ADDRESS: 1320 N 11TH ST
BEAUMONT, TX 77702
COUNTY: JEFFERSON
REGION: 10
TYPE: RETAIL
BEGIN DATE: 01/01/1984
STATUS: ACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 3
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 02/14/2019
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 01/03/2019
SIGNATURE NAME & TITLE: ABDUL DAYYUM, EMPLOY
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN605236520
NAME: KWL GROCER INC
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: CORPORATION/COMPANY
BEGIN DATE: 01/15/2016
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OWNER NUMBER: CN602528788
NAME: OLD TOWN GROCERY INC
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: CORPORATION/COMPANY
BEGIN DATE: 01/01/2011
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED

CONTACT INFORMATION

NAME: JIMMY NAEEM
TITLE: REP
ORGANIZATION: FOOD SPOT 4
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8983499 0

Petroleum Storage Tanks (PST)

FAX: **NOT REPORTED**
EMAIL: **NOT REPORTED**

OPERATOR

OPERATOR NUMBER: **CN603816893**
NAME: **AM PAK GROCERS INC**
CONTACT ADDRESS: **OPERATOR ADDRESS NOT REPORTED**
CITY NOT REPORTED

TYPE: **CORPORATION/COMPANY**
BEGIN DATE: **01/01/2011**
CONTACT ROLE: **NOT REPORTED**
CONTACT NAME: **NOT REPORTED**
CONTACT TITLE: **NOT REPORTED**
ORGANIZATION: **NOT REPORTED**
PHONE: **NOT REPORTED**
FAX: **NOT REPORTED**
EMAIL: **NOT REPORTED**

SELF-CERTIFICATION

SELF-CERTIFICATION ID: **316504**
SIGNATURE DATE: **01/03/2019**
SIGNATURE NAME & TITLE: **ABDUL DAYYUM, EMPLOY**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **299797**
SIGNATURE DATE: **01/09/2018**
SIGNATURE NAME & TITLE: **TANVEER IQBAL, CASHIER**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **283931**
SIGNATURE DATE: **03/05/2017**
SIGNATURE NAME & TITLE: **BUSHIN KHI, CASHIER**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **276615**
SIGNATURE DATE: **09/08/2016**
SIGNATURE NAME & TITLE: **TANVEER IQBAL, OWNER**
FILING STATUS: **INITIAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **265196**
SIGNATURE DATE: **12/02/2015**
SIGNATURE NAME & TITLE: **BASHA KHAN, EMPLOYEE**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **248679**
SIGNATURE DATE: **01/02/2015**
SIGNATURE NAME & TITLE: **BESHU KHAN, REP**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**

Petroleum Storage Tanks (PST)

SELF-CERTIFICATION ID: 232433
SIGNATURE DATE: 02/20/2014
SIGNATURE NAME & TITLE: RASHID NAEEM, OWNER
FILING STATUS: RENEWAL
REGISTRATION FLAG: YES
SELF-CERTIFICATION ID: 109144
SIGNATURE DATE: 01/09/2013
SIGNATURE NAME & TITLE: RASHID NAEEM, OWNER
FILING STATUS: RENEWAL
REGISTRATION FLAG: YES
SELF-CERTIFICATION ID: 109143
SIGNATURE DATE: 12/29/2011
SIGNATURE NAME & TITLE: RASHID NAEEM, REP
FILING STATUS: RENEWAL
REGISTRATION FLAG: YES
SELF-CERTIFICATION ID: 109142
SIGNATURE DATE: 02/28/2011
SIGNATURE NAME & TITLE: MUHAMMAD NAEEM, REP
FILING STATUS: RENEWAL
REGISTRATION FLAG: YES
SELF-CERTIFICATION ID: 109141
SIGNATURE DATE: 06/22/2010
SIGNATURE NAME & TITLE: FAROOQ ABDUL SATTAR, PRES
FILING STATUS: RENEWAL
REGISTRATION FLAG: YES
SELF-CERTIFICATION ID: 109140
SIGNATURE DATE: 06/16/2009
SIGNATURE NAME & TITLE: FAROOQ ABDUL SATTAR, PRESIDENT
FILING STATUS: RENEWAL
REGISTRATION FLAG: YES
SELF-CERTIFICATION ID: 109139
SIGNATURE DATE: 05/28/2008
SIGNATURE NAME & TITLE: PRESIDENT, PRESIDENT
FILING STATUS: RENEWAL
REGISTRATION FLAG: YES
SELF-CERTIFICATION ID: 109138
SIGNATURE DATE: 06/11/2007
SIGNATURE NAME & TITLE: FAROOQ ABDUL SATTAR, PRES
FILING STATUS: RENEWAL
REGISTRATION FLAG: YES
SELF-CERTIFICATION ID: 109137
SIGNATURE DATE: 05/25/2006
SIGNATURE NAME & TITLE: FAROOQ ABDUL-SATTAR, PRES
FILING STATUS: RENEWAL
REGISTRATION FLAG: YES
SELF-CERTIFICATION ID: 109136
SIGNATURE DATE: 06/23/2005

Petroleum Storage Tanks (PST)

SIGNATURE NAME & TITLE: FAROOQ ABDUL-SATTAR, PRESIDENT

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 109135

SIGNATURE DATE: 06/29/2004

SIGNATURE NAME & TITLE: FAROOQ ABDUL SATTAR, PRESIDENT

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 109134

SIGNATURE DATE: 07/29/2003

SIGNATURE NAME & TITLE: FAROOQ ABDUL-SATTAR, PRES

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 109133

SIGNATURE DATE: 03/09/2002

SIGNATURE NAME & TITLE: FAROOQ ABDUL-SATTAR, PRES

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 109132

SIGNATURE DATE: 03/08/2002

SIGNATURE NAME & TITLE: FAROOQ ABDUL-SATTAR, PRES

FILING STATUS: INITIAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 109131

SIGNATURE DATE: 05/01/2001

SIGNATURE NAME & TITLE: FAROOQ ABDUL SATTAR, NOT REPORTED

FILING STATUS: INITIAL

REGISTRATION FLAG: YES

CONSTRUCTION NOTIFICATION

NOTIFICATION CONSTRUCTION ID: 33055

APPLICATION RECEIVED DATE: 05/30/2018

SCHEDULE CONSTRUCTION DATE: 06/01/2018

GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:

INSTALL (6) ANODE GROUNDBED WITH ALL NEW POSITIVE AND NEGATIVE CABLES TO REPAIR EXISTING IMPRESSED CURRENT CATHODIC PROTECTION SYSTEM.

NOTIFICATION CONSTRUCTION ID: 30986

APPLICATION RECEIVED DATE: 02/24/2017

SCHEDULE CONSTRUCTION DATE: 03/29/2017

GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:

DEMO CONCRETE AND SPILL BUCKET FOR A SUPER AND DIESEL. THEN INSTALL A NEW SPILL BUCKETS FOR SUPER AND DIESEL TANKS AND REPLACE WITH NEW CONCRETE.

NOTIFICATION CONSTRUCTION ID: 11277

APPLICATION RECEIVED DATE: 09/22/2000

SCHEDULE CONSTRUCTION DATE: 09/25/2000

GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:

NOT REPORTED

UNDERGROUND STORAGE TANK

Petroleum Storage Tanks (PST)

TANK ID: 1
INSTALLATION DATE: 01/01/1984
TANK CAPACITY (GAL): 12033
STATUS: IN USE
INTERNAL PROTECTION DATE: NOT REPORTED
TANK DESIGN SINGLE WALL: YES
PIPE DESIGN SINGLE WALL: YES

NUMBER OF COMPARTMENTS: 1
REGISTRATION DATE: 05/08/1986
EMPTY TANK: NOT EMPTY
STATUS BEGIN DATE: 01/01/1984
REGULATORY STATUS: FULLY REGULATED
TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FACTORY INSTALLATION,CATHODIC PROTECTION - FIELD INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: YES

CORROSION PROTECTION VARIANCE: NO VARIANCE

COMPARTMENT DETAILS

UST COMPARTMENT ID: 110446

TANK ID: 1

COMPARTMENT LETTER: A

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): 12033

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING,SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **CATHODIC PROTECTION - FACTORY INSTALLATION,CATHODIC PROTECTION - FIELD INSTALLATION**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

VAPOR MONITORING,ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: YES

CORROSION PROTECTION VARIANCE: NO VARIANCE

TANK ID: 2
INSTALLATION DATE: 01/01/1984
TANK CAPACITY (GAL): 12033
STATUS: IN USE

NUMBER OF COMPARTMENTS: 1
REGISTRATION DATE: 05/08/1986
EMPTY TANK: NOT EMPTY
STATUS BEGIN DATE: 01/01/1984

Petroleum Storage Tanks (PST)

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **YES** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **YES** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FACTORY INSTALLATION,CATHODIC PROTECTION - FIELD INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **110448**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **12033**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING,SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **CATHODIC PROTECTION - FACTORY INSTALLATION,CATHODIC PROTECTION - FIELD INSTALLATION**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

VAPOR MONITORING,ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1984**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **12033**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **01/01/1984**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

Petroleum Storage Tanks (PST)

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FACTORY INSTALLATION,CATHODIC PROTECTION - FIELD INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **110447**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **12033**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING,SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **CATHODIC PROTECTION - FACTORY INSTALLATION,CATHODIC PROTECTION - FIELD INSTALLATION**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

VAPOR MONITORING,ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 94

Distance from Property: 0.044 mi. (232 ft.) ESE
Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

GEOSEARCH ID: 095727
LPST ID: 095727
FACILITY ID: 0011259
NAME: RAINBO BAKING CO
ADDRESS: 2695 LAUREL ST
BEAUMONT, TX 77702

LEAKING TANK DETAILS

LPST ID: 095727
NAME: RAINBO BAKING CO
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 4A - SOIL CONTAMINATION ONLY REQUIRES FULL SITE ASSESSMENT RAP
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 6/7/90
REPORTED DATE: 03/13/1990
ENTERED DATE: 06/07/1990
CLOSURE DATE: 07/03/1990

PRP INFORMATION

NAME: RAINBO BAKING CO
ADDRESS: ADDRESS NOT REPORTED
BEAUMONT TX 77023
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1955	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 10000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 03/13/1990
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
STEEL
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **26818**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1968**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **1000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **03/13/1990**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **26819**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

Leaking Petroleum Storage Tanks (LPST)

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 94

Distance from Property: 0.044 mi. (232 ft.) ESE
Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

ID#: 11259
NAME: RAINBO BAKING
ADDRESS: 2695 LAUREL ST
BEAUMONT, TX 77702
COUNTY: JEFFERSON
REGION: 10
TYPE: FLEET REFUELING
BEGIN DATE: 07/25/1986
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/08/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 04/24/1986
SIGNATURE NAME & TITLE: GALE R SINTEK, PLANT MGR
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN602493033
NAME: SARA LEE BAKERY GROUP INC
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: CORPORATION/COMPANY
BEGIN DATE: 07/25/1986
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1955	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 10000	EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: JOHN COOK
TITLE: GARAGE SUPT
ORGANIZATION: RAINBO BAKING
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8321681 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **03/13/1990**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **26818**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

INSTALLATION DATE: **01/01/1968**

TANK CAPACITY (GAL): **1000**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **05/08/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **03/13/1990**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

Petroleum Storage Tanks (PST)

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **26819**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 95

Distance from Property: 0.045 mi. (238 ft.) SSW
Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

REGISTRATION#: **84460** EPA ID: **TXR000013631**
TNRCC ID #: **103571**
NAME: **MAACO AUTO PAINTING & BODYWORKS**
ADDRESS: **2895 LAUREL ST**
BEAUMONT, TX 77702

CONTACT: **CHRISTOPHER BURRUS**

PHONE: **409-8357294**

BUSINESS DESCRIPTION: **AUTOMOTIVE PAINT & BODY REPAIR**

INDUSTRIAL WASTE PERMIT #: **NOT REPORTED**

MUNICIPAL WASTE PERMIT #: **NOT REPORTED**

SIC CODE: **NOT REPORTED**

WASTE GENERATOR: **YES**

WASTE RECEIVER: **NO**

WASTE TRANSPORTER: **NO**

TRANSFER FACILITY: **NO**

MAQUILADORA (MEXICAN FACILITY): **NO**

STATUS: **INACTIVE**

AMOUNT OF WASTE GENERATED: **SMALL QUANTITY GENERATOR**

GENERATOR TYPE: **NON-INDUSTRIAL AND/OR MUNICIPAL**

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): **10/17/2003**

ACTIVITIES

ACTIVITY TYPE: **UNKNOWN**

ACTIVITY DESCRIPTION: **NOT REPORTED**

WASTE

WASTE ID: **147387**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **WRECKED VEHICLES ARE REPAIRED TO LIKE NEW CONDITION AND PAINTED.**

CLEANUP PROCES

WASTE ID: **159323**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **AUTO PAINT BOOTH FILTERS**

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

MAP ID# 95

Distance from Property: 0.045 mi. (238 ft.) SSW
Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

EPA ID#: TXR000013631

NAME: MAACO AUTO PAINTING & BODYWORKS

ADDRESS: 2895 LAUREL

BEAUMONT, TX 77702

CONTACT NAME: CHRISTOPHER BURRUS

CONTACT ADDRESS: 2895 LAUREL

BEAUMONT TX 77702

CONTACT PHONE: 409-835-7294

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 08/17/2001

CERTIFICATION - NO CERTIFICATION REPORTED -

INDUSTRY CLASSIFICATION (NAICS)

811121 - AUTOMOTIVE BODY, PAINT, AND INTERIOR REPAIR AND MAINTENANCE

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: **NON-GENERATOR** LAST UPDATED DATE: 03/25/2004

SUBJECT TO CORRECTIVE ACTION UNIVERSE: **NO**

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: **NO**

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: **NO**

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: **NO**

CORRECTIVE ACTION WORKLOAD UNIVERSE: **NO**

IMPORTER: **NO**

UNDERGROUND INJECTION: **NO**

MIXED WASTE GENERATOR: **NO**

UNIVERSAL WASTE DESTINATION FACILITY: **NO**

RECYCLER: **NO**

TRANSFER FACILITY: **NO**

TRANSPORTER: **NO**

USED OIL FUEL BURNER: **NO**

ONSITE BURNER EXEMPTION: **NO**

USED OIL PROCESSOR: **NO**

FURNACE EXEMPTION: **NO**

USED OIL FUEL MARKETER TO BURNER: **NO**

USED OIL REFINER: **NO**

SPECIFICATION USED OIL MARKETER: **NO**

USED OIL TRANSFER FACILITY: **NO**

USED OIL TRANSPORTER: **NO**

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS - NO EVALUATIONS REPORTED -

VIOLATIONS - NO VIOLATIONS REPORTED -

ENFORCEMENTS - NO ENFORCEMENTS REPORTED -

HAZARDOUS WASTE

D001 IGNITABLE WASTE

D006 CADMIUM

D007 CHROMIUM

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

- F001 THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
- F002 THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
- F003 THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
- F005 THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 96

Distance from Property: 0.045 mi. (238 ft.) W
Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

ID#: 74805
NAME: SCHWARZLOSE POOLS AND SERVICES
ADDRESS: 4055 MILAM ST
BEAUMONT, TX 77707
COUNTY: JEFFERSON
REGION: 10
TYPE: FLEET REFUELING
BEGIN DATE: 08/31/1987
STATUS: INACTIVE
EXEMPT STATUS: YES
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 10/29/2001
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 10/25/2001
SIGNATURE NAME & TITLE: BILL SCHWARZLOSE, PRES
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN601036072
NAME: SCHWARZLOSE POOLS AND SERVICES INC
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: ORGANIZATION
BEGIN DATE: 08/31/1987
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NOTIFICATION CONSTRUCTION ID: 18693
APPLICATION RECEIVED DATE: 06/27/2003
SCHEDULE CONSTRUCTION DATE: 07/27/2003
GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:
NOT REPORTED

CONTACT INFORMATION

NAME: NOT REPORTED
TITLE: NOT REPORTED
ORGANIZATION: SCHWARZLOSE POOLS AND SERVICES
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8425020 0

Petroleum Storage Tanks (PST)

NOTIFICATION CONSTRUCTION ID: 18694

APPLICATION RECEIVED DATE: 10/09/2001

SCHEDULE CONSTRUCTION DATE: 10/09/2001

GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:

NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1

NUMBER OF COMPARTMENTS: 1

INSTALLATION DATE: 08/31/1987

REGISTRATION DATE: 10/29/2001

TANK CAPACITY (GAL): 1000

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: 10/16/2001

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **EXEMPT NON-USE SINCE 1974**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: 167674

TANK ID: 1

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

Petroleum Storage Tanks (PST)

[Back to Report Summary](#)

Alternative Fueling Stations (ALTFUELS)

MAP ID# 97

Distance from Property: 0.045 mi. (238 ft.) SE
Elevation: 13 ft. (Lower than TP)

FACILITY INFORMATION

GEOSEARCH ID: 115662

UNIQUE IDENTIFIER FOR THIS SPECIFIC STATION: 115662

STATION NAME: **HOMEWOOD SUITES - BEAUMONT - TESLA DESTINATION**

ADDRESS: **3745 IH-10 S**

BEAUMONT, TX 77705

INTERSECTION DIRECTIONS: **NOT REPORTED**

STATION PHONE: **409-842-9990 877-798-3752**

STATION CURRENT STATUS: **OPEN: THE STATION IS OPEN.**

TYPE OF ALTERNATIVE FUEL THE STATION PROVIDES: **ELECTRIC**

OWNER TYPE: **PRIVATELY OWNED**

FEDERAL AGENCY ID: **NOT REPORTED**

FEDERAL AGENCY NAME: **NOT REPORTED**

DATE THAT THE STATION BEGAN OFFERING THE FUEL: **1/1/2016**

DATE THE STATION'S DETAILS WERE LAST CONFIRMED: **1/10/2019**

TIME THE STATION'S DETAILS WERE LAST UPDATED (ISO 8601 FORMAT): **2019-01-17 00:33:46 UTC**

[Back to Report Summary](#)

Alternative Fueling Stations (ALTFUELS)

MAP ID# 97

Distance from Property: 0.045 mi. (238 ft.) SE
Elevation: 13 ft. (Lower than TP)

FACILITY INFORMATION

GEOSEARCH ID: **75157**

UNIQUE IDENTIFIER FOR THIS SPECIFIC STATION: **75157**

STATION NAME: **HOMEWOOD SUITES - TESLA**

ADDRESS: **3745 IH 10 S**

BEAUMONT, TX 77705

INTERSECTION DIRECTIONS: **NOT REPORTED**

STATION PHONE: **409-842-9990 877-798-3752**

STATION CURRENT STATUS: **OPEN: THE STATION IS OPEN.**

TYPE OF ALTERNATIVE FUEL THE STATION PROVIDES: **ELECTRIC**

OWNER TYPE: **PRIVATELY OWNED**

FEDERAL AGENCY ID: **NOT REPORTED**

FEDERAL AGENCY NAME: **NOT REPORTED**

DATE THAT THE STATION BEGAN OFFERING THE FUEL: **1/1/2016**

DATE THE STATION'S DETAILS WERE LAST CONFIRMED: **1/4/2018**

TIME THE STATION'S DETAILS WERE LAST UPDATED (ISO 8601 FORMAT): **2018-02-06 21:00:03 UTC**

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 98

Distance from Property: 0.045 mi. (238 ft.) NE
Elevation: 20 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRATION#: 61485 EPA ID: NOT REPORTED

TNRCC ID #: 19835

NAME: BEAUMONT DISTRIBUTION

ADDRESS: 5250 W CARDINAL DR
BEAUMONT, TX 77705

CONTACT: DONALD DAVIS

PHONE: NOT REPORTED

BUSINESS DESCRIPTION: THIS REGISTRATION WAS INACTIVATED BECAUSE THIS FACILITY WAS REGISTERED PRIOR TO 1994 AND NO WASTE ACTIVITY WAS REPORTED IN 1994, 1995 AND 1996.

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR

GENERATOR TYPE: NON-INDUSTRIAL AND/OR MUNICIPAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 06/04/2010

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

NO RECORDS

OWNER INFORMATION

NAME: BEAUMONT DISTRIBUTION CO

ADDRESS: 5250 W CARDINAL DR
BEAUMONT, TX 77705

PHONE: NOT REPORTED

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

MAP ID# 98

Distance from Property: 0.045 mi. (238 ft.) NE
Elevation: 20 ft. (Higher than TP)

FACILITY INFORMATION

EPA ID#: TXR000062653

NAME: THE WILSON GROUP

ADDRESS: 5250 W CARDINAL DR
BEAUMONT, TX 77705-2708

OWNER TYPE: NOT REPORTED

OWNER NAME: NOT REPORTED

OPERATOR TYPE: NOT REPORTED

OPERATOR NAME: NOT REPORTED

CONTACT NAME: NOT REPORTED

CONTACT ADDRESS: 5250 W CARDINAL DR
BEAUMONT TX 77705-2708

CONTACT PHONE: NOT REPORTED

NON-NOTIFIER: E - INITIALLY A NON-NOTIFIER, SUBSEQUENTLY DETERMINED TO BE EXEMPT FROM REQUIREMENTS TO NOTIFY.

DATE RECEIVED BY AGENCY: 02/25/2005

CERTIFICATION

CERTIFICATION NAME:

CERTIFICATION TITLE:

CERTIFICATION SIGNED DATE:

LAURETTA SCOTT

EPA REG 6

02/25/2005

INDUSTRY CLASSIFICATION (NAICS) - NO NAICS INFORMATION REPORTED -

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: NON-GENERATOR LAST UPDATED DATE: 03/04/2005

SUBJECT TO CORRECTIVE ACTION UNIVERSE: NO

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: NO

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: NO

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: NO

CORRECTIVE ACTION WORKLOAD UNIVERSE: NO

IMPORTER: NO

UNDERGROUND INJECTION: NO

MIXED WASTE GENERATOR: NO

UNIVERSAL WASTE DESTINATION FACILITY: NO

RECYCLER: NO

TRANSFER FACILITY: NO

TRANSPORTER: NO

USED OIL FUEL BURNER: NO

ONSITE BURNER EXEMPTION: NO

USED OIL PROCESSOR: NO

FURNACE EXEMPTION: NO

USED OIL FUEL MARKETER TO BURNER: NO

USED OIL REFINER: NO

SPECIFICATION USED OIL MARKETER: NO

USED OIL TRANSFER FACILITY: NO

USED OIL TRANSPORTER: NO

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS

02/08/2005 CEI COMPLIANCE EVALUATION INSPECTION ON-SITE

VIOLATIONS - NO VIOLATIONS REPORTED -

ENFORCEMENTS - NO ENFORCEMENTS REPORTED -

HAZARDOUS WASTE

- NO HAZARDOUS WASTE INFORMATION REPORTED -

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 99

Distance from Property: 0.048 mi. (253 ft.) W
Elevation: 21 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 102882
LPST ID: 102882
FACILITY ID: 0005006
NAME: DELPAPA DISTRIBUTING CO
ADDRESS: 410 IH 10 S
BEAUMONT, TX 77707

LEAKING TANK DETAILS

LPST ID: 102882
NAME: DELPAPA DISTRIBUTING CO
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 6 - MINOR SOIL CONTAMINATION - NO REMEDIAL ACTION REQUIRED
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 5/26/92
REPORTED DATE: 04/29/1992
ENTERED DATE: 05/26/1992
CLOSURE DATE: 02/23/1993

PRP INFORMATION

NAME: DELPAPA DISTRIBUTING COMPANY
ADDRESS: ADDRESS NOT REPORTED
BEAUMONT TX 77706
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1975	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 8000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 06/18/1992
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
STEEL
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30252**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1975**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **06/18/1992**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30251**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

Leaking Petroleum Storage Tanks (LPST)

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1975**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **08/10/1992**

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30250**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

Leaking Petroleum Storage Tanks (LPST)

INSTALLATION DATE: **01/01/1975** REGISTRATION DATE: **05/08/1986**
TANK CAPACITY (GAL): **10000** EMPTY TANK: **NOT EMPTY**
STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **04/29/1992**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30249**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **5**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1975**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **04/29/1992**

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30248**

TANK ID: **5**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 99

Distance from Property: 0.048 mi. (253 ft.) W
Elevation: 21 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 5006
NAME: DEL PAPA DISTRIBUTING
ADDRESS: 410 IH 10 S
BEAUMONT, TX 77707
COUNTY: JEFFERSON
REGION: 10
TYPE: UNKNOWN
BEGIN DATE: 09/01/1987
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/08/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 04/24/1986
SIGNATURE NAME & TITLE: MD MENARD, SIGNATURE TITLE NOT REPORTED
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600992713
NAME: DEL PAPA DISTRIBUTING CO INC
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: ORGANIZATION
BEGIN DATE: 09/01/1987
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1
INSTALLATION DATE: 01/01/1975
TANK CAPACITY (GAL): 8000
NUMBER OF COMPARTMENTS: 1
REGISTRATION DATE: 05/08/1986
EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: T HULET
TITLE: OPS MGR
ORGANIZATION: DEL PAPA DISTRIBUTING
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8425215 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **06/18/1992**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30252**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

INSTALLATION DATE: **01/01/1975**

TANK CAPACITY (GAL): **8000**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **05/08/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **06/18/1992**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

Petroleum Storage Tanks (PST)

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30251**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

INSTALLATION DATE: **01/01/1975**

TANK CAPACITY (GAL): **10000**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **05/08/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **08/10/1992**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30250**

TANK ID: **3**

Petroleum Storage Tanks (PST)

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1975**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **04/29/1992**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30249**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

Petroleum Storage Tanks (PST)

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **5**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1975**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **04/29/1992**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30248**

TANK ID: **5**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

Petroleum Storage Tanks (PST)

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 100

Distance from Property: 0.049 mi. (259 ft.) E

Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

REGISTRATION#: 70149 EPA ID: TXD981049760

TNRCC ID #: 24985

NAME: ARCHIES PAINT & BODY SHOP

ADDRESS: 3050 RUSK ST

BEAUMONT, TX 77702

CONTACT: TOM KIRK

PHONE: 409-8325966

BUSINESS DESCRIPTION: THIS REGISTRATION WAS INACTIVATED BECAUSE THIS FACILITY WAS REGISTERED PRIOR TO 1994 AND NO WASTE ACTIVITY WAS REPORTED IN 1994, 1995 AND 1996.

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR

GENERATOR TYPE: NON-INDUSTRIAL AND/OR MUNICIPAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 07/16/2002

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

NO RECORDS

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

MAP ID# 100

Distance from Property: 0.048 mi. (253 ft.) E

Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

EPA ID#: TXD981049760

NAME: ARCHIES PAINT & BODY SHOP

ADDRESS: 3050 RUSK

BEAUMONT, TX 77702

CONTACT NAME: TOM KIRK

CONTACT ADDRESS: 3050 RUSK

BEAUMONT TX 77702

CONTACT PHONE: 409-832-5966

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 07/27/2001

CERTIFICATION - NO CERTIFICATION REPORTED -

INDUSTRY CLASSIFICATION (NAICS) - NO NAICS INFORMATION REPORTED -

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: **NON-GENERATOR** LAST UPDATED DATE: **03/25/2004**

SUBJECT TO CORRECTIVE ACTION UNIVERSE: **NO**

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: **NO**

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: **NO**

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: **NO**

CORRECTIVE ACTION WORKLOAD UNIVERSE: **NO**

IMPORTER: **NO**

UNDERGROUND INJECTION: **NO**

MIXED WASTE GENERATOR: **NO**

UNIVERSAL WASTE DESTINATION FACILITY: **NO**

RECYCLER: **NO**

TRANSFER FACILITY: **NO**

TRANSPORTER: **NO**

USED OIL FUEL BURNER: **NO**

ONSITE BURNER EXEMPTION: **NO**

USED OIL PROCESSOR: **NO**

FURNACE EXEMPTION: **NO**

USED OIL FUEL MARKETER TO BURNER: **NO**

USED OIL REFINER: **NO**

SPECIFICATION USED OIL MARKETER: **NO**

USED OIL TRANSFER FACILITY: **NO**

USED OIL TRANSPORTER: **NO**

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS - NO EVALUATIONS REPORTED -

VIOLATIONS - NO VIOLATIONS REPORTED -

ENFORCEMENTS - NO ENFORCEMENTS REPORTED -

HAZARDOUS WASTE

D001 IGNITABLE WASTE

F003 THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

F005 THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 101

Distance from Property: 0.049 mi. (259 ft.) S
Elevation: 19 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 57893
NAME: GO MOTORS
ADDRESS: 1355 N 11TH ST
BEAUMONT, TX 77702
COUNTY: JEFFERSON
REGION: 10
TYPE: RETAIL
BEGIN DATE: 04/03/1991
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 04/01/1991
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 03/27/1991
SIGNATURE NAME & TITLE: SCOTT MONROE, OWNER
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN601045610
NAME: MONROE SCOTT S
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: ORGANIZATION
BEGIN DATE: 04/03/1991
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 08/31/1987	REGISTRATION DATE: 04/01/1991
TANK CAPACITY (GAL): NOT REPORTED	EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: NOT REPORTED
TITLE: NOT REPORTED
ORGANIZATION: GO MOTORS
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 7697777 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **11/01/1990**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **YES** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **YES** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **141053**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **0**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

INSTALLATION DATE: **08/31/1987**

TANK CAPACITY (GAL): **NOT REPORTED**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **YES**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **04/01/1991**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **11/01/1990**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

Petroleum Storage Tanks (PST)

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **141052**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **0**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

INSTALLATION DATE: **08/31/1987**

TANK CAPACITY (GAL): **NOT REPORTED**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **YES**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **04/01/1991**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **11/01/1990**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **141051**

TANK ID: **3**

Petroleum Storage Tanks (PST)

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **0**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/31/1987**

REGISTRATION DATE: **04/01/1991**

TANK CAPACITY (GAL): **NOT REPORTED**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **11/01/1990**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **141050**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **0**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

Petroleum Storage Tanks (PST)

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Affected Property Assessment Reports (APAR)

MAP ID# 102

Distance from Property: 0.05 mi. (264 ft.) ESE
Elevation: 19 ft. (Higher than TP)

FACILITY INFORMATION

PROGRAM ID: 2683
REFERENCE NUMBER: RN107590929
FACILITY NAME: PROPOSED CHICK-FIL-A RESTAURANT 3312
ADDRESS: 3825 COLLEGE ST
BEAUMONT, TX 77701
COUNTY: JEFFERSON
LOCATION DESCRIPTION: NOT REPORTED
TYPE OF FACILITY: PROPERTY COMMERCIAL
FACILITY STATUS: COMPLETED
PROGRAM: VOLUNTARY CLEANUP
PROGRAM STATUS: INACTIVE

CONTACTS

LEWIS, STEVE

REMEDIATIONS

NO REMEDIATION REPORTED

CATEGORY OF CONTAMINATION

DATE	CONTAMINATIONS:
09/23/14	NOT REPORTED
09/23/14	METALS
09/23/14	PAHS
09/23/14	SVOCS

[Back to Report Summary](#)

Voluntary Cleanup Program Sites (VCP)

MAP ID# 102

Distance from Property: 0.05 mi. (264 ft.) ESE
Elevation: 19 ft. (Higher than TP)

FACILITY INFORMATION

PROGRAM ID#: 2683

NAME: **PROPOSED CHICK-FIL-A RESTAURANT 3312**

ADDRESS: **3825 COLLEGE ST**

BEAUMONT TX 77701

ADDRESS DESCRIPTION: **NOT REPORTED**

ASSOCIATED VCP ID(s): **2683**

PCA NUMBER: **34875**

PROJECT NUMBER: **348750**

LEGAL ID: **18404603**

REGULATED ENTITY REFERENCE NUMBER (RN): **RN107590929**

CURRENT FACILITY TYPE: **PROPERTY COMMERCIAL**

FORMER FACILITY TYPE: **PROPERTY COMMERCIAL; PROPERTY RESIDENTIAL**

PROJECT MANAGER: **TECKERT**

PROJECT PHASE: **COMPLETED**

ADMINISTRATIVE STATUS: **INACTIVE**

CASHIER RECEIVED DATE: **07/03/2014**

APPLICATION RECEIVED DATE: **07/03/2014**

APPLICATION ACCEPTANCE DATE: **08/15/2014**

VCP APPLICATION ACCEPTED: **NOT REPORTED**

AGREEMENT ACCEPTANCE DATE: **10/21/2014**

REGION NOTIFIED OF APPLICATION: **NOT REPORTED**

TCEQ REGION NAME: **REGION 10 - BEAUMONT**

SWR NUMBER: **NOT REPORTED**

AIR CHEMICAL OF CONCERN CLASSIFICATION: **NOT REPORTED**

GROUNDWATER CHEMICAL OF CONCERN CLASSIFICATION: **METALS; PAHS**

SEDIMENT CHEMICAL OF CONCERN CLASSIFICATION: **NOT REPORTED**

SOILS CHEMICAL OF CONCERN CLASSIFICATION: **SVOCS; METALS**

SURFACE WATER CHEMICAL OF CONCERN CLASSIFICATION: **NOT REPORTED**

ABOVE_RES_CRITICAL_PCL: **NO**

ABOVE_RES_CRITICAL_PCL_OFFSITE: **NO**

LPST NO: **NOT REPORTED**

IOP ID: **NOT REPORTED**

EPA CERCLIS #: **NOT REPORTED**

EPA RCRIS #: **NOT REPORTED**

FILE MEDIA: **PAPER**

FILE LOCATION: **D2/200-40**

SITE SIZE: **1.128**

Voluntary Cleanup Program Sites (VCP)

TYPE OF REMEDY: **NOT REPORTED**
AIR REMEDIATION METHOD: **NOT REPORTED**
GROUNDWATER REMEDIATION METHOD: **NOT REPORTED**
SOIL REMEDIATION METHOD: **NA**
SURFACE WATER REMEDIATION METHOD: **NOT REPORTED**
AIR INSTITUTIONAL/ENGINEERING CONTROLS: **NOT REPORTED**
GROUNDWATER INSTITUTIONAL/ENGINEERING CONTROLS: **NOT REPORTED**
SEDIMENT INSTITUTIONAL/ENGINEERING CONTROLS: **NOT REPORTED**
SOIL INSTITUTIONAL/ENGINEERING CONTROLS: **NA**
SURFACE WATER INSTITUTIONAL/ENGINEERING CONTROLS: **NOT REPORTED**
CERTIFICATE OF COMPLETION DATE: **07/13/2015**
CONDITIONAL CERTIFICATE OF COMPLETION DATE: **NOT REPORTED**
APPLICABLE PROGRAM RULES: **TRRP**
APPLICABLE STANDARDS: **A**
APPLICABLE TRRP TIER: **2**

AFFILIATED CUSTOMER(S)

CN NUMBER: **CN601162985**
RN NUMBER: **RN107590929**
CUSTOMER NAME: **CHICK-FIL-A INC**
ROLE CD: **APPLCONT**
CONTACT NAME: **LEWIS, STEVE**
CONTACT TITLE: **SR DEVELOPMENT MANAGER**
ORGANIZATION NAME: **CHICK-FIL-A INC**
MAILING ADDRESS: **5200 BUFFINGTON RD**
MAILING CITY NAME: **ATLANTA**
MAILING STATE: **GA**
MAILING ZIPCODE: **30349**
CONTACT PHONE: **(404) 305-4549**

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 103

Distance from Property: 0.055 mi. (290 ft.) W

Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRATION#: 70188 EPA ID: NOT REPORTED

TNRCC ID #: 25022

NAME: HOME MEDICAL SUPPORT SERVICES

ADDRESS: 85 INTERSTATE 10 N STE 215

BEAUMONT, TX 77707

CONTACT: CRAIG RARRAS RPH

PHONE: 409-8334785

BUSINESS DESCRIPTION: THIS REGISTRATION WAS INACTIVATED BECAUSE THIS FACILITY WAS REGISTERED PRIOR TO 1994 AND NO WASTE ACTIVITY WAS REPORTED IN 1994, 1995 AND 1996.

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: NOT REPORTED

GENERATOR TYPE: NON-INDUSTRIAL AND/OR MUNICIPAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 06/04/2010

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

NO RECORDS

OWNER INFORMATION

NAME: HOME MEDICAL SUPPORT SERVICES

ADDRESS: 85 INTERSTATE 10 N STE 215

BEAUMONT, TX 77707

PHONE: 1-409-8334785

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

[MAP ID# 104](#)

Distance from Property: 0.058 mi. (306 ft.) W

Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRATION#: **70088** EPA ID: **NOT REPORTED**

TNRCC ID #: **24936**

NAME: **AQUA-TECH LABORATORIES**

ADDRESS: **440 N 18TH ST**

BEAUMONT, TX 77707

CONTACT: **EDWARD LAMAR GREEN**

PHONE: **409-8352187**

BUSINESS DESCRIPTION: **5/23/2002 REGISTRATION MADE INACTIVE DUE TO REGISTRATION STATUS OF MAILING**

ADDRESS INCORRECT. EG

INDUSTRIAL WASTE PERMIT #: **NOT REPORTED**

MUNICIPAL WASTE PERMIT #: **NOT REPORTED**

SIC CODE: **NOT REPORTED**

WASTE GENERATOR: **YES**

WASTE RECEIVER: **NO**

WASTE TRANSPORTER: **YES**

TRANSFER FACILITY: **NO**

MAQUILADORA (MEXICAN FACILITY): **NO**

STATUS: **INACTIVE**

AMOUNT OF WASTE GENERATED: **NOT REPORTED**

GENERATOR TYPE: **NON-INDUSTRIAL AND/OR MUNICIPAL**

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): **03/13/2003**

ACTIVITIES

ACTIVITY TYPE: **UNKNOWN**

ACTIVITY DESCRIPTION: **NOT REPORTED**

WASTE

NO RECORDS

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 105

Distance from Property: 0.063 mi. (333 ft.) E
Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 47838
NAME: ALPHAGAZ-LIQUID AIR
ADDRESS: 3070 W CEDAR ST
BEAUMONT, TX 77702
COUNTY: JEFFERSON
REGION: 10
TYPE: INDUST/MFG/CHEM PLANT
BEGIN DATE: 03/15/1989
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 03/08/1989
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 03/06/1989
SIGNATURE NAME & TITLE: BRYAN LEGER, SIGNATURE TITLE NOT REPORTED
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600726343
NAME: LIQUID AIR CORP
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: CORPORATION/COMPANY
BEGIN DATE: 03/15/1989
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1979	REGISTRATION DATE: 03/08/1989
TANK CAPACITY (GAL): 500	EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: NOT REPORTED
TITLE: NOT REPORTED
ORGANIZATION: ALPHAGAZ-LIQUID AIR CORP
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8353956 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **03/30/1994**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **31834**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **500**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 106

Distance from Property: 0.068 mi. (359 ft.) NW
Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

GEOSEARCH ID: 113249
LPST ID: 113249
FACILITY ID: 0047413
NAME: **GOLD CREST ELECTRIC CO INC**
ADDRESS: 1655 S 23RD ST
BEAUMONT, TX 77707

LEAKING TANK DETAILS

LPST ID: 113249
NAME: **GOLD CREST ELECTRIC CO INC**
FACILITY LOCATION: **NOT REPORTED**
PRIORITY CODE: **4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS**
CORRECTIVE ACTION STATUS CODE: **6A - FINAL CONCURRENCE ISSUED**
CORRECTIVE ACTION START DATE: **6/10/98**
REPORTED DATE: **04/14/1997**
ENTERED DATE: **06/10/1998**
CLOSURE DATE: **07/07/2006**

PRP INFORMATION

NAME: **GOLD CREST ELECTRIC COMPANY INC**
ADDRESS: **ADDRESS NOT REPORTED**
BEAUMONT TX 77707
CONTACT: **NOT REPORTED**
PHONE: **NOT REPORTED**

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1970	REGISTRATION DATE: 01/06/1989
TANK CAPACITY (GAL): 3000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 01/01/1997
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
STEEL
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: 113164

TANK ID: 1

COMPARTMENT LETTER: A

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **3000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 106

Distance from Property: 0.068 mi. (359 ft.) NW
Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

ID#: 47413
NAME: GOLD CREST ELECTRIC
ADDRESS: 1655 S 23RD ST
BEAUMONT, TX 77707
COUNTY: JEFFERSON
REGION: 10
TYPE: UNKNOWN
BEGIN DATE: 03/03/1989
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 01/06/1989
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 01/04/1989
SIGNATURE NAME & TITLE: SAME, SIGNATURE TITLE NOT REPORTED
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600933931
NAME: GOLD CREST ELECTRIC COMPANY INC
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: CORPORATION/COMPANY
BEGIN DATE: 03/03/1989
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1
INSTALLATION DATE: 01/01/1970
TANK CAPACITY (GAL): 3000
NUMBER OF COMPARTMENTS: 1
REGISTRATION DATE: 01/06/1989
EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: NOT REPORTED
TITLE: NOT REPORTED
ORGANIZATION: GOLD CREST ELECTRIC
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8424652 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **01/01/1997**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **113164**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **3000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 107

Distance from Property: 0.068 mi. (359 ft.) S

Elevation: 21 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRATION#: 89383 EPA ID: TXR000080293

TNRCC ID #: 129257

NAME: ABSOLUTE TRANSPORTATION ENVIRONMENTAL

ADDRESS: 2255 LOUISIANA ST
BEAUMONT, TX 77701

CONTACT: MESHELL RICHMOND

PHONE: 409-8330679

BUSINESS DESCRIPTION: TRANSPORTATION AND EMERGENCY RESPONSE SERVICES

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: NO

WASTE RECEIVER: NO

WASTE TRANSPORTER: YES

TRANSFER FACILITY: YES

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: ACTIVE

AMOUNT OF WASTE GENERATED: NOT REPORTED

GENERATOR TYPE: NOT REPORTED

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 05/17/2011

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

NO RECORDS

OWNER INFORMATION

NAME: ABSOLUTE TRANSPORTATION ENVIRONMENTAL
COMPANY

ADDRESS: NOT REPORTED

PHONE: NOT REPORTED

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 107

Distance from Property: 0.068 mi. (359 ft.) S

Elevation: 21 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: **092573**

LPST ID: **092573**

FACILITY ID: **0020548**

NAME: **TRANSIT MIX CONCRETE CO**

ADDRESS: **2255 LOUISIANA ST**

BEAUMONT, TX 77701

LEAKING TANK DETAILS

LPST ID: **092573**

NAME: **TRANSIT MIX CONCRETE CO**

FACILITY LOCATION: **NOT REPORTED**

PRIORITY CODE: **4A - SOIL CONTAMINATION ONLY REQUIRES FULL SITE ASSESSMENT RAP**

CORRECTIVE ACTION STATUS CODE: **6A - FINAL CONCURRENCE ISSUED**

CORRECTIVE ACTION START DATE: **2/7/89**

REPORTED DATE: **01/04/1989**

ENTERED DATE: **02/07/1989**

CLOSURE DATE: **02/03/1989**

PRP INFORMATION

NAME: **TRANSIT MIX**

ADDRESS: **ADDRESS NOT REPORTED**

BEAUMONT TX 77706

CONTACT: **NOT REPORTED**

PHONE: **NOT REPORTED**

UNDERGROUND STORAGE TANK

TANK ID: **1A**

INSTALLATION DATE: **01/01/1981**

TANK CAPACITY (GAL): **8000**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **05/08/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **06/19/2009**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **160166**

TANK ID: **1A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1D500**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1956**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **500**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **01/31/1989**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **160165**

TANK ID: **1D500**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **500**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

Leaking Petroleum Storage Tanks (LPST)

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **03/01/1990**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **4000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **06/19/2009**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **160167**

TANK ID: **2A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 2D6000	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1966	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 6000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 03/31/1990
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **160164**

TANK ID: **2D6000**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 3A	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1980	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 6000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 06/22/2009
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

Leaking Petroleum Storage Tanks (LPST)

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **160168**

TANK ID: **3A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 107

Distance from Property: 0.068 mi. (359 ft.) S
Elevation: 21 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 094772
LPST ID: 094772
FACILITY ID: 0020548
NAME: TRANSIT MIX CONCRETE CO
ADDRESS: 2255 LOUISIANA ST
BEAUMONT, TX 77701

LEAKING TANK DETAILS

LPST ID: 094772
NAME: TRANSIT MIX CONCRETE CO
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 4A - SOIL CONTAMINATION ONLY REQUIRES FULL SITE ASSESSMENT RAP
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 3/2/90
REPORTED DATE: 01/09/1990
ENTERED DATE: 03/02/1990
CLOSURE DATE: 06/28/1990

PRP INFORMATION

NAME: TRANSIT MIX
ADDRESS: ADDRESS NOT REPORTED
BEAUMONT TX 77702
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1A	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1981	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 8000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 06/19/2009
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
FRP
CORROSION PROTECTION:
FRP TANK OR PIPING (NONCORRODIBLE)
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: YES
CORROSION PROTECTION VARIANCE: NO VARIANCE

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **160166**

TANK ID: **1A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1D500**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1956**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **500**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **01/31/1989**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **160165**

TANK ID: **1D500**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **500**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

Leaking Petroleum Storage Tanks (LPST)

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **03/01/1990**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **4000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **06/19/2009**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **160167**

TANK ID: **2A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 2D6000	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1966	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 6000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 03/31/1990
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **160164**

TANK ID: **2D6000**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 3A	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1980	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 6000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 06/22/2009
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

Leaking Petroleum Storage Tanks (LPST)

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **160168**

TANK ID: **3A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 107

Distance from Property: 0.068 mi. (359 ft.) S
Elevation: 21 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 118168
LPST ID: 118168
FACILITY ID: 0020548
NAME: SPANKYS WRECKER
ADDRESS: 2255 LOUISIANA ST
BEAUMONT, TX 77701

LEAKING TANK DETAILS

LPST ID: 118168
NAME: SPANKYS WRECKER
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS
CORRECTIVE ACTION STATUS CODE: 6P - FINAL PENDING WELL PLUG
CORRECTIVE ACTION START DATE: 6/30/10
REPORTED DATE: 08/21/2009
ENTERED DATE: 10/30/2009
CLOSURE DATE: 06/30/2010

PRP INFORMATION

NAME: SPANKYS WRECKER SERVICE INCORPORATED
ADDRESS: ADDRESS NOT REPORTED
BEAUMONT TX 77706
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1A	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1981	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 8000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 06/19/2009
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
FRP
CORROSION PROTECTION:
FRP TANK OR PIPING (NONCORRODIBLE)
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: YES
CORROSION PROTECTION VARIANCE: NO VARIANCE

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **160166**

TANK ID: **1A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1D500**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1956**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **500**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **01/31/1989**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **160165**

TANK ID: **1D500**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **500**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

Leaking Petroleum Storage Tanks (LPST)

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **03/01/1990**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **4000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **06/19/2009**

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **160167**

TANK ID: **2A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 2D6000	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1966	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 6000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 03/31/1990
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **160164**

TANK ID: **2D6000**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 3A	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1980	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 6000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 06/22/2009
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

Leaking Petroleum Storage Tanks (LPST)

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **160168**

TANK ID: **3A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 107

Distance from Property: 0.068 mi. (359 ft.) S
Elevation: 21 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 20548
NAME: SPANKYS WRECKER
ADDRESS: 2255 LOUISIANA ST
BEAUMONT, TX 77701
COUNTY: JEFFERSON
REGION: 10
TYPE: UNKNOWN
BEGIN DATE: 08/31/1987
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/08/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 03/18/1986
SIGNATURE NAME & TITLE: W L HAMMOND, OFFICE MGR.
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN604189316
NAME: STANLEY
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: INDIVIDUAL
BEGIN DATE: 06/26/2000
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NOTIFICATION CONSTRUCTION ID: 15438
APPLICATION RECEIVED DATE: 06/12/2009
SCHEDULE CONSTRUCTION DATE: 07/12/2009
GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:
NOT REPORTED

CONTACT INFORMATION

NAME: GREGORY STANLEY
TITLE: NOT REPORTED
ORGANIZATION: SPANKYS WRECKER
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8929199 0

Petroleum Storage Tanks (PST)

UNDERGROUND STORAGE TANK

TANK ID: **1A** NUMBER OF COMPARTMENTS: **1**
INSTALLATION DATE: **01/01/1981** REGISTRATION DATE: **05/08/1986**
TANK CAPACITY (GAL): **8000** EMPTY TANK: **NOT EMPTY**
STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **06/19/2009**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **YES** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **160166**

TANK ID: **1A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1D500**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1956**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **500**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **01/31/1989**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

Petroleum Storage Tanks (PST)

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **160165**

TANK ID: **1D500**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **500**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **03/01/1990**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **4000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **06/19/2009**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

Petroleum Storage Tanks (PST)

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **160167**

TANK ID: **2A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2D6000**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1966**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **6000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **03/31/1990**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **160164**

TANK ID: **2D6000**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

Petroleum Storage Tanks (PST)

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1980**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **6000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **06/22/2009**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **160168**

TANK ID: **3A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

Petroleum Storage Tanks (PST)

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

MAP ID# 107

Distance from Property: 0.068 mi. (359 ft.) S
Elevation: 21 ft. (Higher than TP)

FACILITY INFORMATION

EPA ID#: TXR000080293

NAME: ABSOLUTE TRANSPORTATION ENVIRONMENTAL

ADDRESS: 2255 LOUISIANA ST
BEAUMONT, TX 77701-1067

OWNER TYPE: PRIVATE

OWNER NAME: ABSOLUTE TRANSPORTATION ENVIRONMENTAL CO

OPERATOR TYPE: PRIVATE

OPERATOR NAME: ABSOLUTE TRANSPORTATION ENVIRONMENTAL CO

CONTACT NAME: MESHELL RICHMOND

CONTACT ADDRESS: 2255 LOUISIANA ST
BEAUMONT TX 77701-1067

CONTACT PHONE: 409-833-0679

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 05/17/2011

CERTIFICATION

CERTIFICATION NAME:	CERTIFICATION TITLE:	CERTIFICATION SIGNED DATE:
MESHELL RICHMOND	OFFICER	05/17/2011
MESHELL RICHMOND	OFFICER	04/04/2011

INDUSTRY CLASSIFICATION (NAICS)

48411 - GENERAL FREIGHT TRUCKING, LOCAL

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: NON-GENERATOR LAST UPDATED DATE: 05/26/2011

SUBJECT TO CORRECTIVE ACTION UNIVERSE: NO

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: NO

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: NO

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: NO

CORRECTIVE ACTION WORKLOAD UNIVERSE: NO

IMPORTER: NO

UNDERGROUND INJECTION: NO

MIXED WASTE GENERATOR: NO

UNIVERSAL WASTE DESTINATION FACILITY: NO

RECYCLER: NO

TRANSFER FACILITY: NO

TRANSPORTER: YES

USED OIL FUEL BURNER: NO

ONSITE BURNER EXEMPTION: NO

USED OIL PROCESSOR: NO

FURNACE EXEMPTION: NO

USED OIL FUEL MARKETER TO BURNER: NO

USED OIL REFINER: NO

SPECIFICATION USED OIL MARKETER: NO

USED OIL TRANSFER FACILITY: NO

USED OIL TRANSPORTER: NO

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS

03/25/2015 CEI COMPLIANCE EVALUATION INSPECTION ON-SITE

VIOLATIONS - NO VIOLATIONS REPORTED -

ENFORCEMENTS - NO ENFORCEMENTS REPORTED -

HAZARDOUS WASTE

- NO HAZARDOUS WASTE INFORMATION REPORTED -

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 108

Distance from Property: 0.069 mi. (364 ft.) W
Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

GEOSEARCH ID: 095572
LPST ID: 095572
FACILITY ID: 0054955
NAME: DREW POLK
ADDRESS: 4125 COLLEGE ST
BEAUMONT, TX 77707

LEAKING TANK DETAILS

LPST ID: 095572
NAME: DREW POLK
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 4A - SOIL CONTAMINATION ONLY REQUIRES FULL SITE ASSESSMENT RAP
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 5/24/90
REPORTED DATE: 04/26/1990
ENTERED DATE: 05/24/1990
CLOSURE DATE: 12/04/1990

PRP INFORMATION

NAME: DREW POLK INC
ADDRESS: ADDRESS NOT REPORTED
BEAUMONT TX 77706
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 08/31/1987	REGISTRATION DATE: 07/19/1990
TANK CAPACITY (GAL): 6000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 02/09/1990
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
NOT REPORTED
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: NO
CORROSION PROTECTION VARIANCE: NO VARIANCE

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **15433**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **UNKNOWN**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/31/1987**

REGISTRATION DATE: **07/19/1990**

TANK CAPACITY (GAL): **6000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **02/09/1990**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **15432**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **UNKNOWN**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

Leaking Petroleum Storage Tanks (LPST)

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/31/1987**

REGISTRATION DATE: **07/19/1990**

TANK CAPACITY (GAL): **6000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **02/09/1990**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **15437**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **UNKNOWN**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

Leaking Petroleum Storage Tanks (LPST)

INSTALLATION DATE: **08/31/1987** REGISTRATION DATE: **07/19/1990**
TANK CAPACITY (GAL): **20** EMPTY TANK: **NOT EMPTY**
STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **02/09/1990**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **15436**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **UNKNOWN**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **20**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **5**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/31/1987**

REGISTRATION DATE: **07/19/1990**

TANK CAPACITY (GAL): **3000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **02/09/1990**

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **15434**

TANK ID: **5**

COMPARTMENT LETTER: **A**

SUBSTANCES: **UNKNOWN**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **3000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **6**

INSTALLATION DATE: **08/31/1987**

TANK CAPACITY (GAL): **6000**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **07/19/1990**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **02/09/1990**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **15435**

TANK ID: **6**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT LETTER: **A**

SUBSTANCES: **UNKNOWN**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **7**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/31/1987**

REGISTRATION DATE: **07/19/1990**

TANK CAPACITY (GAL): **6000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **02/06/1990**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **15431**

TANK ID: **7**

COMPARTMENT LETTER: **A**

SUBSTANCES: **UNKNOWN**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

Leaking Petroleum Storage Tanks (LPST)

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **8**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/31/1987**

REGISTRATION DATE: **07/19/1990**

TANK CAPACITY (GAL): **550**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **02/06/1990**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **15430**

TANK ID: **8**

COMPARTMENT LETTER: **A**

SUBSTANCES: **UNKNOWN**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **550**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 108

Distance from Property: 0.069 mi. (364 ft.) W
Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

ID#: 54955
NAME: POLK DREW
ADDRESS: 4125 COLLEGE ST
BEAUMONT, TX 77707
COUNTY: JEFFERSON
REGION: 10
TYPE: UNKNOWN
BEGIN DATE: 07/23/1990
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 07/19/1990
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 07/09/1990
SIGNATURE NAME & TITLE: DREW POLK, OWNER
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600997670
NAME: POLK DREW
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: ORGANIZATION
BEGIN DATE: 07/23/1990
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1
INSTALLATION DATE: 08/31/1987
TANK CAPACITY (GAL): 6000
NUMBER OF COMPARTMENTS: 1
REGISTRATION DATE: 07/19/1990
EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: NOT REPORTED
TITLE: NOT REPORTED
ORGANIZATION: POLK DREW
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8925551 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **02/09/1990**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **15433**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **UNKNOWN**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

INSTALLATION DATE: **08/31/1987**

TANK CAPACITY (GAL): **6000**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **07/19/1990**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **02/09/1990**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

Petroleum Storage Tanks (PST)

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **15432**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **UNKNOWN**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

INSTALLATION DATE: **08/31/1987**

TANK CAPACITY (GAL): **6000**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **07/19/1990**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **02/09/1990**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **15437**

TANK ID: **3**

Petroleum Storage Tanks (PST)

COMPARTMENT LETTER: **A**

SUBSTANCES: **UNKNOWN**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/31/1987**

REGISTRATION DATE: **07/19/1990**

TANK CAPACITY (GAL): **20**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **02/09/1990**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **15436**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **UNKNOWN**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **20**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

Petroleum Storage Tanks (PST)

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **5**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/31/1987**

REGISTRATION DATE: **07/19/1990**

TANK CAPACITY (GAL): **3000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **02/09/1990**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **15434**

TANK ID: **5**

COMPARTMENT LETTER: **A**

SUBSTANCES: **UNKNOWN**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **3000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **6**

NUMBER OF COMPARTMENTS: **1**

Petroleum Storage Tanks (PST)

INSTALLATION DATE: **08/31/1987** REGISTRATION DATE: **07/19/1990**
TANK CAPACITY (GAL): **6000** EMPTY TANK: **NOT EMPTY**
STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **02/09/1990**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:
NOT REPORTED
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **15435**
TANK ID: **6**
COMPARTMENT LETTER: **A**
SUBSTANCES: **UNKNOWN**
OTHER SUBSTANCES: **NOT REPORTED**
CAPACITY (GAL): **6000**
COMPARTMENT RELEASE DETECTION: **NOT REPORTED**
SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**
CORROSION PROTECTION: **NOT REPORTED**
EXTERNAL CONTAINMENT: **NOT REPORTED**
CONNECTORS & VALVES:
NOT REPORTED
PIPING RELEASE DETECTION:
NOT REPORTED
PIPE COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **7** NUMBER OF COMPARTMENTS: **1**
INSTALLATION DATE: **08/31/1987** REGISTRATION DATE: **07/19/1990**
TANK CAPACITY (GAL): **6000** EMPTY TANK: **NOT EMPTY**
STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **02/06/1990**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

Petroleum Storage Tanks (PST)

NOT REPORTED

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **15431**

TANK ID: **7**

COMPARTMENT LETTER: **A**

SUBSTANCES: **UNKNOWN**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **8**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/31/1987**

REGISTRATION DATE: **07/19/1990**

TANK CAPACITY (GAL): **550**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **02/06/1990**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

Petroleum Storage Tanks (PST)

UST COMPARTMENT ID: **15430**

TANK ID: **8**

COMPARTMENT LETTER: **A**

SUBSTANCES: **UNKNOWN**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **550**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 109

Distance from Property: 0.071 mi. (375 ft.) N
Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 53102
NAME: PPOTB & L PARTNERSHIP
ADDRESS: 445 N 14TH ST
BEAUMONT, TX 77702
COUNTY: JEFFERSON
REGION: 10
TYPE: FLEET REFUELING
BEGIN DATE: 04/11/1990
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 04/09/1990
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 11/15/1989
SIGNATURE NAME & TITLE: SAM C PARIGI, MANAGING PARTNER
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN601244346
NAME: PPOTB & L PARTNERSHIP
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: ORGANIZATION
BEGIN DATE: 04/11/1990
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1
INSTALLATION DATE: 01/01/1970
TANK CAPACITY (GAL): 1000
NUMBER OF COMPARTMENTS: 1
REGISTRATION DATE: 04/09/1990
EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: NOT REPORTED
TITLE: NOT REPORTED
ORGANIZATION: PPOTB & L PARTNERSHIP
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8339555 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **10/11/1989**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **124399**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 110

Distance from Property: 0.073 mi. (385 ft.) SSW

Elevation: 19 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRATION#: 84872 EPA ID: TXR000018671

TNRCC ID #: 104845

NAME: YELLOW TRANSPORTATION BEAUMONT

ADDRESS: 4650 LAFIN DR
BEAUMONT, TX 77705

CONTACT: SUSAN LO

PHONE: 913-3443053

BUSINESS DESCRIPTION: TRANSPORTATION

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR

GENERATOR TYPE: NON-INDUSTRIAL AND/OR MUNICIPAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 03/05/2003

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

WASTE ID: 155838

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: YES

GENERATOR'S DESCRIPTION OF WASTE: SPILL CLEAN-UP OF VIRGIN MATERIAL SPILLED DURING TRANSPORTATION & HANDLING

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 110

Distance from Property: 0.073 mi. (385 ft.) SSW
Elevation: 19 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 28509
NAME: YELLOW FREIGHT SYSTEM
ADDRESS: 4650 LAFIN DR
BEAUMONT, TX 77705
COUNTY: JEFFERSON
REGION: 10
TYPE: FLEET REFUELING
BEGIN DATE: 10/23/1986
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/08/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 05/02/1986
SIGNATURE NAME & TITLE: N J KELLY, MGR OF FUEL
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600319586
NAME: YELLOW TRANSPORTATION INC
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: CORPORATION/COMPANY
BEGIN DATE: 10/23/1986
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

OPERATOR NUMBER: CN600319586
NAME: YELLOW TRANSPORTATION INC
CONTACT ADDRESS: PO BOX 7270
OVERLAND PARK KS 66207
TYPE: CORPORATION/COMPANY
BEGIN DATE: 10/23/1986
CONTACT ROLE: OPRCON
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED

CONTACT INFORMATION

NAME: F STAPLETON
TITLE: BRANCH MGR.
ORGANIZATION: YELLOW FREIGHT SYSTEM
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8425454 0

Petroleum Storage Tanks (PST)

ORGANIZATION: **YELLOW TRANSPORTATION INC**

PHONE: **(913) 3443053 0**

FAX: **NOT REPORTED**

EMAIL: **NOT REPORTED**

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: **1**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1979**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **20000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **04/15/1996**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **51442**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **20000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Petroleum Storage Tanks (PST)

TANK ID: **2** NUMBER OF COMPARTMENTS: **1**
INSTALLATION DATE: **01/01/1979** REGISTRATION DATE: **05/08/1986**
TANK CAPACITY (GAL): **10000** EMPTY TANK: **NOT EMPTY**
STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **04/15/1996**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **YES** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **YES** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **51443**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

MAP ID# 110

Distance from Property: 0.073 mi. (385 ft.) SSW
Elevation: 19 ft. (Higher than TP)

FACILITY INFORMATION

EPA ID#: TXR000018671

NAME: YELLOW TRANSPORTATION INC

ADDRESS: 4650 LAFIN DRIVE

BEAUMONT, TX 77704

CONTACT NAME: SUSAN LO

CONTACT ADDRESS: PO BOX 7270

OVERLAND PARK KS 66211

CONTACT PHONE: 913-344-3053

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 02/14/2001

CERTIFICATION - NO CERTIFICATION REPORTED -

INDUSTRY CLASSIFICATION (NAICS)

484121 - GENERAL FREIGHT TRUCKING, LONG-DISTANCE, TRUCKLOAD

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: **NON-GENERATOR** LAST UPDATED DATE: 03/25/2004

SUBJECT TO CORRECTIVE ACTION UNIVERSE: **NO**

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: **NO**

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: **NO**

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: **NO**

CORRECTIVE ACTION WORKLOAD UNIVERSE: **NO**

IMPORTER: **NO**

UNDERGROUND INJECTION: **NO**

MIXED WASTE GENERATOR: **NO**

UNIVERSAL WASTE DESTINATION FACILITY: **NO**

RECYCLER: **NO**

TRANSFER FACILITY: **NO**

TRANSPORTER: **NO**

USED OIL FUEL BURNER: **NO**

ONSITE BURNER EXEMPTION: **NO**

USED OIL PROCESSOR: **NO**

FURNACE EXEMPTION: **NO**

USED OIL FUEL MARKETER TO BURNER: **NO**

USED OIL REFINER: **NO**

SPECIFICATION USED OIL MARKETER: **NO**

USED OIL TRANSFER FACILITY: **NO**

USED OIL TRANSPORTER: **NO**

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS - NO EVALUATIONS REPORTED -

VIOLATIONS - NO VIOLATIONS REPORTED -

ENFORCEMENTS - NO ENFORCEMENTS REPORTED -

HAZARDOUS WASTE

D001 IGNITABLE WASTE

D002 CORROSIVE WASTE

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 111

Distance from Property: 0.074 mi. (391 ft.) SE
Elevation: 14 ft. (Lower than TP)

FACILITY INFORMATION

GEOSEARCH ID: 095573
LPST ID: 095573
FACILITY ID: 0020002
NAME: PETRO INC 4
ADDRESS: 5405 WALDEN RD
BEAUMONT, TX 77705

LEAKING TANK DETAILS

LPST ID: 095573
NAME: PETRO INC 4
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 2.5 - GW IMPACT PUBLIC/DOMESTIC WATER SUPPLY WELL W/IN 0.25MI
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 5/24/90
REPORTED DATE: 05/03/1990
ENTERED DATE: 05/24/1990
CLOSURE DATE: 11/07/1997

PRP INFORMATION

NAME: PETRO TRUCK STOP
ADDRESS: ADDRESS NOT REPORTED
EL PASO TX 79926
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1979	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 20000	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 01/01/1979
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
STEEL
CORROSION PROTECTION:
CATHODIC PROTECTION - FIELD INSTALLATION
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: 142610

TANK ID: 1

COMPARTMENT LETTER: A

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **20000**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,ALARM (SET @ <=90%) W3A OR 3B

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1979**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **20000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **01/01/1979**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: 142614

TANK ID: 2

COMPARTMENT LETTER: A

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **20000**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

Leaking Petroleum Storage Tanks (LPST)

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,ALARM (SET@<=90%) W3A OR 3B

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1979**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **01/01/1979**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **142613**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,ALARM (SET@<=90%) W3A OR 3B

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 4	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1979	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 10000	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 01/01/1979
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **142612**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 5	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1979	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 10000	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 01/01/1979
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

Leaking Petroleum Storage Tanks (LPST)

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **142611**

TANK ID: **5**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,ALARM (SET@<=90%) W3A OR 3B

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **6**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1982**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **01/01/1982**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **142615**

TANK ID: **6**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,ALARM (SET @ <=90%) W3A OR 3B

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **7**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **02/01/1995**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **02/01/1995**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **142616**

TANK ID: **7**

COMPARTMENT LETTER: **A**

SUBSTANCES: **NEW OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **MONITORING OF SECONDARY CONTAINMENT BARRIER,AUTOMATIC TANK GAUGE**

Leaking Petroleum Storage Tanks (LPST)

TEST & INVENTORY CONTROL, INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET
SPILL CONTAINMENT AND OVERFILL PREVENTION: TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP, FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP, DELIVERY SHUT-OFF VALVE, ALARM (SET @ <=90%) W3A OR 3B

PIPING SYSTEMS

MATERIAL: **FRP**
CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**
EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 8	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 02/01/1995	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 8000	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 02/01/1995
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: YES
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: YES

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:
FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **142617**

TANK ID: **8**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **MONITORING OF SECONDARY CONTAINMENT BARRIER, AUTOMATIC TANK GAUGE**

TEST & INVENTORY CONTROL, INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET

SPILL CONTAINMENT AND OVERFILL PREVENTION: **N/A - ALL DELIVERIES TO TANK <= 25 GAL**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**
EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **9**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **02/01/1995**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **02/01/1995**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **142618**

TANK ID: **9**

COMPARTMENT LETTER: **A**

SUBSTANCES: **NEW OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **MONITORING OF SECONDARY CONTAINMENT BARRIER,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL,INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,ALARM (SET @ <=90%) W3A OR 3B**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **10**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **05/26/2016**

REGISTRATION DATE: **07/27/2016**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **05/26/2016**

Leaking Petroleum Storage Tanks (LPST)

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **YES**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **190425**

TANK ID: **10**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL, INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET, SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP, FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP, DELIVERY SHUT-OFF VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

AST ID #: **152161** MULTIPLE COMPARTMENT FLAG: **NO**

TANK ID: **A1** REGISTRATION DATE: **05/08/1986**

INSTALLATION DATE: **01/01/1981** STATUS BEGIN DATE: **01/01/1981**

TANK CAPACITY (GAL): **375000** REGULATORY STATUS: **FULLY REGULATED**

STATUS: **IN USE** SUBSTANCES: **DIESEL**

MATERIAL OF CONSTRUCTION

STEEL: **YES** CORRUGATED METAL: **NO**

FIBERGLASS: **NO** CONCRETE: **NO**

ALUMINIUM: **NO**

CONTAINMENT

Leaking Petroleum Storage Tanks (LPST)

EARTHEN DIKE: **NO** CONCRETE: **NO**
CONTAINMENT LINER: **NO** NONE: **NO**
STAGE I VAPOR RECOVERY: **NOT REPORTED**
STAGE I INSTALLATION DATE: **NOT REPORTED**

AST ID #: **221298** MULTIPLE COMPARTMENT FLAG: **NO**
TANK ID: **AST2** REGISTRATION DATE: **01/06/2016**
INSTALLATION DATE: **11/12/2015** STATUS BEGIN DATE: **11/12/2015**
TANK CAPACITY (GAL): **20000** REGULATORY STATUS: **FULLY REGULATED**
STATUS: **IN USE** SUBSTANCES: **DIESEL**

MATERIAL OF CONSTRUCTION

STEEL: **NO** CORRUGATED METAL: **NO**
FIBERGLASS: **NO** CONCRETE: **NO**
ALUMINIUM: **NO**

CONTAINMENT

EARTHEN DIKE: **NO** CONCRETE: **NO**
CONTAINMENT LINER: **NO** NONE: **NO**
STAGE I VAPOR RECOVERY: **EXEMPT BY TCEQ RULE**
STAGE I INSTALLATION DATE: **NOT REPORTED**

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 111

Distance from Property: 0.074 mi. (391 ft.) SE
Elevation: 14 ft. (Lower than TP)

FACILITY INFORMATION

GEOSEARCH ID: 117837
LPST ID: 117837
FACILITY ID: 0020002
NAME: PETRO STOPPING CENTER 304
ADDRESS: 5405 WALDEN RD
BEAUMONT, TX 77705

LEAKING TANK DETAILS

LPST ID: 117837
NAME: PETRO STOPPING CENTER 304
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 4.0 - ASSESSMENT INCOMPLETE NO APPARENT RECEPTORS IMPACTED
CORRECTIVE ACTION STATUS CODE: 6P - FINAL PENDING WELL PLUG
CORRECTIVE ACTION START DATE: 9/29/08
REPORTED DATE: 08/21/2008
ENTERED DATE: 09/08/2008
CLOSURE DATE: 09/29/2008

PRP INFORMATION

NAME: TRAVELCENTER OF AMERICA
ADDRESS: ADDRESS NOT REPORTED
WESTLAKE OH 44145
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1979	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 20000	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 01/01/1979
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
STEEL
CORROSION PROTECTION:
CATHODIC PROTECTION - FIELD INSTALLATION
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: 142610

TANK ID: 1

COMPARTMENT LETTER: A

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **20000**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,ALARM (SET @ <=90%) W3A OR 3B

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1979**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **20000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **01/01/1979**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: 142614

TANK ID: 2

COMPARTMENT LETTER: A

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **20000**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

Leaking Petroleum Storage Tanks (LPST)

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,ALARM (SET@<=90%) W3A OR 3B

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1979**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **01/01/1979**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **142613**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,ALARM (SET@<=90%) W3A OR 3B

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 4	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1979	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 10000	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 01/01/1979
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **142612**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 5	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1979	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 10000	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 01/01/1979
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

Leaking Petroleum Storage Tanks (LPST)

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **142611**

TANK ID: **5**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,ALARM (SET@<=90%) W3A OR 3B

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **6**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1982**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **01/01/1982**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **142615**

TANK ID: **6**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,ALARM (SET @ <=90%) W3A OR 3B

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **7**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **02/01/1995**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **02/01/1995**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **142616**

TANK ID: **7**

COMPARTMENT LETTER: **A**

SUBSTANCES: **NEW OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **MONITORING OF SECONDARY CONTAINMENT BARRIER,AUTOMATIC TANK GAUGE**

Leaking Petroleum Storage Tanks (LPST)

TEST & INVENTORY CONTROL, INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET
SPILL CONTAINMENT AND OVERFILL PREVENTION: TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP, FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP, DELIVERY SHUT-OFF VALVE, ALARM (SET @ <=90%) W3A OR 3B

PIPING SYSTEMS

MATERIAL: FRP
CORROSION PROTECTION: FRP TANK OR PIPING (NONCORRODIBLE)
EXTERNAL CONTAINMENT: NOT REPORTED

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: FRP TANK OR PIPING (NONCORRODIBLE)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: YES
CORROSION PROTECTION VARIANCE: NO VARIANCE

TANK ID: 8	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 02/01/1995	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 8000	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 02/01/1995
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: YES
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: YES

TANK DETAILS

MATERIAL:
FRP
CORROSION PROTECTION:
FRP TANK OR PIPING (NONCORRODIBLE)
EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: YES
CORROSION PROTECTION VARIANCE: NO VARIANCE

COMPARTMENT DETAILS

UST COMPARTMENT ID: 142617
TANK ID: 8
COMPARTMENT LETTER: A
SUBSTANCES: USED OIL
OTHER SUBSTANCES: NOT REPORTED
CAPACITY (GAL): 8000
COMPARTMENT RELEASE DETECTION: MONITORING OF SECONDARY CONTAINMENT BARRIER, AUTOMATIC TANK GAUGE
TEST & INVENTORY CONTROL, INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET
SPILL CONTAINMENT AND OVERFILL PREVENTION: N/A - ALL DELIVERIES TO TANK <= 25 GAL

PIPING SYSTEMS

MATERIAL: FRP
CORROSION PROTECTION: FRP TANK OR PIPING (NONCORRODIBLE)
EXTERNAL CONTAINMENT: NOT REPORTED

CONNECTORS & VALVES:

NOT REPORTED

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **9**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **02/01/1995**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **02/01/1995**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **142618**

TANK ID: **9**

COMPARTMENT LETTER: **A**

SUBSTANCES: **NEW OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **MONITORING OF SECONDARY CONTAINMENT BARRIER,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL,INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,ALARM (SET @ <=90%) W3A OR 3B**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **10**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **05/26/2016**

REGISTRATION DATE: **07/27/2016**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **05/26/2016**

Leaking Petroleum Storage Tanks (LPST)

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **YES**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **190425**

TANK ID: **10**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL, INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET, SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP, FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP, DELIVERY SHUT-OFF VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

AST ID #: **152161** MULTIPLE COMPARTMENT FLAG: **NO**

TANK ID: **A1** REGISTRATION DATE: **05/08/1986**

INSTALLATION DATE: **01/01/1981** STATUS BEGIN DATE: **01/01/1981**

TANK CAPACITY (GAL): **375000** REGULATORY STATUS: **FULLY REGULATED**

STATUS: **IN USE** SUBSTANCES: **DIESEL**

MATERIAL OF CONSTRUCTION

STEEL: **YES** CORRUGATED METAL: **NO**

FIBERGLASS: **NO** CONCRETE: **NO**

ALUMINIUM: **NO**

CONTAINMENT

Leaking Petroleum Storage Tanks (LPST)

EARTHEN DIKE: **NO** CONCRETE: **NO**
CONTAINMENT LINER: **NO** NONE: **NO**
STAGE I VAPOR RECOVERY: **NOT REPORTED**
STAGE I INSTALLATION DATE: **NOT REPORTED**

AST ID #: **221298** MULTIPLE COMPARTMENT FLAG: **NO**
TANK ID: **AST2** REGISTRATION DATE: **01/06/2016**
INSTALLATION DATE: **11/12/2015** STATUS BEGIN DATE: **11/12/2015**
TANK CAPACITY (GAL): **20000** REGULATORY STATUS: **FULLY REGULATED**
STATUS: **IN USE** SUBSTANCES: **DIESEL**

MATERIAL OF CONSTRUCTION

STEEL: **NO** CORRUGATED METAL: **NO**
FIBERGLASS: **NO** CONCRETE: **NO**
ALUMINIUM: **NO**

CONTAINMENT

EARTHEN DIKE: **NO** CONCRETE: **NO**
CONTAINMENT LINER: **NO** NONE: **NO**
STAGE I VAPOR RECOVERY: **EXEMPT BY TCEQ RULE**
STAGE I INSTALLATION DATE: **NOT REPORTED**

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 111

Distance from Property: 0.074 mi. (391 ft.) SE
Elevation: 14 ft. (Lower than TP)

FACILITY INFORMATION

GEOSEARCH ID: 120002
LPST ID: 120002
FACILITY ID: 0020002
NAME: PETRO STOPPING CENTER 304
ADDRESS: 5405 WALDEN RD
BEAUMONT, TX 77705

LEAKING TANK DETAILS

LPST ID: 120002
NAME: PETRO STOPPING CENTER 304
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 3.1 - GW IMPACT PUB/DOM WATER SUPPLY WELL W/IN .25 - .5MI
CORRECTIVE ACTION STATUS CODE: 3 - MONITORING
CORRECTIVE ACTION START DATE: 8/22/17
REPORTED DATE: 05/23/2016
ENTERED DATE: 08/19/2016
CLOSURE DATE: 12/31/3000

PRP INFORMATION

NAME: HPT PSC PROPERTIES TRUST
ADDRESS: ADDRESS NOT REPORTED
CITY NOT REPORTED
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1979	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 20000	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 01/01/1979
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
STEEL
CORROSION PROTECTION:
CATHODIC PROTECTION - FIELD INSTALLATION
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: 142610

TANK ID: 1

COMPARTMENT LETTER: A

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **20000**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,ALARM (SET @ <=90%) W3A OR 3B

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1979**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **20000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **01/01/1979**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: 142614

TANK ID: 2

COMPARTMENT LETTER: A

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **20000**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

Leaking Petroleum Storage Tanks (LPST)

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,ALARM (SET@<=90%) W3A OR 3B

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1979**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **01/01/1979**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **142613**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,ALARM (SET@<=90%) W3A OR 3B

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 4	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1979	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 10000	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 01/01/1979
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **142612**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 5	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1979	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 10000	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 01/01/1979
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

Leaking Petroleum Storage Tanks (LPST)

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **142611**

TANK ID: **5**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,ALARM (SET@<=90%) W3A OR 3B

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **6**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1982**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **01/01/1982**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **142615**

TANK ID: **6**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,ALARM (SET @ <=90%) W3A OR 3B

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **7**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **02/01/1995**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **02/01/1995**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **142616**

TANK ID: **7**

COMPARTMENT LETTER: **A**

SUBSTANCES: **NEW OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **MONITORING OF SECONDARY CONTAINMENT BARRIER,AUTOMATIC TANK GAUGE**

Leaking Petroleum Storage Tanks (LPST)

TEST & INVENTORY CONTROL, INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET
SPILL CONTAINMENT AND OVERFILL PREVENTION: TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP, FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP, DELIVERY SHUT-OFF VALVE, ALARM (SET @ <=90%) W3A OR 3B

PIPING SYSTEMS

MATERIAL: FRP
CORROSION PROTECTION: FRP TANK OR PIPING (NONCORRODIBLE)
EXTERNAL CONTAINMENT: NOT REPORTED

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: FRP TANK OR PIPING (NONCORRODIBLE)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: YES
CORROSION PROTECTION VARIANCE: NO VARIANCE

TANK ID: 8	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 02/01/1995	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 8000	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 02/01/1995
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: YES
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: YES

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:
FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: YES
CORROSION PROTECTION VARIANCE: NO VARIANCE

COMPARTMENT DETAILS

UST COMPARTMENT ID: 142617

TANK ID: 8

COMPARTMENT LETTER: A

SUBSTANCES: USED OIL

OTHER SUBSTANCES: NOT REPORTED

CAPACITY (GAL): 8000

COMPARTMENT RELEASE DETECTION: MONITORING OF SECONDARY CONTAINMENT BARRIER, AUTOMATIC TANK GAUGE

TEST & INVENTORY CONTROL, INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET

SPILL CONTAINMENT AND OVERFILL PREVENTION: N/A - ALL DELIVERIES TO TANK <= 25 GAL

PIPING SYSTEMS

MATERIAL: FRP

CORROSION PROTECTION: FRP TANK OR PIPING (NONCORRODIBLE)
EXTERNAL CONTAINMENT: NOT REPORTED

CONNECTORS & VALVES:

NOT REPORTED

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **9**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **02/01/1995**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **02/01/1995**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **142618**

TANK ID: **9**

COMPARTMENT LETTER: **A**

SUBSTANCES: **NEW OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **MONITORING OF SECONDARY CONTAINMENT BARRIER,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL,INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,ALARM (SET @ <=90%) W3A OR 3B**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **10**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **05/26/2016**

REGISTRATION DATE: **07/27/2016**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **05/26/2016**

Leaking Petroleum Storage Tanks (LPST)

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **190425**

TANK ID: **10**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL, INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET, SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP, FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP, DELIVERY SHUT-OFF VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

AST ID #: **152161** MULTIPLE COMPARTMENT FLAG: **NO**

TANK ID: **A1** REGISTRATION DATE: **05/08/1986**

INSTALLATION DATE: **01/01/1981** STATUS BEGIN DATE: **01/01/1981**

TANK CAPACITY (GAL): **375000** REGULATORY STATUS: **FULLY REGULATED**

STATUS: **IN USE** SUBSTANCES: **DIESEL**

MATERIAL OF CONSTRUCTION

STEEL: **YES** CORRUGATED METAL: **NO**

FIBERGLASS: **NO** CONCRETE: **NO**

ALUMINIUM: **NO**

CONTAINMENT

Leaking Petroleum Storage Tanks (LPST)

EARTHEN DIKE: **NO** CONCRETE: **NO**
CONTAINMENT LINER: **NO** NONE: **NO**
STAGE I VAPOR RECOVERY: **NOT REPORTED**
STAGE I INSTALLATION DATE: **NOT REPORTED**

AST ID #: **221298** MULTIPLE COMPARTMENT FLAG: **NO**
TANK ID: **AST2** REGISTRATION DATE: **01/06/2016**
INSTALLATION DATE: **11/12/2015** STATUS BEGIN DATE: **11/12/2015**
TANK CAPACITY (GAL): **20000** REGULATORY STATUS: **FULLY REGULATED**
STATUS: **IN USE** SUBSTANCES: **DIESEL**

MATERIAL OF CONSTRUCTION

STEEL: **NO** CORRUGATED METAL: **NO**
FIBERGLASS: **NO** CONCRETE: **NO**
ALUMINIUM: **NO**

CONTAINMENT

EARTHEN DIKE: **NO** CONCRETE: **NO**
CONTAINMENT LINER: **NO** NONE: **NO**
STAGE I VAPOR RECOVERY: **EXEMPT BY TCEQ RULE**
STAGE I INSTALLATION DATE: **NOT REPORTED**

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 111

Distance from Property: 0.074 mi. (391 ft.) SE
Elevation: 14 ft. (Lower than TP)

FACILITY INFORMATION

ID#: **20002**
NAME: **PETRO STOPPING CENTER 304**
ADDRESS: **5405 WALDEN RD**
BEAUMONT, TX 77705
COUNTY: **JEFFERSON**
REGION: **10**
TYPE: **RETAIL**
BEGIN DATE: **08/31/1989**
STATUS: **ACTIVE**
EXEMPT STATUS: **NO**
RECORDS OFF-SITE: **YES**
NUMBER OF ACTIVE UNDERGROUND TANKS: **10**
NUMBER OF ACTIVE ABOVEGROUND TANKS: **2**

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: **02/12/2019**
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: **02/12/2019**
SIGNATURE NAME & TITLE: **CARRIE FRISKY, ENV ASSOC**
ENFORCEMENT ACTION DATE: **NOT REPORTED**

OWNER

OWNER NUMBER: **CN603171661**
NAME: **TA OPERATING LLC**
CONTACT ADDRESS: **24601 CENTER RIDGE RD**
WESTLAKE OH 44145
TYPE: **CORPORATION/COMPANY**
BEGIN DATE: **01/29/2019**
CONTACT ROLE: **OWNOPRCON**
CONTACT NAME: **CARRIE FRISKY**
CONTACT TITLE: **ENV ASSOCIATE**
ORGANIZATION: **TA OPERATING LLC**
PHONE: **(440) 8084431 0**
FAX: **NOT REPORTED**
EMAIL: **NOT REPORTED**
OWNER NUMBER: **CN603555871**
NAME: **HPT PSC PROPERTIES TRUST**
CONTACT ADDRESS: **OWNER ADDRESS NOT REPORTED**
CITY NOT REPORTED
TYPE: **ORGANIZATION**
BEGIN DATE: **05/30/2007**
CONTACT ROLE: **NOT REPORTED**
CONTACT NAME: **NOT REPORTED**
CONTACT TITLE: **NOT REPORTED**
ORGANIZATION: **NOT REPORTED**
PHONE: **NOT REPORTED**

CONTACT INFORMATION

NAME: **NOT REPORTED**
TITLE: **NOT REPORTED**
ORGANIZATION: **NOT REPORTED**
MAIL ADDRESS: **MAILING ADDRESS NOT REPORTED**
CITY NOT REPORTED
PHONE: **NOT REPORTED**

Petroleum Storage Tanks (PST)

FAX: **NOT REPORTED**
EMAIL: **NOT REPORTED**

OPERATOR

OPERATOR NUMBER: **CN603171661**
NAME: **TA OPERATING LLC**
CONTACT ADDRESS: **24601 CENTER RIDGE RD**
WESTLAKE OH 44145

TYPE: **CORPORATION/COMPANY**
BEGIN DATE: **01/29/2019**
CONTACT ROLE: **OPRCON**
CONTACT NAME: **CARRIE FRISKY**
CONTACT TITLE: **ENV ASSOC**
ORGANIZATION: **TA OPERATING LLC**
PHONE: **(440) 8084431 0**

FAX: **NOT REPORTED**
EMAIL: **NOT REPORTED**
OPERATOR NUMBER: **CN603171661**
NAME: **TA OPERATING LLC**
CONTACT ADDRESS: **OPERATOR ADDRESS NOT REPORTED**
CITY NOT REPORTED

TYPE: **CORPORATION/COMPANY**
BEGIN DATE: **05/30/2007**
CONTACT ROLE: **NOT REPORTED**
CONTACT NAME: **NOT REPORTED**
CONTACT TITLE: **NOT REPORTED**
ORGANIZATION: **NOT REPORTED**
PHONE: **NOT REPORTED**
FAX: **NOT REPORTED**
EMAIL: **NOT REPORTED**

SELF-CERTIFICATION

SELF-CERTIFICATION ID: **316479**
SIGNATURE DATE: **02/12/2019**
SIGNATURE NAME & TITLE: **CARRIE FRISKY, ENV ASSOC**
FILING STATUS: **INITIAL**
REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **298681**
SIGNATURE DATE: **01/19/2018**
SIGNATURE NAME & TITLE: **CARRIE FRISKY, ENV ASSOC**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **282663**
SIGNATURE DATE: **01/20/2017**
SIGNATURE NAME & TITLE: **CARRIE FRISKY, ENV ASSO**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **273010**
SIGNATURE DATE: **07/27/2016**

Petroleum Storage Tanks (PST)

SIGNATURE NAME & TITLE: **CARRIE FRISKY, ENV ASSOC**
FILING STATUS: **AMENDMENT**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **266115**
SIGNATURE DATE: **02/01/2016**
SIGNATURE NAME & TITLE: **CARRIE FRISKY, ENVIRONMENTAL ASSOC**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **249045**
SIGNATURE DATE: **01/29/2015**
SIGNATURE NAME & TITLE: **DAVID A PLUMMER, MGR**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **233405**
SIGNATURE DATE: **03/03/2014**
SIGNATURE NAME & TITLE: **DAVID A PLUMMER, ENV SERV MGR**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **146450**
SIGNATURE DATE: **02/06/2013**
SIGNATURE NAME & TITLE: **DAVID A PLUMMER, MGR ENV SRVCS**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **146449**
SIGNATURE DATE: **01/24/2012**
SIGNATURE NAME & TITLE: **DAVID A PLUMMER, ENVIRO ASSOCIATE**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **146448**
SIGNATURE DATE: **01/24/2011**
SIGNATURE NAME & TITLE: **DAVID A PLUMMER, ENV ASSOCIATE**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **146172**
SIGNATURE DATE: **01/25/2010**
SIGNATURE NAME & TITLE: **DAVID A PLUMMER, ENVIRONMENTAL ASSOC**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **146171**
SIGNATURE DATE: **01/27/2009**
SIGNATURE NAME & TITLE: **DAVID A PLUMMER, ENV ASSOC**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **146170**
SIGNATURE DATE: **08/26/2008**
SIGNATURE NAME & TITLE: **JOHN G MURRAY, PRES**
FILING STATUS: **INITIAL**

Petroleum Storage Tanks (PST)

REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **146169**
SIGNATURE DATE: **10/01/2007**
SIGNATURE NAME & TITLE: **CLARK RUDY, DIR OF ENG**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **146168**
SIGNATURE DATE: **09/14/2006**
SIGNATURE NAME & TITLE: **CLARK RUDY, DIR OF ENGINEERING**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **146167**
SIGNATURE DATE: **10/31/2005**
SIGNATURE NAME & TITLE: **CLARK RUDY, DIR OF ENGINEERING**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **146166**
SIGNATURE DATE: **09/20/2004**
SIGNATURE NAME & TITLE: **CLARK RUDY, DIRECTOR**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **146165**
SIGNATURE DATE: **09/29/2003**
SIGNATURE NAME & TITLE: **CLARK RUDY, DIR OF ENG**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **146164**
SIGNATURE DATE: **09/06/2002**
SIGNATURE NAME & TITLE: **CLARK RUDY, DIR OF ENGINEERING**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **146163**
SIGNATURE DATE: **02/16/2001**
SIGNATURE NAME & TITLE: **CLARK RUDY, DIR OF ENGR**
FILING STATUS: **INITIAL**
REGISTRATION FLAG: **YES**

CONSTRUCTION NOTIFICATION

NOTIFICATION CONSTRUCTION ID: **29338**
APPLICATION RECEIVED DATE: **04/11/2016**
SCHEDULE CONSTRUCTION DATE: **05/02/2016**
GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:
CLOSE CURRENT AUTO DIESEL UST IN PLACE. INSTALL NEW 8000 GAL UST NEAR EXISTING GASOLINE TANK PIT
NOTIFICATION CONSTRUCTION ID: **26421**
APPLICATION RECEIVED DATE: **09/11/2014**
SCHEDULE CONSTRUCTION DATE: **09/22/2014**
GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:
INSTALLATION OF REPLACEMENT DIESEL DISPENSER. ORIGINAL DISPENSER DAMAGED BY CUSTOMER.

Petroleum Storage Tanks (PST)

UNDERGROUND STORAGE TANK

TANK ID: 1
INSTALLATION DATE: 01/01/1979
TANK CAPACITY (GAL): 20000
STATUS: IN USE
INTERNAL PROTECTION DATE: NOT REPORTED
TANK DESIGN SINGLE WALL: YES
PIPE DESIGN SINGLE WALL: YES

NUMBER OF COMPARTMENTS: 1
REGISTRATION DATE: 05/08/1986
EMPTY TANK: NOT EMPTY
STATUS BEGIN DATE: 01/01/1979
REGULATORY STATUS: FULLY REGULATED
TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: YES

CORROSION PROTECTION VARIANCE: NO VARIANCE

COMPARTMENT DETAILS

UST COMPARTMENT ID: 142610

TANK ID: 1

COMPARTMENT LETTER: A

SUBSTANCES: DIESEL

OTHER SUBSTANCES: NOT REPORTED

CAPACITY (GAL): 20000

COMPARTMENT RELEASE DETECTION: VAPOR MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL

SPILL CONTAINMENT AND OVERFILL PREVENTION: TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,ALARM (SET @ <=90%) W3A OR 3B

PIPING SYSTEMS

MATERIAL: FRP

CORROSION PROTECTION: FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT: NOT REPORTED

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: YES

CORROSION PROTECTION VARIANCE: NO VARIANCE

TANK ID: 2

INSTALLATION DATE: 01/01/1979

TANK CAPACITY (GAL): 20000

STATUS: IN USE

INTERNAL PROTECTION DATE: NOT REPORTED

TANK DESIGN SINGLE WALL: YES

NUMBER OF COMPARTMENTS: 1

REGISTRATION DATE: 05/08/1986

EMPTY TANK: NOT EMPTY

STATUS BEGIN DATE: 01/01/1979

REGULATORY STATUS: FULLY REGULATED

TANK DESIGN DOUBLE WALL: NO

Petroleum Storage Tanks (PST)

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **142614**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **20000**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,ALARM (SET @ <=90%) W3A OR 3B

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1979**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **01/01/1979**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION

Petroleum Storage Tanks (PST)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **142613**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,ALARM (SET@<=90%) W3A OR 3B

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

INSTALLATION DATE: **01/01/1979**

TANK CAPACITY (GAL): **10000**

STATUS: **IN USE**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **YES**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **05/08/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **01/01/1979**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **142612**

Petroleum Storage Tanks (PST)

TANK ID: 4

COMPARTMENT LETTER: A

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 5

NUMBER OF COMPARTMENTS: 1

INSTALLATION DATE: **01/01/1979**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **01/01/1979**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **142611**

TANK ID: 5

COMPARTMENT LETTER: A

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

Petroleum Storage Tanks (PST)

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,ALARM (SET@<=90%) W3A OR 3B

PIPING SYSTEMS

MATERIAL: FRP

CORROSION PROTECTION: FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT: NOT REPORTED

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: YES

CORROSION PROTECTION VARIANCE: NO VARIANCE

TANK ID: 6

NUMBER OF COMPARTMENTS: 1

INSTALLATION DATE: 01/01/1982

REGISTRATION DATE: 05/08/1986

TANK CAPACITY (GAL): 8000

EMPTY TANK: NOT EMPTY

STATUS: IN USE

STATUS BEGIN DATE: 01/01/1982

INTERNAL PROTECTION DATE: NOT REPORTED

REGULATORY STATUS: FULLY REGULATED

TANK DESIGN SINGLE WALL: YES

TANK DESIGN DOUBLE WALL: NO

PIPE DESIGN SINGLE WALL: YES

PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: YES

CORROSION PROTECTION VARIANCE: NO VARIANCE

COMPARTMENT DETAILS

UST COMPARTMENT ID: 142615

TANK ID: 6

COMPARTMENT LETTER: A

SUBSTANCES: DIESEL

OTHER SUBSTANCES: NOT REPORTED

CAPACITY (GAL): 8000

COMPARTMENT RELEASE DETECTION: AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL

SPILL CONTAINMENT AND OVERFILL PREVENTION: TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,ALARM (SET@<=90%) W3A OR 3B

PIPING SYSTEMS

MATERIAL: STEEL

CORROSION PROTECTION: FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT: NOT REPORTED

CONNECTORS & VALVES:

NOT REPORTED

Petroleum Storage Tanks (PST)

PIPING RELEASE DETECTION:

ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **7**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **02/01/1995**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **02/01/1995**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **142616**

TANK ID: **7**

COMPARTMENT LETTER: **A**

SUBSTANCES: **NEW OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **MONITORING OF SECONDARY CONTAINMENT BARRIER,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL,INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,ALARM (SET@<=90%) W3A OR 3B**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

MONITORING OF SECONDARY CONTAINMENT BARRIER,TRIENNIAL TIGHTNESS TEST (FOR SUCTION/GRAVITY PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **8**

NUMBER OF COMPARTMENTS: **1**

Petroleum Storage Tanks (PST)

INSTALLATION DATE: **02/01/1995** REGISTRATION DATE: **05/08/1986**
TANK CAPACITY (GAL): **8000** EMPTY TANK: **NOT EMPTY**
STATUS: **IN USE** STATUS BEGIN DATE: **02/01/1995**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **YES**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **142617**

TANK ID: **8**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **MONITORING OF SECONDARY CONTAINMENT BARRIER,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL,INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **N/A - ALL DELIVERIES TO TANK <= 25 GAL**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

MONITORING OF SECONDARY CONTAINMENT BARRIER,INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET,TRIENNIAL TIGHTNESS TEST (FOR SUCTION/GRAVITY PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **9**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **02/01/1995**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **02/01/1995**

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

Petroleum Storage Tanks (PST)

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **142618**

TANK ID: **9**

COMPARTMENT LETTER: **A**

SUBSTANCES: **NEW OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **MONITORING OF SECONDARY CONTAINMENT BARRIER,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL,INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,ALARM (SET@<=90%) W3A OR 3B**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET,ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **10**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **05/26/2016**

REGISTRATION DATE: **07/27/2016**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **05/26/2016**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

Petroleum Storage Tanks (PST)

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **190425**

TANK ID: **10**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL, INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET, SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP, FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP, DELIVERY SHUT-OFF VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET, AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING), SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

AST ID #: **152161** MULTIPLE COMPARTMENT FLAG: **NO**

TANK ID: **A1** REGISTRATION DATE: **05/08/1986**

INSTALLATION DATE: **01/01/1981** STATUS BEGIN DATE: **01/01/1981**

TANK CAPACITY (GAL): **375000** REGULATORY STATUS: **FULLY REGULATED**

STATUS: **IN USE** SUBSTANCES: **DIESEL**

MATERIAL OF CONSTRUCTION

STEEL: **YES** CORRUGATED METAL: **NO**

FIBERGLASS: **NO** CONCRETE: **NO**

ALUMINIUM: **NO**

CONTAINMENT

EARTHEN DIKE: **NO** CONCRETE: **NO**

CONTAINMENT LINER: **NO** NONE: **NO**

STAGE I VAPOR RECOVERY: **NOT REPORTED**

STAGE I INSTALLATION DATE: **NOT REPORTED**

AST ID #: **221298** MULTIPLE COMPARTMENT FLAG: **NO**

TANK ID: **AST2** REGISTRATION DATE: **01/06/2016**

INSTALLATION DATE: **11/12/2015** STATUS BEGIN DATE: **11/12/2015**

TANK CAPACITY (GAL): **20000** REGULATORY STATUS: **FULLY REGULATED**

Petroleum Storage Tanks (PST)

STATUS: **IN USE** SUBSTANCES: **DIESEL**

MATERIAL OF CONSTRUCTION

STEEL: **NO** CORRUGATED METAL: **NO**

FIBERGLASS: **NO** CONCRETE: **NO**

ALUMINIUM: **NO**

CONTAINMENT

EARTHEN DIKE: **NO** CONCRETE: **NO**

CONTAINMENT LINER: **NO** NONE: **NO**

STAGE I VAPOR RECOVERY: **EXEMPT BY TCEQ RULE**

STAGE I INSTALLATION DATE: **NOT REPORTED**

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 112

Distance from Property: 0.078 mi. (412 ft.) E
Elevation: 32 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 48433
NAME: OLD MOBIL SERVICE STATION SITE
ADDRESS: 3005 N 11TH ST
BEAUMONT, TX
COUNTY: ORANGE
REGION: 10
TYPE: UNKNOWN
BEGIN DATE: 06/07/1989
STATUS: INACTIVE
EXEMPT STATUS: YES
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/26/1989
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 05/22/1989
SIGNATURE NAME & TITLE: SAME, SAME
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600968408
NAME: HOWELL CARL T
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: ORGANIZATION
BEGIN DATE: 06/07/1989
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1
INSTALLATION DATE: 08/31/1987
TANK CAPACITY (GAL): 300
NUMBER OF COMPARTMENTS: 1
REGISTRATION DATE: 05/26/1989
EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: CARL T HOWELL
TITLE: OWNER
ORGANIZATION: OLD MOBIL SERVICE STATION SITE
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (713) 4817205 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **05/22/1989**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **EXEMPT NON-USE SINCE 1974**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **113660**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **300**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1964**

REGISTRATION DATE: **05/26/1989**

TANK CAPACITY (GAL): **1000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **05/22/1989**

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **EXEMPT NON-USE SINCE 1974**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

Petroleum Storage Tanks (PST)

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **113659**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Generator (RCRAGR06)

MAP ID# 113

Distance from Property: 0.079 mi. (417 ft.) E
Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

EPA ID#: TXD988063772

NAME: EQUIPMENT MEADQUARTERS INC

ADDRESS: 3775 MILAM

BEAUMONT, TX 77706

CONTACT NAME: ROBIN BUCHHOLZ

CONTACT ADDRESS: PO BOX 5484

BEAUMONT TX 77706

CONTACT PHONE: 409-833-4391

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 03/10/1992

CERTIFICATION - NO CERTIFICATION REPORTED -

INDUSTRY CLASSIFICATION (NAICS) - NO NAICS INFORMATION REPORTED -

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: **CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR** LAST UPDATED DATE: **09/02/2000**

SUBJECT TO CORRECTIVE ACTION UNIVERSE: **NO**

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: **NO**

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: **NO**

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: **NO**

CORRECTIVE ACTION WORKLOAD UNIVERSE: **NO**

IMPORTER: **NO**

UNDERGROUND INJECTION: **NO**

MIXED WASTE GENERATOR: **NO**

UNIVERSAL WASTE DESTINATION FACILITY: **NO**

RECYCLER: **NO**

TRANSFER FACILITY: **NO**

TRANSPORTER: **NO**

USED OIL FUEL BURNER: **NO**

ONSITE BURNER EXEMPTION: **NO**

USED OIL PROCESSOR: **NO**

FURNACE EXEMPTION: **NO**

USED OIL FUEL MARKETER TO BURNER: **NO**

USED OIL REFINER: **NO**

SPECIFICATION USED OIL MARKETER: **NO**

USED OIL TRANSFER FACILITY: **NO**

USED OIL TRANSPORTER: **NO**

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS - NO EVALUATIONS REPORTED -

VIOLATIONS - NO VIOLATIONS REPORTED -

ENFORCEMENTS - NO ENFORCEMENTS REPORTED -

HAZARDOUS WASTE

D001 IGNITABLE WASTE

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 114

Distance from Property: 0.081 mi. (428 ft.) W
Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

ID#: 50144
NAME: JOHN BLACKWELL
ADDRESS: 810 INTERSTATE 10 S
BEAUMONT, TX 77707
COUNTY: JEFFERSON
REGION: 10
TYPE: UNKNOWN
BEGIN DATE: 02/01/1990
STATUS: INACTIVE
EXEMPT STATUS: YES
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 01/31/1990
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 12/22/1989
SIGNATURE NAME & TITLE: SAME, SAME
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN602941932
NAME: BLACKWELL
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: INDIVIDUAL
BEGIN DATE: 08/30/1990
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1979	REGISTRATION DATE: 01/31/1990
TANK CAPACITY (GAL): 1100	EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: G F KLEIN
TITLE: OWNER
ORGANIZATION: JOHN BLACKWELL
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8926010 0

Petroleum Storage Tanks (PST)

STATUS: **PERM FILLED IN PLACE**

STATUS BEGIN DATE: **05/19/2006**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **EXEMPT NON-USE SINCE 1974**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **80589**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Industrial and Hazardous Waste Corrective Action Sites (IHWCA)

[MAP ID# 115](#)

Distance from Property: 0.093 mi. (491 ft.) W
Elevation: 15 ft. (Lower than TP)

PROGRAM ID: 40615

RN NUMBER: RN100660752

NAME: MILLER TRANSPORTERS

ADDRESS: 4640 WASHINGTON BLVD
BEAUMONT, TX 77707

STATUS: ACTIVE

STATUS DATE: 2/25/19

PHASE: ONGOING WORKLOAD

LOCATION DESCRIPTION:

4640 WASHINGTON BLVD, BEAUMONT, TX

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Generator (RCRAGR06)

MAP ID# 115

Distance from Property: 0.082 mi. (433 ft.) WSW
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

EPA ID#: TX0000451641

OWNER TYPE: PRIVATE

NAME: SCOOTERS LAWNMOWER

OWNER NAME: JAKE DALEO III

ADDRESS: 4665 WASHINGTON

OPERATOR TYPE: NOT REPORTED

BEAUMONT, TX 77707

OPERATOR NAME: NOT REPORTED

CONTACT NAME: JAKE DLEO III

CONTACT ADDRESS: 4665 WASHINGTON

BEAUMONT TX 77707

CONTACT PHONE: 409-842-4142

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 07/11/1994

CERTIFICATION - NO CERTIFICATION REPORTED -

INDUSTRY CLASSIFICATION (NAICS) - NO NAICS INFORMATION REPORTED -

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: **CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR** LAST UPDATED DATE: **09/02/2000**

SUBJECT TO CORRECTIVE ACTION UNIVERSE: **NO**

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: **NO**

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: **NO**

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: **NO**

CORRECTIVE ACTION WORKLOAD UNIVERSE: **NO**

IMPORTER: **NO**

UNDERGROUND INJECTION: **NO**

MIXED WASTE GENERATOR: **NO**

UNIVERSAL WASTE DESTINATION FACILITY: **NO**

RECYCLER: **NO**

TRANSFER FACILITY: **NO**

TRANSPORTER: **NO**

USED OIL FUEL BURNER: **NO**

ONSITE BURNER EXEMPTION: **NO**

USED OIL PROCESSOR: **NO**

FURNACE EXEMPTION: **NO**

USED OIL FUEL MARKETER TO BURNER: **NO**

USED OIL REFINER: **NO**

SPECIFICATION USED OIL MARKETER: **NO**

USED OIL TRANSFER FACILITY: **NO**

USED OIL TRANSPORTER: **NO**

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS - NO EVALUATIONS REPORTED -

VIOLATIONS - NO VIOLATIONS REPORTED -

ENFORCEMENTS - NO ENFORCEMENTS REPORTED -

HAZARDOUS WASTE

D001 IGNITABLE WASTE

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 116

Distance from Property: 0.084 mi. (444 ft.) S
Elevation: 20 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 49053
NAME: SHOP N GO 2
ADDRESS: 2305 LOUISIANA ST
BEAUMONT, TX 77702
COUNTY: JEFFERSON
REGION: 10
TYPE: RETAIL
BEGIN DATE: 09/14/1989
STATUS: ACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 2
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 07/23/2018
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 06/06/2018
SIGNATURE NAME & TITLE: KARLA VERNTELLION, CASHIER
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN602528788
NAME: OLD TOWN GROCERY INC
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: CORPORATION/COMPANY
BEGIN DATE: 06/02/2013
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

OPERATOR NUMBER: CN602528788
NAME: OLD TOWN GROCERY INC
CONTACT ADDRESS: OPERATOR ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: CORPORATION/COMPANY
BEGIN DATE: 06/02/2013
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED

CONTACT INFORMATION

NAME: MUHAMMAD NAEEM
TITLE: SEC
ORGANIZATION: SHOP N GO 2
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8320498 0

Petroleum Storage Tanks (PST)

ORGANIZATION: **NOT REPORTED**
PHONE: **NOT REPORTED**
FAX: **NOT REPORTED**
EMAIL: **NOT REPORTED**
OPERATOR NUMBER: **CN604361667**
NAME: **NAEEM GROUP ENTERPRISES INC**
CONTACT ADDRESS: **OPERATOR ADDRESS NOT REPORTED**
CITY NOT REPORTED

TYPE: **CORPORATION/COMPANY**
BEGIN DATE: **06/01/2013**
CONTACT ROLE: **NOT REPORTED**
CONTACT NAME: **NOT REPORTED**
CONTACT TITLE: **NOT REPORTED**
ORGANIZATION: **NOT REPORTED**
PHONE: **NOT REPORTED**
FAX: **NOT REPORTED**
EMAIL: **NOT REPORTED**

SELF-CERTIFICATION

SELF-CERTIFICATION ID: **306806**
SIGNATURE DATE: **06/06/2018**
SIGNATURE NAME & TITLE: **KARLA VERTELLION, CASHIER**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **289884**
SIGNATURE DATE: **06/07/2017**
SIGNATURE NAME & TITLE: **ANURA GANDLU, CASHIER**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **273190**
SIGNATURE DATE: **06/09/2016**
SIGNATURE NAME & TITLE: **ASYTOSH JANWALI, CASHIER**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **256767**
SIGNATURE DATE: **06/04/2015**
SIGNATURE NAME & TITLE: **ASUTSH JARIBAL, CASHIER**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **240144**
SIGNATURE DATE: **06/03/2014**
SIGNATURE NAME & TITLE: **PRAVEEN KUMAR KAUR, REP**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **223380**
SIGNATURE DATE: **07/02/2013**
SIGNATURE NAME & TITLE: **MUHAMMAD J NAEEM, CASHIER**
FILING STATUS: **RENEWAL**

Petroleum Storage Tanks (PST)

REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **130834**
SIGNATURE DATE: **07/06/2012**
SIGNATURE NAME & TITLE: **JIMMY NAEEM, REP**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **130833**
SIGNATURE DATE: **07/02/2011**
SIGNATURE NAME & TITLE: **MUHAMMAD NAEEM, REP**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **130832**
SIGNATURE DATE: **07/10/2010**
SIGNATURE NAME & TITLE: **MUHAMMAD FAISAL NAEEM, REP**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **130831**
SIGNATURE DATE: **07/14/2009**
SIGNATURE NAME & TITLE: **MUHAMMAD NAEEM, PRES**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **130830**
SIGNATURE DATE: **08/07/2008**
SIGNATURE NAME & TITLE: **MUHAMMAD NAEEM, PRES**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **130829**
SIGNATURE DATE: **06/23/2007**
SIGNATURE NAME & TITLE: **SUMAN BATHLA, OWNER**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **130828**
SIGNATURE DATE: **06/28/2006**
SIGNATURE NAME & TITLE: **SUMAN BATHLA, OWNER**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **130827**
SIGNATURE DATE: **06/27/2005**
SIGNATURE NAME & TITLE: **SUMAN BATHLA, OWNER**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **130826**
SIGNATURE DATE: **06/02/2004**
SIGNATURE NAME & TITLE: **SUMAN BATHLA, PRES**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **130825**

Petroleum Storage Tanks (PST)

SIGNATURE DATE: **10/14/2003**

SIGNATURE NAME & TITLE: **SUMAN BATHLA, OWNER**

FILING STATUS: **INITIAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **130824**

SIGNATURE DATE: **06/07/2003**

SIGNATURE NAME & TITLE: **SUMAN BATHLA, OWNER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **130823**

SIGNATURE DATE: **05/15/2002**

SIGNATURE NAME & TITLE: **SUMAN BATHLA, OWNER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **130822**

SIGNATURE DATE: **09/18/2000**

SIGNATURE NAME & TITLE: **MOHAMMAD MUKHTAR, OWNER**

FILING STATUS: **INITIAL**

REGISTRATION FLAG: **YES**

CONSTRUCTION NOTIFICATION

NOTIFICATION CONSTRUCTION ID: **13396**

APPLICATION RECEIVED DATE: **08/08/2011**

SCHEDULE CONSTRUCTION DATE: **09/05/2011**

GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:

INSTALL DOUBLE-WALL PIPING SYSTEM INCLUDING SUMPS AT DISPENSERS AND STP'S WITH SENSORS.

NOTIFICATION CONSTRUCTION ID: **13397**

APPLICATION RECEIVED DATE: **06/28/2010**

SCHEDULE CONSTRUCTION DATE: **06/28/2010**

GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:

REPLACE TWO SPILL CONTAINMENT MANHOLES ON THE FUEL TANKS

UNDERGROUND STORAGE TANK

TANK ID: **1**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **02/26/1996**

REGISTRATION DATE: **04/16/1996**

TANK CAPACITY (GAL): **9990**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **02/26/1996**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

Petroleum Storage Tanks (PST)

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **135041**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **9990**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE,ALARM (SET@<=90%) W3A OR 3B**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1974**

REGISTRATION DATE: **09/11/1989**

TANK CAPACITY (GAL): **6000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **02/14/1996**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **135039**

TANK ID: **1A**

COMPARTMENT LETTER: **A**

Petroleum Storage Tanks (PST)

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **02/26/1996**

REGISTRATION DATE: **04/16/1996**

TANK CAPACITY (GAL): **6000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **02/26/1996**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **135040**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE,ALARM (SET@<=90%) W3A OR 3B**

PIPING SYSTEMS

MATERIAL: **FRP**

Petroleum Storage Tanks (PST)

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1974**

REGISTRATION DATE: **09/11/1989**

TANK CAPACITY (GAL): **6000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **02/14/1996**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **135038**

TANK ID: **2A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

Petroleum Storage Tanks (PST)

CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 3	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1974	REGISTRATION DATE: 09/11/1989
TANK CAPACITY (GAL): 6000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 02/14/1996
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:
NOT REPORTED

EXTERNAL CONTAINMENT:
NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **135037**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 117

Distance from Property: 0.089 mi. (470 ft.) W
Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 64340
NAME: PAM REHABILITATION HOSPITAL OF BEAUMONT
ADDRESS: 3340 PLAZA 10 DR
BEAUMONT, TX 77707
COUNTY: JEFFERSON
REGION: 10
TYPE: EMERGENCY GENERATOR
BEGIN DATE: 03/01/1991
STATUS: ACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 1

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/31/2017
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 05/19/2017
SIGNATURE NAME & TITLE: JIMMY YU, SIGNATURE TITLE NOT REPORTED
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN605376045
NAME: HCII-3340 PLAZA 10 DRIVE LLC
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: CORPORATION/COMPANY
BEGIN DATE: 03/31/2017
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED

FAX: NOT REPORTED
EMAIL: NOT REPORTED
OWNER NUMBER: CN600803704
NAME: HEALTHSOUTH CORPORATION
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: CORPORATION/COMPANY
BEGIN DATE: 08/31/2011
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED

CONTACT INFORMATION

NAME: NOT REPORTED
TITLE: NOT REPORTED
ORGANIZATION: PAM REHABILITATION HOSPITAL OF BEAUMONT
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8393362 0

Petroleum Storage Tanks (PST)

PHONE: NOT REPORTED

FAX: NOT REPORTED

EMAIL: NOT REPORTED

OPERATOR

OPERATOR NUMBER: CN605376052

NAME: PAM SQUARED AT BEAUMONT LLC

CONTACT ADDRESS: OPERATOR ADDRESS NOT REPORTED

CITY NOT REPORTED

TYPE: CORPORATION/COMPANY

BEGIN DATE: 03/31/2017

CONTACT ROLE: NOT REPORTED

CONTACT NAME: NOT REPORTED

CONTACT TITLE: NOT REPORTED

ORGANIZATION: NOT REPORTED

PHONE: NOT REPORTED

FAX: NOT REPORTED

EMAIL: NOT REPORTED

OPERATOR NUMBER: CN604370999

NAME: LAMBDIN

CONTACT ADDRESS: OPERATOR ADDRESS NOT REPORTED

CITY NOT REPORTED

TYPE: INDIVIDUAL

BEGIN DATE: 08/01/2013

CONTACT ROLE: NOT REPORTED

CONTACT NAME: NOT REPORTED

CONTACT TITLE: NOT REPORTED

ORGANIZATION: NOT REPORTED

PHONE: NOT REPORTED

FAX: NOT REPORTED

EMAIL: NOT REPORTED

OPERATOR NUMBER: CN600803704

NAME: HEALTHSOUTH CORPORATION

CONTACT ADDRESS: 3660 GRANDVIEW PKWY STE 200

BIRMINGHAM AL 35243

TYPE: CORPORATION/COMPANY

BEGIN DATE: 08/31/2011

CONTACT ROLE: OPRCON

CONTACT NAME: BRUCE LAMBDIN

CONTACT TITLE: RDPO

ORGANIZATION: HEALTHSOUTH CORPORATION

PHONE: (972) 8097911 0

FAX: NOT REPORTED

EMAIL: NOT REPORTED

SELF-CERTIFICATION

SELF-CERTIFICATION ID: 243314

SIGNATURE DATE: 09/22/2014

SIGNATURE NAME & TITLE: KENNETH LAVERGNU, DIR OF PLANT OPS

Petroleum Storage Tanks (PST)

FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **224219**
SIGNATURE DATE: **08/28/2013**
SIGNATURE NAME & TITLE: **BRUCE LAMBDIN, REG DIR PLT OPS**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **156732**
SIGNATURE DATE: **08/22/2012**
SIGNATURE NAME & TITLE: **MICHAEL GAUTHIER, DPO**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **156731**
SIGNATURE DATE: **09/09/2011**
SIGNATURE NAME & TITLE: **MICHAEL GAUTHIER, DPO PLANT**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **156730**
SIGNATURE DATE: **06/21/2005**
SIGNATURE NAME & TITLE: **MICHAEL GAUTHIER, SUPERVISOR**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **156729**
SIGNATURE DATE: **09/21/2004**
SIGNATURE NAME & TITLE: **MICHAEL GAUTHIER, MAINT SUPR**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **156728**
SIGNATURE DATE: **07/29/2003**
SIGNATURE NAME & TITLE: **ELLEN ZIMMERMAN, HRD/RM**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **156727**
SIGNATURE DATE: **09/26/2002**
SIGNATURE NAME & TITLE: **ELLEN ZIMMERMAN, HUMAN RES DIR**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **156726**
SIGNATURE DATE: **08/14/2000**
SIGNATURE NAME & TITLE: **JACK WIGGINS, MAINT SUPER**
FILING STATUS: **INITIAL**
REGISTRATION FLAG: **YES**

CONSTRUCTION NOTIFICATION
NOTIFICATION CONSTRUCTION ID: **26914**
APPLICATION RECEIVED DATE: **01/08/2015**
SCHEDULE CONSTRUCTION DATE: **01/13/2015**
GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:

Petroleum Storage Tanks (PST)

REMOVAL OF (1) 500 GAL DIESEL TANK.

UNDERGROUND STORAGE TANK

TANK ID: 1
INSTALLATION DATE: 03/01/1991
TANK CAPACITY (GAL): 550
STATUS: **REMOVED FROM GROUND**
INTERNAL PROTECTION DATE: **NOT REPORTED**
TANK DESIGN SINGLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO**
NUMBER OF COMPARTMENTS: 1
REGISTRATION DATE: 03/15/1993
EMPTY TANK: **NOT EMPTY**
STATUS BEGIN DATE: 12/01/2014
REGULATORY STATUS: **EMERG POWER GENERATOR**
TANK DESIGN DOUBLE WALL: **YES**
PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,COATED TANK (STEEL W/EXTERNAL POLYURETHANE LAMINATE),FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **161322**

TANK ID: 1

COMPARTMENT LETTER: **A**

SUBSTANCES: **NOT REPORTED**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **550**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL,INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET,WEEKLY MANUAL TANK GAUGING (TANKS <= 1000 GAL)**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE,ALARM (SET@<=90%) W3A OR 3B**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE),ISOLATED IN OPEN AREA/2ND CONTAINMENT**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 1
INSTALLATION DATE: 03/01/1991
TANK CAPACITY (GAL): 550
NUMBER OF COMPARTMENTS: 1
REGISTRATION DATE: 03/15/1993
EMPTY TANK: **NOT EMPTY**

Petroleum Storage Tanks (PST)

STATUS: **IN USE** STATUS BEGIN DATE: **03/01/1991**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **EMERG POWER GENERATOR**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **YES**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,COATED TANK (STEEL W/EXTERNAL POLYURETHANE LAMINATE),FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **161322**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **550**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL,INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET,WEEKLY MANUAL TANK GAUGING (TANKS <= 1000 GAL)**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE,ALARM (SET@<=90%) W3A OR 3B**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE),ISOLATED IN OPEN AREA/2ND CONTAINMENT**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

AST ID #: **220550** MULTIPLE COMPARTMENT FLAG: **NO**

TANK ID: **1** REGISTRATION DATE: **01/21/2015**

INSTALLATION DATE: **11/12/2014** STATUS BEGIN DATE: **11/12/2014**

TANK CAPACITY (GAL): **1533** REGULATORY STATUS: **FULLY REGULATED**

STATUS: **IN USE** SUBSTANCES: **DIESEL**

MATERIAL OF CONSTRUCTION

Petroleum Storage Tanks (PST)

STEEL: **NO** CORRUGATED METAL: **NO**

FIBERGLASS: **NO** CONCRETE: **NO**

ALUMINIUM: **NO**

CONTAINMENT

EARTHEN DIKE: **NO** CONCRETE: **NO**

CONTAINMENT LINER: **NO** NONE: **NO**

STAGE I VAPOR RECOVERY: **NOT REPORTED**

STAGE I INSTALLATION DATE: **NOT REPORTED**

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Generator (RCRAGR06)

MAP ID# 118

Distance from Property: 0.093 mi. (491 ft.) SSE
Elevation: 19 ft. (Higher than TP)

FACILITY INFORMATION

EPA ID#: TXD988084257

NAME: DAYLIGHT MOTOR CO

ADDRESS: 1220 N ELEVENTH ST

BEAUMONT, TX 77702

CONTACT NAME: CLAY MOORE

CONTACT ADDRESS: 1220 N ELEVENTH ST

BEAUMONT TX 77702

CONTACT PHONE: 409-769-7163

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 03/16/1993

CERTIFICATION - NO CERTIFICATION REPORTED -

INDUSTRY CLASSIFICATION (NAICS) - NO NAICS INFORMATION REPORTED -

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: **CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR** LAST UPDATED DATE: **09/02/2000**

SUBJECT TO CORRECTIVE ACTION UNIVERSE: **NO**

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: **NO**

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: **NO**

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: **NO**

CORRECTIVE ACTION WORKLOAD UNIVERSE: **NO**

IMPORTER: **NO**

UNDERGROUND INJECTION: **NO**

MIXED WASTE GENERATOR: **NO**

UNIVERSAL WASTE DESTINATION FACILITY: **NO**

RECYCLER: **NO**

TRANSFER FACILITY: **NO**

TRANSPORTER: **NO**

USED OIL FUEL BURNER: **NO**

ONSITE BURNER EXEMPTION: **NO**

USED OIL PROCESSOR: **NO**

FURNACE EXEMPTION: **NO**

USED OIL FUEL MARKETER TO BURNER: **NO**

USED OIL REFINER: **NO**

SPECIFICATION USED OIL MARKETER: **NO**

USED OIL TRANSFER FACILITY: **NO**

USED OIL TRANSPORTER: **NO**

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS - NO EVALUATIONS REPORTED -

VIOLATIONS - NO VIOLATIONS REPORTED -

ENFORCEMENTS - NO ENFORCEMENTS REPORTED -

HAZARDOUS WASTE

D001 IGNITABLE WASTE

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 119

Distance from Property: 0.096 mi. (507 ft.) E
Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 092141
LPST ID: 092141
FACILITY ID: 0046539
NAME: FORMER DIAMOND SHAMROCK 360
ADDRESS: 3060 NORTH ST
BEAUMONT, TX 77702

LEAKING TANK DETAILS

LPST ID: 092141
NAME: FORMER DIAMOND SHAMROCK 360
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 9/16/88
REPORTED DATE: 08/17/1988
ENTERED DATE: 09/16/1988
CLOSURE DATE: 09/10/1997

PRP INFORMATION

NAME: DIAMOND SHAMROCK REFINING CORPORATION
ADDRESS: ADDRESS NOT REPORTED
SAN ANTONIO TX 78269
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1973	REGISTRATION DATE: 09/20/1988
TANK CAPACITY (GAL): 550	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 08/17/1988
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
STEEL
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **120293**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **550**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 119

Distance from Property: 0.096 mi. (507 ft.) E
Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 46539
NAME: OLD GAS STATION
ADDRESS: 3060 NORTH ST
BEAUMONT, TX 77702
COUNTY: JEFFERSON
REGION: 10
TYPE: UNKNOWN
BEGIN DATE: 12/08/1988
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 09/20/1988
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 09/15/1988
SIGNATURE NAME & TITLE: TERRY ROBINSON, REPRESENTATIVE
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN601198773
NAME: WILLIAMS
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: INDIVIDUAL
BEGIN DATE: 12/08/1988
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1
INSTALLATION DATE: 01/01/1973
TANK CAPACITY (GAL): 550
NUMBER OF COMPARTMENTS: 1
REGISTRATION DATE: 09/20/1988
EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: NOT REPORTED
TITLE: NOT REPORTED
ORGANIZATION: OLD GAS STATION
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8353939 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **08/17/1988**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **120293**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **550**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 120

Distance from Property: 0.098 mi. (517 ft.) WNW

Elevation: 33 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRATION#: 73334 EPA ID: TXD982284119

TNRCC ID #: 27758

NAME: KINSEL TOYOTA

ADDRESS: 3255 EASTEX FWY
BEAUMONT, TX 77706

CONTACT: MARSHA WARE

PHONE: 409-8994000

BUSINESS DESCRIPTION: NOT REPORTED

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR

GENERATOR TYPE: NON-INDUSTRIAL AND/OR MUNICIPAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 06/04/2010

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

WASTE ID: 54015

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: YES

GENERATOR'S DESCRIPTION OF WASTE: NOT REPORTED

WASTE ID: 54016

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: YES

GENERATOR'S DESCRIPTION OF WASTE: NOT REPORTED

WASTE ID: 54017

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: YES

Industrial and Hazardous Waste Sites (IHW)

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

MAP ID# 120

Distance from Property: 0.098 mi. (517 ft.) WNW
Elevation: 33 ft. (Higher than TP)

FACILITY INFORMATION

EPA ID#: TXD982284119

NAME: KINSEL TOYOTA INC

ADDRESS: 3255 EASTEX FWY

BEAUMONT, TX 77706

CONTACT NAME: MARSHA WARE

CONTACT ADDRESS: PO BOX 2470

BEAUMONT TX 77704

CONTACT PHONE: 409-899-4000

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 08/23/2001

CERTIFICATION - NO CERTIFICATION REPORTED -

INDUSTRY CLASSIFICATION (NAICS) - NO NAICS INFORMATION REPORTED -

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: **NON-GENERATOR** LAST UPDATED DATE: **03/25/2004**

SUBJECT TO CORRECTIVE ACTION UNIVERSE: **NO**

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: **NO**

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: **NO**

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: **NO**

CORRECTIVE ACTION WORKLOAD UNIVERSE: **NO**

IMPORTER: **NO**

UNDERGROUND INJECTION: **NO**

MIXED WASTE GENERATOR: **NO**

UNIVERSAL WASTE DESTINATION FACILITY: **NO**

RECYCLER: **NO**

TRANSFER FACILITY: **NO**

TRANSPORTER: **NO**

USED OIL FUEL BURNER: **NO**

ONSITE BURNER EXEMPTION: **NO**

USED OIL PROCESSOR: **NO**

FURNACE EXEMPTION: **NO**

USED OIL FUEL MARKETER TO BURNER: **NO**

USED OIL REFINER: **NO**

SPECIFICATION USED OIL MARKETER: **NO**

USED OIL TRANSFER FACILITY: **NO**

USED OIL TRANSPORTER: **NO**

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS

01/08/2015 CEI COMPLIANCE EVALUATION INSPECTION ON-SITE

04/15/2015 NRR NON-FINANCIAL RECORD REVIEW

VIOLATIONS

01/08/2015 XXS STATE STATUTE OR REGULATION

01/08/2015 XXS STATE STATUTE OR REGULATION

ENFORCEMENTS

02/27/2015 120 WRITTEN INFORMAL

HAZARDOUS WASTE

D001 IGNITABLE WASTE

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

- F002 THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
- F004 THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: CRESOLS, CRESYLIC ACID, AND NITROBENZENE; AND THE STILL BOTTOMS FROM THE RECOVERY OF THESE SOLVENTS; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Generator (RCRAGR06)

MAP ID# 121

Distance from Property: 0.099 mi. (523 ft.) SSE
Elevation: 19 ft. (Higher than TP)

FACILITY INFORMATION

EPA ID#: TX0000999979

NAME: MIKESKA AUTO

ADDRESS: 4849-A LAFIN

BEAUMONT, TX 77705

CONTACT NAME: JOHN MIKESKA

CONTACT ADDRESS: 4849-A LAFIN

BEAUMONT TX 77705

CONTACT PHONE: 409-842-6700

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 01/05/1995

CERTIFICATION - NO CERTIFICATION REPORTED -

INDUSTRY CLASSIFICATION (NAICS) - NO NAICS INFORMATION REPORTED -

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: **CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR** LAST UPDATED DATE: **09/02/2000**

SUBJECT TO CORRECTIVE ACTION UNIVERSE: **NO**

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: **NO**

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: **NO**

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: **NO**

CORRECTIVE ACTION WORKLOAD UNIVERSE: **NO**

IMPORTER: **NO**

UNDERGROUND INJECTION: **NO**

MIXED WASTE GENERATOR: **NO**

UNIVERSAL WASTE DESTINATION FACILITY: **NO**

RECYCLER: **NO**

TRANSFER FACILITY: **NO**

TRANSPORTER: **NO**

USED OIL FUEL BURNER: **NO**

ONSITE BURNER EXEMPTION: **NO**

USED OIL PROCESSOR: **NO**

FURNACE EXEMPTION: **NO**

USED OIL FUEL MARKETER TO BURNER: **NO**

USED OIL REFINER: **NO**

SPECIFICATION USED OIL MARKETER: **NO**

USED OIL TRANSFER FACILITY: **NO**

USED OIL TRANSPORTER: **NO**

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS - NO EVALUATIONS REPORTED -

VIOLATIONS - NO VIOLATIONS REPORTED -

ENFORCEMENTS - NO ENFORCEMENTS REPORTED -

HAZARDOUS WASTE

D001 **IGNITABLE WASTE**

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 122

Distance from Property: 0.103 mi. (544 ft.) N
Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 113493
LPST ID: 113493
FACILITY ID: 0065205
NAME: BILLEES CAR CARE
ADDRESS: 3005 CALDER ST
BEAUMONT, TX 77702

LEAKING TANK DETAILS

LPST ID: 113493
NAME: BILLEES CAR CARE
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 10/29/98
REPORTED DATE: 09/27/1998
ENTERED DATE: 10/29/1998
CLOSURE DATE: 04/18/2006

PRP INFORMATION

NAME: BILLEES CAR CARE
ADDRESS: ADDRESS NOT REPORTED
BEAUMONT TX 77702
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 2
INSTALLATION DATE: 05/31/1999	REGISTRATION DATE: 05/27/2000
TANK CAPACITY (GAL): 10000	EMPTY TANK: EMPTY
STATUS: TEMP OUT OF SERVICE	STATUS BEGIN DATE: 02/28/2013
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: YES

TANK DETAILS

MATERIAL:
COMPOSITE
CORROSION PROTECTION:
COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: YES
CORROSION PROTECTION VARIANCE: NO VARIANCE

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **164312**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL,SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE),NONMETALLIC FLEXIBLE PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE),NONMETALLIC FLEXIBLE PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1**

NUMBER OF COMPARTMENTS: **2**

INSTALLATION DATE: **05/31/1999**

REGISTRATION DATE: **05/27/2000**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **EMPTY**

STATUS: **TEMP OUT OF SERVICE**

STATUS BEGIN DATE: **02/28/2013**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **164313**

TANK ID: **1**

COMPARTMENT LETTER: **B**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY**

Leaking Petroleum Storage Tanks (LPST)

CONTROL,SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE),NONMETALLIC FLEXIBLE PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE),NONMETALLIC FLEXIBLE PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/31/1987**

REGISTRATION DATE: **12/01/1993**

TANK CAPACITY (GAL): **6600**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **05/28/1999**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **164309**

TANK ID: **1A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6600**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

Leaking Petroleum Storage Tanks (LPST)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 2	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 05/31/1999	REGISTRATION DATE: 05/27/2000
TANK CAPACITY (GAL): 10000	EMPTY TANK: EMPTY
STATUS: TEMP OUT OF SERVICE	STATUS BEGIN DATE: 02/28/2013
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: YES

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **164314**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL,SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE),NONMETALLIC FLEXIBLE PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE),NONMETALLIC FLEXIBLE PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 2A	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 08/31/1987	REGISTRATION DATE: 12/01/1993
TANK CAPACITY (GAL): 5000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 05/28/1999
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED

Leaking Petroleum Storage Tanks (LPST)

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **164310**

TANK ID: **2A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **5000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/31/1987**

REGISTRATION DATE: **12/01/1993**

TANK CAPACITY (GAL): **3000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **05/28/1999**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

Leaking Petroleum Storage Tanks (LPST)

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **164307**
TANK ID: **3**
COMPARTMENT LETTER: **A**
SUBSTANCES: **GASOLINE**
OTHER SUBSTANCES: **NOT REPORTED**
CAPACITY (GAL): **3000**
COMPARTMENT RELEASE DETECTION: **NOT REPORTED**
SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP**

PIPING SYSTEMS

MATERIAL: **STEEL**
CORROSION PROTECTION: **NOT REPORTED**
EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 4	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 08/31/1987	REGISTRATION DATE: 12/01/1993
TANK CAPACITY (GAL): 550	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 05/28/1999
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
STEEL
CORROSION PROTECTION:
NOT REPORTED

EXTERNAL CONTAINMENT:
NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **164308**
TANK ID: **4**
COMPARTMENT LETTER: **A**
SUBSTANCES: **USED OIL**
OTHER SUBSTANCES: **NOT REPORTED**
CAPACITY (GAL): **550**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **5**

INSTALLATION DATE: **08/31/1987**

TANK CAPACITY (GAL): **5010**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **07/01/1999**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **05/28/1999**

REGULATORY STATUS: **EXEMPT REM WITHIN 60 DAYS**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **164311**

TANK ID: **5**

COMPARTMENT LETTER: **A**

SUBSTANCES: **UNKNOWN**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **5010**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 122

Distance from Property: 0.103 mi. (544 ft.) N
Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 65205
NAME: BILLEES CAR CARE
ADDRESS: 3005 CALDER ST
BEAUMONT, TX 77702
COUNTY: JEFFERSON
REGION: 10
TYPE: RETAIL
BEGIN DATE: 08/01/1987
STATUS: ACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 2
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/02/2013
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 04/30/2013
SIGNATURE NAME & TITLE: HARDAYAL SINGH DHILLON, SIGNATURE TITLE NOT REPORTED
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600987507
NAME: ASB ENTERPRISES INC
CONTACT ADDRESS: 3005 CALDER ST
BEAUMONT TX 77702
TYPE: CORPORATION/COMPANY
BEGIN DATE: 09/01/2014
CONTACT ROLE: OWNOPRCON
CONTACT NAME: BILLEE BUSH
CONTACT TITLE: VP
ORGANIZATION: ASB ENTERPRISES INC
PHONE: (409) 8383333 0
FAX: NOT REPORTED
EMAIL: NOT REPORTED
OWNER NUMBER: CN600987507
NAME: ASB ENTERPRISES INC
CONTACT ADDRESS: 3005 CALDER ST
BEAUMONT TX 77702
TYPE: CORPORATION/COMPANY
BEGIN DATE: 09/30/2012
CONTACT ROLE: OWNCON
CONTACT NAME: STEVE BUSH
CONTACT TITLE: PRES
ORGANIZATION: ASB ENTERPRISES INC
PHONE: (409) 8383333 0

CONTACT INFORMATION

NAME: BILLEE BUSH
TITLE: VP
ORGANIZATION: BILLEES CAR CARE
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8383333 0

Petroleum Storage Tanks (PST)

FAX: **NOT REPORTED**
EMAIL: **NOT REPORTED**

OPERATOR

OPERATOR NUMBER: **CN600987507**
NAME: **ASB ENTERPRISES INC**
CONTACT ADDRESS: **3005 CALDER ST**
BEAUMONT TX 77702

TYPE: **CORPORATION/COMPANY**
BEGIN DATE: **09/01/2014**
CONTACT ROLE: **OWNOPRCON**
CONTACT NAME: **BILLEE BUSH**
CONTACT TITLE: **VP**
ORGANIZATION: **ASB ENTERPRISES INC**
PHONE: **(409) 8383333 0**

FAX: **NOT REPORTED**
EMAIL: **NOT REPORTED**
OPERATOR NUMBER: **CN604155606**
NAME: **TEXAN SINGH INC**
CONTACT ADDRESS: **OPERATOR ADDRESS NOT REPORTED**
CITY NOT REPORTED

TYPE: **CORPORATION/COMPANY**
BEGIN DATE: **10/01/2012**
CONTACT ROLE: **NOT REPORTED**
CONTACT NAME: **NOT REPORTED**
CONTACT TITLE: **NOT REPORTED**
ORGANIZATION: **NOT REPORTED**
PHONE: **NOT REPORTED**

FAX: **NOT REPORTED**
EMAIL: **NOT REPORTED**
OPERATOR NUMBER: **CN600987507**
NAME: **ASB ENTERPRISES INC**
CONTACT ADDRESS: **OPERATOR ADDRESS NOT REPORTED**
CITY NOT REPORTED

TYPE: **CORPORATION/COMPANY**
BEGIN DATE: **09/30/2012**
CONTACT ROLE: **NOT REPORTED**
CONTACT NAME: **NOT REPORTED**
CONTACT TITLE: **NOT REPORTED**
ORGANIZATION: **NOT REPORTED**
PHONE: **NOT REPORTED**
FAX: **NOT REPORTED**
EMAIL: **NOT REPORTED**

SELF-CERTIFICATION

SELF-CERTIFICATION ID: **219296**
SIGNATURE DATE: **04/30/2013**
SIGNATURE NAME & TITLE: **HARDAYAL DHILLON, OWNER**
FILING STATUS: **RENEWAL**

Petroleum Storage Tanks (PST)

REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **161512**
SIGNATURE DATE: **10/16/2012**
SIGNATURE NAME & TITLE: **HARDAYAL SINGH DHILLON, PRES/SEC**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **161511**
SIGNATURE DATE: **02/20/2007**
SIGNATURE NAME & TITLE: **STEVE BUSH, PRES**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **161510**
SIGNATURE DATE: **01/24/2006**
SIGNATURE NAME & TITLE: **STEVE BUSH, PRESIDENT**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **161509**
SIGNATURE DATE: **02/22/2005**
SIGNATURE NAME & TITLE: **STEVE BUSH, PRESIDENT**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **161508**
SIGNATURE DATE: **03/15/2004**
SIGNATURE NAME & TITLE: **BILLIE BUSH, PRESIDENT**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **161507**
SIGNATURE DATE: **04/02/2003**
SIGNATURE NAME & TITLE: **SEVE BUSH, PRESIDENT**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **161506**
SIGNATURE DATE: **01/26/2002**
SIGNATURE NAME & TITLE: **STEVE BUSH, PRES**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **161505**
SIGNATURE DATE: **01/26/2001**
SIGNATURE NAME & TITLE: **STEVE BUSH, PRES**
FILING STATUS: **INITIAL**
REGISTRATION FLAG: **YES**

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 2
INSTALLATION DATE: 05/31/1999	REGISTRATION DATE: 05/27/2000
TANK CAPACITY (GAL): 10000	EMPTY TANK: EMPTY

Petroleum Storage Tanks (PST)

STATUS: **TEMP OUT OF SERVICE** STATUS BEGIN DATE: **02/28/2013**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **YES** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **164312**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL,SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE),NONMETALLIC FLEXIBLE PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

GROUNDWATER MONITORING,ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING),SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1**

NUMBER OF COMPARTMENTS: **2**

INSTALLATION DATE: **05/31/1999**

REGISTRATION DATE: **05/27/2000**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **EMPTY**

STATUS: **TEMP OUT OF SERVICE**

STATUS BEGIN DATE: **02/28/2013**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

Petroleum Storage Tanks (PST)

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **164313**

TANK ID: **1**

COMPARTMENT LETTER: **B**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL,SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE),NONMETALLIC FLEXIBLE PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

GROUNDWATER MONITORING,ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING),SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/31/1987**

REGISTRATION DATE: **12/01/1993**

TANK CAPACITY (GAL): **6600**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **05/28/1999**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

Petroleum Storage Tanks (PST)

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **164309**
TANK ID: **1A**
COMPARTMENT LETTER: **A**
SUBSTANCES: **GASOLINE**
OTHER SUBSTANCES: **NOT REPORTED**
CAPACITY (GAL): **6600**
COMPARTMENT RELEASE DETECTION: **NOT REPORTED**
SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP**

PIPING SYSTEMS

MATERIAL: **STEEL**
CORROSION PROTECTION: **NOT REPORTED**
EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED
PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 2	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 05/31/1999	REGISTRATION DATE: 05/27/2000
TANK CAPACITY (GAL): 10000	EMPTY TANK: EMPTY
STATUS: TEMP OUT OF SERVICE	STATUS BEGIN DATE: 02/28/2013
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: YES

TANK DETAILS

MATERIAL:
COMPOSITE
CORROSION PROTECTION:
COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **164314**
TANK ID: **2**
COMPARTMENT LETTER: **A**
SUBSTANCES: **EMPTY**
OTHER SUBSTANCES: **NOT REPORTED**

Petroleum Storage Tanks (PST)

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL,SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE),NONMETALLIC FLEXIBLE PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

GROUNDWATER MONITORING,ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING),SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/31/1987**

REGISTRATION DATE: **12/01/1993**

TANK CAPACITY (GAL): **5000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **05/28/1999**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **164310**

TANK ID: **2A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **5000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

Petroleum Storage Tanks (PST)

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/31/1987**

REGISTRATION DATE: **12/01/1993**

TANK CAPACITY (GAL): **3000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **05/28/1999**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **164307**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **3000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

Petroleum Storage Tanks (PST)

INSTALLATION DATE: **08/31/1987** REGISTRATION DATE: **12/01/1993**
TANK CAPACITY (GAL): **550** EMPTY TANK: **NOT EMPTY**
STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **05/28/1999**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **YES** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **YES** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **164308**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **550**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **5**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/31/1987**

REGISTRATION DATE: **07/01/1999**

TANK CAPACITY (GAL): **5010**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **05/28/1999**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **EXEMPT REM WITHIN 60 DAYS**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

Petroleum Storage Tanks (PST)

NOT REPORTED

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **164311**

TANK ID: **5**

COMPARTMENT LETTER: **A**

SUBSTANCES: **UNKNOWN**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **5010**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Generator (RCRAGR06)

MAP ID# 122

Distance from Property: 0.103 mi. (544 ft.) N
Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

EPA ID#: TX0000237099

NAME: BILLEES CAR CARE

ADDRESS: 3005 CALDER

BEAUMONT, TX 77702

CONTACT NAME: STEVE BUSH

CONTACT ADDRESS: 3005 CALDER

BEAUMONT TX 77702

CONTACT PHONE: 409-838-6666

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 04/21/1994

CERTIFICATION - NO CERTIFICATION REPORTED -

INDUSTRY CLASSIFICATION (NAICS) - NO NAICS INFORMATION REPORTED -

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: **CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR** LAST UPDATED DATE: **09/02/2000**

SUBJECT TO CORRECTIVE ACTION UNIVERSE: **NO**

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: **NO**

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: **NO**

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: **NO**

CORRECTIVE ACTION WORKLOAD UNIVERSE: **NO**

IMPORTER: **NO**

UNDERGROUND INJECTION: **NO**

MIXED WASTE GENERATOR: **NO**

UNIVERSAL WASTE DESTINATION FACILITY: **NO**

RECYCLER: **NO**

TRANSFER FACILITY: **NO**

TRANSPORTER: **NO**

USED OIL FUEL BURNER: **NO**

ONSITE BURNER EXEMPTION: **NO**

USED OIL PROCESSOR: **NO**

FURNACE EXEMPTION: **NO**

USED OIL FUEL MARKETER TO BURNER: **NO**

USED OIL REFINER: **NO**

SPECIFICATION USED OIL MARKETER: **NO**

USED OIL TRANSFER FACILITY: **NO**

USED OIL TRANSPORTER: **NO**

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS - NO EVALUATIONS REPORTED -

VIOLATIONS - NO VIOLATIONS REPORTED -

ENFORCEMENTS - NO ENFORCEMENTS REPORTED -

HAZARDOUS WASTE

D001 IGNITABLE WASTE

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 123

Distance from Property: 0.103 mi. (544 ft.) WNW

Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRATION#: 91408 EPA ID: TXR000081034

TNRCC ID #: 130375

NAME: CVS PHARMACY 1108

ADDRESS: 3890 PHELAN BLVD

BEAUMONT, TX 77707

CONTACT: WENDY BRANT

PHONE: 401-7651500

BUSINESS DESCRIPTION: NOT REPORTED

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: ACTIVE

AMOUNT OF WASTE GENERATED: LARGE QUANTITY GENERATOR

GENERATOR TYPE: NON-INDUSTRIAL AND/OR MUNICIPAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS REQUIRED TO SUBMIT AN ANNUAL WASTE REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 04/13/2018

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

WASTE ID: 349335

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

GENERATOR'S DESCRIPTION OF WASTE: NA3082 HAZARDOUS WASTE, LIQUID, N.O.S. (SILVER, AMMONIUM THIOSULFATE) 9
PGIII; D

WASTE ID: 349334

WASTE CODE STATUS: ACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

GENERATOR'S DESCRIPTION OF WASTE: UN1954 COMPRESSED GAS, FLAMMABLE, N.O.S. (BUTANE, PROPANE) 2.1, PG ,
ERG-115

WASTE ID: 349328

WASTE CODE STATUS: ACTIVE

Industrial and Hazardous Waste Sites (IHW)

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **UN1760 CORROSIVE LIQUIDS, N.O.S. (ACETIC ACID, PHOSPHORIC ACID) 8, PG II, ERG-1**

WASTE ID: **349330**

WASTE CODE STATUS: **ACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **UN1950 AEROSOLS, [FLAMMABLE, (EACH NOT EXCEEDING 1 L CAPACITY)] 2.1, PG II, ERG-1**

WASTE ID: **359042**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **CORROSIVE LIQUIDS, BASIC, N.O.S.; A NEW HAZARDOUS WASTE DETERMINATION HAS BEEN P**

WASTE ID: **349333**

WASTE CODE STATUS: **ACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **UN1993 FLAMMABLE LIQUIDS, N.O.S. (ACETONE, ALCOHOLS) 3, PG II, ERG-128**

WASTE ID: **359043**

WASTE CODE STATUS: **ACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **OXIDIZING LIQUID, N.O.S.**

WASTE ID: **337582**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **SPENT PHOTO PROCESSING SOLUTIONS CONTAINING SILVER FROM PHOTO LAB PROCESSING; DU**

WASTE ID: **369628**

WASTE CODE STATUS: **ACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **UN2811, WASTE TOXIC SOLIDS, ORGANIC, N.O.S. CHROMIUM, SELENIUM 6.1, PG II, ERG#1**

WASTE ID: **349329**

WASTE CODE STATUS: **ACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **UN2811 TOXIC SOLIDS, ORGANIC, N.O.S. (WARFARIN, NICOTINE) 6.1, PG II, ERG-154**

WASTE ID: **349332**

WASTE CODE STATUS: **ACTIVE**

Industrial and Hazardous Waste Sites (IHW)

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **UN3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCES, SOLID, N.O.S. (MERCURY, SILVER) 9,**

WASTE ID: **379786**

WASTE CODE STATUS: **ACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **TOXIC, LIQUIDS, ORGANIC, N.O.S., RX TOXIC LIQUIDS, CHLORAL HYDRATE, CHLOROFORM,**

WASTE ID: **379787**

WASTE CODE STATUS: **ACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **CORROSIVE LIQUIDS ACID & BASE, RX CORROSIVE LIQUIDS ACID & BASE, HYPOCHLORITE SO**

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Generator (RCRAGR06)

MAP ID# 123

Distance from Property: 0.103 mi. (544 ft.) WNW
Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

EPA ID#: TXR000081034

NAME: CVS PHARMACY 1108

ADDRESS: 3890 PHELAN BLVD

BEAUMONT, TX 77707-2247

CONTACT NAME: WENDY BRANT

CONTACT ADDRESS: 1 CVS DR

WOONSOCKET RI 02895-6146

CONTACT PHONE: 401-765-1500

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 04/12/2018

OWNER TYPE: PRIVATE

OWNER NAME: CVS PHARMACY INC

OPERATOR TYPE: PRIVATE

OPERATOR NAME: CVS PHARMACY INC

CERTIFICATION

CERTIFICATION NAME:	CERTIFICATION TITLE:	CERTIFICATION SIGNED DATE:
WENDY BRANT	CORPORATE ENVIRONMENTAL MANAGER	04/12/2018
WENDY BRANT	AUTHORIZED COMPANY AGENT	03/01/2018
WENDY BRANT	AUTHORIZED COMPANY AGENT	03/01/2016
WENDY BRANT	CORPORATE ENVIRONMENTAL MANAGER	02/19/2015
WENDY BRANT	CORPORATE ENVIRONMENTAL MANAGER	01/20/2015
WENDY BRANT	CORPORATE ENVIRONMENTAL MANAGER	10/23/2014
WENDY BRANT	CORPORATE ENVIRONMENTAL MANAGER	09/16/2014
WENDY BRANT	AUTHORIZED COMPANY AGENT	03/01/2014
WENDY BRANT	CORPORATE ENVIRONMENTAL MANAGER	02/07/2014
WENDY BRANT	CORPORATE ENVIRONMENTAL MANAGER	03/18/2013
WENDY BRANT	CORPORATE ENVIRONMENTAL MANAGER	02/13/2013
WENDY BRANT	ENV MGR	07/16/2012

INDUSTRY CLASSIFICATION (NAICS)

812922 - ONE-HOUR PHOTOFINISHING

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: **LARGE QUANTITY GENERATOR** LAST UPDATED DATE: **05/29/2018**

SUBJECT TO CORRECTIVE ACTION UNIVERSE: **NO**

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: **NO**

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: **NO**

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: **NO**

CORRECTIVE ACTION WORKLOAD UNIVERSE: **NO**

IMPORTER: **NO**

UNDERGROUND INJECTION: **NO**

MIXED WASTE GENERATOR: **NO**

UNIVERSAL WASTE DESTINATION FACILITY: **NO**

RECYCLER: **NO**

TRANSFER FACILITY: **NO**

TRANSPORTER: **NO**

USED OIL FUEL BURNER: **NO**

ONSITE BURNER EXEMPTION: **NO**

USED OIL PROCESSOR: **NO**

FURNACE EXEMPTION: **NO**

USED OIL FUEL MARKETER TO BURNER: **NO**

USED OIL REFINER: **NO**

SPECIFICATION USED OIL MARKETER: **NO**

USED OIL TRANSFER FACILITY: **NO**

USED OIL TRANSPORTER: **NO**

Resource Conservation & Recovery Act - Generator (RCRAGR06)

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS

09/24/2014 CEI COMPLIANCE EVALUATION INSPECTION ON-SITE

VIOLATIONS - NO VIOLATIONS REPORTED -

ENFORCEMENTS - NO ENFORCEMENTS REPORTED -

HAZARDOUS WASTE

D001 IGNITABLE WASTE
D002 CORROSIVE WASTE
D007 CHROMIUM
D009 MERCURY
D010 SELENIUM
D011 SILVER
D024 M-CRESOL
P001 2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYLBUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3%
P001 WARFARIN, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3%
P012 ARSENIC OXIDE AS2O3
P012 ARSENIC TRIOXIDE
P075 NICOTINE, & SALTS
P075 PYRIDINE, 3-(1-METHYL-2-PYRROLIDINYL)-,(S)-, & SALTS
P081 1,2,3-PROPANETRIOL, TRINITRATE (R)
P081 NITROGLYCERINE (R)
P108 STRYCHNIDIN-10-ONE, & SALTS
P108 STRYCHNINE, & SALTS
P118 METHANETHIOL, TRICHLORO-
P118 TRICHLOROMETHANETHIOL
P188 BENZOIC ACID, 2-HYDROXY-, COMPD. WITH (3AS-CIS)-1,2,3,3A,8,8A-HEXAHYDRO-1,3A,8-TRIMETHYLPYRROLO [2,3-B]INDOL-5-YL METHYLCARBAMATE ESTER (1:1)
P188 PHYSOSTIGMINE SALICYLATE
P204 PHYSOSTIGMINE
P204 PYRROLO[2,3-B]INDOL-5-OL, 1,2,3,3A,8,8A-HEXAHYDRO- 1,3A,8-TRIMETHYL-, METHYLCARBAMATE (ESTER), (3AS-CIS)-
U129 CYCLOHEXANE, 1,2,3,4,5,6-HEXACHLORO-, (1ALPHA, 2ALPHA, 3BETA, 4ALPHA, 5ALPHA, 6BETA)-
U129 LINDANE
U205 SELENIUM SULFIDE
U205 SELENIUM SULFIDE SES2 (R,T)

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 124

Distance from Property: 0.106 mi. (560 ft.) WNW

Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRATION#: 40615 EPA ID: NOT REPORTED

TNRCC ID #: 17031

NAME: MILLER TRANSPORTERS

ADDRESS: 4640 WASHINGTON BLVD

BEAUMONT, TX 77707

CONTACT: JUG HARRELL

PHONE: 409-8422295

BUSINESS DESCRIPTION: NOT REPORTED

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: YES

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR

GENERATOR TYPE: INDUSTRIAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 11/20/2018

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

WASTE ID: 72988

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

GENERATOR'S DESCRIPTION OF WASTE: THIS WASTE STREAM IS DESCRIBED AS "OIL/WATER SEPARATOR AND NONHAZARDOUS HEEL TAN

WASTE ID: 141945

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

GENERATOR'S DESCRIPTION OF WASTE: WASTEWATER WITH TRACE ORGANICS. CURRENTLY GENERATED THROUGH CLEANING OF "RCRA E

WASTE ID: 405457

WASTE CODE STATUS: INACTIVE

Industrial and Hazardous Waste Sites (IHW)

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **DECOMMISSIONING OF DYNA PARTS CLEANER.**

WASTE ID: **405458**

WASTE CODE STATUS: **ACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **PLANT TRASH/DEBRIS ACCUMULATED DURING PLANT DECOMMISSIONING.**

WASTE ID: **43631**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **43632**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **43633**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 124

Distance from Property: 0.125 mi. (660 ft.) W

Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRATION#: 66530 EPA ID: TXD062133335

TNRCC ID #: 21801

NAME: SMARTS TRUCK & TRAILER EQUIPMENT

ADDRESS: 4730 WASHINGTON BLVD

BEAUMONT, TX 77707

CONTACT: STEVEN THIBODEAUX

PHONE: 409-8425110

BUSINESS DESCRIPTION: NOT REPORTED

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR

GENERATOR TYPE: NON-INDUSTRIAL AND/OR MUNICIPAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 02/05/2014

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

WASTE ID: 88734

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

GENERATOR'S DESCRIPTION OF WASTE: SPENT SOLVENT

WASTE ID: 88738

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

GENERATOR'S DESCRIPTION OF WASTE: PAINT WASTE

WASTE ID: 138903

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

Industrial and Hazardous Waste Sites (IHW)

GENERATOR'S DESCRIPTION OF WASTE: **IMMERSION CLEANER**

WASTE ID: **88736**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **USED FILTERS**

WASTE ID: **46794**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 124

Distance from Property: 0.106 mi. (560 ft.) WNW
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

ID#: 68106
NAME: MILLER TRANSPORTATION
ADDRESS: 4680 WASHINGTON BLVD
BEAUMONT, TX 77707
COUNTY: JEFFERSON
REGION: 10
TYPE: NOT REPORTED
BEGIN DATE: 01/01/1975
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 01/08/1996
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 12/28/1995
SIGNATURE NAME & TITLE: SHERI LOVE, CONTRACTOR
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN601003460
NAME: SUE A DE CORDOVA TRUST
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: ORGANIZATION
BEGIN DATE: 01/01/1975
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1975	REGISTRATION DATE: 12/27/1995
TANK CAPACITY (GAL): 12000	EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: DAVID DECORDOVA
TITLE: NOT REPORTED
ORGANIZATION: MILLER TRANSPORTATION
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8420920

Petroleum Storage Tanks (PST)

STATUS: **PERM FILLED IN PLACE** STATUS BEGIN DATE: **12/28/1995**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **YES** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **177852**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Generator (RCRAGR06)

MAP ID# 124

Distance from Property: 0.125 mi. (660 ft.) W
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

EPA ID#: TXD062133335

NAME: SMARTS TRUCK ; TRAILER EQUIPMENT

ADDRESS: 4730 WASHINGTON BLVD
BEAUMONT, TX 77707-4308

OWNER TYPE: PRIVATE

OWNER NAME: SMARTS TRUCK ; TRAILER
EQUIPMENT INC

OPERATOR TYPE: PRIVATE

OPERATOR NAME: SMARTS TRUCK ; TRAILER
EQUIPMENT INC

CONTACT NAME: STEVEN THIBODEAUX

CONTACT ADDRESS: 4730 WASHINGTON BLVD
BEAUMONT TX 77707-4308

CONTACT PHONE: 409-842-5110

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 01/22/2014

CERTIFICATION

CERTIFICATION NAME:
STEVEN THIBODEAUX

CERTIFICATION TITLE:
GENERAL MANAGER

CERTIFICATION SIGNED DATE:
01/22/2014

INDUSTRY CLASSIFICATION (NAICS)

42111 - AUTOMOBILE AND OTHER MOTOR VEHICLE WHOLESALERS

42311 - AUTOMOBILE AND OTHER MOTOR VEHICLE MERCHANT WHOLESALERS

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: **CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR** LAST UPDATED DATE: **04/14/2015**

SUBJECT TO CORRECTIVE ACTION UNIVERSE: **NO**

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: **NO**

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: **NO**

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: **NO**

CORRECTIVE ACTION WORKLOAD UNIVERSE: **NO**

IMPORTER: **NO**

UNDERGROUND INJECTION: **NO**

MIXED WASTE GENERATOR: **NO**

UNIVERSAL WASTE DESTINATION FACILITY: **NO**

RECYCLER: **NO**

TRANSFER FACILITY: **NO**

TRANSPORTER: **NO**

USED OIL FUEL BURNER: **NO**

ONSITE BURNER EXEMPTION: **NO**

USED OIL PROCESSOR: **NO**

FURNACE EXEMPTION: **NO**

USED OIL FUEL MARKETER TO BURNER: **NO**

USED OIL REFINER: **NO**

SPECIFICATION USED OIL MARKETER: **NO**

USED OIL TRANSFER FACILITY: **NO**

USED OIL TRANSPORTER: **NO**

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS

01/31/2003 CEI COMPLIANCE EVALUATION INSPECTION ON-SITE

09/24/1987 FCI FOCUSED COMPLIANCE INSPECTION

VIOLATIONS - NO VIOLATIONS REPORTED -

ENFORCEMENTS - NO ENFORCEMENTS REPORTED -

HAZARDOUS WASTE

Resource Conservation & Recovery Act - Generator (RCRAGR06)

D001	IGNITABLE WASTE
D006	CADMIUM
D007	CHROMIUM
D008	LEAD
D018	BENZENE
D021	CHLOROBENZENE
D027	1,4-DICHLOROBENZENE
D039	TETRACHLOROETHYLENE
D040	TRICHLORETHYLENE
F003	THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
F005	THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 125

Distance from Property: 0.107 mi. (565 ft.) E
Elevation: 32 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 71648
NAME: BILL CLARK PEST CONTROL
ADDRESS: 2975 N 11TH ST
BEAUMONT, TX 77703
COUNTY: JEFFERSON
REGION: 10
TYPE: RETAIL
BEGIN DATE: 08/31/1987
STATUS: INACTIVE
EXEMPT STATUS: YES
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 02/08/1999
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 02/03/1999
SIGNATURE NAME & TITLE: ARTHUR W KIKER, GEN MGR
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600992655
NAME: CLARK BILL L
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: ORGANIZATION
BEGIN DATE: 08/31/1987
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: T1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 08/31/1987	REGISTRATION DATE: 02/08/1999
TANK CAPACITY (GAL): 1000	EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: BILL CLARK
TITLE: NOT REPORTED
ORGANIZATION: BILL CLARK PEST CONTROL
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8983224 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **02/03/1999**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **EXEMPT NON-USE SINCE 1974**
TANK DESIGN SINGLE WALL: **YES** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **YES** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **166708**

TANK ID: **T1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **T2**

INSTALLATION DATE: **08/31/1987**

TANK CAPACITY (GAL): **3000**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **YES**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **02/08/1999**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **02/03/1999**

REGULATORY STATUS: **EXEMPT NON-USE SINCE 1974**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

Petroleum Storage Tanks (PST)

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **166709**

TANK ID: **T2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **3000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **T3**

INSTALLATION DATE: **08/31/1987**

TANK CAPACITY (GAL): **3000**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **YES**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **02/08/1999**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **02/03/1999**

REGULATORY STATUS: **EXEMPT NON-USE SINCE 1974**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **166710**

TANK ID: **T3**

Petroleum Storage Tanks (PST)

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **3000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **T4**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/31/1987**

REGISTRATION DATE: **02/08/1999**

TANK CAPACITY (GAL): **2000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **02/03/1999**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **EXEMPT NON-USE SINCE 1974**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **166711**

TANK ID: **T4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **2000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

Petroleum Storage Tanks (PST)

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **T5**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/31/1987**

REGISTRATION DATE: **02/08/1999**

TANK CAPACITY (GAL): **560**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **02/03/1999**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **EXEMPT NON-USE SINCE 1974**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **166712**

TANK ID: **T5**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **560**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

Petroleum Storage Tanks (PST)

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 126

Distance from Property: 0.108 mi. (570 ft.) N
Elevation: 20 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 73602
NAME: FEW READY MIX
ADDRESS: 2101 N 7TH ST
BEAUMONT, TX 77703
COUNTY: JEFFERSON
REGION: 10
TYPE: INDUST/MFG/CHEM PLANT
BEGIN DATE: 08/31/1987
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 10/25/2000
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 10/23/2000
SIGNATURE NAME & TITLE: ED FEW, PRESIDENT
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600933014
NAME: FEW BUSINESS ENTERPRISES INC
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: CORPORATION/COMPANY
BEGIN DATE: 08/31/1987
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

OPERATOR NUMBER: CN602596405
NAME: FEW READY MIX
CONTACT ADDRESS: OPERATOR ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: CORPORATION/COMPANY
BEGIN DATE: 10/01/2002
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED

CONTACT INFORMATION

NAME: JAMES MORGAN
TITLE: NOT REPORTED
ORGANIZATION: FEW READY MIX
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 3830555 0

Petroleum Storage Tanks (PST)

ORGANIZATION: **NOT REPORTED**

PHONE: **NOT REPORTED**

FAX: **NOT REPORTED**

EMAIL: **NOT REPORTED**

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

NO UNDERGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

ABOVEGROUND STORAGE TANK INFORMATION

AST ID #: **195311** MULTIPLE COMPARTMENT FLAG: **NO**

TANK ID: **1** REGISTRATION DATE: **10/25/2000**

INSTALLATION DATE: **10/23/2000** STATUS BEGIN DATE: **08/31/2006**

TANK CAPACITY (GAL): **8000** REGULATORY STATUS: **FULLY REGULATED**

STATUS: **OUT OF USE** SUBSTANCES: **DIESEL**

MATERIAL OF CONSTRUCTION

STEEL: **YES** CORRUGATED METAL: **NO**

FIBERGLASS: **NO** CONCRETE: **NO**

ALUMINIUM: **NO**

CONTAINMENT

EARTHEN DIKE: **NO** CONCRETE: **NO**

CONTAINMENT LINER: **NO** NONE: **NO**

STAGE I VAPOR RECOVERY: **NOT REPORTED**

STAGE I INSTALLATION DATE: **NOT REPORTED**

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 127

Distance from Property: 0.112 mi. (591 ft.) N

Elevation: 31 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 101206

LPST ID: 101206

FACILITY ID: 0058193

NAME: VANCE MATHEWS BUILDING

ADDRESS: 3250 EASTEX FWY

BEAUMONT, TX 77703

LEAKING TANK DETAILS

LPST ID: 101206

NAME: VANCE MATHEWS BUILDING

FACILITY LOCATION: NOT REPORTED

PRIORITY CODE: 5 - MINOR SOIL CONTAMINATION - DOES NOT REQUIRE A RAP

CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED

CORRECTIVE ACTION START DATE: 1/13/92

REPORTED DATE: 10/18/1991

ENTERED DATE: 01/13/1992

CLOSURE DATE: 06/17/1993

PRP INFORMATION

NAME: VANCE MATHEWS INC

ADDRESS: ADDRESS NOT REPORTED

BEAUMONT TX 77703

CONTACT: NOT REPORTED

PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1

INSTALLATION DATE: 03/01/1978

TANK CAPACITY (GAL): 1000

STATUS: REMOVED FROM GROUND

INTERNAL PROTECTION DATE: NOT REPORTED

TANK DESIGN SINGLE WALL: YES

PIPE DESIGN SINGLE WALL: NO

NUMBER OF COMPARTMENTS: 1

REGISTRATION DATE: 05/03/1991

EMPTY TANK: EMPTY

STATUS BEGIN DATE: 01/24/1992

REGULATORY STATUS: FULLY REGULATED

TANK DESIGN DOUBLE WALL: NO

PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: NO

CORROSION PROTECTION VARIANCE: NO VARIANCE

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **144466**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1981**

REGISTRATION DATE: **05/03/1991**

TANK CAPACITY (GAL): **500**

EMPTY TANK: **EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **01/24/1992**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **144465**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **500**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP**

PIPING SYSTEMS

Leaking Petroleum Storage Tanks (LPST)

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 127

Distance from Property: 0.112 mi. (591 ft.) N
Elevation: 31 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 58193
NAME: VANCE-MATHEWS OFFICE BLDG
ADDRESS: 3250 EASTEX FWY
BEAUMONT, TX 77703
COUNTY: JEFFERSON
REGION: 10

TYPE: FLEET REFUELING
BEGIN DATE: 05/06/1991
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/03/1991
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 04/30/1991
SIGNATURE NAME & TITLE: HERSCHEL MATHEWS, PRES
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600999205
NAME: VANCE TOM
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: ORGANIZATION
BEGIN DATE: 05/06/1991
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 03/01/1978	REGISTRATION DATE: 05/03/1991
TANK CAPACITY (GAL): 1000	EMPTY TANK: EMPTY

CONTACT INFORMATION

NAME: NOT REPORTED
TITLE: NOT REPORTED
ORGANIZATION: VANCE-MATHEWS OFFICE BLDG
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8981313 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **01/24/1992**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **YES** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **144466**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

INSTALLATION DATE: **01/01/1981**

TANK CAPACITY (GAL): **500**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **05/03/1991**

EMPTY TANK: **EMPTY**

STATUS BEGIN DATE: **01/24/1992**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

Petroleum Storage Tanks (PST)

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **144465**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **500**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 128

Distance from Property: 0.113 mi. (597 ft.) E

Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 103562

LPST ID: 103562

FACILITY ID: 0037311

NAME: BEAUMONT WEST END YARD

ADDRESS: PECOS ST

BEAUMONT, TX 77701

LEAKING TANK DETAILS

LPST ID: 103562

NAME: BEAUMONT WEST END YARD

FACILITY LOCATION: NOT REPORTED

PRIORITY CODE: 5 - MINOR SOIL CONTAMINATION - DOES NOT REQUIRE A RAP

CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED

CORRECTIVE ACTION START DATE: 7/15/92

REPORTED DATE: 04/30/1992

ENTERED DATE: 07/15/1992

CLOSURE DATE: 10/19/1992

PRP INFORMATION

NAME: GULF STATES UTILITIES CO

ADDRESS: ADDRESS NOT REPORTED

BEAUMONT TX 77704

CONTACT: NOT REPORTED

PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: BM7901

NUMBER OF COMPARTMENTS: 1

INSTALLATION DATE: 01/01/1979

REGISTRATION DATE: 05/08/1986

TANK CAPACITY (GAL): 1000

EMPTY TANK: NOT EMPTY

STATUS: REMOVED FROM GROUND

STATUS BEGIN DATE: 02/28/1992

INTERNAL PROTECTION DATE: NOT REPORTED

REGULATORY STATUS: FULLY REGULATED

TANK DESIGN SINGLE WALL: YES

TANK DESIGN DOUBLE WALL: NO

PIPE DESIGN SINGLE WALL: YES

PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: NO

CORROSION PROTECTION VARIANCE: NO VARIANCE

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **46922**

TANK ID: **BM7901**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **BM7902**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1979**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **02/28/1992**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **46923**

TANK ID: **BM7902**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

Leaking Petroleum Storage Tanks (LPST)

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 128

Distance from Property: 0.113 mi. (597 ft.) E
Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 37311
NAME: BEAUMONT WEST END YARD
ADDRESS: PECOS ST 14TH ST
BEAUMONT, TX 77702
COUNTY: JEFFERSON
REGION: 10
TYPE: FLEET REFUELING
BEGIN DATE: 12/31/1986
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/08/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 04/22/1986
SIGNATURE NAME & TITLE: W W SULLINS, OPER SUPT
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN601648991
NAME: GULF STATES UTILITIES COMPANY
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: ORGANIZATION
BEGIN DATE: 12/31/1986
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: BM7901
INSTALLATION DATE: 01/01/1979
TANK CAPACITY (GAL): 1000
NUMBER OF COMPARTMENTS: 1
REGISTRATION DATE: 05/08/1986
EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: NOT REPORTED
TITLE: NOT REPORTED
ORGANIZATION: BEAUMONT WEST END YARD
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8386631 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **02/28/1992**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **YES** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **YES** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **46922**

TANK ID: **BM7901**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **BM7902**

INSTALLATION DATE: **01/01/1979**

TANK CAPACITY (GAL): **8000**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **YES**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **05/08/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **02/28/1992**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

Petroleum Storage Tanks (PST)

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **46923**

TANK ID: **BM7902**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Generator (RCRAGR06)

MAP ID# 129

Distance from Property: 0.113 mi. (597 ft.) S
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

EPA ID#: TX0000888198

NAME: EDS TRANSMISSION

ADDRESS: 145 S AWYER

BEAUMONT, TX 77702

CONTACT NAME: LEE STREAIT

CONTACT ADDRESS: 145 S AWYER

BEAUMONT TX 77702

CONTACT PHONE: 409-832-3479

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 09/23/1994

CERTIFICATION - NO CERTIFICATION REPORTED -

INDUSTRY CLASSIFICATION (NAICS) - NO NAICS INFORMATION REPORTED -

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: **CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR** LAST UPDATED DATE: **09/02/2000**

SUBJECT TO CORRECTIVE ACTION UNIVERSE: **NO**

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: **NO**

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: **NO**

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: **NO**

CORRECTIVE ACTION WORKLOAD UNIVERSE: **NO**

IMPORTER: **NO**

UNDERGROUND INJECTION: **NO**

MIXED WASTE GENERATOR: **NO**

UNIVERSAL WASTE DESTINATION FACILITY: **NO**

RECYCLER: **NO**

TRANSFER FACILITY: **NO**

TRANSPORTER: **NO**

USED OIL FUEL BURNER: **NO**

ONSITE BURNER EXEMPTION: **NO**

USED OIL PROCESSOR: **NO**

FURNACE EXEMPTION: **NO**

USED OIL FUEL MARKETER TO BURNER: **NO**

USED OIL REFINER: **NO**

SPECIFICATION USED OIL MARKETER: **NO**

USED OIL TRANSFER FACILITY: **NO**

USED OIL TRANSPORTER: **NO**

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS - NO EVALUATIONS REPORTED -

VIOLATIONS - NO VIOLATIONS REPORTED -

ENFORCEMENTS - NO ENFORCEMENTS REPORTED -

HAZARDOUS WASTE

D001 IGNITABLE WASTE

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 130

Distance from Property: 0.115 mi. (607 ft.) WNW

Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRATION#: **73693** EPA ID: **TXD987981255**
TNRCC ID #: **28105**
NAME: **COMPLIANCE GROUP TEXAS US POSTAL ADMIN**
ADDRESS: **5815 WALDEN RD STE 167**
BEAUMONT, TX 77707

CONTACT: **E L GREEN**

PHONE: **409-8429122**

BUSINESS DESCRIPTION: **THIS REGISTRATION WAS INACTIVATED BECAUSE THERE WERE ONLY 6-DIGIT WASTE CODES ON THE NOR AND NO WASTE ACTIVITY WAS REPORTED IN 1994, 1995 AND 1996.**

INDUSTRIAL WASTE PERMIT #: **NOT REPORTED**

MUNICIPAL WASTE PERMIT #: **NOT REPORTED**

SIC CODE: **NOT REPORTED**

WASTE GENERATOR: **YES**

WASTE RECEIVER: **NO**

WASTE TRANSPORTER: **NO**

TRANSFER FACILITY: **NO**

MAQUILADORA (MEXICAN FACILITY): **NO**

STATUS: **INACTIVE**

AMOUNT OF WASTE GENERATED: **CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR**

GENERATOR TYPE: **NON-INDUSTRIAL AND/OR MUNICIPAL**

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): **06/04/2010**

ACTIVITIES

ACTIVITY TYPE: **UNKNOWN**

ACTIVITY DESCRIPTION: **NOT REPORTED**

WASTE

WASTE ID: **54668**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **54669**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **54670**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

Industrial and Hazardous Waste Sites (IHW)

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **54671**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 130

Distance from Property: 0.115 mi. (607 ft.) WNW

Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRATION#: 75130 EPA ID: NOT REPORTED

TNRCC ID #: 29483

NAME: VEHICLE MAINTENANCE FACILITY

ADDRESS: 5815 WALDEN RD

BEAUMONT, TX 77707

CONTACT: LEONARD PYLE

PHONE: 409-8427310

BUSINESS DESCRIPTION: THIS REGISTRATION WAS INACTIVATED BECAUSE THERE WERE ONLY 6-DIGIT WASTE CODES ON THE NOR AND NO WASTE ACTIVITY WAS REPORTED IN 1994, 1995 AND 1996.

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR

GENERATOR TYPE: NON-INDUSTRIAL AND/OR MUNICIPAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 01/29/2004

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

WASTE ID: 57261

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: YES

GENERATOR'S DESCRIPTION OF WASTE: NOT REPORTED

WASTE ID: 57262

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: YES

GENERATOR'S DESCRIPTION OF WASTE: NOT REPORTED

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

MAP ID# 130

Distance from Property: 0.115 mi. (607 ft.) WNW

Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

EPA ID#: TXD987981255

NAME: COMPLIANCE GROUP TEXAS

ADDRESS: 5815 WALDEN RD STE 167

BEAUMONT, TX 77707

CONTACT NAME: E L GREEN

CONTACT ADDRESS: 5815 WALDEN RD STE 167

BEAUMONT TX 77707

CONTACT PHONE: 409-842-9122

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 08/23/2001

CERTIFICATION - NO CERTIFICATION REPORTED -

INDUSTRY CLASSIFICATION (NAICS) - NO NAICS INFORMATION REPORTED -

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: **NON-GENERATOR** LAST UPDATED DATE: **03/25/2004**

SUBJECT TO CORRECTIVE ACTION UNIVERSE: **NO**

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: **NO**

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: **NO**

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: **NO**

CORRECTIVE ACTION WORKLOAD UNIVERSE: **NO**

IMPORTER: **NO**

UNDERGROUND INJECTION: **NO**

MIXED WASTE GENERATOR: **NO**

UNIVERSAL WASTE DESTINATION FACILITY: **NO**

RECYCLER: **NO**

TRANSFER FACILITY: **NO**

TRANSPORTER: **NO**

USED OIL FUEL BURNER: **NO**

ONSITE BURNER EXEMPTION: **NO**

USED OIL PROCESSOR: **NO**

FURNACE EXEMPTION: **NO**

USED OIL FUEL MARKETER TO BURNER: **NO**

USED OIL REFINER: **NO**

SPECIFICATION USED OIL MARKETER: **NO**

USED OIL TRANSFER FACILITY: **NO**

USED OIL TRANSPORTER: **NO**

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS - NO EVALUATIONS REPORTED -

VIOLATIONS - NO VIOLATIONS REPORTED -

ENFORCEMENTS - NO ENFORCEMENTS REPORTED -

HAZARDOUS WASTE

D000

D001 IGNITABLE WASTE

D002 CORROSIVE WASTE

D003 REACTIVE WASTE

D004 ARSENIC

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 131

Distance from Property: 0.117 mi. (618 ft.) E
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

GEOSEARCH ID: **102881**
LPST ID: **102881**
FACILITY ID: **0015173**
NAME: **JONES TRUCKING**
ADDRESS: **3890 HOLLYWOOD ST**
BEAUMONT, TX 77701

LEAKING TANK DETAILS

LPST ID: **102881**
NAME: **JONES TRUCKING**
FACILITY LOCATION: **NOT REPORTED**
PRIORITY CODE: **6 - MINOR SOIL CONTAMINATION - NO REMEDIAL ACTION REQUIRED**
CORRECTIVE ACTION STATUS CODE: **6A - FINAL CONCURRENCE ISSUED**
CORRECTIVE ACTION START DATE: **5/28/92**
REPORTED DATE: **12/04/1991**
ENTERED DATE: **05/28/1992**
CLOSURE DATE: **07/24/1992**

PRP INFORMATION

NAME: **BLIEDEN PROPERTIES**
ADDRESS: **ADDRESS NOT REPORTED**
BEAUMONT TX 77701
CONTACT: **NOT REPORTED**
PHONE: **NOT REPORTED**

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 2
INSTALLATION DATE: 11/01/1993	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 10000	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 11/01/1993
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
COMPOSITE
CORROSION PROTECTION:
COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **158061**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4000**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1**

NUMBER OF COMPARTMENTS: **2**

INSTALLATION DATE: **11/01/1993**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **11/01/1993**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **193989**

TANK ID: **1**

COMPARTMENT LETTER: **B**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

Leaking Petroleum Storage Tanks (LPST)

SPILL CONTAINER/BUCKET/SUMP, DELIVERY SHUT-OFF VALVE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **11/01/1993**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **2000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **11/01/1993**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **158057**

TANK ID: **1A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **2000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 2	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 11/01/1993	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 8000	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 11/01/1993
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **158060**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 2A	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 11/01/1993	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 2000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 11/01/1993
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

Leaking Petroleum Storage Tanks (LPST)

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **158058**

TANK ID: **2A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **UNKNOWN**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **2000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **11/01/1993**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **11/01/1993**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

Leaking Petroleum Storage Tanks (LPST)

UST COMPARTMENT ID: **158059**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 131

Distance from Property: 0.117 mi. (618 ft.) E
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

ID#: 15173
NAME: FLEET FUELING 2
ADDRESS: 3890 HOLLYWOOD ST
BEAUMONT, TX 77701
COUNTY: JEFFERSON
REGION: 10
TYPE: FLEET REFUELING
BEGIN DATE: 08/31/1989
STATUS: ACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: YES
NUMBER OF ACTIVE UNDERGROUND TANKS: 3
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 12/11/2018
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 12/06/2018
SIGNATURE NAME & TITLE: BOYD ALLEN, M SUPV
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600925200
NAME: STEINHAGEN OIL COMPANY INC
CONTACT ADDRESS: PO BOX 20037
BEAUMONT TX 77720
TYPE: CORPORATION/COMPANY
BEGIN DATE: 07/01/2002
CONTACT ROLE: OWNCON
CONTACT NAME: GARY HOLCOMBE
CONTACT TITLE: OPS MGR
ORGANIZATION: STEINHAGEN OIL CO INC
PHONE: (409) 8421414 0
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

OPERATOR NUMBER: CN600925200
NAME: STEINHAGEN OIL COMPANY INC
CONTACT ADDRESS: PO BOX 20037
BEAUMONT TX 77720
TYPE: CORPORATION/COMPANY
BEGIN DATE: 07/01/2002
CONTACT ROLE: OWNOPRCON
CONTACT NAME: BOYD ALLEN
CONTACT TITLE: OPS MGR

CONTACT INFORMATION

NAME: NOT REPORTED
TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: NOT REPORTED

Petroleum Storage Tanks (PST)

ORGANIZATION: **STEINHAGEN OIL COMPANY INC**

PHONE: **(409) 8421414 0**

FAX: **NOT REPORTED**

EMAIL: **NOT REPORTED**

SELF-CERTIFICATION

SELF-CERTIFICATION ID: **312605**

SIGNATURE DATE: **12/06/2018**

SIGNATURE NAME & TITLE: **BOYD ALLEN, M SUPV**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **316645**

SIGNATURE DATE: **12/06/2018**

SIGNATURE NAME & TITLE: **BOYD ALLEN, M SUPV**

FILING STATUS: **AMENDMENT**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **295661**

SIGNATURE DATE: **12/05/2017**

SIGNATURE NAME & TITLE: **CRAIG HILL, PRESIDENT**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **281373**

SIGNATURE DATE: **01/20/2017**

SIGNATURE NAME & TITLE: **CRAIG HILL, PRESIDENT**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **262757**

SIGNATURE DATE: **12/17/2015**

SIGNATURE NAME & TITLE: **GARY HOLCOMBE, OPS MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **245865**

SIGNATURE DATE: **12/11/2014**

SIGNATURE NAME & TITLE: **GARY HOLCOMBE, OPS MGR**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **228763**

SIGNATURE DATE: **12/09/2013**

SIGNATURE NAME & TITLE: **GARY HOLCOMBE, OPS SUPERVISOR**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **157978**

SIGNATURE DATE: **12/28/2012**

SIGNATURE NAME & TITLE: **GARY HOLCOMBE, OPS SUPERVISOR**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **157977**

SIGNATURE DATE: **12/13/2011**

Petroleum Storage Tanks (PST)

SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, OPERATIONS MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **157976**

SIGNATURE DATE: **12/10/2010**

SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, OPERATIONS MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **157975**

SIGNATURE DATE: **12/14/2009**

SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, OPS MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **157974**

SIGNATURE DATE: **12/16/2008**

SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, OPS MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **157973**

SIGNATURE DATE: **12/18/2007**

SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, OPS MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **157972**

SIGNATURE DATE: **12/08/2006**

SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, OPS MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **157971**

SIGNATURE DATE: **12/05/2005**

SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, COMPLIANCE MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **157970**

SIGNATURE DATE: **12/17/2004**

SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, COMPLIANCE MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **157969**

SIGNATURE DATE: **01/09/2004**

SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **157968**

SIGNATURE DATE: **12/30/2002**

SIGNATURE NAME & TITLE: **G HOLCOMBE, NOT REPORTED**

FILING STATUS: **RENEWAL**

Petroleum Storage Tanks (PST)

REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **157967**
SIGNATURE DATE: **07/24/2002**
SIGNATURE NAME & TITLE: **GARY M HOLCOMBE, NOT REPORTED**
FILING STATUS: **INITIAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **157966**
SIGNATURE DATE: **02/04/2002**
SIGNATURE NAME & TITLE: **BRIAN LIMBOCKER, PRES**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **157965**
SIGNATURE DATE: **04/30/2001**
SIGNATURE NAME & TITLE: **BRIAN LIMBOCKER, PRES**
FILING STATUS: **INITIAL**
REGISTRATION FLAG: **YES**

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 2
INSTALLATION DATE: 11/01/1993	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 10000	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 11/01/1993
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
COMPOSITE
CORROSION PROTECTION:
COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **158061**
TANK ID: **1**
COMPARTMENT LETTER: **A**
SUBSTANCES: **GASOLINE**
OTHER SUBSTANCES: **NOT REPORTED**
CAPACITY (GAL): **4000**
COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING**
SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE**

PIPING SYSTEMS

Petroleum Storage Tanks (PST)

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

VAPOR MONITORING,ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1**

NUMBER OF COMPARTMENTS: **2**

INSTALLATION DATE: **11/01/1993**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **11/01/1993**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **193989**

TANK ID: **1**

COMPARTMENT LETTER: **B**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

VAPOR MONITORING,ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK

Petroleum Storage Tanks (PST)

DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **11/01/1993**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **2000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **11/01/1993**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **158057**

TANK ID: **1A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **2000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **11/01/1993**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **11/01/1993**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

Petroleum Storage Tanks (PST)

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **158060**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

VAPOR MONITORING,ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK

DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **11/01/1993**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **2000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **11/01/1993**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

Petroleum Storage Tanks (PST)

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **158058**

TANK ID: **2A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **UNKNOWN**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **2000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

INSTALLATION DATE: **11/01/1993**

TANK CAPACITY (GAL): **8000**

STATUS: **IN USE**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **YES**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **05/08/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **11/01/1993**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **158059**

TANK ID: **3**

Petroleum Storage Tanks (PST)

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

**VAPOR MONITORING,ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK
DETECTOR (3.0 GPH FOR PRESSURE PIPING)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 132

Distance from Property: 0.12 mi. (634 ft.) E
Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 14830
NAME: BRAND SABINE INDUSTRIES
ADDRESS: 3050 W CEDAR ST
BEAUMONT, TX 77702
COUNTY: JEFFERSON
REGION: 10
TYPE: UNKNOWN
BEGIN DATE: 08/31/1987
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/08/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 05/06/1986
SIGNATURE NAME & TITLE: F KIESCHNICK, MGR
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600993026
NAME: TRIANGLE METALS INC
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: ORGANIZATION
BEGIN DATE: 09/01/1987
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1971	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 1000	EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: F KIESCHNICK
TITLE: MGR
ORGANIZATION: BRAND SABINE INDUSTRIES
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8335611 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **06/06/1991**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **123306**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

INSTALLATION DATE: **01/01/1978**

TANK CAPACITY (GAL): **2000**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **05/08/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **06/06/1991**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

Petroleum Storage Tanks (PST)

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **123307**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **2000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 133

Distance from Property: 0.12 mi. (634 ft.) E

Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRATION#: 70164 EPA ID: TXD981155096

TNRCC ID #: 24998

NAME: KINSEL FORD

ADDRESS: 3755 HOLLYWOOD ST
BEAUMONT, TX 77701

CONTACT: CHRIS SQUEZ

PHONE: 409-8386611-227

BUSINESS DESCRIPTION: NOT REPORTED

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: SMALL QUANTITY GENERATOR

GENERATOR TYPE: NON-INDUSTRIAL AND/OR MUNICIPAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 06/04/2010

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

WASTE ID: 126852

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: YES

GENERATOR'S DESCRIPTION OF WASTE: SPENT SOLVENT FROM PARTS CLEANING.

WASTE ID: 79146

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: YES

GENERATOR'S DESCRIPTION OF WASTE: PAINT WASTE

WASTE ID: 79145

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: YES

Industrial and Hazardous Waste Sites (IHW)

GENERATOR'S DESCRIPTION OF WASTE: **SPENT COLD PARTS CLEANER; 1993. IMMERSION, PARTS CLEANING.**

WASTE ID: **150702**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **AQUEOUS BRAKE SOLUTION**

WASTE ID: **126854**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **USED FILTERS / ENGINE MAINTENANCE**

WASTE ID: **50374**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **50375**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **50376**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 133

Distance from Property: 0.12 mi. (634 ft.) E
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

ID#: 15402
NAME: KINSEL FORD
ADDRESS: 3755 HOLLYWOOD ST
BEAUMONT, TX 77701
COUNTY: JEFFERSON
REGION: 10
TYPE: NOT REPORTED
BEGIN DATE: 08/15/1986
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/08/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 04/17/1986
SIGNATURE NAME & TITLE: R RODDY, GEN MGR
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600373245
NAME: KINSEL FORD INC
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: CORPORATION/COMPANY
BEGIN DATE: 08/15/1986
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1
INSTALLATION DATE: 01/01/1974
TANK CAPACITY (GAL): 500
NUMBER OF COMPARTMENTS: 1
REGISTRATION DATE: 05/08/1986
EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: NOT REPORTED
TITLE: NOT REPORTED
ORGANIZATION: KINSEL FORD
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8386611 0

Petroleum Storage Tanks (PST)

STATUS: **PERM FILLED IN PLACE** STATUS BEGIN DATE: **07/31/1987**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **51876**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

MAP ID# 133

Distance from Property: 0.12 mi. (634 ft.) E
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

EPA ID#: TXD981155096

NAME: KINSEL FORD INC

ADDRESS: 3755 HOLLYWOOD

BEAUMONT, TX 77701

CONTACT NAME: CHRIS SQUEZ

CONTACT ADDRESS: PO BOX 2470

BEAUMONT TX 77701

CONTACT PHONE: 409-838-6611

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 02/14/2001

CERTIFICATION - NO CERTIFICATION REPORTED -

INDUSTRY CLASSIFICATION (NAICS)

42112 - MOTOR VEHICLE SUPPLIES AND NEW PARTS WHOLESALERS

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: **NON-GENERATOR** LAST UPDATED DATE: **03/25/2004**

SUBJECT TO CORRECTIVE ACTION UNIVERSE: **NO**

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: **NO**

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: **NO**

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: **NO**

CORRECTIVE ACTION WORKLOAD UNIVERSE: **NO**

IMPORTER: **NO**

UNDERGROUND INJECTION: **NO**

MIXED WASTE GENERATOR: **NO**

UNIVERSAL WASTE DESTINATION FACILITY: **NO**

RECYCLER: **NO**

TRANSFER FACILITY: **NO**

TRANSPORTER: **NO**

USED OIL FUEL BURNER: **NO**

ONSITE BURNER EXEMPTION: **NO**

USED OIL PROCESSOR: **NO**

FURNACE EXEMPTION: **NO**

USED OIL FUEL MARKETER TO BURNER: **NO**

USED OIL REFINER: **NO**

SPECIFICATION USED OIL MARKETER: **NO**

USED OIL TRANSFER FACILITY: **NO**

USED OIL TRANSPORTER: **NO**

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS - NO EVALUATIONS REPORTED -

VIOLATIONS - NO VIOLATIONS REPORTED -

ENFORCEMENTS - NO ENFORCEMENTS REPORTED -

HAZARDOUS WASTE

D001 IGNITABLE WASTE

D006 CADMIUM

D007 CHROMIUM

D008 LEAD

D018 BENZENE

D021 CHLOROBENZENE

D027 1,4-DICHLOROBENZENE

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

- D039 TETRACHLOROETHYLENE
- D040 TRICHLOROETHYLENE
- F002 THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLORO BENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
- F003 THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
- F004 THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: CRESOLS, CRESYLIC ACID, AND NITROBENZENE; AND THE STILL BOTTOMS FROM THE RECOVERY OF THESE SOLVENTS; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
- F005 THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 134

Distance from Property: 0.121 mi. (639 ft.) SSW

Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRATION#: 88855 EPA ID: TXR000079914
TNRCC ID #: 124020
NAME: UNITED STATES ENVIRONMENTAL SERVICES
ADDRESS: 4850 WARD ST
 BEAUMONT, TX 77705

CONTACT: KENNETH W GUEST

PHONE: 281-8331908

BUSINESS DESCRIPTION: FREIGHT TRUCKING

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: NO

WASTE RECEIVER: NO

WASTE TRANSPORTER: YES

TRANSFER FACILITY: YES

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: NOT REPORTED

GENERATOR TYPE: NOT REPORTED

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 12/07/2011

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

NO RECORDS

OWNER INFORMATION

NAME: UNITED STATES ENVIRONMENTAL SERVICES LLC

ADDRESS: 4850 WARD ST

 BEAUMONT, TX 77705

PHONE: 1-713-2834840

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

MAP ID# 134

Distance from Property: 0.121 mi. (639 ft.) SSW
Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

EPA ID#: TXR000079914

NAME: UNITED STATES ENVIRONMENTAL SERVICES LLC

ADDRESS: 4850 WARD ST
BEAUMONT, TX 77705

OWNER TYPE: PRIVATE

OWNER NAME: UNITED STATES ENVIRONMENTAL SERVICES LLC

OPERATOR TYPE: PRIVATE

OPERATOR NAME: UNITED STATES ENVIRONMENTAL SERVICES LLC

CONTACT NAME: KENNETH W GUEST

CONTACT ADDRESS: 4850 WARD ST
BEAUMONT TX 77705

CONTACT PHONE: 281-833-1908

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 12/07/2011

CERTIFICATION

CERTIFICATION NAME:	CERTIFICATION TITLE:	CERTIFICATION SIGNED DATE:
KENNETH W GUEST	ENV MGR	12/07/2011
KENNETH W GUEST	OPERATIONS COOR	10/06/2009

INDUSTRY CLASSIFICATION (NAICS)

484121 - GENERAL FREIGHT TRUCKING, LONG-DISTANCE, TRUCKLOAD

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: **NON-GENERATOR** LAST UPDATED DATE: 10/18/2012

SUBJECT TO CORRECTIVE ACTION UNIVERSE: **NO**

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: **NO**

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: **NO**

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: **NO**

CORRECTIVE ACTION WORKLOAD UNIVERSE: **NO**

IMPORTER: **NO**

UNDERGROUND INJECTION: **NO**

MIXED WASTE GENERATOR: **NO**

UNIVERSAL WASTE DESTINATION FACILITY: **NO**

RECYCLER: **NO**

TRANSFER FACILITY: **NO**

TRANSPORTER: **NO**

USED OIL FUEL BURNER: **NO**

ONSITE BURNER EXEMPTION: **NO**

USED OIL PROCESSOR: **NO**

FURNACE EXEMPTION: **NO**

USED OIL FUEL MARKETER TO BURNER: **NO**

USED OIL REFINER: **NO**

SPECIFICATION USED OIL MARKETER: **NO**

USED OIL TRANSFER FACILITY: **NO**

USED OIL TRANSPORTER: **NO**

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS - **NO EVALUATIONS REPORTED** -

VIOLATIONS - **NO VIOLATIONS REPORTED** -

ENFORCEMENTS - **NO ENFORCEMENTS REPORTED** -

HAZARDOUS WASTE

- **NO HAZARDOUS WASTE INFORMATION REPORTED** -

UNIVERSAL WASTE - **NO UNIVERSAL WASTE REPORTED** -

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 135

Distance from Property: 0.13 mi. (686 ft.) E

Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRATION#: **79026** EPA ID: **TXD988065058**

TNRCC ID #: **32580**

NAME: **BAISON MOBIL SERVICE**

ADDRESS: **3690 COLLEGE ST**

BEAUMONT, TX 77701

CONTACT: **JAMES BAISON**

PHONE: **409-8420457**

BUSINESS DESCRIPTION: **THIS REGISTRATION WAS INACTIVATED BECAUSE THERE WERE ONLY 6-DIGIT WASTE CODES ON THE NOR AND NO WASTE ACTIVITY WAS REPORTED IN 1994, 1995 AND 1996.**

INDUSTRIAL WASTE PERMIT #: **NOT REPORTED**

MUNICIPAL WASTE PERMIT #: **NOT REPORTED**

SIC CODE: **NOT REPORTED**

WASTE GENERATOR: **YES**

WASTE RECEIVER: **NO**

WASTE TRANSPORTER: **NO**

TRANSFER FACILITY: **NO**

MAQUILADORA (MEXICAN FACILITY): **NO**

STATUS: **INACTIVE**

AMOUNT OF WASTE GENERATED: **CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR**

GENERATOR TYPE: **NON-INDUSTRIAL AND/OR MUNICIPAL**

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): **06/04/2010**

ACTIVITIES

ACTIVITY TYPE: **UNKNOWN**

ACTIVITY DESCRIPTION: **NOT REPORTED**

WASTE

WASTE ID: **62486**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 135

Distance from Property: 0.13 mi. (686 ft.) E

Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

GEOSEARCH ID: 115015

LPST ID: 115015

FACILITY ID: 0017651

NAME: BAISDONS MOBIL

ADDRESS: 3690 COLLEGE ST
BEAUMONT, TX 77701

LEAKING TANK DETAILS

LPST ID: 115015

NAME: BAISDONS MOBIL

FACILITY LOCATION: NOT REPORTED

PRIORITY CODE: 4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS

CORRECTIVE ACTION STATUS CODE: 6P - FINAL PENDING WELL PLUG

CORRECTIVE ACTION START DATE: 7/24/17

REPORTED DATE: 03/06/2000

ENTERED DATE: 07/31/2000

CLOSURE DATE: 07/24/2017

PRP INFORMATION

NAME: BAISDON JAMES A

ADDRESS: ADDRESS NOT REPORTED
BEAUMONT TX 77708

CONTACT: NOT REPORTED

PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1

INSTALLATION DATE: 01/01/1961

TANK CAPACITY (GAL): 6000

STATUS: REMOVED FROM GROUND

INTERNAL PROTECTION DATE: NOT REPORTED

TANK DESIGN SINGLE WALL: NO

PIPE DESIGN SINGLE WALL: NO

NUMBER OF COMPARTMENTS: 1

REGISTRATION DATE: 05/08/1986

EMPTY TANK: NOT EMPTY

STATUS BEGIN DATE: 02/08/2000

REGULATORY STATUS: FULLY REGULATED

TANK DESIGN DOUBLE WALL: NO

PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: NO

CORROSION PROTECTION VARIANCE: NO VARIANCE

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **118433**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1961**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **4000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **02/08/2000**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **117772**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

Leaking Petroleum Storage Tanks (LPST)

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1961**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **2000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **02/08/2000**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **118435**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **2000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

Leaking Petroleum Storage Tanks (LPST)

INSTALLATION DATE: **01/01/1961** REGISTRATION DATE: **05/08/1986**
TANK CAPACITY (GAL): **550** EMPTY TANK: **NOT EMPTY**
STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **02/08/2000**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **118434**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **550**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 135

Distance from Property: 0.13 mi. (686 ft.) E
Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

ID#: 17651
NAME: BAISDONS MOBIL
ADDRESS: 3690 COLLEGE ST
BEAUMONT, TX 77701
COUNTY: JEFFERSON
REGION: 10
TYPE: UNKNOWN
BEGIN DATE: 08/27/1986
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/08/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 04/21/1986
SIGNATURE NAME & TITLE: TB NEWMAN, MGR
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN601621758
NAME: BAISDON JAMES A
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: ORGANIZATION
BEGIN DATE: 08/27/1986
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NOTIFICATION CONSTRUCTION ID: 13311
APPLICATION RECEIVED DATE: 02/01/2000
SCHEDULE CONSTRUCTION DATE: 02/26/2000
GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:
NOT REPORTED

CONTACT INFORMATION

NAME: J BAISDON
TITLE: DEALER
ORGANIZATION: BAISDONS MOBIL
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8350457 0

Petroleum Storage Tanks (PST)

UNDERGROUND STORAGE TANK

TANK ID: 1
INSTALLATION DATE: 01/01/1961
TANK CAPACITY (GAL): 6000
STATUS: **REMOVED FROM GROUND**
INTERNAL PROTECTION DATE: **NOT REPORTED**
TANK DESIGN SINGLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: 1
REGISTRATION DATE: 05/08/1986
EMPTY TANK: **NOT EMPTY**
STATUS BEGIN DATE: 02/08/2000
REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: 118433

TANK ID: 1

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 2

INSTALLATION DATE: 01/01/1961

TANK CAPACITY (GAL): 4000

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: 1

REGISTRATION DATE: 05/08/1986

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: 02/08/2000

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

Petroleum Storage Tanks (PST)

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **117772**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1961**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **2000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **02/08/2000**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Petroleum Storage Tanks (PST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: 118435

TANK ID: 3

COMPARTMENT LETTER: A

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **2000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 4

NUMBER OF COMPARTMENTS: 1

INSTALLATION DATE: **01/01/1961**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **550**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **02/08/2000**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: 118434

TANK ID: 4

COMPARTMENT LETTER: A

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **550**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

Petroleum Storage Tanks (PST)

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Innocent Owner / Operator Database (IOP)

MAP ID# 136

Distance from Property: 0.16 mi. (845 ft.) E
Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

ID#: 0152
DATE IOP RECIEVED: 12/27/1999
CERTIFICATE ISSUED: 4/7/2000
NAME: HAYDN CUTLER COMPANY
ADDRESS: 3680 COLLEGE STREET
BEAUMONT, TX 77701

CONTAMINANTS: BTEX, TPH
MEDIA AFFECTED: SOILS/GROUNDWATER
PHASE: COMPLETED
PROPERTY USE: OFFICE BUILDING
ACRES: NOT REPORTED

OTHER CONTACTS (CONSULTANT/ATTORNEY)

ORGANIZATION: TERRABROOK
MICHAEL WATSON EXECUTOR
3030 LBJ FREEWAY, SUITE 1500, LB6
DALLAS TX 75234
PHONE: 972-443-6073 FAX: 972-443-6191

APPLICANT INFORMATION

ORGANIZATION: TERRABROOK
MICHAEL WATSON, EXECUTOR
ADDRESS: 3030 LBJ FREEWAY, SUITE 1500, LB6
DALLAS, TX, 75223
INTEREST IN SITE: OWNER
PHONE: 972-443-6073 FAX: 972-443-6191

[Back to Report Summary](#)

Innocent Owner / Operator Database (IOP)

MAP ID# 136

Distance from Property: 0.16 mi. (845 ft.) E
Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

ID#: 0184
DATE IOP RECIEVED: 8/3/2000
CERTIFICATE ISSUED: 9/15/2000
NAME: LOT 1, 114 OF COLLEGE ACRES ADDITION
ADDRESS: 3680 COLLEGE STREET
BEAUMONT, TX 77701
CONTAMINANTS: BTEX, TPH
MEDIA AFFECTED: SOILS/GROUNDWATER
PHASE: COMPLETED
PROPERTY USE: VACANT LOT
ACRES: 100 X 300

OTHER CONTACTS (CONSULTANT/ATTORNEY)

ORGANIZATION: NOT REPORTED

ADDRESS NOT REPORTED

PHONE: NOT REPORTED FAX: NOT REPORTED

APPLICANT INFORMATION

ORGANIZATION: ROSS AND MARGARET B. GREEN
NOT REPORTED NOT REPORTED,
ADDRESS: P.O. BOX 20598
BEAUMONT, TX, 77720
INTEREST IN SITE: PURCHASER
PHONE: 409-842-1787 FAX: 409-842-1770

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 137

Distance from Property: 0.13 mi. (686 ft.) E

Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRATION#: 88899 EPA ID: TXR000079900

TNRCC ID #: 124216

NAME: OMNI OPTICAL LAB

ADDRESS: 3255 EXECUTIVE BLVD STE 100
BEAUMONT, TX 77705

CONTACT: JAMES A ASH

PHONE: 409-8424113

BUSINESS DESCRIPTION: OPTICAL LENS MANUFACTURING LAB.

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR

GENERATOR TYPE: INDUSTRIAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 06/18/2013

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

WASTE ID: 237085

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

GENERATOR'S DESCRIPTION OF WASTE: WIPES CONTAINING LEAD AND CADMIUM FROM LENS MFG. PROCESS.

WASTE ID: 237086

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

GENERATOR'S DESCRIPTION OF WASTE: LENS COATING CHEMICALS CONTAINING FLAMMABLE LIQUIDS. DATE OF GENERATION 7.20.20

WASTE ID: 237087

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

Industrial and Hazardous Waste Sites (IHW)

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **LENS COATING CHEMICALS CONTAINING LATEX AND WATER. DATE OF GENERATION 7.20.2009**

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 138

Distance from Property: 0.141 mi. (744 ft.) W

Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

GEOSEARCH ID: 116587

LPST ID: 116587

FACILITY ID: 0073924

NAME: ALBERTSONS EXPRESS 2722

ADDRESS: 3915 PHELAN BLVD

BEAUMONT, TX 77707

LEAKING TANK DETAILS

LPST ID: 116587

NAME: ALBERTSONS EXPRESS 2722

FACILITY LOCATION: NOT REPORTED

PRIORITY CODE: 4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS

CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED

CORRECTIVE ACTION START DATE: 8/17/05

REPORTED DATE: 11/16/2004

ENTERED DATE: 08/17/2005

CLOSURE DATE: 08/30/2005

PRP INFORMATION

NAME: ALBERTSONS INC

ADDRESS: ADDRESS NOT REPORTED

BOISE ID 83706

CONTACT: NOT REPORTED

PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1

NUMBER OF COMPARTMENTS: 1

INSTALLATION DATE: 11/17/2000

REGISTRATION DATE: 02/26/2001

TANK CAPACITY (GAL): 15000

EMPTY TANK: NOT EMPTY

STATUS: IN USE

STATUS BEGIN DATE: 11/17/2000

INTERNAL PROTECTION DATE: NOT REPORTED

REGULATORY STATUS: FULLY REGULATED

TANK DESIGN SINGLE WALL: NO

TANK DESIGN DOUBLE WALL: YES

PIPE DESIGN SINGLE WALL: NO

PIPE DESIGN DOUBLE WALL: YES

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: YES

CORROSION PROTECTION VARIANCE: NO VARIANCE

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: 175181

TANK ID: 1

COMPARTMENT LETTER: A

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **15000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL,INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE,ALARM (SET@ <=90%) W3A OR 3B**

PIPING SYSTEMS

MATERIAL: **NONMETALLIC FLEXIBLE PIPING**

CORROSION PROTECTION: **NONMETALLIC FLEXIBLE PIPING (NONCORRODIBLE),ISOLATED IN OPEN AREA/2ND CONTAINMENT**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NONMETALLIC FLEXIBLE PIPING (NONCORRODIBLE),ISOLATED IN OPEN AREA/2ND CONTAINMENT**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 2

NUMBER OF COMPARTMENTS: 1

INSTALLATION DATE: **11/17/2000**

REGISTRATION DATE: **02/26/2001**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **11/17/2000**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: 175182

TANK ID: 2

COMPARTMENT LETTER: A

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

Leaking Petroleum Storage Tanks (LPST)

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL,INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE,ALARM (SET@<=90%) W3A OR 3B**

PIPING SYSTEMS

MATERIAL: **NONMETALLIC FLEXIBLE PIPING**

CORROSION PROTECTION: **NONMETALLIC FLEXIBLE PIPING (NONCORRODIBLE),ISOLATED IN OPEN AREA/2ND CONTAINMENT**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NONMETALLIC FLEXIBLE PIPING (NONCORRODIBLE),ISOLATED IN OPEN AREA/2ND CONTAINMENT**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 138

Distance from Property: 0.141 mi. (744 ft.) W
Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

ID#: 73924
NAME: MB EXPRESS
ADDRESS: 3915 PHELAN BLVD
BEAUMONT, TX 77707
COUNTY: JEFFERSON
REGION: 10
TYPE: RETAIL
BEGIN DATE: 11/17/2000
STATUS: ACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 2
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 06/29/2018
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 06/06/2018
SIGNATURE NAME & TITLE: RICHARD INGLE, REP
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN605346014
NAME: MAKSON&MARSON INVESTMENTS LLC
CONTACT ADDRESS: 3915 PHELAN BLVD
BEAUMONT TX 77707
TYPE: CORPORATION/COMPANY
BEGIN DATE: 03/01/2017
CONTACT ROLE: OWNOPRCON
CONTACT NAME: RAHIM MAKNOJIA
CONTACT TITLE: NOT REPORTED
ORGANIZATION: MAKSON&MARSON INVESTMENTS LLC
PHONE: (409) 4541332 0
FAX: NOT REPORTED
EMAIL: NOT REPORTED
OWNER NUMBER: CN602767709
NAME: MARKET BASKET PETRO 47 LTD
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED
TYPE: ORGANIZATION
BEGIN DATE: 12/10/2004
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED

CONTACT INFORMATION

NAME: RAHIM MAKNOJIA
TITLE: NOT REPORTED
ORGANIZATION: MB EXPRESS
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 4541332 0

Petroleum Storage Tanks (PST)

FAX: **NOT REPORTED**
EMAIL: **NOT REPORTED**

OPERATOR

OPERATOR NUMBER: **CN605346014**
NAME: **MAKSON&MARSON INVESTMENTS LLC**
CONTACT ADDRESS: **3915 PHELAN BLVD**
BEAUMONT TX 77707
TYPE: **CORPORATION/COMPANY**
BEGIN DATE: **03/01/2017**
CONTACT ROLE: **OWNOPRCON**
CONTACT NAME: **RAHIM MAKNOJIA**
CONTACT TITLE: **NOT REPORTED**
ORGANIZATION: **MAKSON&MARSON INVESTMENTS LLC**
PHONE: **(409) 4541332 0**
FAX: **NOT REPORTED**
EMAIL: **NOT REPORTED**
OPERATOR NUMBER: **CN602767717**
NAME: **RETAIL INVESTORS OF TEXAS LTD**
CONTACT ADDRESS: **OPERATOR ADDRESS NOT REPORTED**
CITY NOT REPORTED

TYPE: **ORGANIZATION**
BEGIN DATE: **12/10/2004**
CONTACT ROLE: **NOT REPORTED**
CONTACT NAME: **NOT REPORTED**
CONTACT TITLE: **NOT REPORTED**
ORGANIZATION: **NOT REPORTED**
PHONE: **NOT REPORTED**
FAX: **NOT REPORTED**
EMAIL: **NOT REPORTED**

SELF-CERTIFICATION

SELF-CERTIFICATION ID: **306128**
SIGNATURE DATE: **06/06/2018**
SIGNATURE NAME & TITLE: **RICHARD INGLE, REP**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **288080**
SIGNATURE DATE: **06/12/2017**
SIGNATURE NAME & TITLE: **RAHIM MAKNOJIA, MANAGER**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **284616**
SIGNATURE DATE: **03/15/2017**
SIGNATURE NAME & TITLE: **RAHIM MAKNOJIA, MGR**
FILING STATUS: **INITIAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **281698**
SIGNATURE DATE: **12/20/2016**

Petroleum Storage Tanks (PST)

SIGNATURE NAME & TITLE: SKYLAR THOMPSON, PRES
FILING STATUS: RENEWAL
REGISTRATION FLAG: YES
SELF-CERTIFICATION ID: 263021
SIGNATURE DATE: 12/03/2015
SIGNATURE NAME & TITLE: SKYLAR THOMPSON, PRES
FILING STATUS: RENEWAL
REGISTRATION FLAG: YES
SELF-CERTIFICATION ID: 246012
SIGNATURE DATE: 12/16/2014
SIGNATURE NAME & TITLE: THOMAS CORMIER, SR VP CFO
FILING STATUS: RENEWAL
REGISTRATION FLAG: YES
SELF-CERTIFICATION ID: 229787
SIGNATURE DATE: 12/24/2013
SIGNATURE NAME & TITLE: THOMAS CORMIER, SR VP CFO
FILING STATUS: RENEWAL
REGISTRATION FLAG: YES
SELF-CERTIFICATION ID: 196277
SIGNATURE DATE: 12/06/2012
SIGNATURE NAME & TITLE: THOMAS CORMIER, SR VP CFO
FILING STATUS: RENEWAL
REGISTRATION FLAG: YES
SELF-CERTIFICATION ID: 196276
SIGNATURE DATE: 11/28/2011
SIGNATURE NAME & TITLE: THOMAS CORMIER, SR VP & CFO
FILING STATUS: RENEWAL
REGISTRATION FLAG: YES
SELF-CERTIFICATION ID: 196275
SIGNATURE DATE: 12/07/2010
SIGNATURE NAME & TITLE: THOMAS CORMIER, SR VP CFO
FILING STATUS: RENEWAL
REGISTRATION FLAG: YES
SELF-CERTIFICATION ID: 196274
SIGNATURE DATE: 12/15/2009
SIGNATURE NAME & TITLE: THOMAS CORMIER, CFO
FILING STATUS: RENEWAL
REGISTRATION FLAG: YES
SELF-CERTIFICATION ID: 196273
SIGNATURE DATE: 11/25/2008
SIGNATURE NAME & TITLE: THOMAS CORMIER, SR VP CFO
FILING STATUS: RENEWAL
REGISTRATION FLAG: YES
SELF-CERTIFICATION ID: 196272
SIGNATURE DATE: 12/31/2007
SIGNATURE NAME & TITLE: TOM CORMIER, MGR
FILING STATUS: RENEWAL

Petroleum Storage Tanks (PST)

REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **196271**
SIGNATURE DATE: **11/24/2006**
SIGNATURE NAME & TITLE: **TOM CORMIER, MANAGER**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **196270**
SIGNATURE DATE: **11/23/2005**
SIGNATURE NAME & TITLE: **TOM CORMIER, MGR**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **196269**
SIGNATURE DATE: **01/05/2005**
SIGNATURE NAME & TITLE: **TOM CORMIER, MGR**
FILING STATUS: **INITIAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **196268**
SIGNATURE DATE: **02/05/2004**
SIGNATURE NAME & TITLE: **BARBARA RUSSELL, NOT REPORTED**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **196267**
SIGNATURE DATE: **02/25/2003**
SIGNATURE NAME & TITLE: **BARBARA RUSSELL, DIR ENV AFFAIRS**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **196266**
SIGNATURE DATE: **02/26/2002**
SIGNATURE NAME & TITLE: **BARBARA RUSSELL, DIR EVN REAL ESTATE**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **196265**
SIGNATURE DATE: **12/01/2000**
SIGNATURE NAME & TITLE: **BARBARA RUSSELL, DIR, ENV REAL ESTATE**
FILING STATUS: **INITIAL**
REGISTRATION FLAG: **YES**

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 11/17/2000	REGISTRATION DATE: 02/26/2001
TANK CAPACITY (GAL): 15000	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 11/17/2000
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: YES
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: YES

TANK DETAILS

Petroleum Storage Tanks (PST)

MATERIAL:

FRP

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **175181**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **15000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL,INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE,ALARM (SET@<=90%) W3A OR 3B**

PIPING SYSTEMS

MATERIAL: **NONMETALLIC FLEXIBLE PIPING**

CORROSION PROTECTION: **NONMETALLIC FLEXIBLE PIPING (NONCORRODIBLE),ISOLATED IN OPEN AREA/2ND**

CONTAINMENT

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET,ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **11/17/2000**

REGISTRATION DATE: **02/26/2001**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **11/17/2000**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

Petroleum Storage Tanks (PST)

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: YES

CORROSION PROTECTION VARIANCE: NO VARIANCE

COMPARTMENT DETAILS

UST COMPARTMENT ID: 175182

TANK ID: 2

COMPARTMENT LETTER: A

SUBSTANCES: GASOLINE

OTHER SUBSTANCES: NOT REPORTED

CAPACITY (GAL): 10000

COMPARTMENT RELEASE DETECTION: GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL,INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET

SPILL CONTAINMENT AND OVERFILL PREVENTION: TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE,ALARM (SET@<=90%) W3A OR 3B

PIPING SYSTEMS

MATERIAL: NONMETALLIC FLEXIBLE PIPING

CORROSION PROTECTION: NONMETALLIC FLEXIBLE PIPING (NONCORRODIBLE),ISOLATED IN OPEN AREA/2ND

CONTAINMENT

EXTERNAL CONTAINMENT: NOT REPORTED

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET,ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: YES

CORROSION PROTECTION VARIANCE: NO VARIANCE

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 139

Distance from Property: 0.142 mi. (750 ft.) SSW
Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 48077
NAME: ELDRIDGE ELECTRIC
ADDRESS: 110 N 13TH ST
BEAUMONT, TX 77702
COUNTY: JEFFERSON
REGION: 10
TYPE: UNKNOWN
BEGIN DATE: 04/04/1989
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 01/01/1989
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 12/23/1988
SIGNATURE NAME & TITLE: SAME, SAME
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600949192
NAME: ELDRIDGE ELECTRIC COMPANY
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: CORPORATION/COMPANY
BEGIN DATE: 04/04/1989
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1976	REGISTRATION DATE: 01/01/1989
TANK CAPACITY (GAL): NOT REPORTED	EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: CORA Y HINES
TITLE: ACCOUNTANT
ORGANIZATION: ELDRIDGE ELECTRIC
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8332611 0

Petroleum Storage Tanks (PST)

STATUS: **PERM FILLED IN PLACE** STATUS BEGIN DATE: **10/31/1988**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **111106**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 140

Distance from Property: 0.148 mi. (781 ft.) NW
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

ID#: 54564
NAME: REED SERVICE
ADDRESS: 4725 WASHINGTON BLVD
BEAUMONT, TX 77707
COUNTY: JEFFERSON
REGION: 10
TYPE: FLEET REFUELING
BEGIN DATE: 07/05/1990
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 07/02/1990
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 06/28/1990
SIGNATURE NAME & TITLE: E H EVANS, PRESIDENT
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN601002702
NAME: EVANS EDDIE H JR
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: ORGANIZATION
BEGIN DATE: 07/05/1990
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 11/01/1983	REGISTRATION DATE: 07/02/1990
TANK CAPACITY (GAL): 4000	EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: NOT REPORTED
TITLE: NOT REPORTED
ORGANIZATION: REED SERVICE COMPANY
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8420336 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **10/23/1995**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **YES** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **133526**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 141

Distance from Property: 0.15 mi. (792 ft.) ESE

Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRATION#: 30230 EPA ID: TXD007924251

TNRCC ID #: 7797

NAME: ENTERGY GULF STATES BEAUMONT SERVICE CENTER

ADDRESS: NOT REPORTED
NOT REPORTED, TX

CONTACT: JOHN D KNIPPA

PHONE: 409-8275104

BUSINESS DESCRIPTION: NOT REPORTED

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: YES

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR

GENERATOR TYPE: NON-INDUSTRIAL AND/OR MUNICIPAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 02/13/2018

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

WASTE ID: 6760

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

GENERATOR'S DESCRIPTION OF WASTE: LEAD-ACID BATTERIES, BATTERY REPLACEMENT. PRIOR TO 5-1991

WASTE ID: 6756

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

GENERATOR'S DESCRIPTION OF WASTE: WASTE OIL, GARAGE OPERATIONS, PRIOR TO 5-1991

WASTE ID: 6770

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

Industrial and Hazardous Waste Sites (IHW)

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **PAINT, SOLVENT, AND OIL; PAINTING OPERATIONS, DISTILLATION, AND MISCELLANEOUS GE**

WASTE ID: **74504**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **ASBESTOS; RENOVATION, MAINTENANCE, AND REPAIRS**

WASTE ID: **6766**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **PETROLEUM NAPHTHA, CLEANING OF EQUIPMENT. PRIOR TO 5-1991**

WASTE ID: **6761**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **CREOSOTE TREATED WOOD POLES, POLE REPLACEMENT. PRIOR TO 5-1991**

WASTE ID: **74503**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **SANDBLASTING SAND, SANDBLASTING1**

WASTE ID: **76113**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **PCB CONTAMINATED CABLE WITH LEAD SHEATHING ELECTRICAL EQUIPMENT REPLACEMENT, PRI**

WASTE ID: **132650**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **GASOLINE AND DIESEL. VEHICLE MAINTENANCE.**

WASTE ID: **64013**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **SOLVENTS, HALOGENATED (SAFETY KLEEN), CLEANING OF EQUIPMENT, PRIOR TO 2-1992**

WASTE ID: **6768**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **CAPACITORS, NON-PCB, REMOVAL OF ELECTRICAL EQUIPMENT, PRIOR TO 5-1991**

Industrial and Hazardous Waste Sites (IHW)

WASTE ID: **64024**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **MOTOR OIL FILTERS, DRAINED, VEHICLE MAINTENANCE, PRIOR TO 8/91**

WASTE ID: **88477**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **TIRES RUBBER PRIOR TO 5/911**

WASTE ID: **88478**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **LUMBER, CONSTRUCTION DEBRIS, DISCARDED PALLETS, ETC. PRIOR TO 5/91.**

WASTE ID: **88479**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **WOOD CHIPS AND BARK, TREE TRIMMING OPERATIONS. PRIOR TO 5/91.**

WASTE ID: **88480**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **WIRE (NON-SPECIFIED) SCRAP METALS, ETC. PRIOR TO 5/91**

WASTE ID: **88481**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **TRUCK WASHING, SLUDGE, TRUCK/CAR WASHING OPERATIONS.**

WASTE ID: **88482**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **CONTAMINATED WATER; TANK REMOVAL NON-FLAMMABLE.**

WASTE ID: **70583**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **SOIL/DEBRIS CONTAINING <50 PPM PCB. CLEANUP OF ELECTRICAL EQUIPMENT RELEASES, E**

WASTE ID: **74194**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

Industrial and Hazardous Waste Sites (IHW)

GENERATOR'S DESCRIPTION OF WASTE: **ELECTRICAL EQUIPMENT-DRAINED-CONTAINING < 50 PPM PCB DRAINING OF ELECTRICAL EQUI**

WASTE ID: **6755**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **ELECTRICAL EQUIPMENT-FULL-CONTAINING <50 PPM PCB. REMOVAL OF ELECTRICAL EQUIPME**

WASTE ID: **70577**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **WATER CONTAINING <50 PPM PCB. CLEANUP OF ELECTRICAL EQUIPMENT RELEASES, ETC. P**

WASTE ID: **6758**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **MINERAL OIL CONTAINING <50 PPM PCB. DRAINING OF ELECTRICAL EQUIPMENT; CLEANUP O**

WASTE ID: **89863**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **HC CONTAMINATED SOIL <1000 PPM TPH. REMOVAL OF UNDERGROUND STORAGE TANKS**

WASTE ID: **89864**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **HC CONTAMINATED SOIL >1000 PPM TPH. REMOVAL OF UNDERGROUND STORAGE TANKS**

WASTE ID: **89865**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **INSULATION, NON-ASBESTOS. RENOVATION, MAINTENANCE & REPAIRS**

WASTE ID: **70584**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **SOIL/DEBRIS CONTAINING 50-500 PPM PCB. CLEANUP OF ELECTRICAL EQUIPMENT RELEASES**

WASTE ID: **74195**

WASTE CODE STATUS: **INACTIVE**

Industrial and Hazardous Waste Sites (IHW)

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **ELECTRICAL EQUIPMENT-DRAINED- CONTAINING 50-500 PPM PCB. DRAINING OF ELECTRICAL**

WASTE ID: **70581**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **ELECTRICAL EQUIPMENT-FULL-CONTAINING 50-500 PPM PCB. REMOVAL OF ELECTRICAL EQUI**

WASTE ID: **70579**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **WATER CONTAINING 50-500 PPM PCB. CLEANUP OF ELECTRICAL EQUIPMENT RELEASES, ETC.**

WASTE ID: **70575**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **MINERAL OIL CONTAINING 50-500 PPM PCB. DRAINING OF ELECTRICAL EQUIPMENT; CLEANU**

WASTE ID: **97179**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **PLANT REFUSE/GARBAGE FROM PLANT OFFICE OPERATIONS. PRIOR TO 5/91.**

WASTE ID: **70585**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **SOIL/DEBRIS CONTAINING >500 PPM PCB. CLEANUP OF ELECTRICAL EQUIPMENT RELEASES,E**

WASTE ID: **74196**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **ELECTRICAL EQUIPMENT- DRAINED-CONTAINING > 500PPM PCB**

WASTE ID: **70582**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **ELECTRICAL EQUIPMENT-FULL-CONTAINING >500 PPM PCB. REMOVAL OF ELECTRICAL EQUIPM**

WASTE ID: **70580**

Industrial and Hazardous Waste Sites (IHW)

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **WATER CONTAINING >500 PPM PCB. CLEANUP OF ELECTRICAL EQUIPMENT RELEASES. PRIOR**

WASTE ID: **70576**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **MINERAL OIL CONTAINING >500 PPM PCB. DRAINING OF ELECTRICAL EQUIPMENT; CLEANUP**

WASTE ID: **132393**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **PAINT BRUSHES, RAGS, PLASTIC - DRIED**

WASTE ID: **132395**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **ANTIFREEZE - ETHYLENE GLYCOL BASED**

WASTE ID: **132396**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **LEAD BUSHINGS CONTAINING >500 PPM PCB**

WASTE ID: **136855**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **SOIL AND DEBRIS - PCB FREE, <1500 TOTAL PETROLEUM HYDROCARBONS (TPH). CLEANUP**

WASTE ID: **143909**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **WASTE OIL SLUDGE - SOLID (>50% SLUDGE)**

WASTE ID: **143910**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **OILY ABSORBENT PADS AND RAGS FROM MOTOR OIL AND HYDRAULIC OIL CLEANUP.**

WASTE ID: **144055**

WASTE CODE STATUS: **INACTIVE**

Industrial and Hazardous Waste Sites (IHW)

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **SUPPLEMENTAL PLANT PRODUCTION REFUSE**

WASTE ID: **307312**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **307313**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **307314**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **6753**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **6754**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **SEE WASTE #04542971**

WASTE ID: **6757**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **6759**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **6762**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **6763**

WASTE CODE STATUS: **INACTIVE**

Industrial and Hazardous Waste Sites (IHW)

WASTE IS RADIOACTIVE: **NO**
WASTE IS TREATED OFF SITE: **YES**
GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **6764**
WASTE CODE STATUS: **INACTIVE**
WASTE IS RADIOACTIVE: **NO**
WASTE IS TREATED OFF SITE: **YES**
GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **6765**
WASTE CODE STATUS: **INACTIVE**
WASTE IS RADIOACTIVE: **NO**
WASTE IS TREATED OFF SITE: **NO**
GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **6767**
WASTE CODE STATUS: **INACTIVE**
WASTE IS RADIOACTIVE: **NO**
WASTE IS TREATED OFF SITE: **YES**
GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **6769**
WASTE CODE STATUS: **INACTIVE**
WASTE IS RADIOACTIVE: **NO**
WASTE IS TREATED OFF SITE: **YES**
GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **6771**
WASTE CODE STATUS: **INACTIVE**
WASTE IS RADIOACTIVE: **NO**
WASTE IS TREATED OFF SITE: **YES**
GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **6772**
WASTE CODE STATUS: **INACTIVE**
WASTE IS RADIOACTIVE: **NO**
WASTE IS TREATED OFF SITE: **YES**
GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **6773**
WASTE CODE STATUS: **INACTIVE**
WASTE IS RADIOACTIVE: **NO**
WASTE IS TREATED OFF SITE: **YES**
GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **64014**
WASTE CODE STATUS: **INACTIVE**
WASTE IS RADIOACTIVE: **NO**
WASTE IS TREATED OFF SITE: **YES**
GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **307312**
WASTE CODE STATUS: **NOT REPORTED**

Industrial and Hazardous Waste Sites (IHW)

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **307313**

WASTE CODE STATUS: **NOT REPORTED**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **307314**

WASTE CODE STATUS: **NOT REPORTED**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 142

Distance from Property: 0.152 mi. (803 ft.) NW

Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRATION#: 35436 EPA ID: TXD981594658

TNRCC ID #: 12591

NAME: MONTGOMERY TANK LINES

ADDRESS: 4787 WASHINGTON BLVD

BEAUMONT, TX 77707

CONTACT: RICHARD CARR

PHONE: 813-7544725

BUSINESS DESCRIPTION: NOT REPORTED

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: YES

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: SMALL QUANTITY GENERATOR

GENERATOR TYPE: NON-INDUSTRIAL AND/OR MUNICIPAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 06/04/2010

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

WASTE ID: 34782

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

GENERATOR'S DESCRIPTION OF WASTE: NOT REPORTED

WASTE ID: 34783

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

GENERATOR'S DESCRIPTION OF WASTE: NOT REPORTED

WASTE ID: 34784

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

Industrial and Hazardous Waste Sites (IHW)

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **34785**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **34786**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **34787**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **34788**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **34789**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 142

Distance from Property: 0.152 mi. (803 ft.) NW
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

GEOSEARCH ID: 102244
LPST ID: 102244
FACILITY ID: 0028394
NAME: **GOLDEN TRIANGLE PERIODICALS**
ADDRESS: **4785 WASHINGTON BLVD**
BEAUMONT, TX 77707

LEAKING TANK DETAILS

LPST ID: 102244
NAME: **GOLDEN TRIANGLE PERIODICALS**
FACILITY LOCATION: **NOT REPORTED**
PRIORITY CODE: **6 - MINOR SOIL CONTAMINATION - NO REMEDIAL ACTION REQUIRED**
CORRECTIVE ACTION STATUS CODE: **6A - FINAL CONCURRENCE ISSUED**
CORRECTIVE ACTION START DATE: **4/21/92**
REPORTED DATE: **12/05/1991**
ENTERED DATE: **04/21/1992**
CLOSURE DATE: **10/19/1992**

PRP INFORMATION

NAME: **GOLDEN TRIANGLE PERIODICALS INC**
ADDRESS: **ADDRESS NOT REPORTED**
SAN ANTONIO TX 78207
CONTACT: **NOT REPORTED**
PHONE: **NOT REPORTED**

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1979	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 4000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 11/25/1991
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
STEEL
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **79663**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 142

Distance from Property: 0.152 mi. (803 ft.) NW
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

ID#: 28394
NAME: GOLDEN TRIANGLE PERIODICALS
ADDRESS: 4785 WASHINGTON BLVD
BEAUMONT, TX 77707
COUNTY: JEFFERSON
REGION: 10
TYPE: FLEET REFUELING
BEGIN DATE: 10/23/1986
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/08/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 05/05/1986
SIGNATURE NAME & TITLE: ROWLAND STROUD, MGR
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN601106602
NAME: GOLDEN TRIANGLE PERIODICALS INC
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: ORGANIZATION
BEGIN DATE: 10/23/1986
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1
INSTALLATION DATE: 01/01/1979
TANK CAPACITY (GAL): 4000
NUMBER OF COMPARTMENTS: 1
REGISTRATION DATE: 05/08/1986
EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: ROWLAND STROUD
TITLE: MGR
ORGANIZATION: GOLDEN TRIANGLE PERIODICALS
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8422262 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **11/25/1991**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **79663**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 143

Distance from Property: 0.153 mi. (808 ft.) NE
Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: **096930**
LPST ID: **096930**
FACILITY ID: **0055187**
NAME: **ALLSTATE TRANSMISSION FAC**
ADDRESS: **2625 CALDER ST**
BEAUMONT, TX 77702

LEAKING TANK DETAILS

LPST ID: **096930**
NAME: **ALLSTATE TRANSMISSION FAC**
FACILITY LOCATION: **NOT REPORTED**
PRIORITY CODE: **4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS**
CORRECTIVE ACTION STATUS CODE: **6A - FINAL CONCURRENCE ISSUED**
CORRECTIVE ACTION START DATE: **10/12/90**
REPORTED DATE: **09/24/1990**
ENTERED DATE: **10/12/1990**
CLOSURE DATE: **01/28/1999**

PRP INFORMATION

NAME: **FDIC**
ADDRESS: **ADDRESS NOT REPORTED**
DALLAS TX 75201
CONTACT: **NOT REPORTED**
PHONE: **NOT REPORTED**

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 08/31/1987	REGISTRATION DATE: 07/24/1990
TANK CAPACITY (GAL): 550	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 10/26/1990
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
NOT REPORTED
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **159541**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **550**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/31/1987**

REGISTRATION DATE: **07/24/1990**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **10/25/1990**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **159539**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

Leaking Petroleum Storage Tanks (LPST)

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/31/1987**

REGISTRATION DATE: **07/24/1990**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **10/25/1990**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **159538**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

Leaking Petroleum Storage Tanks (LPST)

INSTALLATION DATE: **08/31/1987** REGISTRATION DATE: **07/24/1990**
TANK CAPACITY (GAL): **5000** EMPTY TANK: **NOT EMPTY**
STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **10/25/1990**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **159540**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **5000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **5**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/31/1987**

REGISTRATION DATE: **07/24/1990**

TANK CAPACITY (GAL): **1000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **08/31/1987**

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **159543**

TANK ID: **5**

COMPARTMENT LETTER: **A**

SUBSTANCES: **UNKNOWN**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **6**

INSTALLATION DATE: **08/31/1987**

TANK CAPACITY (GAL): **1000**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **07/24/1990**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **08/31/1987**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **159542**

TANK ID: **6**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT LETTER: **A**

SUBSTANCES: **UNKNOWN**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **7**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/31/1987**

REGISTRATION DATE: **07/24/1990**

TANK CAPACITY (GAL): **500**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **08/31/1987**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **159545**

TANK ID: **7**

COMPARTMENT LETTER: **A**

SUBSTANCES: **UNKNOWN**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **500**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

Leaking Petroleum Storage Tanks (LPST)

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **8**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/31/1987**

REGISTRATION DATE: **07/24/1990**

TANK CAPACITY (GAL): **500**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **08/31/1987**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **159544**

TANK ID: **8**

COMPARTMENT LETTER: **A**

SUBSTANCES: **UNKNOWN**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **500**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 143

Distance from Property: 0.153 mi. (808 ft.) NE
Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 55187
NAME: **BNK73 INTERFIRST BANK BEAUMONT**
ADDRESS: **2625 CALDER ST**
BEAUMONT, TX 77702
COUNTY: **JEFFERSON**
REGION: **10**
TYPE: **RETAIL**
BEGIN DATE: **08/31/1992**
STATUS: **INACTIVE**
EXEMPT STATUS: **NO**
RECORDS OFF-SITE: **NO**
NUMBER OF ACTIVE UNDERGROUND TANKS: **0**
NUMBER OF ACTIVE ABOVEGROUND TANKS: **0**

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: **07/24/1990**
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: **07/23/1990**
SIGNATURE NAME & TITLE: **MICHAEL STAFFILEND, PROJECT MGR**
ENFORCEMENT ACTION DATE: **NOT REPORTED**

OWNER

OWNER NUMBER: **CN603698077**
NAME: **FDIC**
CONTACT ADDRESS: **OWNER ADDRESS NOT REPORTED**
CITY NOT REPORTED

TYPE: **FEDERAL GOVERNMENT**
BEGIN DATE: **09/01/1992**
CONTACT ROLE: **NOT REPORTED**
CONTACT NAME: **NOT REPORTED**
CONTACT TITLE: **NOT REPORTED**
ORGANIZATION: **NOT REPORTED**
PHONE: **NOT REPORTED**
FAX: **NOT REPORTED**
EMAIL: **NOT REPORTED**

OWNER NUMBER: **CN600820872**
NAME: **FDIC LIQ INTERFIRST BANK**
CONTACT ADDRESS: **OWNER ADDRESS NOT REPORTED**
CITY NOT REPORTED

TYPE: **FEDERAL GOVERNMENT**
BEGIN DATE: **09/01/1992**
CONTACT ROLE: **NOT REPORTED**
CONTACT NAME: **NOT REPORTED**
CONTACT TITLE: **NOT REPORTED**
ORGANIZATION: **NOT REPORTED**
PHONE: **NOT REPORTED**

CONTACT INFORMATION

NAME: **NOT REPORTED**
TITLE: **NOT REPORTED**
ORGANIZATION: **NOT REPORTED**
MAIL ADDRESS: **MAILING ADDRESS NOT REPORTED**
CITY NOT REPORTED
PHONE: **NOT REPORTED**

Petroleum Storage Tanks (PST)

FAX: **NOT REPORTED**
EMAIL: **NOT REPORTED**

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 08/31/1987	REGISTRATION DATE: 07/24/1990
TANK CAPACITY (GAL): 550	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 10/26/1990
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: 159541

TANK ID: 1

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **550**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Petroleum Storage Tanks (PST)

TANK ID: **2** NUMBER OF COMPARTMENTS: **1**
INSTALLATION DATE: **08/31/1987** REGISTRATION DATE: **07/24/1990**
TANK CAPACITY (GAL): **10000** EMPTY TANK: **NOT EMPTY**
STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **10/25/1990**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **159539**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3** NUMBER OF COMPARTMENTS: **1**
INSTALLATION DATE: **08/31/1987** REGISTRATION DATE: **07/24/1990**
TANK CAPACITY (GAL): **10000** EMPTY TANK: **NOT EMPTY**
STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **10/25/1990**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

Petroleum Storage Tanks (PST)

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **159538**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/31/1987**

REGISTRATION DATE: **07/24/1990**

TANK CAPACITY (GAL): **5000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **10/25/1990**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Petroleum Storage Tanks (PST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **159540**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **5000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **5**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/31/1987**

REGISTRATION DATE: **07/24/1990**

TANK CAPACITY (GAL): **1000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **08/31/1987**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **159543**

TANK ID: **5**

COMPARTMENT LETTER: **A**

SUBSTANCES: **UNKNOWN**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

Petroleum Storage Tanks (PST)

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **6**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/31/1987**

REGISTRATION DATE: **07/24/1990**

TANK CAPACITY (GAL): **1000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **08/31/1987**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **159542**

TANK ID: **6**

COMPARTMENT LETTER: **A**

SUBSTANCES: **UNKNOWN**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

Petroleum Storage Tanks (PST)

CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 7	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 08/31/1987	REGISTRATION DATE: 07/24/1990
TANK CAPACITY (GAL): 500	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 08/31/1987
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **159545**

TANK ID: **7**

COMPARTMENT LETTER: **A**

SUBSTANCES: **UNKNOWN**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **500**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 8	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 08/31/1987	REGISTRATION DATE: 07/24/1990
TANK CAPACITY (GAL): 500	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 08/31/1987
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

Petroleum Storage Tanks (PST)

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **159544**

TANK ID: **8**

COMPARTMENT LETTER: **A**

SUBSTANCES: **UNKNOWN**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **500**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

[MAP ID# 144](#)

Distance from Property: 0.158 mi. (834 ft.) W

Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRATION#: 70181 EPA ID: NOT REPORTED

TNRCC ID #: 25015

NAME: MINGLE DODGE

ADDRESS: 4145 COLLEGE ST
BEAUMONT, TX 77707

CONTACT: GENE BENTON

PHONE: 409-8423009

BUSINESS DESCRIPTION: THIS REGISTRATION WAS INACTIVATED BECAUSE THIS FACILITY WAS REGISTERED PRIOR TO 1994 AND NO WASTE ACTIVITY WAS REPORTED IN 1994, 1995 AND 1996.

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: MERGED

AMOUNT OF WASTE GENERATED: CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR

GENERATOR TYPE: NON-INDUSTRIAL AND/OR MUNICIPAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 06/04/2010

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

NO RECORDS

OWNER INFORMATION

NAME: MINGLE DODGE

ADDRESS: NOT REPORTED

PHONE: NOT REPORTED

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 144

Distance from Property: 0.158 mi. (834 ft.) W

Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRATION#: 72835 EPA ID: TXD107657215

TNRCC ID #: 27273

NAME: BERNARD UNIVERSITY ISUZU

ADDRESS: 4145 COLLEGE ST

BEAUMONT, TX 77707

CONTACT: KEITH MAASS

PHONE: 409-8424171

BUSINESS DESCRIPTION: NOT REPORTED

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: SMALL QUANTITY GENERATOR

GENERATOR TYPE: NOT REPORTED

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 06/04/2010

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

WASTE ID: 53214

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: YES

GENERATOR'S DESCRIPTION OF WASTE: NOT REPORTED

WASTE ID: 53215

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: YES

GENERATOR'S DESCRIPTION OF WASTE: NOT REPORTED

WASTE ID: 53216

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: YES

OWNER INFORMATION

NAME: BERNARD UNIVERSITY ISUZU

ADDRESS: 8543 GREENBRIAR LN

PORT ARTHUR, TX 77642

PHONE: 1-409-8424171

Industrial and Hazardous Waste Sites (IHW)

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 144

Distance from Property: 0.158 mi. (834 ft.) W
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

GEOSEARCH ID: **094924**
LPST ID: **094924**
FACILITY ID: **0050274**
NAME: **POLK MOTOR CO**
ADDRESS: **4145 COLLEGE ST**
BEAUMONT, TX 77707

LEAKING TANK DETAILS

LPST ID: **094924**
NAME: **POLK MOTOR CO**
FACILITY LOCATION: **NOT REPORTED**
PRIORITY CODE: **4.2 - NO GW IMPACT NO APPARENT THREATS OR IMPACTS TO RECEPTORS**
CORRECTIVE ACTION STATUS CODE: **6A - FINAL CONCURRENCE ISSUED**
CORRECTIVE ACTION START DATE: **2/12/97**
REPORTED DATE: **02/09/1990**
ENTERED DATE: **02/12/1997**
CLOSURE DATE: **02/23/1990**

PRP INFORMATION

NAME: **POLK DREW**
ADDRESS: **ADDRESS NOT REPORTED**
BEAUMONT TX 77706
CONTACT: **NOT REPORTED**
PHONE: **NOT REPORTED**

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1970	REGISTRATION DATE: 02/22/1990
TANK CAPACITY (GAL): 555	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 02/09/1990
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
STEEL
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **15429**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **555**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 144

Distance from Property: 0.158 mi. (834 ft.) W
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

ID#: 50274
NAME: POLK MOTOR
ADDRESS: 4145 COLLEGE ST
BEAUMONT, TX 77707
COUNTY: JEFFERSON
REGION: 10
TYPE: RETAIL
BEGIN DATE: 02/26/1990
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 02/22/1990
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 02/16/1990
SIGNATURE NAME & TITLE: DREW POLK, OWNER
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600997670
NAME: POLK DREW
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: ORGANIZATION
BEGIN DATE: 02/26/1990
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1
INSTALLATION DATE: 01/01/1970
TANK CAPACITY (GAL): 555
NUMBER OF COMPARTMENTS: 1
REGISTRATION DATE: 02/22/1990
EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: DREW POLK
TITLE: OWNER
ORGANIZATION: POLK MOTOR COMPANY
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8925551 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **02/09/1990**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **15429**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **555**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 145

Distance from Property: 0.163 mi. (861 ft.) SW
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

ID#: 47415
NAME: BRYAN FOOD STOP
ADDRESS: 190 N 23RD ST
BEAUMONT, TX 77707
COUNTY: JEFFERSON
REGION: 10
TYPE: RETAIL
BEGIN DATE: 03/03/1989
STATUS: ACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 1
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 03/05/2018
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 02/15/2018
SIGNATURE NAME & TITLE: MARLA P HERNANDEZ, OPERATOR
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN605400282
NAME: HERNANDEZ
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: INDIVIDUAL

BEGIN DATE: 10/02/2016
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OWNER NUMBER: CN605400290
NAME: MAGANA
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: INDIVIDUAL

BEGIN DATE: 10/02/2016
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED

CONTACT INFORMATION

NAME: IMELDA HERNANDEZ
TITLE: NOT REPORTED
ORGANIZATION: BRYAN FOOD STOP
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 4545933 0

Petroleum Storage Tanks (PST)

FAX: **NOT REPORTED**
EMAIL: **NOT REPORTED**
OWNER NUMBER: **CN603116427**
NAME: **KHALIL**
CONTACT ADDRESS: **OWNER ADDRESS NOT REPORTED**
CITY NOT REPORTED

TYPE: **INDIVIDUAL**
BEGIN DATE: **11/01/2012**
CONTACT ROLE: **NOT REPORTED**
CONTACT NAME: **NOT REPORTED**
CONTACT TITLE: **NOT REPORTED**
ORGANIZATION: **NOT REPORTED**
PHONE: **NOT REPORTED**
FAX: **NOT REPORTED**
EMAIL: **NOT REPORTED**

OPERATOR

OPERATOR NUMBER: **CN605400308**
NAME: **BRYANS CONVENIENCE & FOOD STORE LLC**
CONTACT ADDRESS: **OPERATOR ADDRESS NOT REPORTED**
CITY NOT REPORTED

TYPE: **CORPORATION/COMPANY**
BEGIN DATE: **06/10/2014**
CONTACT ROLE: **NOT REPORTED**
CONTACT NAME: **NOT REPORTED**
CONTACT TITLE: **NOT REPORTED**
ORGANIZATION: **NOT REPORTED**
PHONE: **NOT REPORTED**
FAX: **NOT REPORTED**
EMAIL: **NOT REPORTED**

OPERATOR NUMBER: **CN603116427**
NAME: **KHALIL**
CONTACT ADDRESS: **OPERATOR ADDRESS NOT REPORTED**
CITY NOT REPORTED

TYPE: **INDIVIDUAL**
BEGIN DATE: **11/01/2012**
CONTACT ROLE: **NOT REPORTED**
CONTACT NAME: **NOT REPORTED**
CONTACT TITLE: **NOT REPORTED**
ORGANIZATION: **NOT REPORTED**
PHONE: **NOT REPORTED**
FAX: **NOT REPORTED**
EMAIL: **NOT REPORTED**

OPERATOR NUMBER: **CN604260935**
NAME: **HERNANDEZ**
CONTACT ADDRESS: **OPERATOR ADDRESS NOT REPORTED**
CITY NOT REPORTED

TYPE: **INDIVIDUAL**

Petroleum Storage Tanks (PST)

BEGIN DATE: 11/01/2012
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

SELF-CERTIFICATION

SELF-CERTIFICATION ID: 300770
SIGNATURE DATE: 02/15/2018
SIGNATURE NAME & TITLE: MARLA HERNANDEZ, OPERATOR
FILING STATUS: RENEWAL
REGISTRATION FLAG: YES
SELF-CERTIFICATION ID: 289632
SIGNATURE DATE: 06/27/2017
SIGNATURE NAME & TITLE: MARIA HERNANDEZ, OPER
FILING STATUS: INITIAL
REGISTRATION FLAG: YES
SELF-CERTIFICATION ID: 277903
SIGNATURE DATE: 10/01/2016
SIGNATURE NAME & TITLE: MARIA P HERNANDEZ, OPERATOR
FILING STATUS: RENEWAL
REGISTRATION FLAG: YES
SELF-CERTIFICATION ID: 260801
SIGNATURE DATE: 10/05/2015
SIGNATURE NAME & TITLE: MARIA HERNANDEZ, OPERATOR
FILING STATUS: RENEWAL
REGISTRATION FLAG: YES
SELF-CERTIFICATION ID: 244246
SIGNATURE DATE: 10/01/2014
SIGNATURE NAME & TITLE: MARIA HERNANDEZ, OPERATOR
FILING STATUS: RENEWAL
REGISTRATION FLAG: YES
SELF-CERTIFICATION ID: 228060
SIGNATURE DATE: 09/26/2013
SIGNATURE NAME & TITLE: MARIA P HERNANDEZ, OPER
FILING STATUS: INITIAL
REGISTRATION FLAG: YES
SELF-CERTIFICATION ID: 122812
SIGNATURE DATE: 10/23/2012
SIGNATURE NAME & TITLE: WAFAA MONALA-KHALIL, OWNER
FILING STATUS: RENEWAL
REGISTRATION FLAG: YES
SELF-CERTIFICATION ID: 122811
SIGNATURE DATE: 10/04/2011
SIGNATURE NAME & TITLE: WAFAA KHALIL, OWNER

Petroleum Storage Tanks (PST)

FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **122810**
SIGNATURE DATE: **09/29/2010**
SIGNATURE NAME & TITLE: **WAFAA MONALA-KHALIL, OWNER/OPER**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **122809**
SIGNATURE DATE: **09/25/2009**
SIGNATURE NAME & TITLE: **WAFAA KHALIL, OWNER**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **122808**
SIGNATURE DATE: **09/02/2008**
SIGNATURE NAME & TITLE: **WAFAA MONALA-KHALIL, OWNER/OPERATOR**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **122807**
SIGNATURE DATE: **11/16/2007**
SIGNATURE NAME & TITLE: **WASAA MONALA KHALIL, OWNER**
FILING STATUS: **INITIAL**
REGISTRATION FLAG: **YES**

CONSTRUCTION NOTIFICATION

NOTIFICATION CONSTRUCTION ID: **12725**
APPLICATION RECEIVED DATE: **05/30/2007**
SCHEDULE CONSTRUCTION DATE: **03/17/2007**
GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:
NOT REPORTED

NOTIFICATION CONSTRUCTION ID: **12724**
APPLICATION RECEIVED DATE: **05/30/2007**
SCHEDULE CONSTRUCTION DATE: **03/17/2007**
GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:
NOT REPORTED

NOTIFICATION CONSTRUCTION ID: **12726**
APPLICATION RECEIVED DATE: **12/10/2003**
SCHEDULE CONSTRUCTION DATE: **01/05/2004**
GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:
NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1981	REGISTRATION DATE: 01/23/1989
TANK CAPACITY (GAL): 8000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 03/26/2007
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

Petroleum Storage Tanks (PST)

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **113170**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1981**

REGISTRATION DATE: **01/23/1989**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **03/26/2007**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

Petroleum Storage Tanks (PST)

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **113169**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **2**

INSTALLATION DATE: **06/01/2007**

REGISTRATION DATE: **08/06/2007**

TANK CAPACITY (GAL): **9900**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **06/01/2007**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE),FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **113171**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **7000**

Petroleum Storage Tanks (PST)

COMPARTMENT RELEASE DETECTION: VAPOR MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL,SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL

SPILL CONTAINMENT AND OVERFILL PREVENTION: TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALUE,ALARM (SET@<=90%) W3A OR 3B
PIPING SYSTEMS

MATERIAL: NOT REPORTED

CORROSION PROTECTION: FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT: NOT REPORTED

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

VAPOR MONITORING,AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING),SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: YES

CORROSION PROTECTION VARIANCE: NO VARIANCE

TANK ID: 3

NUMBER OF COMPARTMENTS: 2

INSTALLATION DATE: 06/01/2007

REGISTRATION DATE: 08/06/2007

TANK CAPACITY (GAL): 9900

EMPTY TANK: NOT EMPTY

STATUS: IN USE

STATUS BEGIN DATE: 06/01/2007

INTERNAL PROTECTION DATE: NOT REPORTED

REGULATORY STATUS: FULLY REGULATED

TANK DESIGN SINGLE WALL: YES

TANK DESIGN DOUBLE WALL: NO

PIPE DESIGN SINGLE WALL: YES

PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE),FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: YES

CORROSION PROTECTION VARIANCE: NO VARIANCE

COMPARTMENT DETAILS

UST COMPARTMENT ID: 113172

TANK ID: 3

COMPARTMENT LETTER: B

SUBSTANCES: GASOLINE

OTHER SUBSTANCES: NOT REPORTED

CAPACITY (GAL): 2900

COMPARTMENT RELEASE DETECTION: VAPOR MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL,SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL

SPILL CONTAINMENT AND OVERFILL PREVENTION: TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALUE,ALARM (SET@<=90%) W3A OR 3B
PIPING SYSTEMS

MATERIAL: NOT REPORTED

Petroleum Storage Tanks (PST)

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

VAPOR MONITORING,AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING),SIR (STAT. INVENTORY

RECONCILIATION) & INVENTORY CONTROL

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 145

Distance from Property: 0.178 mi. (940 ft.) SW
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

ID#: 73462
NAME: K-1
ADDRESS: 185 N 23RD ST
 BEAUMONT, TX 77707
COUNTY: JEFFERSON
REGION: 10
TYPE: RETAIL
BEGIN DATE: 08/01/2000
STATUS: ACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 2
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 09/17/2018
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 08/27/2018
SIGNATURE NAME & TITLE: WASIM NIZAMI, MANAGER
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN603845496
NAME: NIZAMI LLC
CONTACT ADDRESS: 185 N 23RD ST
 BEAUMONT TX 77707
TYPE: CORPORATION/COMPANY
BEGIN DATE: 04/01/2011
CONTACT ROLE: OWNCON
CONTACT NAME: WASIM NIZAMI
CONTACT TITLE: MGR
ORGANIZATION: NIZAMI LLC
PHONE: (409) 3303911 0
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

OPERATOR NUMBER: CN603845496
NAME: NIZAMI LLC
CONTACT ADDRESS: 185 N 23RD ST
 BEAUMONT TX 77707
TYPE: CORPORATION/COMPANY
BEGIN DATE: 04/01/2011
CONTACT ROLE: OPRCON
CONTACT NAME: WASIM NIZAMI
CONTACT TITLE: MGR

CONTACT INFORMATION

NAME: WASIM NIZAMI
TITLE: MGR
ORGANIZATION: K-1
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
 CITY NOT REPORTED
PHONE: (409) 3303911 0

Petroleum Storage Tanks (PST)

ORGANIZATION: **NIZAMI LLC**

PHONE: **(409) 3303911 0**

FAX: **NOT REPORTED**

EMAIL: **NOT REPORTED**

SELF-CERTIFICATION

SELF-CERTIFICATION ID: **310124**

SIGNATURE DATE: **08/27/2018**

SIGNATURE NAME & TITLE: **WASIM NIZAMI, MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **294939**

SIGNATURE DATE: **09/18/2017**

SIGNATURE NAME & TITLE: **WASIM NIZAMI, MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **277651**

SIGNATURE DATE: **09/21/2016**

SIGNATURE NAME & TITLE: **WASIM NIZAMI, MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **260800**

SIGNATURE DATE: **09/30/2015**

SIGNATURE NAME & TITLE: **WASIM NIZAMI, MGR**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **243725**

SIGNATURE DATE: **09/15/2014**

SIGNATURE NAME & TITLE: **WASIM NIZAMI, MGR**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **227822**

SIGNATURE DATE: **09/18/2013**

SIGNATURE NAME & TITLE: **WASIM NIZAMI, MGR**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **195435**

SIGNATURE DATE: **09/17/2012**

SIGNATURE NAME & TITLE: **WASIM NIZAMI, MGR**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **195434**

SIGNATURE DATE: **04/19/2011**

SIGNATURE NAME & TITLE: **WASIM NIZAMI, MGR**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **195433**

SIGNATURE DATE: **04/18/2011**

Petroleum Storage Tanks (PST)

SIGNATURE NAME & TITLE: **WASIM NIZAMI, MGR**
FILING STATUS: **INITIAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **195432**
SIGNATURE DATE: **09/02/2010**
SIGNATURE NAME & TITLE: **MUHAMMAD ZAMIR KAYAMI, PRESIDENT**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **195189**
SIGNATURE DATE: **09/28/2009**
SIGNATURE NAME & TITLE: **MUHAMMAD ZAMIR, PRES**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **195188**
SIGNATURE DATE: **09/30/2008**
SIGNATURE NAME & TITLE: **MUHAMMAD KAYANI, VP**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **195187**
SIGNATURE DATE: **09/25/2007**
SIGNATURE NAME & TITLE: **MUHAMMAD Z KAYANI, PRES**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **195186**
SIGNATURE DATE: **10/09/2006**
SIGNATURE NAME & TITLE: **MUHAMMAD KAYAN, PRES**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **195185**
SIGNATURE DATE: **08/23/2005**
SIGNATURE NAME & TITLE: **MUHAMMAD ZAMIR K KAYANI, OWNER**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **195184**
SIGNATURE DATE: **09/05/2004**
SIGNATURE NAME & TITLE: **M ZAMIR KAYANI, PRES**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **195183**
SIGNATURE DATE: **09/10/2003**
SIGNATURE NAME & TITLE: **MUHAMMAD ZAMIR K KAYANI, PRESIDENT**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **195182**
SIGNATURE DATE: **09/01/2002**
SIGNATURE NAME & TITLE: **MUHAMMAD ZAMIR K KAYANI, PRESIDENT**
FILING STATUS: **RENEWAL**

Petroleum Storage Tanks (PST)

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **195181**

SIGNATURE DATE: **09/24/2001**

SIGNATURE NAME & TITLE: **MUHAMMAD ZAMIRK KAYANI, ONWER**

FILING STATUS: **INITIAL**

REGISTRATION FLAG: **YES**

CONSTRUCTION NOTIFICATION

NOTIFICATION CONSTRUCTION ID: **18634**

APPLICATION RECEIVED DATE: **05/22/2000**

SCHEDULE CONSTRUCTION DATE: **06/21/2000**

GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:

NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: **1**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/01/2000**

REGISTRATION DATE: **09/18/2000**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **08/01/2000**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **172462**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

Petroleum Storage Tanks (PST)

ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/01/2000**

REGISTRATION DATE: **09/18/2000**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **08/01/2000**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **172463**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

Petroleum Storage Tanks (PST)

[Back to Report Summary](#)

Dry Cleaner Registration Database (DCR)

MAP ID# 146

Distance from Property: 0.166 mi. (876 ft.) WNW
Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRATION #: RN100694991

CUSTOMER #: CN602460206

NAME: NOT REPORTED

ADDRESS: 3905 CALDER AVE
BEAUMONT, TX 77706

ACCOUNT NUMBER: 24000705

PRINCIPAL NAME: MUNRO DRY CLEANING COMPANY

PHONE NUMBER: 409-8321417

SITE TYPE: DROP STATION REGISTRATION

FISCAL YEAR: FY2018

SOLVENT: NOT REPORTED

QUANTITY: NOT REPORTED

FISCAL YEAR: FY2017

SOLVENT: NOT REPORTED

QUANTITY: NOT REPORTED

FISCAL YEAR: FY2017

SOLVENT: NOT REPORTED

QUANTITY: NOT REPORTED

FISCAL YEAR: FY2016

SOLVENT: NOT REPORTED

QUANTITY: NOT REPORTED

FISCAL YEAR: FY2016

SOLVENT: NOT REPORTED

QUANTITY: NOT REPORTED

FISCAL YEAR: FY2015

SOLVENT: NOT REPORTED

QUANTITY: NOT REPORTED

FISCAL YEAR: FY2014

SOLVENT: NOT REPORTED

QUANTITY: NOT REPORTED

FISCAL YEAR: FY2013

SOLVENT: NOT REPORTED

QUANTITY: NOT REPORTED

FISCAL YEAR: FY2012

SOLVENT: NOT REPORTED

Dry Cleaner Registration Database (DCR)

QUANTITY: **NOT REPORTED**

FISCAL YEAR: **FY2011**

SOLVENT: **NOT REPORTED**

QUANTITY: **NOT REPORTED**

FISCAL YEAR: **FY2010**

SOLVENT: **NOT REPORTED**

QUANTITY: **NOT REPORTED**

FISCAL YEAR: **FY2009**

SOLVENT: **NOT REPORTED**

QUANTITY: **NOT REPORTED**

FISCAL YEAR: **FY2008**

SOLVENT: **NOT REPORTED**

QUANTITY: **NOT REPORTED**

FISCAL YEAR: **FY2007**

SOLVENT: **NOT REPORTED**

QUANTITY: **NOT REPORTED**

FISCAL YEAR: **FY2006**

SOLVENT: **NOT REPORTED**

QUANTITY: **NOT REPORTED**

FISCAL YEAR: **FY2005**

SOLVENT: **NOT REPORTED**

QUANTITY: **NOT REPORTED**

FISCAL YEAR: **FY2004**

SOLVENT: **NOT REPORTED**

QUANTITY: **NOT REPORTED**

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 146

Distance from Property: 0.166 mi. (876 ft.) WNW

Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRATION#: 66588 EPA ID: TXD042915090

TNRCC ID #: 21856

NAME: CALDER ONE HOUR MARTINIZING

ADDRESS: 3905 CALDER AVE

BEAUMONT, TX 77706

CONTACT: BETTY GASKEY

PHONE: 409-8321417

BUSINESS DESCRIPTION: NOT REPORTED

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR

GENERATOR TYPE: NON-INDUSTRIAL AND/OR MUNICIPAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 04/18/2011

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

WASTE ID: 70393

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

GENERATOR'S DESCRIPTION OF WASTE: NOT REPORTED

WASTE ID: 70394

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

GENERATOR'S DESCRIPTION OF WASTE: NOT REPORTED

WASTE ID: 70395

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

Industrial and Hazardous Waste Sites (IHW)

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **46808**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **46809**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 147

Distance from Property: 0.169 mi. (892 ft.) N

Elevation: 20 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRATION#: 70062 EPA ID: TXD078448313

TNRCC ID #: 24912

NAME: CHRISTUS HOSPITAL ST ELIZABETH

ADDRESS: 2830 CALDER ST

BEAUMONT, TX 77702

CONTACT: JACK PATRICK BRIGGS

PHONE: 409-8997055

BUSINESS DESCRIPTION: GENERAL MEDICAL AND SURGICAL HOSPITAL

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: ACTIVE

AMOUNT OF WASTE GENERATED: LARGE QUANTITY GENERATOR

GENERATOR TYPE: NON-INDUSTRIAL AND/OR MUNICIPAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS REQUIRED TO SUBMIT AN ANNUAL WASTE REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 01/31/2012

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

WASTE ID: 327389

WASTE CODE STATUS: ACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

GENERATOR'S DESCRIPTION OF WASTE: HAZARDOUS PHARMACEUTICAL WASTE

WASTE ID: 90675

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: YES

GENERATOR'S DESCRIPTION OF WASTE: LAB PACK OF WASTE MEDICINES FROM LAB.

WASTE ID: 289522

WASTE CODE STATUS: NOT REPORTED

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

Industrial and Hazardous Waste Sites (IHW)

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **289523**

WASTE CODE STATUS: **NOT REPORTED**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **50305**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 147

Distance from Property: 0.169 mi. (892 ft.) N
Elevation: 20 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 093656
LPST ID: 093656
FACILITY ID: 0033760
NAME: ST ELIZABETH HOSPITAL
ADDRESS: 2830 CALDER ST
BEAUMONT, TX 77702

LEAKING TANK DETAILS

LPST ID: 093656
NAME: ST ELIZABETH HOSPITAL
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 4A - SOIL CONTAMINATION ONLY REQUIRES FULL SITE ASSESSMENT RAP
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 10/2/89
REPORTED DATE: 08/21/1989
ENTERED DATE: 10/02/1989
CLOSURE DATE: 06/11/1993

PRP INFORMATION

NAME: ST ELIZABETH HOSPITAL
ADDRESS: ADDRESS NOT REPORTED
BEAUMONT TX 77706
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: NOT REPORTED	NUMBER OF COMPARTMENTS: NOT REPORTED
INSTALLATION DATE: NOT REPORTED	REGISTRATION DATE: NOT REPORTED
TANK CAPACITY (GAL): NOT REPORTED	EMPTY TANK: NOT REPORTED
STATUS: NOT REPORTED	STATUS BEGIN DATE: NOT REPORTED
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: NOT REPORTED
TANK DESIGN SINGLE WALL: NOT REPORTED	TANK DESIGN DOUBLE WALL: NOT REPORTED
PIPE DESIGN SINGLE WALL: NOT REPORTED	PIPE DESIGN DOUBLE WALL: NOT REPORTED

TANK DETAILS

MATERIAL:
NOT REPORTED
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: NOT REPORTED
CORROSION PROTECTION VARIANCE: NOT REPORTED

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **94857**

TANK ID: **NOT REPORTED**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **MONITORING OF SECONDARY CONTAINMENT BARRIER,INTERSTITIAL**

MONITORING WITHIN SECONDARY WALL/JACKET

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NOT REPORTED**

CORROSION PROTECTION VARIANCE: **NOT REPORTED**

TANK ID: **1**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **10/01/1998**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **4000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **10/01/1998**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **EMERG POWER GENERATOR**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **94855**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4000**

COMPARTMENT RELEASE DETECTION: **MONITORING OF SECONDARY CONTAINMENT BARRIER,AUTOMATIC TANK GAUGE**

TEST & INVENTORY CONTROL

Leaking Petroleum Storage Tanks (LPST)

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1973**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **1072**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **08/31/1989**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **94853**

TANK ID: **1A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1072**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 2A	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1960	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 500	EMPTY TANK: NOT EMPTY
STATUS: PERM FILLED IN PLACE	STATUS BEGIN DATE: 01/01/1982
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **94854**

TANK ID: **2A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 3	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 08/01/1992	REGISTRATION DATE: 03/15/1999
TANK CAPACITY (GAL): 10000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 01/23/2003
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: YES
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

Leaking Petroleum Storage Tanks (LPST)

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **94856**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **NOT REPORTED**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL,INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET,SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 147

Distance from Property: 0.169 mi. (892 ft.) N
Elevation: 20 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 33760
NAME: CHRISTUS ST ELIZABETH HOSPITAL
ADDRESS: 2830 CALDER ST
BEAUMONT, TX 77702
COUNTY: JEFFERSON
REGION: 10
TYPE: EMERGENCY GENERATOR
BEGIN DATE: 12/01/1986
STATUS: ACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 1
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/07/2018
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 04/19/2018
SIGNATURE NAME & TITLE: JAMES PEARSON, FACILITY MANAGER
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN601195662
NAME: CHRISTUS HEALTH
CONTACT ADDRESS: 919 HIDDEN RDG
IRVING TX 75038
TYPE: CORPORATION/COMPANY
BEGIN DATE: 08/07/2001
CONTACT ROLE: OWNOPRCON
CONTACT NAME: GARY D SHOPE
CONTACT TITLE: DIRECTOR RISK FINANCE
ORGANIZATION: CHRISTUS HEALTH
PHONE: (469) 2822347 0
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

OPERATOR NUMBER: CN601195662
NAME: CHRISTUS HEALTH
CONTACT ADDRESS: 919 HIDDEN RDG
IRVING TX 75038
TYPE: CORPORATION/COMPANY
BEGIN DATE: 08/07/2001
CONTACT ROLE: OWNOPRCON
CONTACT NAME: GARY D SHOPE
CONTACT TITLE: DIRECTOR RISK FINANCE

CONTACT INFORMATION

NAME: JAMES PEARSON
TITLE: DIRECTOR
ORGANIZATION: CHRISTUS ST ELIZABETH HOSPITAL
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8997050 0

Petroleum Storage Tanks (PST)

ORGANIZATION: CHRISTUS HEALTH

PHONE: (469) 2822347 0

FAX: NOT REPORTED

EMAIL: NOT REPORTED

SELF-CERTIFICATION

SELF-CERTIFICATION ID: 303592

SIGNATURE DATE: 04/19/2018

SIGNATURE NAME & TITLE: JAMES PEARSON, FACILITY MANAGER

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 286394

SIGNATURE DATE: 04/17/2017

SIGNATURE NAME & TITLE: JAMES PEARSON, DIR OF FAC

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 270574

SIGNATURE DATE: 05/23/2016

SIGNATURE NAME & TITLE: JAMES PEARSON, DIR OF PET SERV

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 252847

SIGNATURE DATE: 04/15/2015

SIGNATURE NAME & TITLE: JAMES PEARSON, DIR OF PL SRV

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 238152

SIGNATURE DATE: 06/25/2014

SIGNATURE NAME & TITLE: JAMES PEARSON, DIR PL SERV

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 219868

SIGNATURE DATE: 05/10/2013

SIGNATURE NAME & TITLE: JAMES PEARSON, DIR OF PLT SVCS

FILING STATUS: INITIAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 84215

SIGNATURE DATE: 03/14/2012

SIGNATURE NAME & TITLE: JAMES PEARSON, DIR OF PLANT SVCS

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 84214

SIGNATURE DATE: 03/31/2011

SIGNATURE NAME & TITLE: JAMES PEARSON, DIR PLANT SERVICES

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 84213

SIGNATURE DATE: 03/18/2010

Petroleum Storage Tanks (PST)

SIGNATURE NAME & TITLE: **JAMES PEARSON, DIR OF PLANT SERV**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **84212**

SIGNATURE DATE: **04/16/2009**

SIGNATURE NAME & TITLE: **JAMES PEARSON, DIR OF PLANT SERV**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **84211**

SIGNATURE DATE: **04/07/2008**

SIGNATURE NAME & TITLE: **JAMES PEARSON, DIR PLANT SERVICES**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **84210**

SIGNATURE DATE: **04/10/2007**

SIGNATURE NAME & TITLE: **JAMES PEARSON, DIRECTOR**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **84209**

SIGNATURE DATE: **04/13/2006**

SIGNATURE NAME & TITLE: **JAMES PEARSON, DIRECTOR**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **84208**

SIGNATURE DATE: **01/20/2006**

SIGNATURE NAME & TITLE: **JAMES PEARSON, DIR**

FILING STATUS: **AMENDMENT**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **84207**

SIGNATURE DATE: **04/13/2005**

SIGNATURE NAME & TITLE: **JAMES PEARSON, DIRECTOR**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **84206**

SIGNATURE DATE: **06/07/2004**

SIGNATURE NAME & TITLE: **JAMES PEARSON, NOT REPORTED**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **84205**

SIGNATURE DATE: **04/12/2004**

SIGNATURE NAME & TITLE: **JAMES PEARSON, NOT REPORTED**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **84204**

SIGNATURE DATE: **09/20/2002**

SIGNATURE NAME & TITLE: **JAMES PEARSON, DIR PLANT SERV**

FILING STATUS: **RENEWAL**

Petroleum Storage Tanks (PST)

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **83966**

SIGNATURE DATE: **08/07/2001**

SIGNATURE NAME & TITLE: **JAMES PEARSON, DIR OF PLANT SERV**

FILING STATUS: **INITIAL**

REGISTRATION FLAG: **YES**

CONSTRUCTION NOTIFICATION

NOTIFICATION CONSTRUCTION ID: **8391**

APPLICATION RECEIVED DATE: **11/04/2003**

SCHEDULE CONSTRUCTION DATE: **11/04/2003**

GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:

NOT REPORTED

NOTIFICATION CONSTRUCTION ID: **8392**

APPLICATION RECEIVED DATE: **10/03/2003**

SCHEDULE CONSTRUCTION DATE: **11/03/2003**

GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:

NOT REPORTED

NOTIFICATION CONSTRUCTION ID: **8393**

APPLICATION RECEIVED DATE: **10/07/2002**

SCHEDULE CONSTRUCTION DATE: **10/28/2002**

GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:

NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: **NOT REPORTED**

INSTALLATION DATE: **NOT REPORTED**

TANK CAPACITY (GAL): **NOT REPORTED**

STATUS: **NOT REPORTED**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NOT REPORTED**

PIPE DESIGN SINGLE WALL: **NOT REPORTED**

NUMBER OF COMPARTMENTS: **NOT REPORTED**

REGISTRATION DATE: **NOT REPORTED**

EMPTY TANK: **NOT REPORTED**

STATUS BEGIN DATE: **NOT REPORTED**

REGULATORY STATUS: **NOT REPORTED**

TANK DESIGN DOUBLE WALL: **NOT REPORTED**

PIPE DESIGN DOUBLE WALL: **NOT REPORTED**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NOT REPORTED**

CORROSION PROTECTION VARIANCE: **NOT REPORTED**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **94857**

TANK ID: **NOT REPORTED**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

Petroleum Storage Tanks (PST)

COMPARTMENT RELEASE DETECTION: **MONITORING OF SECONDARY CONTAINMENT BARRIER,INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

MONITORING OF SECONDARY CONTAINMENT BARRIER,INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NOT REPORTED**

CORROSION PROTECTION VARIANCE: **NOT REPORTED**

TANK ID: **1**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **10/01/1998**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **4000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **10/01/1998**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **EMERG POWER GENERATOR**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **94855**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4000**

COMPARTMENT RELEASE DETECTION: **MONITORING OF SECONDARY CONTAINMENT BARRIER,AUTOMATIC TANK GAUGE**

TEST & INVENTORY CONTROL

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALVE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

Petroleum Storage Tanks (PST)

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

MONITORING OF SECONDARY CONTAINMENT BARRIER

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1973**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **1072**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **08/31/1989**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **94853**

TANK ID: **1A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1072**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1960**

REGISTRATION DATE: **05/08/1986**

Petroleum Storage Tanks (PST)

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **94856**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **NOT REPORTED**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL,INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET,SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 148

Distance from Property: 0.17 mi. (898 ft.) NW

Elevation: 32 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRATION#: 77850 EPA ID: TXD988023883

TNRCC ID #: 32074

NAME: KINSEL AUTOMALL

ADDRESS: 3355 EASTEX FWY

BEAUMONT, TX 77706

CONTACT: MARSHA WARE

PHONE: 409-8994000

BUSINESS DESCRIPTION: NEW CAR DEALERSHIP, SERVICE, PARTS AND BODY SHOP

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: SMALL QUANTITY GENERATOR

GENERATOR TYPE: NON-INDUSTRIAL AND/OR MUNICIPAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 02/13/2004

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

WASTE ID: 260529

WASTE CODE STATUS: NOT REPORTED

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

GENERATOR'S DESCRIPTION OF WASTE: NOT REPORTED

WASTE ID: 260552

WASTE CODE STATUS: NOT REPORTED

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

GENERATOR'S DESCRIPTION OF WASTE: NOT REPORTED

WASTE ID: 61304

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

Industrial and Hazardous Waste Sites (IHW)

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **61305**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **61306**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **61307**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **61308**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 149

Distance from Property: 0.17 mi. (898 ft.) E

Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRATION#: 79577 EPA ID: TXD988077947

TNRCC ID #: 33131

NAME: GLASS-TECH

ADDRESS: 3820 HOLLYWOOD ST
BEAUMONT, TX 77701

CONTACT: SCOTT RYERSON

PHONE: 409-8326803

BUSINESS DESCRIPTION: THIS REGISTRATION WAS INACTIVATED BECAUSE THERE WERE ONLY 6-DIGIT WASTE CODES ON THE NOR AND NO WASTE ACTIVITY WAS REPORTED IN 1994, 1995 AND 1996.

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR

GENERATOR TYPE: NON-INDUSTRIAL AND/OR MUNICIPAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 06/04/2010

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

WASTE ID: 63168

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

GENERATOR'S DESCRIPTION OF WASTE: NOT REPORTED

[Back to Report Summary](#)

Dry Cleaner Registration Database (DCR)

MAP ID# 150

Distance from Property: 0.179 mi. (945 ft.) S
Elevation: 19 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRATION #: RN100701572

CUSTOMER #: NOT REPORTED

NAME: A 1 CLEANERS

ADDRESS: 1115 N 11TH ST
BEAUMONT, TX 77702-1206

ACCOUNT NUMBER: NOT REPORTED

PRINCIPAL NAME: NOT REPORTED

PHONE NUMBER: 409-8999779

SITE TYPE: FACILITY REGISTRATION

FISCAL YEAR: FY2010

SOLVENT: NOT REPORTED

QUANTITY: NOT REPORTED

FISCAL YEAR: FY2009

SOLVENT: PERCHLOROETHYLENE (TETRACHLOROETHYLENE)

QUANTITY: 120 GALLONS

FISCAL YEAR: FY2008

SOLVENT: PERCHLOROETHYLENE (TETRACHLOROETHYLENE)

QUANTITY: 120 GALLONS

FISCAL YEAR: FY2007

SOLVENT: PERCHLOROETHYLENE (TETRACHLOROETHYLENE)

QUANTITY: 120 GALLONS

FISCAL YEAR: FY2006

SOLVENT: PERCHLOROETHYLENE (TETRACHLOROETHYLENE)

QUANTITY: 120 GALLONS

FISCAL YEAR: FY2005

SOLVENT: PERCHLOROETHYLENE (TETRACHLOROETHYLENE)

QUANTITY: 130 GALLONS

FISCAL YEAR: FY2004

SOLVENT: PERCHLOROETHYLENE (TETRACHLOROETHYLENE)

QUANTITY: 0 GALLONS

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

[MAP ID# 150](#)

Distance from Property: 0.179 mi. (945 ft.) S

Elevation: 19 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRATION#: 72349 EPA ID: TXD988089454

TNRCC ID #: 26790

NAME: A-1 DRY CLEANERS

ADDRESS: 1115 N 11TH ST

BEAUMONT, TX 77702

CONTACT: ALEX CHUN

PHONE: 409-8999779

BUSINESS DESCRIPTION: THIS REGISTRATION WAS INACTIVATED BECAUSE THERE WERE ONLY 6-DIGIT WASTE CODES ON THE NOR AND NO WASTE ACTIVITY WAS REPORTED IN 1994, 1995 AND 1996.

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR

GENERATOR TYPE: NON-INDUSTRIAL AND/OR MUNICIPAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 06/04/2010

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

WASTE ID: 169343

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: YES

GENERATOR'S DESCRIPTION OF WASTE: TETRACHLOROETHYLENE/CHLORINATED SOLVENT AND SLUDGES/MAY, 1993

WASTE ID: 52347

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: YES

GENERATOR'S DESCRIPTION OF WASTE: NOT REPORTED

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 150

Distance from Property: 0.179 mi. (945 ft.) S

Elevation: 19 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRATION#: **80896** EPA ID: **NOT REPORTED**

TNRCC ID #: **35737**

NAME: **A-1 DRYCLEANERS**

ADDRESS: **1115 N 11TH ST**

BEAUMONT, TX 77702

CONTACT: **TAE SUNG KIM**

PHONE: **409-8999779**

BUSINESS DESCRIPTION: **DRY CLEANER**

INDUSTRIAL WASTE PERMIT #: **NOT REPORTED**

MUNICIPAL WASTE PERMIT #: **NOT REPORTED**

SIC CODE: **NOT REPORTED**

WASTE GENERATOR: **YES**

WASTE RECEIVER: **NO**

WASTE TRANSPORTER: **NO**

TRANSFER FACILITY: **NO**

MAQUILADORA (MEXICAN FACILITY): **NO**

STATUS: **MERGED**

AMOUNT OF WASTE GENERATED: **CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR**

GENERATOR TYPE: **NON-INDUSTRIAL AND/OR MUNICIPAL**

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): **06/04/2010**

ACTIVITIES

ACTIVITY TYPE: **UNKNOWN**

ACTIVITY DESCRIPTION: **NOT REPORTED**

WASTE

WASTE ID: **70100**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **TETRACHLOROETHYLENE/CHLORINATED SOLVENT AND SLUDGES/MAY, 1993**

[Back to Report Summary](#)

Industrial and Hazardous Waste Corrective Action Sites (IHWCA)

[MAP ID# 150](#)

Distance from Property: 0.179 mi. (945 ft.) S

Elevation: 19 ft. (Higher than TP)

PROGRAM ID: T2111

RN NUMBER: RN104957063

NAME: 1111 N 11TH ST

ADDRESS: 1111 N 11TH ST

BEAUMONT, TX 77702

STATUS: INACTIVE

STATUS DATE: 3/20/18

PHASE: COMPLETED WORKLOAD

LOCATION DESCRIPTION:

BEAUMONT, TEXAS

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 151

Distance from Property: 0.182 mi. (961 ft.) SW

Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 094173

LPST ID: 094173

FACILITY ID: 0022474

NAME: **THIRD COAST INDUSTRIES INC**

ADDRESS: **4780 S 23RD ST**

BEAUMONT, TX 77705

LEAKING TANK DETAILS

LPST ID: 094173

NAME: **THIRD COAST INDUSTRIES INC**

FACILITY LOCATION: **NOT REPORTED**

PRIORITY CODE: **4A - SOIL CONTAMINATION ONLY REQUIRES FULL SITE ASSESSMENT RAP**

CORRECTIVE ACTION STATUS CODE: **6A - FINAL CONCURRENCE ISSUED**

CORRECTIVE ACTION START DATE: **12/27/89**

REPORTED DATE: **10/13/1989**

ENTERED DATE: **12/27/1989**

CLOSURE DATE: **03/16/1990**

PRP INFORMATION

NAME: **TEXAS COMMERCE BANK**

ADDRESS: **ADDRESS NOT REPORTED**

BEAUMONT TX 77704

CONTACT: **NOT REPORTED**

PHONE: **NOT REPORTED**

UNDERGROUND STORAGE TANK

TANK ID: **1**

INSTALLATION DATE: **01/01/1978**

TANK CAPACITY (GAL): **1000**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **05/08/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **12/15/1989**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **99605**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1978**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **1000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **12/15/1989**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **99606**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

Leaking Petroleum Storage Tanks (LPST)

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 151

Distance from Property: 0.182 mi. (961 ft.) SW
Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 22474
NAME: THIRD COAST INDUSTRIES
ADDRESS: 4780 FANNETT RD
BEAUMONT, TX 77705
COUNTY: JEFFERSON
REGION: 10
TYPE: UNKNOWN
BEGIN DATE: 08/31/1987
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/08/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 04/24/1986
SIGNATURE NAME & TITLE: RM AMES, MGR.
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN601323199
NAME: TEXAS COMMERCE BANK
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: CORPORATION/COMPANY
BEGIN DATE: 09/01/1987
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1978	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 1000	EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: J T KRANE
TITLE: PLANT MANGER
ORGANIZATION: THIRD COAST INDUSTRIES
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8420030 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **12/15/1989**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **99605**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

INSTALLATION DATE: **01/01/1978**

TANK CAPACITY (GAL): **1000**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **05/08/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **12/15/1989**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

Petroleum Storage Tanks (PST)

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **99606**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 152

Distance from Property: 0.185 mi. (977 ft.) S
Elevation: 19 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 104174
LPST ID: 104174
FACILITY ID: 0023668
NAME: 11TH STREET 66
ADDRESS: 1110 N 11TH ST
BEAUMONT, TX 77702

LEAKING TANK DETAILS

LPST ID: 104174
NAME: 11TH STREET 66
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 5 - MINOR SOIL CONTAMINATION - DOES NOT REQUIRE A RAP
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 9/16/92
REPORTED DATE: 08/11/1992
ENTERED DATE: 09/16/1992
CLOSURE DATE: 01/04/1993

PRP INFORMATION

NAME: RAND OIL CO LP
ADDRESS: ADDRESS NOT REPORTED
VIDOR TX 77662
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1986	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 8000	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 01/01/1986
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
COMPOSITE
CORROSION PROTECTION:
EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP, COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: YES
CORROSION PROTECTION VARIANCE: NO VARIANCE

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **60360**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,CATHODIC PROTECTION - FACTORY INSTALLATION,FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,CATHODIC PROTECTION - FACTORY INSTALLATION,FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1986**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **01/01/1986**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **60359**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

Leaking Petroleum Storage Tanks (LPST)

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,CATHODIC PROTECTION - FACTORY INSTALLATION,FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,CATHODIC PROTECTION - FACTORY INSTALLATION,FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1981**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **10/11/2012**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,CATHODIC PROTECTION - FACTORY INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **60361**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **NOT REPORTED**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,CATHODIC PROTECTION - FACTORY INSTALLATION,FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,CATHODIC PROTECTION - FACTORY INSTALLATION,FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **2**

INSTALLATION DATE: **10/15/2012**

REGISTRATION DATE: **06/19/2013**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **10/15/2012**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE),EXTERNAL NONMETTALIC JACKET

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **185946**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **5000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING,MONITORING OF SECONDARY CONTAINMENT BARRIER,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL,INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,FRP TANK OR PIPING (NONCORRODIBLE),ISOLATED IN OPEN AREA/2ND CONTAINMENT**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

Leaking Petroleum Storage Tanks (LPST)

NOT REPORTED

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,FRP TANK OR PIPING (NONCORRODIBLE),ISOLATED IN OPEN AREA/2ND CONTAINMENT**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **2**

INSTALLATION DATE: **10/15/2012**

REGISTRATION DATE: **06/19/2013**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **10/15/2012**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE),EXTERNAL NONMETTALIC JACKET

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **185947**

TANK ID: **4**

COMPARTMENT LETTER: **B**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **5000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING,MONITORING OF SECONDARY CONTAINMENT BARRIER,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL,INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,FRP TANK OR PIPING (NONCORRODIBLE),ISOLATED IN OPEN AREA/2ND CONTAINMENT**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,FRP TANK OR PIPING (NONCORRODIBLE),ISOLATED IN OPEN AREA/2ND CONTAINMENT**

PIPE COMPLIANCE FLAG

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 152

Distance from Property: 0.185 mi. (977 ft.) S
Elevation: 19 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 23668
NAME: FAST BREAK 4
ADDRESS: 1110 N 11TH ST
BEAUMONT, TX 77702
COUNTY: JEFFERSON
REGION: 10
TYPE: RETAIL
BEGIN DATE: 01/01/1981
STATUS: ACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: YES
NUMBER OF ACTIVE UNDERGROUND TANKS: 3
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 09/28/2018
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 08/30/2018
SIGNATURE NAME & TITLE: R SCOTT RAND, PRES
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600986772
NAME: B T RAND OIL COMPANY
CONTACT ADDRESS: 695 N MAIN ST
VIDOR TX 77662
TYPE: CORPORATION/COMPANY
BEGIN DATE: 09/29/1986
CONTACT ROLE: OWNCON
CONTACT NAME: R SCOTT RAND
CONTACT TITLE: PRES
ORGANIZATION: B T RAND OIL COMPANY
PHONE: (409) 7695493 0
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

OPERATOR NUMBER: CN600986772
NAME: B T RAND OIL COMPANY
CONTACT ADDRESS: 695 N MAIN ST
VIDOR TX 77662
TYPE: CORPORATION/COMPANY
BEGIN DATE: 09/29/1986
CONTACT ROLE: OPRCON
CONTACT NAME: R SCOTT RAND
CONTACT TITLE: PRES

CONTACT INFORMATION

NAME: R SCOTT RAND
TITLE: PRES
ORGANIZATION: FAST BREAK 4
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 7695493 0

Petroleum Storage Tanks (PST)

ORGANIZATION: **B T RAND OIL COMPANY**

PHONE: **(409) 7695493 0**

FAX: **NOT REPORTED**

EMAIL: **NOT REPORTED**

SELF-CERTIFICATION

SELF-CERTIFICATION ID: **311583**

SIGNATURE DATE: **08/30/2018**

SIGNATURE NAME & TITLE: **R SCOTT RAND, PRES**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **294715**

SIGNATURE DATE: **10/04/2017**

SIGNATURE NAME & TITLE: **R SCOTT RAND, PRESIDENT**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **277232**

SIGNATURE DATE: **09/08/2016**

SIGNATURE NAME & TITLE: **R RAND, PRES**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **261319**

SIGNATURE DATE: **10/25/2015**

SIGNATURE NAME & TITLE: **R RAND, PRESIDENT**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **244732**

SIGNATURE DATE: **09/15/2014**

SIGNATURE NAME & TITLE: **R SCOTT RAND, PRESIDENT**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **227790**

SIGNATURE DATE: **09/13/2013**

SIGNATURE NAME & TITLE: **R SCOTT RAND, PRES**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **221051**

SIGNATURE DATE: **06/19/2013**

SIGNATURE NAME & TITLE: **R SCOTT RAND, PRES**

FILING STATUS: **AMENDMENT**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **57187**

SIGNATURE DATE: **09/13/2012**

SIGNATURE NAME & TITLE: **R SCOTT RAND, PRES**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **57186**

SIGNATURE DATE: **09/28/2011**

Petroleum Storage Tanks (PST)

SIGNATURE NAME & TITLE: R SCOTT RAND, PRES

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 57185

SIGNATURE DATE: 09/30/2010

SIGNATURE NAME & TITLE: R SCOTT RAND, PRESIDENT

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 57184

SIGNATURE DATE: 08/27/2009

SIGNATURE NAME & TITLE: R SCOTT RAND, PRES

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 57183

SIGNATURE DATE: 09/30/2008

SIGNATURE NAME & TITLE: R SCOTT RAND, PRESIDENT

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 57182

SIGNATURE DATE: 09/28/2007

SIGNATURE NAME & TITLE: R SCOTT RAND, PRES

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 57181

SIGNATURE DATE: 09/30/2006

SIGNATURE NAME & TITLE: R SCOTT RAND, PRES

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 57180

SIGNATURE DATE: 10/10/2005

SIGNATURE NAME & TITLE: R SCOTT RAND, PRESIDENT

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 57179

SIGNATURE DATE: 10/18/2004

SIGNATURE NAME & TITLE: R SCOTT RAND, PRES

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 57178

SIGNATURE DATE: 09/24/2003

SIGNATURE NAME & TITLE: R SCOTT RAND, VICE PRESIDENT

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 57177

SIGNATURE DATE: 09/30/2002

SIGNATURE NAME & TITLE: R SCOTT RAND, NOT REPORTED

FILING STATUS: RENEWAL

Petroleum Storage Tanks (PST)

REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **57176**
SIGNATURE DATE: **01/20/2001**
SIGNATURE NAME & TITLE: **R SCOTT RAND, PRES**
FILING STATUS: **INITIAL**
REGISTRATION FLAG: **YES**

CONSTRUCTION NOTIFICATION

NOTIFICATION CONSTRUCTION ID: **5460**
APPLICATION RECEIVED DATE: **03/22/2010**
SCHEDULE CONSTRUCTION DATE: **03/22/2010**
GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:
BREAK OUT CONCRETE AND REPLACE DEFECTIVE SPILL CONTAINMENT MANHOLER. PLEASE WA IVE 30 DAY NOTIFICATION.

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1986	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 8000	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 01/01/1986
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
COMPOSITE
CORROSION PROTECTION:
EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)
EXTERNAL CONTAINMENT:
NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **60360**
TANK ID: **1**
COMPARTMENT LETTER: **A**
SUBSTANCES: **GASOLINE**
OTHER SUBSTANCES: **NOT REPORTED**
CAPACITY (GAL): **8000**
COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**
CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,CATHODIC PROTECTION - FACTORY INSTALLATION,FRP TANK OR PIPING (NONCORRODIBLE)**
EXTERNAL CONTAINMENT: **NOT REPORTED**

Petroleum Storage Tanks (PST)

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

**GROUNDWATER MONITORING,ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO.
LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1986**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **01/01/1986**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **60359**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,CATHODIC PROTECTION - FACTORY INSTALLATION,FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

**GROUNDWATER MONITORING,ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO.
LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)**

Petroleum Storage Tanks (PST)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1981**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **10/11/2012**

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,CATHODIC PROTECTION - FACTORY INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **60361**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **NOT REPORTED**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,CATHODIC PROTECTION - FACTORY**

INSTALLATION,FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

GROUNDWATER MONITORING,ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO.

LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **2**

INSTALLATION DATE: **10/15/2012**

REGISTRATION DATE: **06/19/2013**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

Petroleum Storage Tanks (PST)

STATUS: **IN USE** STATUS BEGIN DATE: **10/15/2012**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **YES**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE),EXTERNAL NONMETTALIC JACKET

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **185946**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **5000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING,MONITORING OF SECONDARY CONTAINMENT BARRIER,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL,INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,FRP TANK OR PIPING (NONCORRODIBLE),ISOLATED IN OPEN AREA/2ND CONTAINMENT**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

GROUNDWATER MONITORING,ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **2**

INSTALLATION DATE: **10/15/2012**

REGISTRATION DATE: **06/19/2013**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **10/15/2012**

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

Petroleum Storage Tanks (PST)

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE),EXTERNAL NONMETTALIC JACKET

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **185947**

TANK ID: **4**

COMPARTMENT LETTER: **B**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **5000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING,MONITORING OF SECONDARY CONTAINMENT BARRIER,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL,INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,FRP TANK OR PIPING (NONCORRODIBLE),ISOLATED IN OPEN AREA/2ND CONTAINMENT**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

GROUNDWATER MONITORING,ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 153

Distance from Property: 0.189 mi. (998 ft.) ENE

Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRATION#: 73272 EPA ID: TXD981914757

TNRCC ID #: 27697

NAME: MJ WALKER FIRESTONE

ADDRESS: 3685 STAGG DR

BEAUMONT, TX 77701

CONTACT: ERNEST SCHLUTER

PHONE: 409-8380156

BUSINESS DESCRIPTION: THIS REGISTRATION WAS INACTIVATED BECAUSE THERE WERE ONLY 6-DIGIT WASTE CODES ON THE NOR AND NO WASTE ACTIVITY WAS REPORTED IN 1994, 1995 AND 1996.

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: SMALL QUANTITY GENERATOR

GENERATOR TYPE: NON-INDUSTRIAL AND/OR MUNICIPAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 06/04/2010

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

WASTE ID: 53903

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: YES

GENERATOR'S DESCRIPTION OF WASTE: NOT REPORTED

WASTE ID: 53904

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: YES

GENERATOR'S DESCRIPTION OF WASTE: NOT REPORTED

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 153

Distance from Property: 0.189 mi. (998 ft.) ENE
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

GEOSEARCH ID: 099328
LPST ID: 099328
FACILITY ID: 0001038
NAME: GATEWAY FIRESTONE
ADDRESS: 3685 STAGG DR
BEAUMONT, TX 77701

LEAKING TANK DETAILS

LPST ID: 099328
NAME: GATEWAY FIRESTONE
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 5 - MINOR SOIL CONTAMINATION - DOES NOT REQUIRE A RAP
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 6/24/91
REPORTED DATE: 06/12/1991
ENTERED DATE: 06/24/1991
CLOSURE DATE: 10/19/1992

PRP INFORMATION

NAME: BRIDGESTONE FIRESTONE RC
ADDRESS: ADDRESS NOT REPORTED
AKRON OH 44317
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1971	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 250	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 06/12/1991
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
STEEL
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: NO
CORROSION PROTECTION VARIANCE: NO VARIANCE

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **3446**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **250**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 153

Distance from Property: 0.189 mi. (998 ft.) ENE
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

ID#: 1038
NAME: FIRESTONE MASTERCARE CENTER
ADDRESS: 3585 STAGG DR
BEAUMONT, TX 77701
COUNTY: JEFFERSON
REGION: 10
TYPE: RETAIL
BEGIN DATE: 06/02/1986
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/08/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 05/21/1992
SIGNATURE NAME & TITLE: TIM JACKSON, PROJ MGR
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN604036657
NAME: BRIDGESTONE FIRESTONE INC
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: CORPORATION/COMPANY
BEGIN DATE: 06/02/1986
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1971	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 250	EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: NOT REPORTED
TITLE: NOT REPORTED
ORGANIZATION: FIRESTONE MASTERCARE CENTER
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (216) 3793737 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **06/12/1991**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **3446**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **250**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 154

Distance from Property: 0.193 mi. (1,019 ft.) E
Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

REGISTRATION#: 32087 EPA ID: TXD026058677
TNRCC ID #: 9630
NAME: RUSSCO PAINT MANUFACTURING
ADDRESS: 2898 W CEDAR ST
 BEAUMONT, TX 77702

CONTACT: JAMES RUSSELL

PHONE: 409-8354535

BUSINESS DESCRIPTION: NOT REPORTED

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: LARGE QUANTITY GENERATOR

GENERATOR TYPE: INDUSTRIAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 06/04/2010

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

WASTE ID: 23319

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

GENERATOR'S DESCRIPTION OF WASTE: NOT REPORTED

WASTE ID: 23320

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

GENERATOR'S DESCRIPTION OF WASTE: NOT REPORTED

WASTE ID: 23321

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

Industrial and Hazardous Waste Sites (IHW)

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **23322**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 155

Distance from Property: 0.196 mi. (1,035 ft.) ESE
Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

ID#: 49091
NAME: SILVERADO INTERESTS
ADDRESS: 4080 WASHINGTON BLVD
BEAUMONT, TX 77705
COUNTY: JEFFERSON
REGION: 10
TYPE: UNKNOWN
BEGIN DATE: 10/26/1989
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 06/22/1989
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 06/14/1989
SIGNATURE NAME & TITLE: JACK W ALLDREDGE, VICE PRESIDENT
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600777585
NAME: COLLECTING BANK N A
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: ORGANIZATION
BEGIN DATE: 10/26/1989
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1982	REGISTRATION DATE: 06/22/1989
TANK CAPACITY (GAL): 2000	EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: JIM MCBRIDE
TITLE: VICE PRESIDENT
ORGANIZATION: SILVERADO INTERESTS
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8389407 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **05/08/1989**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **135807**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **2000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

INSTALLATION DATE: **01/01/1982**

TANK CAPACITY (GAL): **2000**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **06/22/1989**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **05/08/1989**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

Petroleum Storage Tanks (PST)

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **135808**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **2000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Dry Cleaner Registration Database (DCR)

MAP ID# 156

Distance from Property: 0.202 mi. (1,067 ft.) NE
Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRATION #: RN102974920

CUSTOMER #: CN602467094

NAME: PARK AVENUE CLEANERS

ADDRESS: 2608 CALDER ST
BEAUMONT, TX 77702

ACCOUNT NUMBER: 24000666

PRINCIPAL NAME: RICHDEN GROUP LLC

PHONE NUMBER: 409-8386220

SITE TYPE: FACILITY REGISTRATION

FISCAL YEAR: FY2018

SOLVENT: PERCHLOROETHYLENE (TETRACHLOROETHYLENE)

QUANTITY: 420 GALLONS

FISCAL YEAR: FY2017

SOLVENT: PERCHLOROETHYLENE (TETRACHLOROETHYLENE)

QUANTITY: 275 GALLONS

FISCAL YEAR: FY2017

SOLVENT: PERCHLOROETHYLENE (TETRACHLOROETHYLENE)

QUANTITY: 275 GALLONS

FISCAL YEAR: FY2016

SOLVENT: PERCHLOROETHYLENE (TETRACHLOROETHYLENE)

QUANTITY: 300 GALLONS

FISCAL YEAR: FY2016

SOLVENT: PERCHLOROETHYLENE (TETRACHLOROETHYLENE)

QUANTITY: 300 GALLONS

FISCAL YEAR: FY2015

SOLVENT: PERCHLOROETHYLENE (TETRACHLOROETHYLENE)

QUANTITY: 300 GALLONS

FISCAL YEAR: FY2014

SOLVENT: PERCHLOROETHYLENE (TETRACHLOROETHYLENE)

QUANTITY: 300 GALLONS

FISCAL YEAR: FY2013

SOLVENT: PERCHLOROETHYLENE (TETRACHLOROETHYLENE)

QUANTITY: 120 GALLONS

FISCAL YEAR: FY2012

SOLVENT: PERCHLOROETHYLENE (TETRACHLOROETHYLENE)

Dry Cleaner Registration Database (DCR)

QUANTITY: **200 GALLONS**

FISCAL YEAR: **FY2011**

SOLVENT: **PERCHLOROETHYLENE (TETRACHLOROETHYLENE)**

QUANTITY: **100 GALLONS**

FISCAL YEAR: **FY2010**

SOLVENT: **PERCHLOROETHYLENE (TETRACHLOROETHYLENE)**

QUANTITY: **300 GALLONS**

FISCAL YEAR: **FY2009**

SOLVENT: **PERCHLOROETHYLENE (TETRACHLOROETHYLENE)**

QUANTITY: **100 GALLONS**

FISCAL YEAR: **FY2008**

SOLVENT: **PERCHLOROETHYLENE (TETRACHLOROETHYLENE)**

QUANTITY: **200 GALLONS**

FISCAL YEAR: **FY2007**

SOLVENT: **PERCHLOROETHYLENE (TETRACHLOROETHYLENE)**

QUANTITY: **0 GALLONS**

FISCAL YEAR: **FY2006**

SOLVENT: **PERCHLOROETHYLENE (TETRACHLOROETHYLENE)**

QUANTITY: **450 GALLONS**

FISCAL YEAR: **FY2005**

SOLVENT: **PERCHLOROETHYLENE (TETRACHLOROETHYLENE)**

QUANTITY: **0 GALLONS**

FISCAL YEAR: **FY2004**

SOLVENT: **NOT REPORTED**

QUANTITY: **NOT REPORTED**

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 156

Distance from Property: 0.202 mi. (1,067 ft.) NE

Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRATION#: 87138 EPA ID: TXR000051300

TNRCC ID #: 115737

NAME: PARK AVENUE CLEANERS

ADDRESS: 2608 CALDER ST

BEAUMONT, TX 77702

CONTACT: DANIEL RICHARDS

PHONE: 409-8386220

BUSINESS DESCRIPTION: DRY CLEANING

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: ACTIVE

AMOUNT OF WASTE GENERATED: SMALL QUANTITY GENERATOR

GENERATOR TYPE: NON-INDUSTRIAL AND/OR MUNICIPAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS REQUIRED TO SUBMIT AN ANNUAL WASTE REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 09/23/2009

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

WASTE ID: 197033

WASTE CODE STATUS: ACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: YES

GENERATOR'S DESCRIPTION OF WASTE: RQ WASTE TETRACHLOROETHYLENE

WASTE ID: 234377

WASTE CODE STATUS: ACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: YES

GENERATOR'S DESCRIPTION OF WASTE: SPENT FILTERS FROM DRY CLEANING PROCESS. DATE OF GENERATION:

01/01/2008

WASTE ID: 234378

WASTE CODE STATUS: ACTIVE

WASTE IS RADIOACTIVE: NO

Industrial and Hazardous Waste Sites (IHW)

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **WASTE TETRACHLOETHYLENE SLUDGE GENERATED BY DISTILLATION AFTER THE DRY CLEANINGP**

[Back to Report Summary](#)

Affected Property Assessment Reports (APAR)

MAP ID# 157

Distance from Property: 0.204 mi. (1,077 ft.) WNW
Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

PROGRAM ID: 1886

REFERENCE NUMBER: RN103776894

FACILITY NAME: RENTAL SERVICE

ADDRESS: 4790 WASHINGTON BLVD
BEAUMONT, TX 77707

COUNTY: JEFFERSON

LOCATION DESCRIPTION: FROM INTERSTATE 10 HEADING SOUTH TAKE THE WASHINGTON BLVD EXIT GO WEST ON
WASHINGTON BLVD LESS THAN 1 MI ON THE NORTH SIDE OF WASHINGTON BLVD

TYPE OF FACILITY: RETAIL

FACILITY STATUS: COMPLETED

PROGRAM: VOLUNTARY CLEANUP

PROGRAM STATUS: INACTIVE

REMIEDIATIONS

NO REMEDIATION REPORTED

CATEGORY OF CONTAMINATION

DATE CONTAMINATIONS:

10/04/07 NOT REPORTED

10/04/07 METALS

10/04/07 VOCS

CONTACTS

THURMAN, PATRICK

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 157

Distance from Property: 0.204 mi. (1,077 ft.) WNW

Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

REGISTRATION#: 30197 EPA ID: TXT490012770

TNRCC ID #: 7764

NAME: LUTHER HENDON

ADDRESS: 4790 WASHINGTON BLVD
BEAUMONT, TX 77707

CONTACT: JIMMY HENDON

PHONE: 409-8423833

BUSINESS DESCRIPTION: NOT REPORTED

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: YES

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: NOT REPORTED

GENERATOR TYPE: NOT REPORTED

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 06/04/2010

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

WASTE ID: 6504

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

GENERATOR'S DESCRIPTION OF WASTE: NOT REPORTED

WASTE ID: 6505

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: YES

GENERATOR'S DESCRIPTION OF WASTE: NOT REPORTED

WASTE ID: 6506

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: YES

Industrial and Hazardous Waste Sites (IHW)

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **6507**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 157

Distance from Property: 0.204 mi. (1,077 ft.) WNW

Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

REGISTRATION#: **38095** EPA ID: **NOT REPORTED**

TNRCC ID #: **14727**

NAME: **LUTHER HENDON**

ADDRESS: **HIGHWAY 124
BEAUMONT, TX**

CONTACT: **JIMMY HENDON**

PHONE: **409-8423833**

BUSINESS DESCRIPTION: **NOT REPORTED**

INDUSTRIAL WASTE PERMIT #: **NOT REPORTED**

MUNICIPAL WASTE PERMIT #: **NOT REPORTED**

SIC CODE: **NOT REPORTED**

WASTE GENERATOR: **YES**

WASTE RECEIVER: **NO**

WASTE TRANSPORTER: **YES**

TRANSFER FACILITY: **NO**

MAQUILADORA (MEXICAN FACILITY): **NO**

STATUS: **INACTIVE**

AMOUNT OF WASTE GENERATED: **NOT REPORTED**

GENERATOR TYPE: **NOT REPORTED**

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): **06/04/2010**

ACTIVITIES

ACTIVITY TYPE: **UNKNOWN**

ACTIVITY DESCRIPTION: **NOT REPORTED**

WASTE

WASTE ID: **38644**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

[Back to Report Summary](#)

Industrial and Hazardous Waste Corrective Action Sites (IHWCA)

[MAP ID# 157](#)

Distance from Property: 0.204 mi. (1,077 ft.) WNW
Elevation: 17 ft. (Equal to TP)

PROGRAM ID: 30197

RN NUMBER: RN100646934

NAME: LUTHER HENDON

ADDRESS: 4790 WASHINGTON BLVD
BEAUMONT, TX 77707

STATUS: INACTIVE

STATUS DATE: 1/22/08

PHASE: COMPLETED WORKLOAD

LOCATION DESCRIPTION:

NOT REPORTED

[Back to Report Summary](#)

Voluntary Cleanup Program Sites (VCP)

MAP ID# 157

Distance from Property: 0.204 mi. (1,077 ft.) WNW
Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

PROGRAM ID#: 1886

NAME: RENTAL SERVICE

ADDRESS: 4790 WASHINGTON BLVD
BEAUMONT TX 77707

ADDRESS DESCRIPTION: FROM INTERSTATE 10 HEADING SOUTH TAKE THE WASHINGTON BLVD EXIT GO WEST ON WASHINGTON BLVD LESS THAN 1 MI ON THE NORTH SIDE OF WASHINGTON BLVD

ASSOCIATED VCP ID(s): 1886

PCA NUMBER: 34085

PROJECT NUMBER: 340850

LEGAL ID: 11210787

REGULATED ENTITY REFERENCE NUMBER (RN): RN103776894

CURRENT FACILITY TYPE: RETAIL

FORMER FACILITY TYPE: NOT REPORTED

PROJECT MANAGER: APRICE

PROJECT PHASE: COMPLETED

ADMINISTRATIVE STATUS: INACTIVE

CASHIER RECEIVED DATE: 12/07/2005

APPLICATION RECEIVED DATE: 12/08/2005

APPLICATION ACCEPTANCE DATE: 01/17/2006

VCP APPLICATION ACCEPTED: NOT REPORTED

AGREEMENT ACCEPTANCE DATE: NOT REPORTED

REGION NOTIFIED OF APPLICATION: 12/08/2005

TCEQ REGION NAME: REGION 10 - BEAUMONT

SWR NUMBER: 30197

AIR CHEMICAL OF CONCERN CLASSIFICATION: NOT REPORTED

GROUNDWATER CHEMICAL OF CONCERN CLASSIFICATION: VOCS; METALS

SEDIMENT CHEMICAL OF CONCERN CLASSIFICATION: NOT REPORTED

SOILS CHEMICAL OF CONCERN CLASSIFICATION: VOCS; METALS

SURFACE WATER CHEMICAL OF CONCERN CLASSIFICATION: NOT REPORTED

ABOVE_RES_CRITICAL_PCL: NOT REPORTED

ABOVE_RES_CRITICAL_PCL_OFFSITE: NOT REPORTED

LPST NO: NOT REPORTED

IOP ID: NOT REPORTED

EPA CERCLIS #: TXD490012770

EPA RCRIS #: NOT REPORTED

FILE MEDIA: PAPER

FILE LOCATION: D/211

Voluntary Cleanup Program Sites (VCP)

SITE SIZE: 1.377

TYPE OF REMEDY: **NOT REPORTED**

AIR REMEDIATION METHOD: **NOT REPORTED**

GROUNDWATER REMEDIATION METHOD: **NOT REPORTED**

SOIL REMEDIATION METHOD: **NOT REPORTED**

SURFACE WATER REMEDIATION METHOD: **NOT REPORTED**

AIR INSTITUTIONAL/ENGINEERING CONTROLS: **NOT REPORTED**

GROUNDWATER INSTITUTIONAL/ENGINEERING CONTROLS: **NOT REPORTED**

SEDIMENT INSTITUTIONAL/ENGINEERING CONTROLS: **NOT REPORTED**

SOIL INSTITUTIONAL/ENGINEERING CONTROLS: **NOT REPORTED**

SURFACE WATER INSTITUTIONAL/ENGINEERING CONTROLS: **NOT REPORTED**

CERTIFICATE OF COMPLETION DATE: **01/22/2008**

CONDITIONAL CERTIFICATE OF COMPLETION DATE: **NOT REPORTED**

APPLICABLE PROGRAM RULES: **TRRP**

APPLICABLE STANDARDS: **A**

APPLICABLE TRRP TIER: **1**

AFFILIATED CUSTOMER(S)

CN NUMBER: **CN602296196**

RN NUMBER: **RN103776894**

CUSTOMER NAME: **RSC EQUIPMENT RENTAL INC**

ROLE CD: **BILLCONT**

CONTACT NAME: **THURMAN, PATRICK**

CONTACT TITLE: **NOT REPORTED**

ORGANIZATION NAME: **RENTAL SERVICE CORPORATION**

MAILING ADDRESS: **6929 E GREENWAY PKWY**

MAILING CITY NAME: **SCOTTSDALE**

MAILING STATE: **AZ**

MAILING ZIPCODE: **85254**

CONTACT PHONE: **(480) 226-6047**

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 158

Distance from Property: 0.205 mi. (1,082 ft.) E

Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

REGISTRATION#: 80817 EPA ID: TXD988066734

TNRCC ID #: 35641

NAME: UNION PACIFIC RAILROAD BEAUMONT

ADDRESS: 2555 W CEDAR ST
BEAUMONT, TX 77702

CONTACT: TOM ROBINSON

PHONE: 225-3382935

BUSINESS DESCRIPTION: TRANSPORTATION COMPANY

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: YES

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: SMALL QUANTITY GENERATOR

GENERATOR TYPE: NON-INDUSTRIAL AND/OR MUNICIPAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 12/01/2005

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

WASTE ID: 119516

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

GENERATOR'S DESCRIPTION OF WASTE: 100% DRY SOLID WASTE CONTAINING PAPER, PACKAGING MATERIALS,
WOOD/WOOD SCRAPS, CA

WASTE ID: 119517

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

GENERATOR'S DESCRIPTION OF WASTE: ALKALINE TRACK SIGNAL BATTERIES GENERATED FROM REGULAR &
SCHEDULED EQUIPMENT MAI

WASTE ID: 69919

WASTE CODE STATUS: INACTIVE

Industrial and Hazardous Waste Sites (IHW)

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **69920**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 159

Distance from Property: 0.21 mi. (1,109 ft.) N
Elevation: 21 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 101826
LPST ID: 101826
FACILITY ID: 0020552
NAME: T MIX MATERIALS
ADDRESS: 2525 DOLLINGER RD
BEAUMONT, TX 77703

LEAKING TANK DETAILS

LPST ID: 101826
NAME: T MIX MATERIALS
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 5 - MINOR SOIL CONTAMINATION - DOES NOT REQUIRE A RAP
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 3/27/92
REPORTED DATE: 12/10/1991
ENTERED DATE: 03/27/1992
CLOSURE DATE: 06/29/1993

PRP INFORMATION

NAME: TRANSIT MIX
ADDRESS: ADDRESS NOT REPORTED
BEAUMONT TX 77726
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: DA8000	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1966	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 8000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 12/31/1991
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
STEEL
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **57496**

TANK ID: **DA8000**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **DB8000**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1966**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **12/31/1991**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **57497**

TANK ID: **DB8000**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

Leaking Petroleum Storage Tanks (LPST)

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

AST ID #: **152328** MULTIPLE COMPARTMENT FLAG: **NO**

TANK ID: **1** REGISTRATION DATE: **05/08/1986**

INSTALLATION DATE: **01/01/1992** STATUS BEGIN DATE: **01/01/1992**

TANK CAPACITY (GAL): **8000** REGULATORY STATUS: **FULLY REGULATED**

STATUS: **IN USE** SUBSTANCES: **DIESEL**

MATERIAL OF CONSTRUCTION

STEEL: **YES** CORRUGATED METAL: **NO**

FIBERGLASS: **NO** CONCRETE: **NO**

ALUMINIUM: **NO**

CONTAINMENT

EARTHEN DIKE: **NO** CONCRETE: **YES**

CONTAINMENT LINER: **NO** NONE: **NO**

STAGE I VAPOR RECOVERY: **NOT REPORTED**

STAGE I INSTALLATION DATE: **NOT REPORTED**

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 159

Distance from Property: 0.21 mi. (1,109 ft.) N
Elevation: 21 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 20552
NAME: BEAUMONT DOLLINGER READY MIX
ADDRESS: 2525 DOLLINGER RD
BEAUMONT, TX 77703
COUNTY: JEFFERSON
REGION: 10
TYPE: INDUST/MFG/CHEM PLANT
BEGIN DATE: 09/10/1986
STATUS: ACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 1

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 12/22/2016
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 12/22/2016
SIGNATURE NAME & TITLE: JULIA ANDOE, SR ENV ENGR
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600125157
NAME: TXI OPERATIONS LP
CONTACT ADDRESS: 1341 W MOCKINGBIRD LN
DALLAS TX 75247

TYPE: PARTNERSHIP
BEGIN DATE: 12/22/2016
CONTACT ROLE: OWNOPRCON
CONTACT NAME: EMILE LEO FACIANE
CONTACT TITLE: VP-ENVIRONMENTAL
ORGANIZATION: TXI OPERATIONS LP
PHONE: (972) 6473879 0
FAX: (972) 6473831

EMAIL: NOT REPORTED
OWNER NUMBER: CN600408009
NAME: TRINITY CONSTRUCTION MATERIALS INC
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: CORPORATION/COMPANY
BEGIN DATE: 09/10/1986
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED

CONTACT INFORMATION

NAME: SIDNEY MOSS
TITLE: MGR
ORGANIZATION: BEAUMONT DOLLINGER READY MIX
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 6543351 0

Petroleum Storage Tanks (PST)

FAX: **NOT REPORTED**
EMAIL: **NOT REPORTED**

OPERATOR

OPERATOR NUMBER: **CN600125157**
NAME: **TXI OPERATIONS LP**
CONTACT ADDRESS: **1341 W MOCKINGBIRD LN**
DALLAS TX 75247

TYPE: **PARTNERSHIP**
BEGIN DATE: **12/22/2016**
CONTACT ROLE: **OWNOPRCON**
CONTACT NAME: **EMILE LEO FACIANE**
CONTACT TITLE: **VP-ENVIRONMENTAL**
ORGANIZATION: **TXI OPERATIONS LP**
PHONE: **(972) 6473879 0**

FAX: **(972) 6473831**
EMAIL: **NOT REPORTED**
OPERATOR NUMBER: **CN600408009**
NAME: **TRANSIT MIX CONCRETE & MATERIALS COMPANY**
CONTACT ADDRESS: **PO BOX 373**
FERRIS TX 75125

TYPE: **CORPORATION/COMPANY**
BEGIN DATE: **09/10/1986**
CONTACT ROLE: **OPRCON**
CONTACT NAME: **BOBBY BAILEY**
CONTACT TITLE: **ENVIRONMENTAL COORDINATOR**
ORGANIZATION: **TRANSIT MIX CONCRETE & MATERIALS COMPANY**
PHONE: **(972) 5445900 0**
FAX: **(972) 5445950**
EMAIL: **BOBBY.BAILEY@TRIN.NET**

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: DA8000	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1966	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 8000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 12/31/1991
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
STEEL
CORROSION PROTECTION:
NOT REPORTED

Petroleum Storage Tanks (PST)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **57496**

TANK ID: **DA8000**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **DB8000**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1966**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **12/31/1991**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **57497**

TANK ID: **DB8000**

COMPARTMENT LETTER: **A**

Petroleum Storage Tanks (PST)

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

AST ID #: **152328** MULTIPLE COMPARTMENT FLAG: **NO**

TANK ID: **1** REGISTRATION DATE: **05/08/1986**

INSTALLATION DATE: **01/01/1992** STATUS BEGIN DATE: **01/01/1992**

TANK CAPACITY (GAL): **8000** REGULATORY STATUS: **FULLY REGULATED**

STATUS: **IN USE** SUBSTANCES: **DIESEL**

MATERIAL OF CONSTRUCTION

STEEL: **YES** CORRUGATED METAL: **NO**

FIBERGLASS: **NO** CONCRETE: **NO**

ALUMINIUM: **NO**

CONTAINMENT

EARTHEN DIKE: **NO** CONCRETE: **YES**

CONTAINMENT LINER: **NO** NONE: **NO**

STAGE I VAPOR RECOVERY: **NOT REPORTED**

STAGE I INSTALLATION DATE: **NOT REPORTED**

[Back to Report Summary](#)

Innocent Owner / Operator Database (IOP)

MAP ID# 160

Distance from Property: 0.211 mi. (1,114 ft.) ENE
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

ID#: 0067
DATE IOP RECIEVED: 10/8/1998
CERTIFICATE ISSUED: NOT REPORTED
NAME: SUPER SHOPS STORE
ADDRESS: 3655 STAGG DRIVE
BEAUMONT, TX 77701
CONTAMINANTS: CHLORINATED SOLVENTS
MEDIA AFFECTED: GROUNDWATER
PHASE: WITHDRAWAL
PROPERTY USE: AUTOMOTIVE PARTS/TIRE STORE
ACRES: 1

OTHER CONTACTS (CONSULTANT/ATTORNEY)

ORGANIZATION: SEDGWICK, DETERT, ET AL
THOMAS J. BOIS ATTORNEY
3 PARK PLAZA, 17TH FLOOR
IRVINE CA 92614-8540
PHONE: 949-852-8200 FAX: 940-852-8282

APPLICANT INFORMATION

ORGANIZATION: HALLE ENTERPRISES, DBA DISCO
THOMAS J. BOIS, ASSISTANT G
ADDRESS: 14631 NORTH SCOTTSDALE ROAD
SCOTTSDALE, AZ, 85254
INTEREST IN SITE: PURCHASER
PHONE: 602-443-2319 FAX: 602-443-5353

[Back to Report Summary](#)

Innocent Owner / Operator Database (IOP)

MAP ID# 160

Distance from Property: 0.211 mi. (1,114 ft.) ENE
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

ID#: 0285
DATE IOP RECIEVED: 1/3/2002
CERTIFICATE ISSUED: 5/2/2002
NAME: EBERLIN PROPERTY
ADDRESS: 3655 STAGG DRIVE
BEAUMONT, TX 77701
CONTAMINANTS: CHLORINATED SOLVENTS
MEDIA AFFECTED: SOILS/GROUNDWATER
PHASE: COMPLETED
PROPERTY USE: AUTOMOTIVE ACCESSORIES
ACRES: 0.65

OTHER CONTACTS (CONSULTANT/ATTORNEY)

ORGANIZATION: ECS, LTD.
JAMES R. DEVALOIS SENIOR PROJECT MANAGEMENT
4950 KELLER SPRINGS ROAD, #480
ADDISON TX 75001
PHONE: 972-392-3222 FAX: 972-392-0102

APPLICANT INFORMATION

ORGANIZATION: HRE PROPERTIES
JAMES R. DEVALOIS, ATTORNEY
ADDRESS: 2685 LAKERIDGE SHORES WEST
RENO, NV, 89509
INTEREST IN SITE: OWNER
PHONE: 775-825-2349 FAX: 775-825-9073

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 161

Distance from Property: 0.213 mi. (1,125 ft.) WNW
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

ID#: 11699
NAME: H B NEILD & SONS
ADDRESS: 5950 WALDEN RD
BEAUMONT, TX 77707
COUNTY: JEFFERSON
REGION: 10
TYPE: UNKNOWN
BEGIN DATE: 07/29/1986
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/08/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 04/16/1986
SIGNATURE NAME & TITLE: THOMAS B NEILD, VP
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN601009509
NAME: H B NEILD & SONS INC
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: CORPORATION/COMPANY
BEGIN DATE: 07/29/1986
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1971	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 1000	EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: NOT REPORTED
TITLE: NOT REPORTED
ORGANIZATION: H B NEILD & SONS
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8422272 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **08/29/1988**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30266**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1971**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **1000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **08/29/1988**

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

Petroleum Storage Tanks (PST)

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30267**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

INSTALLATION DATE: **01/01/1971**

TANK CAPACITY (GAL): **2000**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **05/08/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **08/29/1988**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30268**

TANK ID: **3**

Petroleum Storage Tanks (PST)

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **2000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 162

Distance from Property: 0.214 mi. (1,130 ft.) E
Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

ID#: 15301
NAME: BEAUMONT FIRE STATION 10
ADDRESS: 3855 WASHINGTON BLVD
BEAUMONT, TX 77705
COUNTY: JEFFERSON
REGION: 10
TYPE: FLEET REFUELING
BEGIN DATE: 08/14/1986
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/08/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 03/19/1986
SIGNATURE NAME & TITLE: C A SHELTON, FIRE CHIEF
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600130439
NAME: CITY OF BEAUMONT
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: OTHER GOVERNMENT

BEGIN DATE: 08/14/1986
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1984	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 2000	EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: REXFORD C HOFFPAUIR
TITLE: SUPPLY CAPT
ORGANIZATION: BEAUMONT FIRE STATION 10
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8380630 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **01/30/1998**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **50242**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **2000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1984**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **2000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **01/30/1998**

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

Petroleum Storage Tanks (PST)

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **50241**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **2000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 162

Distance from Property: 0.214 mi. (1,130 ft.) E
Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

ID#: 15304
NAME: STORAGE AREA
ADDRESS: 3140 MUNICIPAL DR
BEAUMONT, TX 77707
COUNTY: JEFFERSON
REGION: 10
TYPE: UNKNOWN
BEGIN DATE: 08/14/1986
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/08/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 03/19/1986
SIGNATURE NAME & TITLE: C A SHELTON, FIRE CHIEF
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600130439
NAME: CITY OF BEAUMONT
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: OTHER GOVERNMENT

BEGIN DATE: 08/14/1986
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1961	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 10000	EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: NOT REPORTED
TITLE: NOT REPORTED
ORGANIZATION: STORAGE AREA
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8380630 0

Petroleum Storage Tanks (PST)

STATUS: **PERM FILLED IN PLACE** STATUS BEGIN DATE: **08/31/1987**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **50246**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 163

Distance from Property: 0.214 mi. (1,130 ft.) SSW

Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

REGISTRATION#: 72577 EPA ID: TXD982284051

TNRCC ID #: 27017

NAME: FLEET MANAGEMENT

ADDRESS: 4955 LAFIN DR
BEAUMONT, TX 77705

CONTACT: JEFF CHAVEZ

PHONE: 409-8425885

BUSINESS DESCRIPTION: NOT REPORTED

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: NOT A HW GENERATOR

GENERATOR TYPE: NON-INDUSTRIAL AND/OR MUNICIPAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 06/10/2003

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

WASTE ID: 92420

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: YES

GENERATOR'S DESCRIPTION OF WASTE: ASPHALT STREET PATCHING MATERIAL REMAINING UPON COMPLETION OF STREET REPAIR WORK

WASTE ID: 52720

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: YES

GENERATOR'S DESCRIPTION OF WASTE: NOT REPORTED

WASTE ID: 52721

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

Industrial and Hazardous Waste Sites (IHW)

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 163

Distance from Property: 0.214 mi. (1,130 ft.) SSW
Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

GEOSEARCH ID: 118793
LPST ID: 118793
FACILITY ID: 0040709
NAME: FLEET MANAGEMENT
ADDRESS: 4955 LAFIN RD
BEAUMONT, TX 77704

LEAKING TANK DETAILS

LPST ID: 118793
NAME: FLEET MANAGEMENT
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 4.2 - NO GW IMPACT NO APPARENT THREATS OR IMPACTS TO RECEPTORS
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 11/5/13
REPORTED DATE: 02/20/2012
ENTERED DATE: 04/19/2012
CLOSURE DATE: 11/05/2013

PRP INFORMATION

NAME: CITY OF BEAUMONT
ADDRESS: ADDRESS NOT REPORTED
BEAUMONT TX 77705
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 12/01/1983	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 10000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 01/28/2013
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
FRP
CORROSION PROTECTION:
FRP TANK OR PIPING (NONCORRODIBLE)
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: YES
CORROSION PROTECTION VARIANCE: NO VARIANCE

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **2541**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **NOT REPORTED**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1**

INSTALLATION DATE: **12/01/1983**

TANK CAPACITY (GAL): **10000**

STATUS: **IN USE**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **YES**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **05/08/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **12/01/1983**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **2541**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

Leaking Petroleum Storage Tanks (LPST)

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **12/01/1983**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **PERM FILLED IN PLACE**

STATUS BEGIN DATE: **09/19/2003**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **2542**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

Leaking Petroleum Storage Tanks (LPST)

MATERIAL: **FRP**

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **12/01/1983**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **12/01/1983**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **2543**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY**

CONTROL

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **12/01/1983**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **1000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **06/14/2018**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **2544**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **NOT REPORTED**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING,WEEKLY MANUAL TANK GAUGING (TANKS <= 1000 GAL)**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **N/A - ALL DELIVERIES TO TANK <= 25 GAL**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **12/01/1983**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **1000**

EMPTY TANK: **EMPTY**

STATUS: **TEMP OUT OF SERVICE**

STATUS BEGIN DATE: **02/01/2016**

Leaking Petroleum Storage Tanks (LPST)

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES** TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **2544**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING, WEEKLY MANUAL TANK GAUGING (TANKS <= 1000 GAL)**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **N/A - ALL DELIVERIES TO TANK <= 25 GAL**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **12/01/1983**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **1000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **12/01/1983**

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES** TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

Leaking Petroleum Storage Tanks (LPST)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **2544**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING, WEEKLY MANUAL TANK GAUGING (TANKS <= 1000 GAL)**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **N/A - ALL DELIVERIES TO TANK <= 25 GAL**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

AST ID #: **218629** MULTIPLE COMPARTMENT FLAG: **NO**

TANK ID: **1** REGISTRATION DATE: **06/27/2013**

INSTALLATION DATE: **03/04/2013** STATUS BEGIN DATE: **03/04/2013**

TANK CAPACITY (GAL): **6000** REGULATORY STATUS: **FULLY REGULATED**

STATUS: **IN USE** SUBSTANCES: **GASOLINE**

MATERIAL OF CONSTRUCTION

STEEL: **NO** CORRUGATED METAL: **NO**

FIBERGLASS: **NO** CONCRETE: **NO**

ALUMINIUM: **NO**

CONTAINMENT

EARTHEN DIKE: **NO** CONCRETE: **NO**

CONTAINMENT LINER: **NO** NONE: **NO**

STAGE I VAPOR RECOVERY: **TWO POINT SYSTEM**

STAGE I INSTALLATION DATE: **03/04/2013**

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 163

Distance from Property: 0.214 mi. (1,130 ft.) SSW
Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

ID#: 40709
NAME: FLEET MANAGEMENT
ADDRESS: 4955 LAFIN DR
BEAUMONT, TX 77705
COUNTY: JEFFERSON
REGION: 10
TYPE: FLEET REFUELING
BEGIN DATE: 12/01/1983
STATUS: ACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 1
NUMBER OF ACTIVE ABOVEGROUND TANKS: 1

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 07/17/2018
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 07/17/2018
SIGNATURE NAME & TITLE: JEFF HARVILLE, FLEET MGR
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600130439
NAME: CITY OF BEAUMONT
CONTACT ADDRESS: PO BOX 3827
BEAUMONT TX 77704

TYPE: OTHER GOVERNMENT
BEGIN DATE: 01/19/1987
CONTACT ROLE: OWNCON
CONTACT NAME: BILL LAMBERT
CONTACT TITLE: FLT SUPT
ORGANIZATION: CITY OF BEAUMONT
PHONE: (409) 8425885 0
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

OPERATOR NUMBER: CN600130439
NAME: CITY OF BEAUMONT
CONTACT ADDRESS: PO BOX 3827
BEAUMONT TX 77704
TYPE: OTHER GOVERNMENT
BEGIN DATE: 01/19/1987
CONTACT ROLE: OPRCON
CONTACT NAME: BENGY WILLIAMS
CONTACT TITLE: NOT REPORTED

CONTACT INFORMATION

NAME: JEFF CHAVEZ
TITLE: FLEET SUPT
ORGANIZATION: FLEET MANAGEMENT
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8425885 0

Petroleum Storage Tanks (PST)

ORGANIZATION: CITY OF BEAUMONT

PHONE: (409) 8803795 0

FAX: (409) 8421722

EMAIL: BWILLIAMS@CI.BEAUMONT.TX.US

SELF-CERTIFICATION

SELF-CERTIFICATION ID: 301307

SIGNATURE DATE: 02/13/2018

SIGNATURE NAME & TITLE: JEFF HARVILLE, FLEET MGR

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 285872

SIGNATURE DATE: 04/27/2017

SIGNATURE NAME & TITLE: JEFF HARVILLE, FLT MGR

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 267254

SIGNATURE DATE: 02/09/2016

SIGNATURE NAME & TITLE: JEFF HARVILLE, FLEET MAINT MGR

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 253515

SIGNATURE DATE: 05/20/2015

SIGNATURE NAME & TITLE: JEFF HARVILLE, FLT SUPV

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 234539

SIGNATURE DATE: 03/17/2014

SIGNATURE NAME & TITLE: JEFF CHAVEZ, FLEET SUPER

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 219522

SIGNATURE DATE: 02/26/2013

SIGNATURE NAME & TITLE: JEFF CHAVEZ, FLEET SUPER

FILING STATUS: INITIAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 2102

SIGNATURE DATE: 03/16/2012

SIGNATURE NAME & TITLE: JEFF CHAVEZ, FLEET SUPT

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 2101

SIGNATURE DATE: 02/25/2011

SIGNATURE NAME & TITLE: JEFF CHAVEZ, FLEET SUPT

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 2100

SIGNATURE DATE: 03/24/2010

Petroleum Storage Tanks (PST)

SIGNATURE NAME & TITLE: **JEFF CHAVEZ, FLT SUPT**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **2099**
SIGNATURE DATE: **04/28/2009**
SIGNATURE NAME & TITLE: **JEFF CHAVEZ, FLT SUPT**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **2098**
SIGNATURE DATE: **04/02/2008**
SIGNATURE NAME & TITLE: **JEFF CHAVEZ, FLEET SUPT**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **2097**
SIGNATURE DATE: **02/24/2007**
SIGNATURE NAME & TITLE: **JEFF CHAVEZ, FLEET SUPER**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **2096**
SIGNATURE DATE: **02/23/2006**
SIGNATURE NAME & TITLE: **JEFF CHAVEZ, SUPERINTENDENT**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **2095**
SIGNATURE DATE: **03/26/2005**
SIGNATURE NAME & TITLE: **JEFF CHAVEZ, COOR PET MARKETING**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **2094**
SIGNATURE DATE: **03/17/2004**
SIGNATURE NAME & TITLE: **JEFF CHAVEZ, FLEET SUPERINTENDENT**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **2093**
SIGNATURE DATE: **03/20/2003**
SIGNATURE NAME & TITLE: **JEFF CHAVEZ, NOT REPORTED**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **2092**
SIGNATURE DATE: **03/14/2002**
SIGNATURE NAME & TITLE: **JEFF CHAVEZ, FLEET SUPT**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **2091**
SIGNATURE DATE: **04/17/2001**
SIGNATURE NAME & TITLE: **JEFF CHAVEZ, FLEET SUPERVISOR**
FILING STATUS: **INITIAL**

Petroleum Storage Tanks (PST)

REGISTRATION FLAG: **YES**

CONSTRUCTION NOTIFICATION

NOTIFICATION CONSTRUCTION ID: **33099**

APPLICATION RECEIVED DATE: **06/07/2018**

SCHEDULE CONSTRUCTION DATE: **06/14/2018**

GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:

REVISED SCHEDULED CONSTRUCTION DATE FOR REMOVAL OF (1) 2K UST

NOTIFICATION CONSTRUCTION ID: **32989**

APPLICATION RECEIVED DATE: **05/10/2018**

SCHEDULE CONSTRUCTION DATE: **06/12/2018**

GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:

REMOVAL (1) 2000 GALLON UST.

NOTIFICATION CONSTRUCTION ID: **28883**

APPLICATION RECEIVED DATE: **01/25/2016**

SCHEDULE CONSTRUCTION DATE: **01/29/2016**

GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:

EXCAVATE TO THE TOP OF THE USED OIL TANK AND LINE TO INSPECT AND REPAIR IF POSSIBLE.

NOTIFICATION CONSTRUCTION ID: **252**

APPLICATION RECEIVED DATE: **06/17/2011**

SCHEDULE CONSTRUCTION DATE: **07/18/2011**

GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:

INSTALL VAPOR MONITORING WELLS TO COMPLY WITH MONTHLY VAPOR RELEASE DETECTION FOR UST'S AND ANCILLARY PIPING AND EQUIPMENT. TEXAS MONITOR WELL DRILLER #3041M AND #54366M

UNDERGROUND STORAGE TANK

TANK ID: **1**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **12/01/1983**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **01/28/2013**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **2541**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **NOT REPORTED**

OTHER SUBSTANCES: **NOT REPORTED**

Petroleum Storage Tanks (PST)

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

GROUNDWATER MONITORING,ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **12/01/1983**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **12/01/1983**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **2541**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

Petroleum Storage Tanks (PST)

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

GROUNDWATER MONITORING,ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO.

LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **12/01/1983**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **PERM FILLED IN PLACE**

STATUS BEGIN DATE: **09/19/2003**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **2542**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

Petroleum Storage Tanks (PST)

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

**GROUNDWATER MONITORING,ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO.
LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **12/01/1983**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **12/01/1983**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **2543**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

**GROUNDWATER MONITORING,ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO.
LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)**

Petroleum Storage Tanks (PST)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **12/01/1983**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **1000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **06/14/2018**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **2544**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **NOT REPORTED**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING, WEEKLY MANUAL TANK GAUGING (TANKS <= 1000 GAL)**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **N/A - ALL DELIVERIES TO TANK <= 25 GAL**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

GROUNDWATER MONITORING

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **12/01/1983**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **1000**

EMPTY TANK: **EMPTY**

STATUS: **TEMP OUT OF SERVICE**

STATUS BEGIN DATE: **02/01/2016**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

Petroleum Storage Tanks (PST)

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **2544**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING, WEEKLY MANUAL TANK GAUGING (TANKS <= 1000 GAL)**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **N/A - ALL DELIVERIES TO TANK <= 25 GAL**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

GROUNDWATER MONITORING

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **12/01/1983**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **1000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **12/01/1983**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

Petroleum Storage Tanks (PST)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **2544**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING, WEEKLY MANUAL TANK GAUGING (TANKS <= 1000 GAL)**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **N/A - ALL DELIVERIES TO TANK <= 25 GAL**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

GROUNDWATER MONITORING

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

AST ID #: **218629** MULTIPLE COMPARTMENT FLAG: **NO**

TANK ID: **1** REGISTRATION DATE: **06/27/2013**

INSTALLATION DATE: **03/04/2013** STATUS BEGIN DATE: **03/04/2013**

TANK CAPACITY (GAL): **6000** REGULATORY STATUS: **FULLY REGULATED**

STATUS: **IN USE** SUBSTANCES: **GASOLINE**

MATERIAL OF CONSTRUCTION

STEEL: **NO** CORRUGATED METAL: **NO**

FIBERGLASS: **NO** CONCRETE: **NO**

ALUMINIUM: **NO**

CONTAINMENT

EARTHEN DIKE: **NO** CONCRETE: **NO**

CONTAINMENT LINER: **NO** NONE: **NO**

STAGE I VAPOR RECOVERY: **TWO POINT SYSTEM**

STAGE I INSTALLATION DATE: **03/04/2013**

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 164

Distance from Property: 0.215 mi. (1,135 ft.) NW

Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRATION#: 32313 EPA ID: TXD051877348

TNRCC ID #: 9853

NAME: TRIMAC TRANSPORTATION BEAUMONT

ADDRESS: 5055 WASHINGTON BLVD
BEAUMONT, TX 77707

CONTACT: KARLAN KIM BARTHLOW

PHONE: 770-9644848-212

BUSINESS DESCRIPTION: BULK TRANSPORTATION

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: YES

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: ACTIVE

AMOUNT OF WASTE GENERATED: CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR

GENERATOR TYPE: INDUSTRIAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS REQUIRED TO SUBMIT AN ANNUAL WASTE REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 12/31/2018

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

WASTE ID: 112434

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: YES

GENERATOR'S DESCRIPTION OF WASTE: NAPHTHA SOLVENT

WASTE ID: 87559

WASTE CODE STATUS: ACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

GENERATOR'S DESCRIPTION OF WASTE: USED MOTOR OIL. OIL CHANGES. 4-82.

WASTE ID: 87560

WASTE CODE STATUS: ACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

Industrial and Hazardous Waste Sites (IHW)

GENERATOR'S DESCRIPTION OF WASTE: **WASH WATER FROM TANKS, TANK TRUCKS. TANK CLEANING. 4-82**

WASTE ID: **87561**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **TANK TRUCK DRAININGS AN FLUSHINGS. TANK TRUCK CLEANING. 4-82.**

WASTE ID: **87562**

WASTE CODE STATUS: **ACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **SLUDGE CONTAINING TRACE CHEMICALS.TANK TRUCK CLEANING AND WASTEWATER TREATMENT.**

WASTE ID: **87563**

WASTE CODE STATUS: **ACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **TANK TRUCK DRAININGS AND FLUSHINGS. TANK TRUCK CLEANINGS. 4/82.**

WASTE ID: **87564**

WASTE CODE STATUS: **ACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **PETROLEUM DISTILLATES. PARTS CLEANING STATION. 4/82.**

WASTE ID: **170688**

WASTE CODE STATUS: **ACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **PLANT TRASH**

WASTE ID: **232018**

WASTE CODE STATUS: **ACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NON HAZARDOUS TANK RESIDUALS**

WASTE ID: **232019**

WASTE CODE STATUS: **ACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **TANK RESIDUALS, NON HAZARDOUS FATTY ACIDS**

WASTE ID: **376327**

WASTE CODE STATUS: **ACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **TANK TRUCK DRAININGS AND FLUSHINGS.**

WASTE ID: **381498**

WASTE CODE STATUS: **ACTIVE**

WASTE IS RADIOACTIVE: **NO**

Industrial and Hazardous Waste Sites (IHW)

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **PRODUCT RESIDUAL CONSISTING OF CLAYSROB AND OIL**

WASTE ID: **406650**

WASTE CODE STATUS: **ACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **WASTE HEEL FROM TRANSPORTATION EQUIPMENT CLEANING. ORGANIC, IGNITABLE LIQUID. IN**

WASTE ID: **406651**

WASTE CODE STATUS: **ACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **HEEL AND HEEL RINSE FROM TRANSPORTATION EQUIPMENT CLEANING. CONTAMINATED WITH AC**

WASTE ID: **24854**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **24855**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **24857**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **24858**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **24859**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **24856**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 164

Distance from Property: 0.215 mi. (1,135 ft.) NW
Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

ID#: 32329
NAME: TRIMAC TRANSPORTATION SOUTH
ADDRESS: 5055 WASHINGTON BLVD
BEAUMONT, TX 77707
COUNTY: JEFFERSON
REGION: 10
TYPE: FLEET REFUELING
BEGIN DATE: 11/19/1986
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: YES
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 04/08/2014
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 04/08/2014
SIGNATURE NAME & TITLE: TRAVIS OBANION, SIGNATURE TITLE NOT REPORTED
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN604032136
NAME: TRIMAC TRANSPORTATION SOUTH INC
CONTACT ADDRESS: PO BOX 674421
HOUSTON TX 77267
TYPE: CORPORATION/COMPANY
BEGIN DATE: 05/01/2010
CONTACT ROLE: OWNCON
CONTACT NAME: TRAVIS OBANION
CONTACT TITLE: DIR WR & ENV
ORGANIZATION: TRIMAC TRANSPORTATION SOUTH INC
PHONE: (281) 9850008 0
FAX: NOT REPORTED
EMAIL: NOT REPORTED
OWNER NUMBER: CN600404628
NAME: TRIMAC TRANSPORTATION INC
CONTACT ADDRESS: PO BOX 674421
HOUSTON TX 77267
TYPE: CORPORATION/COMPANY
BEGIN DATE: 01/18/2007
CONTACT ROLE: OWNOPRCON
CONTACT NAME: TRAVIS OBANION
CONTACT TITLE: DIR WR & ENV
ORGANIZATION: TRIMAC TRANSPORTATION INC
PHONE: (281) 9850008 0

CONTACT INFORMATION

NAME: SAM ATKINSON
TITLE: BR MGR
ORGANIZATION: TRIMAC TRANSPORTATION SOUTH
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 4821510 0

Petroleum Storage Tanks (PST)

FAX: **NOT REPORTED**
EMAIL: **NOT REPORTED**

OPERATOR

OPERATOR NUMBER: **CN604032136**
NAME: **TRIMAC TRANSPORTATION SOUTH INC**
CONTACT ADDRESS: **PO BOX 674421**
HOUSTON TX 77267
TYPE: **CORPORATION/COMPANY**
BEGIN DATE: **05/01/2010**
CONTACT ROLE: **OPRCON**
CONTACT NAME: **TRAVIS OBANION**
CONTACT TITLE: **DIR WR & ENV**
ORGANIZATION: **TRIMAC TRANSPORTATION SOUTH INC**
PHONE: **(281) 9850008 0**

FAX: **NOT REPORTED**
EMAIL: **NOT REPORTED**
OPERATOR NUMBER: **CN600404628**
NAME: **TRIMAC TRANSPORTATION INC**
CONTACT ADDRESS: **PO BOX 674421**
HOUSTON TX 77267

TYPE: **CORPORATION/COMPANY**
BEGIN DATE: **01/18/2007**
CONTACT ROLE: **OPRCON**
CONTACT NAME: **TRAVIS OBANION**
CONTACT TITLE: **NOT REPORTED**
ORGANIZATION: **TRIMAC TRANSPORTATION SOUTH INC**
PHONE: **(281) 9850008 0**
FAX: **(281) 4494888**
EMAIL: **NOT REPORTED**

SELF-CERTIFICATION

SELF-CERTIFICATION ID: **234717**
SIGNATURE DATE: **04/08/2014**
SIGNATURE NAME & TITLE: **TRAVIS OBANION, CM**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **220952**
SIGNATURE DATE: **03/18/2013**
SIGNATURE NAME & TITLE: **TRAVIS OBANION, CM**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **109075**
SIGNATURE DATE: **04/11/2012**
SIGNATURE NAME & TITLE: **TRAVIS O'BANION, DIR**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **109074**
SIGNATURE DATE: **04/06/2011**

Petroleum Storage Tanks (PST)

SIGNATURE NAME & TITLE: **TRAVIS O'BANION, DIR**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **109073**
SIGNATURE DATE: **05/21/2010**
SIGNATURE NAME & TITLE: **TRAVIS O'BANION, DIR WR & ENV SERV**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **109072**
SIGNATURE DATE: **03/20/2009**
SIGNATURE NAME & TITLE: **TRAVIS O'BANION, DIR WR & ENV SERV**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **109071**
SIGNATURE DATE: **05/13/2008**
SIGNATURE NAME & TITLE: **TRAVIS O'BANION, DIR ENV SVCS**
FILING STATUS: **INITIAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **109070**
SIGNATURE DATE: **11/27/2006**
SIGNATURE NAME & TITLE: **TRAVIS O'BANION, DIR OF ENV SERV**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **109069**
SIGNATURE DATE: **12/29/2005**
SIGNATURE NAME & TITLE: **TRAVIS O'BANION, DIR WR & ENVIRO SVS**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **109068**
SIGNATURE DATE: **12/13/2004**
SIGNATURE NAME & TITLE: **TRAVIS O'BANION, DIR ENV SERVICES**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **109067**
SIGNATURE DATE: **02/03/2004**
SIGNATURE NAME & TITLE: **TRAVIS O'BANION, DIR WASHRACK ENV SVC**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **109066**
SIGNATURE DATE: **12/10/2002**
SIGNATURE NAME & TITLE: **TRAVIS O'BANION, DIR WASHRACK & ENVIR**
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **109065**
SIGNATURE DATE: **12/03/2001**
SIGNATURE NAME & TITLE: **TRAVIS O'BANION, DIRECTOR**
FILING STATUS: **RENEWAL**

Petroleum Storage Tanks (PST)

REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **109064**
SIGNATURE DATE: **05/01/2001**
SIGNATURE NAME & TITLE: **TRAVIS O'BANION, NOT REPORTED**
FILING STATUS: **INITIAL**
REGISTRATION FLAG: **YES**

CONSTRUCTION NOTIFICATION

NOTIFICATION CONSTRUCTION ID: **28857**
APPLICATION RECEIVED DATE: **01/21/2016**
SCHEDULE CONSTRUCTION DATE: **02/22/2016**
GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:
REMOVAL OF (1) 12,000 GAL UST DIESEL TANK.

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1987	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 12000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 02/11/2016
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: YES
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: YES

TANK DETAILS

MATERIAL:
COATED
CORROSION PROTECTION:
EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,FRP TANK OR PIPING (NONCORRODIBLE)
EXTERNAL CONTAINMENT:
NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **98512**
TANK ID: **1**
COMPARTMENT LETTER: **A**
SUBSTANCES: **NOT REPORTED**
OTHER SUBSTANCES: **NOT REPORTED**
CAPACITY (GAL): **12000**
COMPARTMENT RELEASE DETECTION: **MONITORING OF SECONDARY CONTAINMENT BARRIER,AUTOMATIC TANK GAUGE**
TEST & INVENTORY CONTROL
SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**
SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE

PIPING SYSTEMS

MATERIAL: **STEEL**
CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,CATHODIC PROTECTION - FACTORY**
INSTALLATION
EXTERNAL CONTAINMENT: **NOT REPORTED**
CONNECTORS & VALVES:

Petroleum Storage Tanks (PST)

NOT REPORTED

PIPING RELEASE DETECTION:

MONITORING OF SECONDARY CONTAINMENT BARRIER,ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1987**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **12000**

EMPTY TANK: **EMPTY**

STATUS: **TEMP OUT OF SERVICE**

STATUS BEGIN DATE: **12/31/2014**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

COATED

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **98512**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **12000**

COMPARTMENT RELEASE DETECTION: **MONITORING OF SECONDARY CONTAINMENT BARRIER,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,CATHODIC PROTECTION - FACTORY INSTALLATION**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

MONITORING OF SECONDARY CONTAINMENT BARRIER,ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

Petroleum Storage Tanks (PST)

CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1987	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 12000	EMPTY TANK: EMPTY
STATUS: TEMP OUT OF SERVICE	STATUS BEGIN DATE: 12/31/2014
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: YES
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: YES

TANK DETAILS

MATERIAL:

COATED

CORROSION PROTECTION:

EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **98512**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **12000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,CATHODIC PROTECTION - FACTORY
INSTALLATION**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

**MONITORING OF SECONDARY CONTAINMENT BARRIER,ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC
MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 165

Distance from Property: 0.217 mi. (1,146 ft.) E
Elevation: 29 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 114357
LPST ID: 114357
FACILITY ID: 0038822
NAME: MARKET PLACE 30
ADDRESS: 2790 N 11TH ST
BEAUMONT, TX 77703

LEAKING TANK DETAILS

LPST ID: 114357
NAME: MARKET PLACE 30
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 3/12/99
REPORTED DATE: 01/11/1999
ENTERED DATE: 03/12/1999
CLOSURE DATE: 05/07/2004

PRP INFORMATION

NAME: GENESIS SER CO C O C CHILDRESS
ADDRESS: ADDRESS NOT REPORTED
BEAUMONT TX 77726
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1971	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 6000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 05/08/2008
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
STEEL
CORROSION PROTECTION:
CATHODIC PROTECTION - FIELD INSTALLATION,FRP TANK OR PIPING (NONCORRODIBLE)
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **140885**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **CATHODIC PROTECTION - FIELD INSTALLATION,FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **CATHODIC PROTECTION - FIELD INSTALLATION,FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1971**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **6000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **05/08/2008**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION,FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **140887**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

Leaking Petroleum Storage Tanks (LPST)

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE

PIPING SYSTEMS

MATERIAL: FRP

CORROSION PROTECTION: CATHODIC PROTECTION - FIELD INSTALLATION,FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT: NOT REPORTED

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: CATHODIC PROTECTION - FIELD INSTALLATION,FRP TANK OR PIPING (NONCORRODIBLE)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: YES

CORROSION PROTECTION VARIANCE: NO VARIANCE

TANK ID: 3

NUMBER OF COMPARTMENTS: 1

INSTALLATION DATE: 01/01/1971

REGISTRATION DATE: 05/08/1986

TANK CAPACITY (GAL): 6000

EMPTY TANK: NOT EMPTY

STATUS: REMOVED FROM GROUND

STATUS BEGIN DATE: 05/08/2008

INTERNAL PROTECTION DATE: NOT REPORTED

REGULATORY STATUS: FULLY REGULATED

TANK DESIGN SINGLE WALL: YES

TANK DESIGN DOUBLE WALL: NO

PIPE DESIGN SINGLE WALL: YES

PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION,FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: YES

CORROSION PROTECTION VARIANCE: NO VARIANCE

COMPARTMENT DETAILS

UST COMPARTMENT ID: 140886

TANK ID: 3

COMPARTMENT LETTER: A

SUBSTANCES: GASOLINE

OTHER SUBSTANCES: NOT REPORTED

CAPACITY (GAL): 6000

COMPARTMENT RELEASE DETECTION: VAPOR MONITORING

SPILL CONTAINMENT AND OVERFILL PREVENTION: TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE

PIPING SYSTEMS

MATERIAL: FRP

CORROSION PROTECTION: CATHODIC PROTECTION - FIELD INSTALLATION,FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT: NOT REPORTED

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: CATHODIC PROTECTION - FIELD INSTALLATION,FRP TANK OR PIPING (NONCORRODIBLE)

PIPE COMPLIANCE FLAG

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 165

Distance from Property: 0.217 mi. (1,146 ft.) E
Elevation: 29 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 38822
NAME: TS CORNER STOP
ADDRESS: 2790 N 11TH ST
BEAUMONT, TX 77703
COUNTY: JEFFERSON
REGION: 10
TYPE: RETAIL
BEGIN DATE: 08/31/1987
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/08/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 01/06/2004
SIGNATURE NAME & TITLE: TARA LLDAYASIRI, MANAGER
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN604204578
NAME: ALTAF
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: INDIVIDUAL
BEGIN DATE: 12/03/2008
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

OPERATOR NUMBER: CN604204578
NAME: ALTAF
CONTACT ADDRESS: OPERATOR ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: INDIVIDUAL
BEGIN DATE: 12/03/2008
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED

CONTACT INFORMATION

NAME: UMAR ALTAF
TITLE: OWNER
ORGANIZATION: TS CORNER STOP
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 4668499 0

Petroleum Storage Tanks (PST)

ORGANIZATION: **NOT REPORTED**

PHONE: **NOT REPORTED**

FAX: **NOT REPORTED**

EMAIL: **NOT REPORTED**

SELF-CERTIFICATION

SELF-CERTIFICATION ID: **142764**

SIGNATURE DATE: **01/26/2004**

SIGNATURE NAME & TITLE: **TARA LLSAYASIRI, MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **142483**

SIGNATURE DATE: **01/06/2003**

SIGNATURE NAME & TITLE: **TARA LLDAYASIRI, MGR**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **142482**

SIGNATURE DATE: **03/08/2002**

SIGNATURE NAME & TITLE: **JOHN JONGEBLOED, PRES**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **142481**

SIGNATURE DATE: **05/01/2001**

SIGNATURE NAME & TITLE: **JOHN JONGEBLOOD II, PRESIDENT**

FILING STATUS: **INITIAL**

REGISTRATION FLAG: **YES**

CONSTRUCTION NOTIFICATION

NOTIFICATION CONSTRUCTION ID: **14584**

APPLICATION RECEIVED DATE: **04/30/2008**

SCHEDULE CONSTRUCTION DATE: **05/06/2008**

GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:

NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: **1**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1971**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **6000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **05/08/2008**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION, FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

Petroleum Storage Tanks (PST)

CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **140885**
TANK ID: **1**
COMPARTMENT LETTER: **A**
SUBSTANCES: **GASOLINE**
OTHER SUBSTANCES: **NOT REPORTED**
CAPACITY (GAL): **6000**
COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING**
SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**
CORROSION PROTECTION: **CATHODIC PROTECTION - FIELD INSTALLATION,FRP TANK OR PIPING (NONCORRODIBLE)**
EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:
VAPOR MONITORING,AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 2	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1971	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 6000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 05/08/2008
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
STEEL
CORROSION PROTECTION:
CATHODIC PROTECTION - FIELD INSTALLATION,FRP TANK OR PIPING (NONCORRODIBLE)
EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **140887**
TANK ID: **2**
COMPARTMENT LETTER: **A**
SUBSTANCES: **GASOLINE**
OTHER SUBSTANCES: **NOT REPORTED**

Petroleum Storage Tanks (PST)

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **CATHODIC PROTECTION - FIELD INSTALLATION,FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

VAPOR MONITORING,AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1971**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **6000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **05/08/2008**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION,FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **140886**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **CATHODIC PROTECTION - FIELD INSTALLATION,FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

Petroleum Storage Tanks (PST)

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

VAPOR MONITORING,AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 166

Distance from Property: 0.217 mi. (1,146 ft.) ESE
Elevation: 20 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 87026
NAME: CHRISTUS HOSPITAL ST ELIZABETH
ADDRESS: 755 N 11TH ST
BEAUMONT, TX 77702
COUNTY: JEFFERSON
REGION: 10
TYPE: EMERGENCY GENERATOR
BEGIN DATE: 01/23/2003
STATUS: ACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 1
NUMBER OF ACTIVE ABOVEGROUND TANKS: NOT REPORTED

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/07/2018
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 04/19/2018
SIGNATURE NAME & TITLE: JAMES PEARSON, FACILITY MANAGER
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN601195662
NAME: CHRISTUS HEALTH
CONTACT ADDRESS: 919 HIDDEN RDG
IRVING TX 75038
TYPE: CORPORATION/COMPANY
BEGIN DATE: 01/23/2003
CONTACT ROLE: OWNOPRCON
CONTACT NAME: GARY D SHOPE
CONTACT TITLE: DIRECTOR RISK FINANCE
ORGANIZATION: CHRISTUS HEALTH
PHONE: (469) 2822347 0
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

OPERATOR NUMBER: CN601195662
NAME: CHRISTUS HEALTH
CONTACT ADDRESS: 919 HIDDEN RDG
IRVING TX 75038
TYPE: CORPORATION/COMPANY
BEGIN DATE: 01/23/2003
CONTACT ROLE: OWNOPRCON
CONTACT NAME: GARY D SHOPE
CONTACT TITLE: DIRECTOR RISK FINANCE

CONTACT INFORMATION

NAME: JAMES PEARSON
TITLE: DIRECTOR
ORGANIZATION: CHRISTUS HOSPITAL ST ELIZABETH
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8997050 0

Petroleum Storage Tanks (PST)

ORGANIZATION: CHRISTUS HEALTH

PHONE: (469) 2822347 0

FAX: NOT REPORTED

EMAIL: NOT REPORTED

SELF-CERTIFICATION

SELF-CERTIFICATION ID: 303590

SIGNATURE DATE: 04/19/2018

SIGNATURE NAME & TITLE: JAMES PEARSON, FACILITY MANAGER

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 286399

SIGNATURE DATE: 04/17/2017

SIGNATURE NAME & TITLE: JAMES PEARSON, DIR OF FAC

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 270562

SIGNATURE DATE: 05/23/2016

SIGNATURE NAME & TITLE: JAMES PEARSON, FAC MGR

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 252827

SIGNATURE DATE: 04/15/2015

SIGNATURE NAME & TITLE: SILVER VASQUEZ, REG FAC MGR

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 239067

SIGNATURE DATE: 07/14/2014

SIGNATURE NAME & TITLE: JAMES PEARSON, SENIOR FAC MGR

FILING STATUS: INITIAL

REGISTRATION FLAG: YES

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1

NUMBER OF COMPARTMENTS: 1

INSTALLATION DATE: 01/23/2003

REGISTRATION DATE: 07/21/2014

TANK CAPACITY (GAL): 6000

EMPTY TANK: NOT EMPTY

STATUS: IN USE

STATUS BEGIN DATE: 01/23/2003

INTERNAL PROTECTION DATE: NOT REPORTED

REGULATORY STATUS: FULLY REGULATED

TANK DESIGN SINGLE WALL: NO

TANK DESIGN DOUBLE WALL: YES

PIPE DESIGN SINGLE WALL: NO

PIPE DESIGN DOUBLE WALL: YES

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

Petroleum Storage Tanks (PST)

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **187296**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **MONITORING OF SECONDARY CONTAINMENT BARRIER**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALVE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **CATHODIC PROTECTION - FIELD INSTALLATION,FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

MONITORING OF SECONDARY CONTAINMENT BARRIER

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 167

Distance from Property: 0.221 mi. (1,167 ft.) S

Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

REGISTRATION#: **66518** EPA ID: **NOT REPORTED**

TNRCC ID #: **21789**

NAME: **RELIABLE AUTO REPAIR**

ADDRESS: **51 SAWYER ST**

BEAUMONT, TX 77702

CONTACT: **BRUCE CHENAULT**

PHONE: **NOT REPORTED**

BUSINESS DESCRIPTION: **THIS REGISTRATION WAS INACTIVATED BECAUSE THIS FACILITY WAS REGISTERED PRIOR TO 1994 AND NO WASTE ACTIVITY WAS REPORTED IN 1994, 1995 AND 1996.**

INDUSTRIAL WASTE PERMIT #: **NOT REPORTED**

MUNICIPAL WASTE PERMIT #: **NOT REPORTED**

SIC CODE: **NOT REPORTED**

WASTE GENERATOR: **YES**

WASTE RECEIVER: **NO**

WASTE TRANSPORTER: **NO**

TRANSFER FACILITY: **NO**

MAQUILADORA (MEXICAN FACILITY): **NO**

STATUS: **INACTIVE**

AMOUNT OF WASTE GENERATED: **CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR**

GENERATOR TYPE: **NON-INDUSTRIAL AND/OR MUNICIPAL**

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): **06/04/2010**

ACTIVITIES

ACTIVITY TYPE: **UNKNOWN**

ACTIVITY DESCRIPTION: **NOT REPORTED**

WASTE

NO RECORDS

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 168

Distance from Property: 0.224 mi. (1,183 ft.) S
Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

REGISTRATION#: 70006 EPA ID: TXD074204199
TNRCC ID #: 24864
NAME: SHERWIN WILLIAMS
ADDRESS: 55 N 11TH ST
 BEAUMONT, TX 77702

CONTACT: NOT REPORTED

PHONE: NOT REPORTED

BUSINESS DESCRIPTION: THIS REGISTRATION WAS INACTIVATED BECAUSE THIS FACILITY WAS REGISTERED PRIOR TO 1994 AND NO WASTE ACTIVITY WAS REPORTED IN 1994, 1995 AND 1996.

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: NOT A HW GENERATOR

GENERATOR TYPE: NON-INDUSTRIAL AND/OR MUNICIPAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 03/14/2003

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

NO RECORDS

OWNER INFORMATION

NAME: THE SHERWIN-WILLIAMS COMPANY
ADDRESS: 55 N 11TH ST
 BEAUMONT, TX 77702
PHONE: NOT REPORTED

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 169

Distance from Property: 0.225 mi. (1,188 ft.) E
Elevation: 19 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: **099499**
LPST ID: **099499**
FACILITY ID: **0008289**
NAME: **CAMPBELLS CHEVRON**
ADDRESS: **890 N 11TH ST**
BEAUMONT, TX 77702

LEAKING TANK DETAILS

LPST ID: **099499**
NAME: **CAMPBELLS CHEVRON**
FACILITY LOCATION: **NOT REPORTED**
PRIORITY CODE: **3.1 - GW IMPACT PUB/DOM WATER SUPPLY WELL W/IN .25 - .5MI**
CORRECTIVE ACTION STATUS CODE: **6A - FINAL CONCURRENCE ISSUED**
CORRECTIVE ACTION START DATE: **7/12/91**
REPORTED DATE: **06/28/1991**
ENTERED DATE: **07/12/1991**
CLOSURE DATE: **08/21/2003**

PRP INFORMATION

NAME: **DARBY OIL CO**
ADDRESS: **ADDRESS NOT REPORTED**
PORT ARTHUR TX 77642
CONTACT: **NOT REPORTED**
PHONE: **NOT REPORTED**

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1967	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 6000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 08/25/1999
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
STEEL
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30527**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING,GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1967**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **6000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **08/25/1999**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30529**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING,GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

Leaking Petroleum Storage Tanks (LPST)

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1967**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **6000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **08/25/1999**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30528**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING,GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 4	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1967	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 550	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 08/25/1999
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30530**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **550**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 169

Distance from Property: 0.225 mi. (1,188 ft.) E
Elevation: 19 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 59980
NAME: **CAMPBELLS CHEVRON**
ADDRESS: **890 N 11TH ST**
BEAUMONT, TX 77702
COUNTY: **JEFFERSON**
REGION: **10**
TYPE: **RETAIL**
BEGIN DATE: **09/25/1991**
STATUS: **INACTIVE**
EXEMPT STATUS: **NO**
RECORDS OFF-SITE: **NO**
NUMBER OF ACTIVE UNDERGROUND TANKS: **0**
NUMBER OF ACTIVE ABOVEGROUND TANKS: **0**

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: **09/20/1991**
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: **09/18/1991**
SIGNATURE NAME & TITLE: **AUBREY H CAMPBELL, OWNER**
ENFORCEMENT ACTION DATE: **NOT REPORTED**

OWNER

OWNER NUMBER: **CN600945786**
NAME: **CAMPBELL AUBREY**
CONTACT ADDRESS: **OWNER ADDRESS NOT REPORTED**
CITY NOT REPORTED

TYPE: **ORGANIZATION**
BEGIN DATE: **09/25/1991**
CONTACT ROLE: **NOT REPORTED**
CONTACT NAME: **NOT REPORTED**
CONTACT TITLE: **NOT REPORTED**
ORGANIZATION: **NOT REPORTED**
PHONE: **NOT REPORTED**
FAX: **NOT REPORTED**
EMAIL: **NOT REPORTED**

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 12/31/1966	REGISTRATION DATE: 09/20/1991
TANK CAPACITY (GAL): 9999	EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: **AUBREY CAMPBELL**
TITLE: **OWNER**
ORGANIZATION: **CAMPBELLS CHEVRON**
MAIL ADDRESS: **MAILING ADDRESS NOT REPORTED**
CITY NOT REPORTED
PHONE: **(903) 8867490 0**

Petroleum Storage Tanks (PST)

STATUS: **PERM FILLED IN PLACE** STATUS BEGIN DATE: **01/01/1967**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:
NOT REPORTED
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **140910**
TANK ID: **1**
COMPARTMENT LETTER: **A**
SUBSTANCES: **UNKNOWN**
OTHER SUBSTANCES: **NOT REPORTED**
CAPACITY (GAL): **NOT REPORTED**
COMPARTMENT RELEASE DETECTION: **NOT REPORTED**
SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**
CORROSION PROTECTION: **NOT REPORTED**
EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED
PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2** NUMBER OF COMPARTMENTS: **1**
INSTALLATION DATE: **12/31/1966** REGISTRATION DATE: **09/20/1991**
TANK CAPACITY (GAL): **9999** EMPTY TANK: **NOT EMPTY**
STATUS: **PERM FILLED IN PLACE** STATUS BEGIN DATE: **01/01/1967**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:
NOT REPORTED
CORROSION PROTECTION:

Petroleum Storage Tanks (PST)

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **140909**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **UNKNOWN**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

INSTALLATION DATE: **12/31/1966**

TANK CAPACITY (GAL): **9999**

STATUS: **PERM FILLED IN PLACE**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **09/20/1991**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **01/01/1967**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **140908**

TANK ID: **3**

Petroleum Storage Tanks (PST)

COMPARTMENT LETTER: **A**

SUBSTANCES: **UNKNOWN**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 169

Distance from Property: 0.225 mi. (1,188 ft.) E
Elevation: 19 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 8289
NAME: **CAMPBELLS CHEVRON**
ADDRESS: **890 N 11TH ST**
BEAUMONT, TX 77702
COUNTY: **JEFFERSON**
REGION: **10**
TYPE: **UNKNOWN**
BEGIN DATE: **09/01/1988**
STATUS: **INACTIVE**
EXEMPT STATUS: **NO**
RECORDS OFF-SITE: **NO**
NUMBER OF ACTIVE UNDERGROUND TANKS: **0**
NUMBER OF ACTIVE ABOVEGROUND TANKS: **0**

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: **05/08/1986**
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: **04/23/1986**
SIGNATURE NAME & TITLE: **J W HISE, OPERATIONS**
ENFORCEMENT ACTION DATE: **NOT REPORTED**

OWNER

OWNER NUMBER: **CN600925341**
NAME: **DARBY GAS AND OIL COMPANY**
CONTACT ADDRESS: **OWNER ADDRESS NOT REPORTED**
CITY NOT REPORTED

TYPE: **CORPORATION/COMPANY**
BEGIN DATE: **09/01/1988**
CONTACT ROLE: **NOT REPORTED**
CONTACT NAME: **NOT REPORTED**
CONTACT TITLE: **NOT REPORTED**
ORGANIZATION: **NOT REPORTED**
PHONE: **NOT REPORTED**
FAX: **NOT REPORTED**
EMAIL: **NOT REPORTED**

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1967	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 6000	EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: **NOT REPORTED**
TITLE: **NOT REPORTED**
ORGANIZATION: **CAMPBELLS CHEVRON**
MAIL ADDRESS: **MAILING ADDRESS NOT REPORTED**
CITY NOT REPORTED
PHONE: **(409) 9836015 0**

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **08/25/1999**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **YES** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **YES** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30527**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING,GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

VAPOR MONITORING,GROUNDWATER MONITORING,AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1967**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **6000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **08/25/1999**

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

Petroleum Storage Tanks (PST)

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30529**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING,GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

VAPOR MONITORING,GROUNDWATER MONITORING,AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1967**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **6000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **08/25/1999**

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

Petroleum Storage Tanks (PST)

UST COMPARTMENT ID: **30528**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING,GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

VAPOR MONITORING,GROUNDWATER MONITORING,AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1967**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **550**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **08/25/1999**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30530**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **550**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

Petroleum Storage Tanks (PST)

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

GROUNDWATER MONITORING

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 170

Distance from Property: 0.226 mi. (1,193 ft.) NW
Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

ID#: 55357
NAME: SW SCALE
ADDRESS: 4832 WASHINGTON BLVD
BEAUMONT, TX 77707
COUNTY: JEFFERSON
REGION: 10

TYPE: NOT REPORTED
BEGIN DATE: 08/14/1990
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 08/10/1990
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 08/07/1990
SIGNATURE NAME & TITLE: DAVID DE CORDOVA, TRUSTEE
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN601003460
NAME: SUE A DE CORDOVA TRUST
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: ORGANIZATION
BEGIN DATE: 08/14/1990
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1983	REGISTRATION DATE: 08/10/1990
TANK CAPACITY (GAL): 500	EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: NOT REPORTED
TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: NOT REPORTED

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **07/27/1990**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **YES** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **YES** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **37407**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **500**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

INSTALLATION DATE: **01/01/1983**

TANK CAPACITY (GAL): **2000**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **YES**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **08/10/1990**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **07/27/1990**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

Petroleum Storage Tanks (PST)

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **37406**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **2000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 171

Distance from Property: 0.227 mi. (1,199 ft.) S
Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

ID#: 37312
NAME: BEAUMONT SERVICE CENTER
ADDRESS: 60 N 11TH ST
BEAUMONT, TX 77702
COUNTY: JEFFERSON
REGION: 10
TYPE: FLEET REFUELING
BEGIN DATE: 02/01/1983
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: YES
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 01/11/2016
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 01/07/2016
SIGNATURE NAME & TITLE: CHRISTY DAVIS, ENV ANALYST III
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN603282054
NAME: ENTERGY TEXAS INC
CONTACT ADDRESS: PO BOX 2951
BEAUMONT TX 77704
TYPE: CORPORATION/COMPANY
BEGIN DATE: 12/17/2007
CONTACT ROLE: OWNOPRCON
CONTACT NAME: CHRISTY DAVIS
CONTACT TITLE: ENV ANALYST III
ORGANIZATION: ENTERGY TEXAS INC
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: CDAVIS4@ENTERGY.COM

OPERATOR

OPERATOR NUMBER: CN603282054
NAME: ENTERGY TEXAS INC
CONTACT ADDRESS: PO BOX 2951
BEAUMONT TX 77704
TYPE: CORPORATION/COMPANY
BEGIN DATE: 12/17/2007
CONTACT ROLE: OWNOPRCON
CONTACT NAME: CHRISTY DAVIS
CONTACT TITLE: ENV ANALYST III

CONTACT INFORMATION

NAME: ERNEST MAGEE
TITLE: FACILITIES
ORGANIZATION: BEAUMONT SERVICE CENTER
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 6515408 0

Petroleum Storage Tanks (PST)

ORGANIZATION: **ENTERGY TEXAS INC**

PHONE: **NOT REPORTED**

FAX: **NOT REPORTED**

EMAIL: **CDAVIS4@ENTERGY.COM**

SELF-CERTIFICATION

SELF-CERTIFICATION ID: **264835**

SIGNATURE DATE: **01/07/2016**

SIGNATURE NAME & TITLE: **CHRISTY DAVIS, ENV ANALYST III**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **247862**

SIGNATURE DATE: **01/06/2015**

SIGNATURE NAME & TITLE: **CHRISTY DAVIS, ENVIR ANLST III**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **232271**

SIGNATURE DATE: **02/13/2014**

SIGNATURE NAME & TITLE: **CHRISTY DAVIS, ENVIRO ANALYST II**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **45785**

SIGNATURE DATE: **01/17/2013**

SIGNATURE NAME & TITLE: **RICHARD M MCCABE, SR ENVIRO ANALYST**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **45784**

SIGNATURE DATE: **01/25/2012**

SIGNATURE NAME & TITLE: **RICHARD M MCCABE, SR ENVIRO ANALYST**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **45783**

SIGNATURE DATE: **12/28/2010**

SIGNATURE NAME & TITLE: **RICHARD M MCCABE, SR ENV ANALYST**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **45782**

SIGNATURE DATE: **09/09/2010**

SIGNATURE NAME & TITLE: **RICHARD M MCCABE, SR ENVIRO ANALYST**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **45781**

SIGNATURE DATE: **09/28/2009**

SIGNATURE NAME & TITLE: **JOHN D KNIPPA, SR ENV ANALYST**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **45780**

SIGNATURE DATE: **09/05/2008**

Petroleum Storage Tanks (PST)

SIGNATURE NAME & TITLE: JOHN D KNIPPA, SR ENV ANALYST

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 45779

SIGNATURE DATE: 01/02/2008

SIGNATURE NAME & TITLE: JOHN D KNIPPA, SR SPECIALIST

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 45778

SIGNATURE DATE: 10/12/2006

SIGNATURE NAME & TITLE: JOHN D KNIPPA, SPECIALIST

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 45777

SIGNATURE DATE: 09/13/2005

SIGNATURE NAME & TITLE: JOHN D KNIPPA, SR SPECIALIST

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 45776

SIGNATURE DATE: 10/18/2004

SIGNATURE NAME & TITLE: JOHN D KNIPPA, SR SPECIALIST

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 45775

SIGNATURE DATE: 09/16/2003

SIGNATURE NAME & TITLE: JOHN D KNIPPA, SR SPECIALIST

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 45774

SIGNATURE DATE: 05/08/2003

SIGNATURE NAME & TITLE: JOHN D KNIPPA, SR S[EC

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 45773

SIGNATURE DATE: 12/13/2000

SIGNATURE NAME & TITLE: JOHN D KNIPPA, ENV MGR

FILING STATUS: INITIAL

REGISTRATION FLAG: YES

CONSTRUCTION NOTIFICATION

NOTIFICATION CONSTRUCTION ID: 28822

APPLICATION RECEIVED DATE: 01/15/2016

SCHEDULE CONSTRUCTION DATE: 02/11/2016

GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:

REMOVE UST AND REPLACE WITH A SMALLER AST

NOTIFICATION CONSTRUCTION ID: 26732

APPLICATION RECEIVED DATE: 11/06/2014

SCHEDULE CONSTRUCTION DATE: 12/05/2014

Petroleum Storage Tanks (PST)

GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:

REMOVAL OF (2) UST'S AND PIPING.

NOTIFICATION CONSTRUCTION ID: 5344

APPLICATION RECEIVED DATE: 01/22/2013

SCHEDULE CONSTRUCTION DATE: 02/15/2013

GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:

INSTALLATION OF TWO OVERFILL VALVES DISCOVERED TO BE MISSING DURING A COMPLIANCE INSPECTION BY A UTA CONTRACT INSPECTOR.

NOTIFICATION CONSTRUCTION ID: 5345

APPLICATION RECEIVED DATE: 09/25/2000

SCHEDULE CONSTRUCTION DATE: 10/23/2000

GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:

NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1

NUMBER OF COMPARTMENTS: 1

INSTALLATION DATE: 10/19/2000

REGISTRATION DATE: 05/03/2001

TANK CAPACITY (GAL): 8000

EMPTY TANK: NOT EMPTY

STATUS: REMOVED FROM GROUND

STATUS BEGIN DATE: 12/17/2014

INTERNAL PROTECTION DATE: NOT REPORTED

REGULATORY STATUS: FULLY REGULATED

TANK DESIGN SINGLE WALL: YES

TANK DESIGN DOUBLE WALL: NO

PIPE DESIGN SINGLE WALL: YES

PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,CATHODIC PROTECTION - FACTORY INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: YES

CORROSION PROTECTION VARIANCE: NO VARIANCE

COMPARTMENT DETAILS

UST COMPARTMENT ID: 46929

TANK ID: 1

COMPARTMENT LETTER: A

SUBSTANCES: NOT REPORTED

OTHER SUBSTANCES: NOT REPORTED

CAPACITY (GAL): 8000

COMPARTMENT RELEASE DETECTION: SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL

SPILL CONTAINMENT AND OVERFILL PREVENTION: TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE

PIPING SYSTEMS

MATERIAL: FRP

CORROSION PROTECTION: FRP TANK OR PIPING (NONCORRODIBLE),ISOLATED IN OPEN AREA/2ND CONTAINMENT

EXTERNAL CONTAINMENT: NOT REPORTED

CONNECTORS & VALVES:

NOT REPORTED

Petroleum Storage Tanks (PST)

PIPING RELEASE DETECTION:

SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL, EXEMPT SYSTEM SUCTION

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **10/19/2000**

REGISTRATION DATE: **05/03/2001**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **12/17/2014**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP, CATHODIC PROTECTION - FACTORY INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **46929**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP, FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP, DELIVERY SHUT-OFF VALVE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE), ISOLATED IN OPEN AREA/2ND CONTAINMENT**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL, EXEMPT SYSTEM SUCTION

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1951**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **16000**

EMPTY TANK: **NOT EMPTY**

Petroleum Storage Tanks (PST)

STATUS: **PERM FILLED IN PLACE** STATUS BEGIN DATE: **01/31/1965**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **46927**

TANK ID: **1A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

INSTALLATION DATE: **12/10/2000**

TANK CAPACITY (GAL): **6000**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **YES**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **05/03/2001**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **12/17/2014**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

Petroleum Storage Tanks (PST)

EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,CATHODIC PROTECTION - FACTORY INSTALLATION,COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **46930**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **NOT REPORTED**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE),ISOLATED IN OPEN AREA/2ND CONTAINMENT**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **12/10/2000**

REGISTRATION DATE: **05/03/2001**

TANK CAPACITY (GAL): **6000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **12/17/2014**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,CATHODIC PROTECTION - FACTORY INSTALLATION,COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Petroleum Storage Tanks (PST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **46930**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE),ISOLATED IN OPEN AREA/2ND CONTAINMENT**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1968**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **16000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **11/18/2000**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **46926**

TANK ID: **2A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **16000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

Petroleum Storage Tanks (PST)

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **02/01/1983**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **1000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **03/16/2016**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **46924**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **NOT REPORTED**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **MONTHLY TANK GAUGING (FOR EMER. GENERATOR TANKS)**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE**

PIPING SYSTEMS

MATERIAL: **NONMETALLIC FLEXIBLE PIPING**

CORROSION PROTECTION: **NONMETALLIC FLEXIBLE PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

Petroleum Storage Tanks (PST)

PIPING RELEASE DETECTION:

EXEMPT SYSTEM SUCTION

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **02/01/1983**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **1000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **02/01/1983**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **46924**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **MONTHLY TANK GAUGING (FOR EMER. GENERATOR TANKS)**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE

PIPING SYSTEMS

MATERIAL: **NONMETALLIC FLEXIBLE PIPING**

CORROSION PROTECTION: **NONMETALLIC FLEXIBLE PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

EXEMPT SYSTEM SUCTION

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3AA**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **12/01/1993**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **6000**

EMPTY TANK: **NOT EMPTY**

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **10/19/2000**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **YES** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **YES** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **46928**

TANK ID: **3AA**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP, DELIVERY SHUT-OFF VALVE, ALARM (SET @ <=90%) W3A OR 3B**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3AB**

INSTALLATION DATE: **01/01/1973**

TANK CAPACITY (GAL): **6000**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **YES**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **05/08/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **11/22/1994**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

Petroleum Storage Tanks (PST)

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **46925**

TANK ID: **3AB**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

[MAP ID# 172](#)

Distance from Property: 0.229 mi. (1,209 ft.) NW

Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRATION#: 91001 EPA ID: NOT REPORTED

TNRCC ID #: 129969

NAME: COASTAL CHEMICAL

ADDRESS: 5065 WASHINGTON BLVD

BEAUMONT, TX 77707

CONTACT: JARED BISHOP

PHONE: 405-8980063

BUSINESS DESCRIPTION: NOT REPORTED

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: NO

WASTE RECEIVER: NO

WASTE TRANSPORTER: YES

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: NOT REPORTED

GENERATOR TYPE: NOT REPORTED

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 11/30/2017

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

NO RECORDS

OWNER INFORMATION

NAME: COASTAL WASTE DISPOSAL INC

ADDRESS: 5065 WASHINGTON BLVD

BEAUMONT, TX 77707

PHONE: 1-409-8980063

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 173

Distance from Property: 0.24 mi. (1,267 ft.) W
Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

ID#: 69309
NAME: RACEWAY 6779
ADDRESS: 4205 COLLEGE ST
BEAUMONT, TX 77707
COUNTY: JEFFERSON
REGION: 10
TYPE: RETAIL
BEGIN DATE: 08/31/1987
STATUS: ACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: YES
NUMBER OF ACTIVE UNDERGROUND TANKS: 3
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 08/16/2017
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 07/28/2017
SIGNATURE NAME & TITLE: MAX MCBRAYER, CSO
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600505283
NAME: RACETRAC PETROLEUM INC
CONTACT ADDRESS: 3225 CUMBERLAND BLVD SE STE 100
ATLANTA GA 30339

TYPE: CORPORATION/COMPANY
BEGIN DATE: 08/31/1987
CONTACT ROLE: OWNCON
CONTACT NAME: LISA CIOTOLI
CONTACT TITLE: DIR OF ENV
ORGANIZATION: RACETRAC PETROLEUM INC
PHONE: (770) 4317600 0
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

OPERATOR NUMBER: CN600505283
NAME: RACETRAC PETROLEUM INC
CONTACT ADDRESS: 300 TECHNOLOGY CT SE
SMYRNA GA 30082
TYPE: CORPORATION/COMPANY
BEGIN DATE: 08/31/1987
CONTACT ROLE: OPRCON
CONTACT NAME: MAX MCBRAYER
CONTACT TITLE: NOT REPORTED

CONTACT INFORMATION

NAME: NOT REPORTED
TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: NOT REPORTED

Petroleum Storage Tanks (PST)

ORGANIZATION: RACETRAC PETROLEUM INC

PHONE: (770) 4317600 0

FAX: NOT REPORTED

EMAIL: NOT REPORTED

SELF-CERTIFICATION

SELF-CERTIFICATION ID: 316737

SIGNATURE DATE: 02/21/2019

SIGNATURE NAME & TITLE: JORDAN WOODFIN, COMPLIANCE MANAGER

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 299063

SIGNATURE DATE: 02/09/2018

SIGNATURE NAME & TITLE: LISA A CIOTOLI, DIRECTOR

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 282484

SIGNATURE DATE: 02/20/2017

SIGNATURE NAME & TITLE: LISA A CIOTOLI, DIRECTOR OF ENV

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 265338

SIGNATURE DATE: 02/18/2016

SIGNATURE NAME & TITLE: LISA A CIOTOLI, DIRECTOR OF ENV

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 248313

SIGNATURE DATE: 02/06/2015

SIGNATURE NAME & TITLE: LISA A CIOTOLI, DIRECTOR OF ENVIRONM

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 231342

SIGNATURE DATE: 02/03/2014

SIGNATURE NAME & TITLE: LISA A CIOTOLI, DIRECTOR OF ENVIRONM

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 175588

SIGNATURE DATE: 01/09/2013

SIGNATURE NAME & TITLE: LISA A CIOTOLI, DIRECTOR OF ENVIRONM

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 175587

SIGNATURE DATE: 01/24/2012

SIGNATURE NAME & TITLE: LISA A CIOTOLI, DIRECTOR OF ENVIRO

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 175586

SIGNATURE DATE: 02/03/2011

Petroleum Storage Tanks (PST)

SIGNATURE NAME & TITLE: **LISA A CIOTOLI, DIRECTOR OF ENVIRO**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **175585**

SIGNATURE DATE: **01/11/2010**

SIGNATURE NAME & TITLE: **LISA A CIOTOLI, OWNER OF ENVIRO**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **175584**

SIGNATURE DATE: **02/09/2009**

SIGNATURE NAME & TITLE: **LISA A CIOTOLI, DIRECTOR ENVNMENTAL**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **175583**

SIGNATURE DATE: **02/12/2008**

SIGNATURE NAME & TITLE: **LISA A CIOTOLI, DIRECTOR OF ENVIRONM**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **175582**

SIGNATURE DATE: **01/23/2007**

SIGNATURE NAME & TITLE: **LISA A CIOTOLI, DIR OF ENVIRONMENTAL**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **175581**

SIGNATURE DATE: **01/12/2006**

SIGNATURE NAME & TITLE: **LISA A CIOTOLI, DIRECTOR OF ENVIRON**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **175580**

SIGNATURE DATE: **01/14/2005**

SIGNATURE NAME & TITLE: **LISA A CIOTOLI, DIRECTOR OF ENVIRON**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **175579**

SIGNATURE DATE: **01/08/2004**

SIGNATURE NAME & TITLE: **LISA A CIOTOLI, DIRECTOR**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **175578**

SIGNATURE DATE: **11/29/2002**

SIGNATURE NAME & TITLE: **MAX MCBRAYER JR, VICE PRESIDENT**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **175577**

SIGNATURE DATE: **12/11/2001**

SIGNATURE NAME & TITLE: **MAX MCBRAYER JR, NOT REPORTED**

FILING STATUS: **RENEWAL**

Petroleum Storage Tanks (PST)

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **175576**

SIGNATURE DATE: **12/01/2000**

SIGNATURE NAME & TITLE: **MAX MCBRAYER JR, VP**

FILING STATUS: **INITIAL**

REGISTRATION FLAG: **YES**

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: **1**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **12/06/1996**

REGISTRATION DATE: **02/10/1997**

TANK CAPACITY (GAL): **15000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **12/06/1996**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **172945**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **15000**

COMPARTMENT RELEASE DETECTION: **INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE,ALARM (SET@<=90%) W3A OR 3B

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

MONTHLY PIPING TIGHTNESS TEST (@ 0.2 GPH),ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@

0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

Petroleum Storage Tanks (PST)

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 2	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 12/06/1996	REGISTRATION DATE: 02/10/1997
TANK CAPACITY (GAL): 12000	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 12/06/1996
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: YES
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: YES

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **172947**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **12000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL, INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP, FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP, FLOW RESTRICTOR VALUE, ALARM (SET @ <=90%) W3A OR 3B**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

MONTHLY PIPING TIGHTNESS TEST (@ 0.2 GPH), ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH), AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 3	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 12/06/1996	REGISTRATION DATE: 02/10/1997
TANK CAPACITY (GAL): 12000	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 12/06/1996
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED

Petroleum Storage Tanks (PST)

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **172946**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **12000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL, INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP, FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP, FLOW RESTRICTOR VALUE, ALARM (SET @ <=90%) W3A OR 3B**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

MONTHLY PIPING TIGHTNESS TEST (@ 0.2 GPH), ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH), AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 174

Distance from Property: 0.241 mi. (1,272 ft.) NE
Elevation: 22 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 47737
NAME: THE DON BELT
ADDRESS: 2623 HOOVER RD
BEAUMONT, TX 77703
COUNTY: JEFFERSON
REGION: 10
TYPE: UNKNOWN
BEGIN DATE: 03/13/1989
STATUS: ACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 1
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 03/06/1989
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 02/27/1989
SIGNATURE NAME & TITLE: SAME MENDED, SIGNATURE TITLE NOT REPORTED
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN601002694
NAME: SPANISH UNITED PENTECOSTAL CHURCH INC OF HOUSTON
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: ORGANIZATION
BEGIN DATE: 11/21/1994
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1
INSTALLATION DATE: 01/01/1986
TANK CAPACITY (GAL): 2000
NUMBER OF COMPARTMENTS: 1
REGISTRATION DATE: 03/06/1989
EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: DON BELT
TITLE: VP
ORGANIZATION: THE DON BELT COMPANY
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8920100 0

Petroleum Storage Tanks (PST)

STATUS: **IN USE** STATUS BEGIN DATE: **01/01/1986**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **113570**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **2000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 175

Distance from Property: 0.243 mi. (1,283 ft.) ESE

Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

REGISTRATION#: 84125 EPA ID: TXR000004853

TNRCC ID #: 102016

NAME: ALL STATE TRANSMISSION

ADDRESS: 1268 S 11TH ST

BEAUMONT, TX 77701

CONTACT: PAT SHINAULT

PHONE: 409-8324645

BUSINESS DESCRIPTION: REBUILD TRANSMISSIONS

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: SMALL QUANTITY GENERATOR

GENERATOR TYPE: NON-INDUSTRIAL AND/OR MUNICIPAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 04/29/2002

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

WASTE ID: 135176

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: YES

GENERATOR'S DESCRIPTION OF WASTE: NAPHTHA SOLVENT

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 175

Distance from Property: 0.252 mi. (1,331 ft.) ESE
Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

GEOSEARCH ID: 094125
LPST ID: 094125
FACILITY ID: 0016725
NAME: JIM SNELL MASTER PLUMBER INC
ADDRESS: 1290 S 11TH ST
BEAUMONT, TX 77701

LEAKING TANK DETAILS

LPST ID: 094125
NAME: JIM SNELL MASTER PLUMBER INC
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 4A - SOIL CONTAMINATION ONLY REQUIRES FULL SITE ASSESSMENT RAP
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 12/18/89
REPORTED DATE: 11/16/1989
ENTERED DATE: 12/18/1989
CLOSURE DATE: 12/18/1989

PRP INFORMATION

NAME: SNELL, JIM
ADDRESS: ADDRESS NOT REPORTED
PORT ARTHUR TX 77642
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1961	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 8000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 04/30/1981
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
STEEL
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: NO
CORROSION PROTECTION VARIANCE: NO VARIANCE

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **47845**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1961**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **6000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **04/30/1981**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **47844**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

Leaking Petroleum Storage Tanks (LPST)

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 175

Distance from Property: 0.243 mi. (1,283 ft.) ESE
Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

ID#: 20258
NAME: VACANT BUILDING
ADDRESS: 1270 S 11TH ST
BEAUMONT, TX 77701
COUNTY: JEFFERSON
REGION: 10
TYPE: UNKNOWN
BEGIN DATE: 09/09/1986
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/08/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 03/28/1986
SIGNATURE NAME & TITLE: M S CRABBE, OWNER
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN601379464
NAME: CRABBE
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: INDIVIDUAL
BEGIN DATE: 09/09/1986
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NOTIFICATION CONSTRUCTION ID: 5793
APPLICATION RECEIVED DATE: 09/21/2009
SCHEDULE CONSTRUCTION DATE: 10/21/2009
GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:
NOT REPORTED

CONTACT INFORMATION

NAME: NOT REPORTED
TITLE: NOT REPORTED
ORGANIZATION: VACANT BUILDING
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8920824 0

Petroleum Storage Tanks (PST)

UNDERGROUND STORAGE TANK

TANK ID: 1
INSTALLATION DATE: 08/31/1987
TANK CAPACITY (GAL): 1000
STATUS: **REMOVED FROM GROUND**
INTERNAL PROTECTION DATE: **NOT REPORTED**
TANK DESIGN SINGLE WALL: **YES**
PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: 1
REGISTRATION DATE: 05/08/1986
EMPTY TANK: **NOT EMPTY**
STATUS BEGIN DATE: 08/28/2009
REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: 55716

TANK ID: 1

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 176

Distance from Property: 0.244 mi. (1,288 ft.) E
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

GEOSEARCH ID: 120566
LPST ID: 120566
FACILITY ID: 0067883
NAME: FORMER WILLIS L REED FACILITY
ADDRESS: 3670 HOLLYWOOD ST
BEAUMONT, TX 77701

LEAKING TANK DETAILS

LPST ID: 120566
NAME: FORMER WILLIS L REED FACILITY
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS
CORRECTIVE ACTION STATUS CODE: 6P - FINAL PENDING WELL PLUG
CORRECTIVE ACTION START DATE: 9/7/18
REPORTED DATE: 05/24/2018
ENTERED DATE: 09/07/2018
CLOSURE DATE: 03/01/2019

PRP INFORMATION

NAME: L Y WHEELER INVESTMENTS LTD
ADDRESS: ADDRESS NOT REPORTED
CITY NOT REPORTED
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 03/01/1952	REGISTRATION DATE: 12/29/1995
TANK CAPACITY (GAL): 20000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 05/22/2018
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
STEEL
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: 176172

TANK ID: 1

COMPARTMENT LETTER: A

SUBSTANCES: **NOT REPORTED**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 1

NUMBER OF COMPARTMENTS: 1

INSTALLATION DATE: 03/01/1952

REGISTRATION DATE: 12/29/1995

TANK CAPACITY (GAL): 20000

EMPTY TANK: **NOT EMPTY**

STATUS: **PERM FILLED IN PLACE**

STATUS BEGIN DATE: 01/01/1983

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: 176172

TANK ID: 1

COMPARTMENT LETTER: A

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

Leaking Petroleum Storage Tanks (LPST)

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **03/01/1952**

REGISTRATION DATE: **12/29/1995**

TANK CAPACITY (GAL): **20000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **05/22/2018**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **176173**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **NOT REPORTED**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

Leaking Petroleum Storage Tanks (LPST)

INSTALLATION DATE: **03/01/1952** REGISTRATION DATE: **12/29/1995**
TANK CAPACITY (GAL): **20000** EMPTY TANK: **NOT EMPTY**
STATUS: **PERM FILLED IN PLACE** STATUS BEGIN DATE: **01/01/1983**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **YES** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **176173**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **03/01/1952**

REGISTRATION DATE: **12/29/1995**

TANK CAPACITY (GAL): **15000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **05/16/2018**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **176174**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **NOT REPORTED**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

INSTALLATION DATE: **03/01/1952**

TANK CAPACITY (GAL): **15000**

STATUS: **PERM FILLED IN PLACE**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **12/29/1995**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **01/01/1983**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **176174**

TANK ID: **3**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **03/01/1952**

REGISTRATION DATE: **12/29/1995**

TANK CAPACITY (GAL): **15000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **05/16/2018**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **176175**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **NOT REPORTED**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

Leaking Petroleum Storage Tanks (LPST)

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **03/01/1952**

REGISTRATION DATE: **12/29/1995**

TANK CAPACITY (GAL): **15000**

EMPTY TANK: **NOT EMPTY**

STATUS: **PERM FILLED IN PLACE**

STATUS BEGIN DATE: **01/01/1983**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **176175**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **5**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **03/26/1980**

REGISTRATION DATE: **12/29/1995**

TANK CAPACITY (GAL): **9700**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **05/10/2018**

Leaking Petroleum Storage Tanks (LPST)

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES** TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **176176**

TANK ID: **5**

COMPARTMENT LETTER: **A**

SUBSTANCES: **NOT REPORTED**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **5**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **03/26/1980**

REGISTRATION DATE: **12/29/1995**

TANK CAPACITY (GAL): **9700**

EMPTY TANK: **NOT EMPTY**

STATUS: **PERM FILLED IN PLACE**

STATUS BEGIN DATE: **01/01/1983**

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES** TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

Leaking Petroleum Storage Tanks (LPST)

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **176176**
TANK ID: **5**
COMPARTMENT LETTER: **A**
SUBSTANCES: **GASOLINE**
OTHER SUBSTANCES: **NOT REPORTED**
CAPACITY (GAL): **NOT REPORTED**
COMPARTMENT RELEASE DETECTION: **NOT REPORTED**
SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**
CORROSION PROTECTION: **NOT REPORTED**
EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**
PIPE COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 6	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 03/26/1980	REGISTRATION DATE: 12/29/1995
TANK CAPACITY (GAL): 9700	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 05/11/2018
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
STEEL
CORROSION PROTECTION:
NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **176177**
TANK ID: **6**
COMPARTMENT LETTER: **A**
SUBSTANCES: **NOT REPORTED**
OTHER SUBSTANCES: **NOT REPORTED**

Leaking Petroleum Storage Tanks (LPST)

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **6**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **03/26/1980**

REGISTRATION DATE: **12/29/1995**

TANK CAPACITY (GAL): **9700**

EMPTY TANK: **NOT EMPTY**

STATUS: **PERM FILLED IN PLACE**

STATUS BEGIN DATE: **01/01/1983**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **176177**

TANK ID: **6**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

Leaking Petroleum Storage Tanks (LPST)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 7	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 03/26/1980	REGISTRATION DATE: 12/29/1995
TANK CAPACITY (GAL): 9700	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 05/14/2018
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **176178**

TANK ID: **7**

COMPARTMENT LETTER: **A**

SUBSTANCES: **NOT REPORTED**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 7	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 03/26/1980	REGISTRATION DATE: 12/29/1995
TANK CAPACITY (GAL): 9700	EMPTY TANK: NOT EMPTY
STATUS: PERM FILLED IN PLACE	STATUS BEGIN DATE: 01/01/1983
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

Leaking Petroleum Storage Tanks (LPST)

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **176178**

TANK ID: **7**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 176

Distance from Property: 0.244 mi. (1,288 ft.) E
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

ID#: 67883
NAME: FORMER WILLIS L REED FACILITY
ADDRESS: 3670 HOLLYWOOD ST
BEAUMONT, TX 77701
COUNTY: JEFFERSON
REGION: 10
TYPE: WHOLESALE
BEGIN DATE: 03/01/1952
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 07/10/2018
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 07/09/2018
SIGNATURE NAME & TITLE: LEE Y WHEELER III, SIGNATURE TITLE NOT REPORTED
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN605547025
NAME: L Y WHEELER INVESTMENTS LTD
CONTACT ADDRESS: 450 BOWIE ST
BEAUMONT TX 77701
TYPE: CORPORATION/COMPANY
BEGIN DATE: 09/01/1987
CONTACT ROLE: OWNOPRCON
CONTACT NAME: LEE WHEELER
CONTACT TITLE: NOT REPORTED
ORGANIZATION: L Y WHEELER INVESTMENTS LTD
PHONE: (409) 8993300 0
FAX: NOT REPORTED
EMAIL: NOT REPORTED
OWNER NUMBER: CN600926166
NAME: REED WILLIS L
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED
TYPE: ORGANIZATION
BEGIN DATE: 08/31/1987
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED

CONTACT INFORMATION

NAME: NOT REPORTED
TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: NOT REPORTED

Petroleum Storage Tanks (PST)

FAX: **NOT REPORTED**
EMAIL: **NOT REPORTED**

OPERATOR

OPERATOR NUMBER: **CN605547025**
NAME: **L Y WHEELER INVESTMENTS LTD**
CONTACT ADDRESS: **450 BOWIE ST**
BEAUMONT TX 77701

TYPE: **CORPORATION/COMPANY**
BEGIN DATE: **09/01/1987**
CONTACT ROLE: **OWNOPRCON**
CONTACT NAME: **LEE WHEELER**
CONTACT TITLE: **NOT REPORTED**
ORGANIZATION: **L Y WHEELER INVESTMENTS LTD**
PHONE: **(409) 8993300 0**
FAX: **NOT REPORTED**
EMAIL: **NOT REPORTED**

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NOTIFICATION CONSTRUCTION ID: **32522**
APPLICATION RECEIVED DATE: **02/05/2018**
SCHEDULE CONSTRUCTION DATE: **03/02/2018**
GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:
REMOVE (4) UST SYSTEMS FROM THE SITE

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 03/01/1952	REGISTRATION DATE: 12/29/1995
TANK CAPACITY (GAL): 20000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 05/22/2018
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
STEEL
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED

TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **176172**
TANK ID: **1**
COMPARTMENT LETTER: **A**

Petroleum Storage Tanks (PST)

SUBSTANCES: **NOT REPORTED**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **03/01/1952**

REGISTRATION DATE: **12/29/1995**

TANK CAPACITY (GAL): **20000**

EMPTY TANK: **NOT EMPTY**

STATUS: **PERM FILLED IN PLACE**

STATUS BEGIN DATE: **01/01/1983**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **176172**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

Petroleum Storage Tanks (PST)

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **03/01/1952**

REGISTRATION DATE: **12/29/1995**

TANK CAPACITY (GAL): **20000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **05/22/2018**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **176173**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **NOT REPORTED**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **03/01/1952**

REGISTRATION DATE: **12/29/1995**

Petroleum Storage Tanks (PST)

TANK CAPACITY (GAL): **20000** EMPTY TANK: **NOT EMPTY**
STATUS: **PERM FILLED IN PLACE** STATUS BEGIN DATE: **01/01/1983**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **YES** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **176173**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

INSTALLATION DATE: **03/01/1952**

TANK CAPACITY (GAL): **15000**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **12/29/1995**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **05/16/2018**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

Petroleum Storage Tanks (PST)

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **176174**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **NOT REPORTED**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **03/01/1952**

REGISTRATION DATE: **12/29/1995**

TANK CAPACITY (GAL): **15000**

EMPTY TANK: **NOT EMPTY**

STATUS: **PERM FILLED IN PLACE**

STATUS BEGIN DATE: **01/01/1983**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **176174**

Petroleum Storage Tanks (PST)

TANK ID: **3**
COMPARTMENT LETTER: **A**
SUBSTANCES: **DIESEL**
OTHER SUBSTANCES: **NOT REPORTED**
CAPACITY (GAL): **NOT REPORTED**
COMPARTMENT RELEASE DETECTION: **NOT REPORTED**
SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**
CORROSION PROTECTION: **NOT REPORTED**
EXTERNAL CONTAINMENT: **NOT REPORTED**
CONNECTORS & VALVES:
NOT REPORTED
PIPING RELEASE DETECTION:
NOT REPORTED
PIPE COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 4	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 03/01/1952	REGISTRATION DATE: 12/29/1995
TANK CAPACITY (GAL): 15000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 05/16/2018
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
STEEL
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **176175**
TANK ID: **4**
COMPARTMENT LETTER: **A**
SUBSTANCES: **NOT REPORTED**
OTHER SUBSTANCES: **NOT REPORTED**
CAPACITY (GAL): **NOT REPORTED**
COMPARTMENT RELEASE DETECTION: **NOT REPORTED**
SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

Petroleum Storage Tanks (PST)

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **03/01/1952**

REGISTRATION DATE: **12/29/1995**

TANK CAPACITY (GAL): **15000**

EMPTY TANK: **NOT EMPTY**

STATUS: **PERM FILLED IN PLACE**

STATUS BEGIN DATE: **01/01/1983**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **176175**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Petroleum Storage Tanks (PST)

TANK ID: 5
INSTALLATION DATE: 03/26/1980
TANK CAPACITY (GAL): 9700
STATUS: **REMOVED FROM GROUND**
INTERNAL PROTECTION DATE: **NOT REPORTED**
TANK DESIGN SINGLE WALL: **YES**
PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: 1
REGISTRATION DATE: 12/29/1995
EMPTY TANK: **NOT EMPTY**
STATUS BEGIN DATE: 05/10/2018
REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: 176176

TANK ID: 5

COMPARTMENT LETTER: **A**

SUBSTANCES: **NOT REPORTED**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 5
INSTALLATION DATE: 03/26/1980
TANK CAPACITY (GAL): 9700
STATUS: **PERM FILLED IN PLACE**
INTERNAL PROTECTION DATE: **NOT REPORTED**
TANK DESIGN SINGLE WALL: **YES**
PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: 1
REGISTRATION DATE: 12/29/1995
EMPTY TANK: **NOT EMPTY**
STATUS BEGIN DATE: 01/01/1983
REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

Petroleum Storage Tanks (PST)

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **176176**

TANK ID: **5**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **6**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **03/26/1980**

REGISTRATION DATE: **12/29/1995**

TANK CAPACITY (GAL): **9700**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **05/11/2018**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Petroleum Storage Tanks (PST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: 176177

TANK ID: 6

COMPARTMENT LETTER: A

SUBSTANCES: **NOT REPORTED**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 6

NUMBER OF COMPARTMENTS: 1

INSTALLATION DATE: 03/26/1980

REGISTRATION DATE: 12/29/1995

TANK CAPACITY (GAL): 9700

EMPTY TANK: **NOT EMPTY**

STATUS: **PERM FILLED IN PLACE**

STATUS BEGIN DATE: 01/01/1983

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: 176177

TANK ID: 6

COMPARTMENT LETTER: A

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

Petroleum Storage Tanks (PST)

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **7**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **03/26/1980**

REGISTRATION DATE: **12/29/1995**

TANK CAPACITY (GAL): **9700**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **05/14/2018**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **176178**

TANK ID: **7**

COMPARTMENT LETTER: **A**

SUBSTANCES: **NOT REPORTED**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

Petroleum Storage Tanks (PST)

CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 7	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 03/26/1980	REGISTRATION DATE: 12/29/1995
TANK CAPACITY (GAL): 9700	EMPTY TANK: NOT EMPTY
STATUS: PERM FILLED IN PLACE	STATUS BEGIN DATE: 01/01/1983
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:
NOT REPORTED

EXTERNAL CONTAINMENT:
NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **176178**

TANK ID: **7**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 177

Distance from Property: 0.246 mi. (1,299 ft.) E

Elevation: 26 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRATION#: 70090 EPA ID: TXD052225240

TNRCC ID #: 24938

NAME: MIKE SMITH OLDS-HONDA

ADDRESS: 1795 IH 10 E

BEAUMONT, TX 77701

CONTACT: JOHN LASALLE

PHONE: 409-8380481

BUSINESS DESCRIPTION: NOT REPORTED

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: SMALL QUANTITY GENERATOR

GENERATOR TYPE: NON-INDUSTRIAL AND/OR MUNICIPAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 06/04/2010

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

WASTE ID: 139246

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: YES

GENERATOR'S DESCRIPTION OF WASTE: SPENT SOLVENT

WASTE ID: 139247

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: YES

GENERATOR'S DESCRIPTION OF WASTE: PAINT WASTE

WASTE ID: 139248

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: YES

Industrial and Hazardous Waste Sites (IHW)

GENERATOR'S DESCRIPTION OF WASTE: **IMMERSION CLEANER**

WASTE ID: **139249**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **USED FILTERS**

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 177

Distance from Property: 0.246 mi. (1,299 ft.) E
Elevation: 26 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 21941
NAME: MIKE SMITH OLDS AMC & HONDA
ADDRESS: 1795 INTERSTATE 10 E
BEAUMONT, TX 77701
COUNTY: JEFFERSON
REGION: 10
TYPE: FLEET REFUELING
BEGIN DATE: 09/17/1986
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/08/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 05/01/1986
SIGNATURE NAME & TITLE: M R BULLINGTON, OWNER
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN601033798
NAME: BULLINGTON BECKER REALTY CO
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: ORGANIZATION
BEGIN DATE: 09/17/1986
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1972	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 2000	EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: JOHN A LASALLE
TITLE: SERVICE MGR
ORGANIZATION: MIKE SMITH OLDS AMC & HONDA
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (409) 8380481 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **08/15/1990**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **55171**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **2000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

INSTALLATION DATE: **01/01/1972**

TANK CAPACITY (GAL): **1000**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **05/08/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **08/15/1990**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

Petroleum Storage Tanks (PST)

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **55170**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

INSTALLATION DATE: **01/01/1964**

TANK CAPACITY (GAL): **500**

STATUS: **PERM FILLED IN PLACE**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **05/08/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **01/31/1973**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **55172**

TANK ID: **3**

Petroleum Storage Tanks (PST)

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 178

Distance from Property: 0.25 mi. (1,320 ft.) N
Elevation: 20 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: **092752**
LPST ID: **092752**
FACILITY ID: **0040743**
NAME: **VICS TEXACO**
ADDRESS: **680 N 11TH ST**
BEAUMONT, TX 77702

LEAKING TANK DETAILS

LPST ID: **092752**
NAME: **VICS TEXACO**
FACILITY LOCATION: **NOT REPORTED**
PRIORITY CODE: **4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS**
CORRECTIVE ACTION STATUS CODE: **6A - FINAL CONCURRENCE ISSUED**
CORRECTIVE ACTION START DATE: **3/31/89**
REPORTED DATE: **03/13/1989**
ENTERED DATE: **03/31/1989**
CLOSURE DATE: **04/23/1999**

PRP INFORMATION

NAME: **EQUIVA SERVICES LLC**
ADDRESS: **ADDRESS NOT REPORTED**
HOUSTON TX 77060
CONTACT: **NOT REPORTED**
PHONE: **NOT REPORTED**

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1966	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 6000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 03/30/1989
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
STEEL
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **95633**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1966**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **6000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **03/30/1989**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **95634**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

Leaking Petroleum Storage Tanks (LPST)

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1966**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **4000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **03/30/1989**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **95636**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

Leaking Petroleum Storage Tanks (LPST)

INSTALLATION DATE: **01/01/1966** REGISTRATION DATE: **05/08/1986**
TANK CAPACITY (GAL): **550** EMPTY TANK: **NOT EMPTY**
STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **03/30/1989**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **95635**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **550**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 179

Distance from Property: 0.255 mi. (1,346 ft.) S
Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

GEOSEARCH ID: 105836
LPST ID: 105836
FACILITY ID: 0063894
NAME: KLVI
ADDRESS: 27 SAWYER ST
BEAUMONT, TX 77702

LEAKING TANK DETAILS

LPST ID: 105836
NAME: KLVI
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 6 - MINOR SOIL CONTAMINATION - NO REMEDIAL ACTION REQUIRED
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 2/22/93
REPORTED DATE: 12/22/1992
ENTERED DATE: 02/22/1993
CLOSURE DATE: 01/21/1993

PRP INFORMATION

NAME: KLVI RADIO STATION
ADDRESS: ADDRESS NOT REPORTED
BEAUMONT TX 77702
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

NO UNDERGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

ABOVEGROUND STORAGE TANK INFORMATION

AST ID #: 166571 MULTIPLE COMPARTMENT FLAG: NO
TANK ID: A REGISTRATION DATE: 11/13/1992
INSTALLATION DATE: 01/01/1992 STATUS BEGIN DATE: 10/23/1992
TANK CAPACITY (GAL): 1000 REGULATORY STATUS: FULLY REGULATED
STATUS: OUT OF USE SUBSTANCES: DIESEL

MATERIAL OF CONSTRUCTION

STEEL: YES CORRUGATED METAL: NO
FIBERGLASS: NO CONCRETE: NO
ALUMINIUM: NO

CONTAINMENT

EARTHEN DIKE: NO CONCRETE: YES
CONTAINMENT LINER: NO NONE: NO
STAGE I VAPOR RECOVERY: NOT REPORTED
STAGE I INSTALLATION DATE: NOT REPORTED

Leaking Petroleum Storage Tanks (LPST)

[Back to Report Summary](#)

Municipal Solid Waste Landfill Sites (MSWLF)

[MAP ID# 180](#)

Distance from Property: 0.256 mi. (1,352 ft.) S
Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

PERMIT#: 40164
NAME: JTB RECYCLING TRANSFER STATION FACILITY
ADDRESS: 4895 ROMEDA RD
BEAUMONT, TX 77705-1198
COUNTY: JEFFERSON

FACILITY DETAILS

FACILITY TYPE #: LIQUID TRANSFER STATION
PHYSICAL FACILITY STATUS: ACTIVE
LEGAL STATUS: ISSUED
REFERENCE NUMBER(RN): RN100583764
REGION: REGION 10 - BEAUMONT

[Back to Report Summary](#)

Municipal Solid Waste Landfill Sites (MSWLF)

[MAP ID# 180](#)

Distance from Property: 0.256 mi. (1,352 ft.) S
Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

PERMIT#: 43000
NAME: JTB RECYCLING LIQUID WASTE PROCESSING FACILITY
ADDRESS: 4895 ROMEDA RD
BEAUMONT, TX 77705-1198
COUNTY: JEFFERSON

FACILITY DETAILS

FACILITY TYPE #: REGISTERED LIQUID WASTE PROCESSING FACILITY
PHYSICAL FACILITY STATUS: ACTIVE
LEGAL STATUS: ISSUED
REFERENCE NUMBER(RN): RN100583764
REGION: REGION 10 - BEAUMONT

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 181

Distance from Property: 0.269 mi. (1,420 ft.) E

Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

GEOSEARCH ID: **100919**

LPST ID: **100919**

FACILITY ID: **0005566**

NAME: **BURTS INC**

ADDRESS: **102 S 11TH ST**

BEAUMONT, TX 77702

LEAKING TANK DETAILS

LPST ID: **100919**

NAME: **BURTS INC**

FACILITY LOCATION: **NOT REPORTED**

PRIORITY CODE: **5 - MINOR SOIL CONTAMINATION - DOES NOT REQUIRE A RAP**

CORRECTIVE ACTION STATUS CODE: **6A - FINAL CONCURRENCE ISSUED**

CORRECTIVE ACTION START DATE: **12/4/91**

REPORTED DATE: **11/13/1991**

ENTERED DATE: **12/04/1991**

CLOSURE DATE: **11/13/1992**

PRP INFORMATION

NAME: **BURTS INC**

ADDRESS: **ADDRESS NOT REPORTED**

BEAUMONT TX 77702

CONTACT: **NOT REPORTED**

PHONE: **NOT REPORTED**

UNDERGROUND STORAGE TANK

TANK ID: **1**

INSTALLATION DATE: **01/01/1981**

TANK CAPACITY (GAL): **2000**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **05/08/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **10/26/1991**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **18195**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **2000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1981**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **2000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **10/26/1991**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **18194**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **2000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

Leaking Petroleum Storage Tanks (LPST)

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Affected Property Assessment Reports (APAR)

MAP ID# 182

Distance from Property: 0.272 mi. (1,436 ft.) N
Elevation: 26 ft. (Higher than TP)

FACILITY INFORMATION

PROGRAM ID: 2228
REFERENCE NUMBER: RN104615141
FACILITY NAME: STEEL BY DOLLINGER
ADDRESS: 3690 DOLLINGER
BEAUMONT, TX 77701
COUNTY: JEFFERSON
LOCATION DESCRIPTION: 7TH STREET & DOLLINGER
TYPE OF FACILITY: MFG
FACILITY STATUS: INVESTIGATION
PROGRAM: VOLUNTARY CLEANUP
PROGRAM STATUS: ACTIVE

CONTACTS

DOLLINGER, JED

REMIEDIATIONS

DATE	REMIEDIATIONS
11/03/15	MONITORED NATURAL ATTENUATION

CATEGORY OF CONTAMINATION

DATE	CONTAMINATIONS:
11/03/15	ARSENIC
11/03/15	BARIIUM
11/03/15	CADMIUM
11/03/15	CHROMIUM (VI)
11/03/15	DICHLOROETHYLENE, 1,1-
11/03/15	LEAD
11/03/15	MERCURY
11/03/15	POLYCHLORINATED BIPHENYLS (PCBS)
11/03/15	SELENIUM
11/03/15	SILVER
11/03/15	TPH, TX1005, >C12-C28
11/03/15	METALS
11/03/15	PAHS
11/03/15	PCBS
11/03/15	TPH
11/03/15	VOCS

[Back to Report Summary](#)

Industrial and Hazardous Waste Corrective Action Sites (IHWCA)

[MAP ID# 182](#)

Distance from Property: 0.272 mi. (1,436 ft.) N

Elevation: 26 ft. (Higher than TP)

PROGRAM ID: T0867

RN NUMBER: RN104615141

NAME: STEEL BY DOLLINGER

ADDRESS: 3690 DOLLINGER

BEAUMONT, TX 77701

STATUS: INACTIVE

STATUS DATE: 11/12/08

PHASE: TRANSFERRED

LOCATION DESCRIPTION:

7TH STREET & DOLLINGER

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 182

Distance from Property: 0.272 mi. (1,436 ft.) N
Elevation: 26 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 104482
LPST ID: 104482
FACILITY ID: 0022210
NAME: DOLLINGER STEEL COMPANY
ADDRESS: 7TH
BEAUMONT, TX 77611

LEAKING TANK DETAILS

LPST ID: 104482
NAME: DOLLINGER STEEL COMPANY
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 5 - MINOR SOIL CONTAMINATION - DOES NOT REQUIRE A RAP
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 10/1/92
REPORTED DATE: 08/04/1992
ENTERED DATE: 10/01/1992
CLOSURE DATE: 11/12/1992

PRP INFORMATION

NAME: DOLLINGER C R
ADDRESS: ADDRESS NOT REPORTED
BEAUMONT TX 77611
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1962	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 500	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 08/04/1992
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
STEEL
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **63913**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **500**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Voluntary Cleanup Program Sites (VCP)

[MAP ID# 182](#)

Distance from Property: 0.272 mi. (1,436 ft.) N
Elevation: 26 ft. (Higher than TP)

FACILITY INFORMATION

PROGRAM ID#: 2228

NAME: STEEL BY DOLLINGER

ADDRESS: 2360 DOLLINGER RD
BEAUMONT TX 77703

ADDRESS DESCRIPTION: 7TH STREET & DOLLINGER

ASSOCIATED VCP ID(s): 2228

PCA NUMBER: 34422

PROJECT NUMBER: 344220

LEGAL ID: 12521983

REGULATED ENTITY REFERENCE NUMBER (RN): RN104615141

CURRENT FACILITY TYPE: MFG

FORMER FACILITY TYPE: AGRICULTURE/AG SUPPORT; WAREHOUSE/STORAGE; MFG METALS

PROJECT MANAGER: AGOETSCH

PROJECT PHASE: INVESTIGATION

ADMINISTRATIVE STATUS: ACTIVE

CASHIER RECEIVED DATE: 10/17/2008

APPLICATION RECEIVED DATE: 10/21/2008

APPLICATION ACCEPTANCE DATE: 10/21/2014

VCP APPLICATION ACCEPTED: NOT REPORTED

AGREEMENT ACCEPTANCE DATE: 03/28/2016

REGION NOTIFIED OF APPLICATION: 10/21/2008

TCEQ REGION NAME: REGION 10 - BEAUMONT

SWR NUMBER: NOT REPORTED

AIR CHEMICAL OF CONCERN CLASSIFICATION: NOT REPORTED

GROUNDWATER CHEMICAL OF CONCERN CLASSIFICATION: METALS; PAHS; VOCS; TPH; PCBS

SEDIMENT CHEMICAL OF CONCERN CLASSIFICATION: NOT REPORTED

SOILS CHEMICAL OF CONCERN CLASSIFICATION: METALS; PAHS; VOCS; TPH; PCBS

SURFACE WATER CHEMICAL OF CONCERN CLASSIFICATION: NOT REPORTED

ABOVE_RES_CRITICAL_PCL: YES

ABOVE_RES_CRITICAL_PCL_OFFSITE: NO

LPST NO: NOT REPORTED

IOP ID: NOT REPORTED

EPA CERCLIS #: NOT REPORTED

EPA RCRIS #: NOT REPORTED

FILE MEDIA: PAPER

FILE LOCATION: D/296N

SITE SIZE: 10.53

Voluntary Cleanup Program Sites (VCP)

TYPE OF REMEDY: **NOT REPORTED**

AIR REMEDIATION METHOD: **NA**

GROUNDWATER REMEDIATION METHOD: **MONITORED NATURAL ATTENUATION**

SOIL REMEDIATION METHOD: **EXCAVATION/REMOVAL**

SURFACE WATER REMEDIATION METHOD: **NA**

AIR INSTITUTIONAL/ENGINEERING CONTROLS: **NA**

GROUNDWATER INSTITUTIONAL/ENGINEERING CONTROLS: **GW USE/EXPOSURE**

SEDIMENT INSTITUTIONAL/ENGINEERING CONTROLS: **NA**

SOIL INSTITUTIONAL/ENGINEERING CONTROLS: **COMMERCIAL/INDUSTRIAL**

SURFACE WATER INSTITUTIONAL/ENGINEERING CONTROLS: **NA**

CERTIFICATE OF COMPLETION DATE: **NOT REPORTED**

CONDITIONAL CERTIFICATE OF COMPLETION DATE: **NOT REPORTED**

APPLICABLE PROGRAM RULES: **TRRP**

APPLICABLE STANDARDS: **B**

APPLICABLE TRRP TIER: **2**

AFFILIATED CUSTOMER(S)

CN NUMBER: **CN604680512**

RN NUMBER: **RN104615141**

CUSTOMER NAME: **PTSS INVESTMENTS LLC**

ROLE CD: **APPLCONT**

CONTACT NAME: **DOTSON, TROY**

CONTACT TITLE: **OWNER**

ORGANIZATION NAME: **PTSS INVESTMENTS LLC**

MAILING ADDRESS: **148 S DOWLEN RD # 694**

MAILING CITY NAME: **BEAUMONT**

MAILING STATE: **TX**

MAILING ZIPCODE: **77707**

CONTACT PHONE: **(409) 866-7267**

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 183

Distance from Property: 0.275 mi. (1,452 ft.) W
Elevation: 18 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: **098059**
LPST ID: **098059**
FACILITY ID: **0013063**
NAME: **HERITAGE LINC MERC IMPORTS**
ADDRESS: **4430 COLLEGE ST**
BEAUMONT, TX 77707

LEAKING TANK DETAILS

LPST ID: **098059**
NAME: **HERITAGE LINC MERC IMPORTS**
FACILITY LOCATION: **NOT REPORTED**
PRIORITY CODE: **4A - SOIL CONTAMINATION ONLY REQUIRES FULL SITE ASSESSMENT RAP**
CORRECTIVE ACTION STATUS CODE: **6A - FINAL CONCURRENCE ISSUED**
CORRECTIVE ACTION START DATE: **2/22/91**
REPORTED DATE: **02/14/1991**
ENTERED DATE: **02/22/1991**
CLOSURE DATE: **04/01/1991**

PRP INFORMATION

NAME: **CARAWAY MOTORS**
ADDRESS: **ADDRESS NOT REPORTED**
SILSBEE TX 77656
CONTACT: **NOT REPORTED**
PHONE: **NOT REPORTED**

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1976	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 2000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 02/28/1991
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
STEEL
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **44693**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **2000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1976**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **500**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **02/07/1991**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **44692**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **500**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

Leaking Petroleum Storage Tanks (LPST)

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1976**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **500**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **02/07/1991**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **44691**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **500**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

Leaking Petroleum Storage Tanks (LPST)

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 184

Distance from Property: 0.279 mi. (1,473 ft.) ESE
Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

GEOSEARCH ID: **093849**
LPST ID: **093849**
FACILITY ID: **0040077**
NAME: **SIGMOR 77**
ADDRESS: **1165 S 11TH ST**
BEAUMONT, TX 77701

LEAKING TANK DETAILS

LPST ID: **093849**
NAME: **SIGMOR 77**
FACILITY LOCATION: **NOT REPORTED**
PRIORITY CODE: **4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS**
CORRECTIVE ACTION STATUS CODE: **6P - FINAL PENDING WELL PLUG**
CORRECTIVE ACTION START DATE: **6/25/04**
REPORTED DATE: **10/13/1989**
ENTERED DATE: **10/25/1989**
CLOSURE DATE: **06/25/2004**

PRP INFORMATION

NAME: **DIAMOND SHAMROCK REFINING CORPORATION**
ADDRESS: **ADDRESS NOT REPORTED**
SAN ANTONIO TX 78269
CONTACT: **NOT REPORTED**
PHONE: **NOT REPORTED**

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 10/18/1986	REGISTRATION DATE: 10/29/1996
TANK CAPACITY (GAL): 10000	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 10/18/1986
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: YES

TANK DETAILS

MATERIAL:
COMPOSITE
CORROSION PROTECTION:
CATHODIC PROTECTION - FIELD INSTALLATION, COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **100829**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1965**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **10/01/1986**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **100825**

TANK ID: **1A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

Leaking Petroleum Storage Tanks (LPST)

SPILL CONTAINER/BUCKET/SUMP, FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **10/18/1986**

REGISTRATION DATE: **10/29/1996**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **10/18/1986**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION, COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **100830**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP, FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP, FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 2A	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1965	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 10000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 10/01/1986
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **100828**

TANK ID: **2A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 3	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 10/18/1986	REGISTRATION DATE: 10/29/1996
TANK CAPACITY (GAL): 10000	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 10/18/1986
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: YES

Leaking Petroleum Storage Tanks (LPST)

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION, COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **100831**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP, FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP, FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1978**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **10/01/1986**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **100827**

TANK ID: **3A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **10/18/1986**

REGISTRATION DATE: **10/29/1996**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **10/18/1986**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION,COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **100832**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

Leaking Petroleum Storage Tanks (LPST)

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1978**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **10/01/1986**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **100826**

TANK ID: **4A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

Leaking Petroleum Storage Tanks (LPST)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 185

Distance from Property: 0.282 mi. (1,489 ft.) E

Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

GEOSEARCH ID: 105243

LPST ID: 105243

FACILITY ID: 0011559

NAME: BAPTIST HOSPITAL OF SOUTHEAST TEXAS

ADDRESS: 3576 COLLEGE ST

BEAUMONT, TX 77701

LEAKING TANK DETAILS

LPST ID: 105243

NAME: BAPTIST HOSPITAL OF SOUTHEAST TEXAS

FACILITY LOCATION: NOT REPORTED

PRIORITY CODE: 6 - MINOR SOIL CONTAMINATION - NO REMEDIAL ACTION REQUIRED

CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED

CORRECTIVE ACTION START DATE: 12/3/92

REPORTED DATE: 11/05/1992

ENTERED DATE: 12/03/1992

CLOSURE DATE: 11/10/1992

PRP INFORMATION

NAME: BAPTIST HOSPITAL OF SE TEXAS

ADDRESS: ADDRESS NOT REPORTED

BEAUMONT TX 77704

CONTACT: NOT REPORTED

PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1A

NUMBER OF COMPARTMENTS: 1

INSTALLATION DATE: 08/30/1992

REGISTRATION DATE: 12/29/1998

TANK CAPACITY (GAL): 2000

EMPTY TANK: NOT EMPTY

STATUS: REMOVED FROM GROUND

STATUS BEGIN DATE: 08/26/2004

INTERNAL PROTECTION DATE: NOT REPORTED

REGULATORY STATUS: FULLY REGULATED

TANK DESIGN SINGLE WALL: YES

TANK DESIGN DOUBLE WALL: NO

PIPE DESIGN SINGLE WALL: NO

PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION, COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: YES

CORROSION PROTECTION VARIANCE: NO VARIANCE

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **29329**

TANK ID: **1A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **2000**

COMPARTMENT RELEASE DETECTION: **MONTHLY TANK GAUGING (FOR EMER. GENERATOR TANKS)**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **CATHODIC PROTECTION - FIELD INSTALLATION**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **CATHODIC PROTECTION - FIELD INSTALLATION**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1B**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1982**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **09/10/1992**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **29327**

TANK ID: **1B**

COMPARTMENT LETTER: **A**

SUBSTANCES: **AVIATION JET FUELS**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

Leaking Petroleum Storage Tanks (LPST)

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1969**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **1000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **09/10/1992**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **29328**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Superfund Enterprise Management System Archived Site Inventory (SEMSARCH)

[MAP ID# 185](#)

Distance from Property: 0.282 mi. (1,489 ft.) E
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

EPA ID#: TXD010787653

SITE ID#: 0601772

NAME: BAPTIST HOSPITAL - NUCLEAR MEDICINE LAB

ADDRESS: 11TH STREET @ COLLEGE

BEAUMONT, TX 77701

COUNTY: JEFFERSON

FEDERAL FACILITY: NOT A FEDERAL FACILITY

NPL: NOT ON THE NPL

NON NPL STATUS: NFRAP-SITE DOES NOT QUALIFY FOR THE NPL BASED ON EXISTING INFORMATION

SEMS SEARCH: [CLICK HERE](#)

Below information was gathered from the prior NFRAP update completed in 10/2013 update:

<u>ACTION</u>	<u>START DATE</u>	<u>COMPLETION DATE</u>	<u>RESPONSIBILITY</u>
PA - PRELIMINARY ASSESSMENT	8/1/1982	8/1/1982	EPA FUND
DS - DISCOVERY	NOT REPORTED	5/1/1982	EPA FUND
VS - ARCHIVE SITE	NOT REPORTED	8/1/1982	EPA IN-HOUSE

ACTION DESCRIPTIONS

PA - (PRELIMINARY ASSESSMENT) - COLLECTION OF DIVERSE EXISTING INFORMATION ABOUT THE SOURCE AND NATURE OF THE SITE HAZARD. IT IS EPA POLICY TO COMPLETE THE PRELIMINARY ASSESSMENT WITHIN ONE YEAR OF SITE DISCOVERY.

DS - (DISCOVERY) - THE PROCESS BY WHICH A POTENTIAL HAZARDOUS WASTE SITE IS BROUGHT TO THE ATTENTION OF THE EPA. THE PROCESS CAN OCCUR THROUGH THE USE OF SEVERAL MECHANISMS SUCH AS A PHONE CALL OR REFERRAL BY ANOTHER GOVERNMENT AGENCY.

VS - (ARCHIVE SITE) - THE DECISION IS MADE THAT NO FURTHER ACTIVITY IS PLANNED AT THE SITE.

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 186

Distance from Property: 0.283 mi. (1,494 ft.) ENE

Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

GEOSEARCH ID: **098856**

LPST ID: **098856**

FACILITY ID: **0043033**

NAME: **ATTENBERY TRUCK SALES OF BEAUMONT**

ADDRESS: **995 S 11TH ST**

BEAUMONT, TX 77701

LEAKING TANK DETAILS

LPST ID: **098856**

NAME: **ATTENBERY TRUCK SALES OF BEAUMONT**

FACILITY LOCATION: **NOT REPORTED**

PRIORITY CODE: **4A - SOIL CONTAMINATION ONLY REQUIRES FULL SITE ASSESSMENT RAP**

CORRECTIVE ACTION STATUS CODE: **6A - FINAL CONCURRENCE ISSUED**

CORRECTIVE ACTION START DATE: **5/8/91**

REPORTED DATE: **04/18/1991**

ENTERED DATE: **05/08/1991**

CLOSURE DATE: **05/11/1992**

PRP INFORMATION

NAME: **ATTENBERY TRUCK SALES**

ADDRESS: **ADDRESS NOT REPORTED**

LAKE CHARLES LA 70616

CONTACT: **NOT REPORTED**

PHONE: **NOT REPORTED**

UNDERGROUND STORAGE TANK

TANK ID: **1**

INSTALLATION DATE: **01/01/1966**

TANK CAPACITY (GAL): **1000**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **06/10/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **04/19/1991**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **97686**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 187

Distance from Property: 0.285 mi. (1,505 ft.) E

Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

GEOSEARCH ID: **100918**

LPST ID: **100918**

FACILITY ID: **0005567**

NAME: **WASHBURN AUTO SUPPLY**

ADDRESS: **103 S 11TH ST**

BEAUMONT, TX 77702

LEAKING TANK DETAILS

LPST ID: **100918**

NAME: **WASHBURN AUTO SUPPLY**

FACILITY LOCATION: **NOT REPORTED**

PRIORITY CODE: **5 - MINOR SOIL CONTAMINATION - DOES NOT REQUIRE A RAP**

CORRECTIVE ACTION STATUS CODE: **6A - FINAL CONCURRENCE ISSUED**

CORRECTIVE ACTION START DATE: **12/4/91**

REPORTED DATE: **11/14/1991**

ENTERED DATE: **12/04/1991**

CLOSURE DATE: **11/13/1992**

PRP INFORMATION

NAME: **WALKER BURT**

ADDRESS: **ADDRESS NOT REPORTED**

BEAUMONT TX 77702

CONTACT: **NOT REPORTED**

PHONE: **NOT REPORTED**

UNDERGROUND STORAGE TANK

TANK ID: **1**

INSTALLATION DATE: **01/01/1971**

TANK CAPACITY (GAL): **500**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **05/08/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **10/26/1991**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **18196**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **500**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Affected Property Assessment Reports (APAR)

MAP ID# 188

Distance from Property: 0.292 mi. (1,542 ft.) NW
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

PROGRAM ID: 31854
REFERENCE NUMBER: RN102047602
FACILITY NAME: TRANSPORT SERVICE
ADDRESS: 6355 WALDEN RD
BEAUMONT, TX 77707
COUNTY: JEFFERSON
LOCATION DESCRIPTION: 6355 WALDEN RD, BEAUMONT, TX
TYPE OF FACILITY: PROPERTY COMMERCIAL
FACILITY STATUS: ONGOING WORKLOAD
PROGRAM: IHW CORRECTIVE ACTION
PROGRAM STATUS: ACTIVE

CONTACTS

MILLER, GREGORY

REMEDIATIONS

NO REMEDIATION REPORTED

CATEGORY OF CONTAMINATION

DATE	CONTAMINATIONS:
03/29/17	NOT REPORTED

[Back to Report Summary](#)

Industrial and Hazardous Waste Corrective Action Sites (IHWCA)

[MAP ID# 188](#)

Distance from Property: 0.292 mi. (1,542 ft.) NW

Elevation: 15 ft. (Lower than TP)

PROGRAM ID: 31854

RN NUMBER: RN102047602

NAME: TRANSPORT SERVICE

ADDRESS: 6355 WALDEN RD

BEAUMONT, TX 77707

STATUS: ACTIVE

STATUS DATE: 3/26/15

PHASE: ONGOING WORKLOAD

LOCATION DESCRIPTION:

6355 WALDEN RD, BEAUMONT, TX

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 188

Distance from Property: 0.292 mi. (1,542 ft.) NW

Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

GEOSEARCH ID: 103855

LPST ID: 103855

FACILITY ID: 0030010

NAME: MASON CONSTRUCTION

ADDRESS: 6285 WALDEN RD
BEAUMONT, TX 77707

LEAKING TANK DETAILS

LPST ID: 103855

NAME: MASON CONSTRUCTION

FACILITY LOCATION: NOT REPORTED

PRIORITY CODE: 6 - MINOR SOIL CONTAMINATION - NO REMEDIAL ACTION REQUIRED

CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED

CORRECTIVE ACTION START DATE: 11/16/92

REPORTED DATE: 07/10/1992

ENTERED DATE: 11/16/1992

CLOSURE DATE: 01/04/1993

PRP INFORMATION

NAME: MASON CONSTRUCTION LTD

ADDRESS: ADDRESS NOT REPORTED
BEAUMONT TX 77707

CONTACT: NOT REPORTED

PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1

INSTALLATION DATE: 01/01/1971

TANK CAPACITY (GAL): 1000

STATUS: REMOVED FROM GROUND

INTERNAL PROTECTION DATE: NOT REPORTED

TANK DESIGN SINGLE WALL: NO

PIPE DESIGN SINGLE WALL: NO

NUMBER OF COMPARTMENTS: 1

REGISTRATION DATE: 05/09/1986

EMPTY TANK: NOT EMPTY

STATUS BEGIN DATE: 06/30/1992

REGULATORY STATUS: FULLY REGULATED

TANK DESIGN DOUBLE WALL: NO

PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: NO

CORROSION PROTECTION VARIANCE: NO VARIANCE

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: 71916

TANK ID: 1

COMPARTMENT LETTER: A

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1971**

REGISTRATION DATE: **05/09/1986**

TANK CAPACITY (GAL): **1000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **06/30/1992**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: 71917

TANK ID: 2

COMPARTMENT LETTER: A

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

Leaking Petroleum Storage Tanks (LPST)

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1976**

REGISTRATION DATE: **05/09/1986**

TANK CAPACITY (GAL): **1000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **06/30/1992**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **71919**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

Leaking Petroleum Storage Tanks (LPST)

INSTALLATION DATE: **01/01/1980** REGISTRATION DATE: **05/09/1986**
TANK CAPACITY (GAL): **4000** EMPTY TANK: **NOT EMPTY**
STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **06/30/1992**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **71918**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 189

Distance from Property: 0.298 mi. (1,573 ft.) S
Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

GEOSEARCH ID: 092740
LPST ID: 092740
FACILITY ID: 0000440
NAME: **CARDINAL GLASS CO**
ADDRESS: 15 N 11TH ST
BEAUMONT, TX 77702

LEAKING TANK DETAILS

LPST ID: 092740
NAME: **CARDINAL GLASS CO**
FACILITY LOCATION: **NOT REPORTED**
PRIORITY CODE: **4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS**
CORRECTIVE ACTION STATUS CODE: **6A - FINAL CONCURRENCE ISSUED**
CORRECTIVE ACTION START DATE: **3/28/89**
REPORTED DATE: **02/15/1989**
ENTERED DATE: **03/28/1989**
CLOSURE DATE: **07/02/1998**

PRP INFORMATION

NAME: **CARDINAL GLASS**
ADDRESS: **ADDRESS NOT REPORTED**
BEAUMONT TX 77700
CONTACT: **NOT REPORTED**
PHONE: **NOT REPORTED**

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1971	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 8000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 08/31/1988
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
STEEL
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **130492**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **UNKNOWN**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1971**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **08/31/1988**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **130491**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **UNKNOWN**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

Leaking Petroleum Storage Tanks (LPST)

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1971**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **08/31/1988**

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **130493**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **UNKNOWN**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

Leaking Petroleum Storage Tanks (LPST)

INSTALLATION DATE: **01/01/1969** REGISTRATION DATE: **04/03/1989**
TANK CAPACITY (GAL): **500** EMPTY TANK: **NOT EMPTY**
STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **02/17/1989**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **YES** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **YES** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **130494**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **500**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 189

Distance from Property: 0.298 mi. (1,573 ft.) S

Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

GEOSEARCH ID: 102919

LPST ID: 102919

FACILITY ID: 0005551

NAME: KINSEL LEASE

ADDRESS: 13 N 11TH ST

BEAUMONT, TX 77702

LEAKING TANK DETAILS

LPST ID: 102919

NAME: KINSEL LEASE

FACILITY LOCATION: NOT REPORTED

PRIORITY CODE: 5 - MINOR SOIL CONTAMINATION - DOES NOT REQUIRE A RAP

CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED

CORRECTIVE ACTION START DATE: 7/16/92

REPORTED DATE: 10/28/1991

ENTERED DATE: 07/16/1992

CLOSURE DATE: 06/11/1992

PRP INFORMATION

NAME: KINSEL MOTORS INC

ADDRESS: ADDRESS NOT REPORTED

BEAUMONT TX 77704

CONTACT: NOT REPORTED

PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1

INSTALLATION DATE: 01/01/1976

TANK CAPACITY (GAL): 8000

STATUS: REMOVED FROM GROUND

INTERNAL PROTECTION DATE: NOT REPORTED

TANK DESIGN SINGLE WALL: NO

PIPE DESIGN SINGLE WALL: NO

NUMBER OF COMPARTMENTS: 1

REGISTRATION DATE: 05/08/1986

EMPTY TANK: NOT EMPTY

STATUS BEGIN DATE: 10/22/1991

REGULATORY STATUS: FULLY REGULATED

TANK DESIGN DOUBLE WALL: NO

PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: NO

CORROSION PROTECTION VARIANCE: NO VARIANCE

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **18152**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 190

Distance from Property: 0.298 mi. (1,573 ft.) NE

Elevation: 31 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 104983

LPST ID: 104983

FACILITY ID: 0012782

NAME: MAINTENANCE CENTER

ADDRESS: 1650 CALDWELL AVE

BEAUMONT, TX 77703

LEAKING TANK DETAILS

LPST ID: 104983

NAME: MAINTENANCE CENTER

FACILITY LOCATION: NOT REPORTED

PRIORITY CODE: 4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS

CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED

CORRECTIVE ACTION START DATE: 12/11/95

REPORTED DATE: 09/24/1992

ENTERED DATE: 12/11/1995

CLOSURE DATE: 08/13/2004

PRP INFORMATION

NAME: BEAUMONT ISD

ADDRESS: ADDRESS NOT REPORTED

BEAUMONT TX 77701

CONTACT: NOT REPORTED

PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1

INSTALLATION DATE: 01/01/1980

TANK CAPACITY (GAL): 6000

STATUS: REMOVED FROM GROUND

INTERNAL PROTECTION DATE: NOT REPORTED

TANK DESIGN SINGLE WALL: NO

PIPE DESIGN SINGLE WALL: NO

NUMBER OF COMPARTMENTS: 1

REGISTRATION DATE: 05/08/1986

EMPTY TANK: NOT EMPTY

STATUS BEGIN DATE: 08/31/1992

REGULATORY STATUS: FULLY REGULATED

TANK DESIGN DOUBLE WALL: NO

PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: YES

CORROSION PROTECTION VARIANCE: NO VARIANCE

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **42866**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1980**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **6000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **08/31/1992**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **42867**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

Leaking Petroleum Storage Tanks (LPST)

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **2**

INSTALLATION DATE: **09/01/1992**

REGISTRATION DATE: **07/25/2003**

TANK CAPACITY (GAL): **10058**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **09/01/1992**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **42868**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **5029**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

TANK ID: **3** NUMBER OF COMPARTMENTS: **2**
INSTALLATION DATE: **09/01/1992** REGISTRATION DATE: **07/25/2003**
TANK CAPACITY (GAL): **10058** EMPTY TANK: **NOT EMPTY**
STATUS: **IN USE** STATUS BEGIN DATE: **09/01/1992**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **YES** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **YES** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **42869**

TANK ID: **3**

COMPARTMENT LETTER: **B**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **5029**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 191

Distance from Property: 0.302 mi. (1,595 ft.) E
Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

GEOSEARCH ID: **093670**
LPST ID: **093670**
FACILITY ID: **0057919**
NAME: **TACO BELL PROPERTY**
ADDRESS: **595 S 11TH ST**
BEAUMONT, TX 77701

LEAKING TANK DETAILS

LPST ID: **093670**
NAME: **TACO BELL PROPERTY**
FACILITY LOCATION: **NOT REPORTED**
PRIORITY CODE: **4A - SOIL CONTAMINATION ONLY REQUIRES FULL SITE ASSESSMENT RAP**
CORRECTIVE ACTION STATUS CODE: **6A - FINAL CONCURRENCE ISSUED**
CORRECTIVE ACTION START DATE: **10/2/89**
REPORTED DATE: **08/25/1989**
ENTERED DATE: **10/02/1989**
CLOSURE DATE: **11/27/1989**

PRP INFORMATION

NAME: **WEADE W F**
ADDRESS: **ADDRESS NOT REPORTED**
BEAUMONT TX 77702
CONTACT: **NOT REPORTED**
PHONE: **NOT REPORTED**

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 08/31/1987	REGISTRATION DATE: 04/03/1991
TANK CAPACITY (GAL): 2000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 08/29/1989
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
STEEL
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **141760**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **2000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/31/1987**

REGISTRATION DATE: **04/03/1991**

TANK CAPACITY (GAL): **2000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **08/26/1989**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **141759**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **2000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

Leaking Petroleum Storage Tanks (LPST)

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/31/1987**

REGISTRATION DATE: **04/03/1991**

TANK CAPACITY (GAL): **2000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **08/26/1989**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **141758**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **2000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

Leaking Petroleum Storage Tanks (LPST)

INSTALLATION DATE: **08/31/1987** REGISTRATION DATE: **04/03/1991**
TANK CAPACITY (GAL): **8000** EMPTY TANK: **NOT EMPTY**
STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **08/26/1989**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **YES** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **YES** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **141757**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **5**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/31/1987**

REGISTRATION DATE: **04/03/1991**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **08/26/1989**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **141756**

TANK ID: **5**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 192

Distance from Property: 0.306 mi. (1,616 ft.) ENE
Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

GEOSEARCH ID: 113503
LPST ID: 113503
FACILITY ID: 0010861
NAME: FORMER MAGIC CAR WASH 1
ADDRESS: 2510 CALDER ST
BEAUMONT, TX 77702

LEAKING TANK DETAILS

LPST ID: 113503
NAME: FORMER MAGIC CAR WASH 1
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 11/9/09
REPORTED DATE: 05/20/2009
ENTERED DATE: 11/09/2009
CLOSURE DATE: 04/02/2010

PRP INFORMATION

NAME: OASIS CAR WASH INC
ADDRESS: ADDRESS NOT REPORTED
ADDISON TX 75001
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1968	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 2090	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 05/19/2009
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
STEEL
CORROSION PROTECTION:
EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **124298**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **2090**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1968**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **2800**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **05/19/2009**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **124297**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **2800**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP**

PIPING SYSTEMS

Leaking Petroleum Storage Tanks (LPST)

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1968**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **6040**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **05/19/2009**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **124296**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6040**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

Leaking Petroleum Storage Tanks (LPST)

INSTALLATION DATE: **01/01/1971** REGISTRATION DATE: **05/08/1986**
TANK CAPACITY (GAL): **5000** EMPTY TANK: **NOT EMPTY**
STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **05/19/2009**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **YES** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **YES** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **124295**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **5000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 193

Distance from Property: 0.311 mi. (1,642 ft.) ESE
Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

GEOSEARCH ID: 118724
LPST ID: 118724
FACILITY ID: NOT REPORTED
NAME: FORMER GAS STATION GROCERY
ADDRESS: S 11TH ST
BEAUMONT, TX 77701

LEAKING TANK DETAILS

LPST ID: 118724
NAME: FORMER GAS STATION GROCERY
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 4.0 - ASSESSMENT INCOMPLETE NO APPARENT RECEPTORS IMPACTED
CORRECTIVE ACTION STATUS CODE: 1 - RELEASE DETERMINATION
CORRECTIVE ACTION START DATE: 1/20/12
REPORTED DATE: 11/14/2011
ENTERED DATE: 01/20/2012
CLOSURE DATE: 12/31/3000

PRP INFORMATION

NAME: HONG SUNG JA
ADDRESS: ADDRESS NOT REPORTED
BEAUMONT TX 77701
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

NO UNDERGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 194

Distance from Property: 0.313 mi. (1,653 ft.) ESE
Elevation: 19 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 094331
LPST ID: 094331
FACILITY ID: 0015680
NAME: UNITED PARCEL SERVICE
ADDRESS: 3755 WASHINGTON BLVD
BEAUMONT, TX 77705

LEAKING TANK DETAILS

LPST ID: 094331
NAME: UNITED PARCEL SERVICE
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 4A - SOIL CONTAMINATION ONLY REQUIRES FULL SITE ASSESSMENT RAP
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 1/17/90
REPORTED DATE: 11/20/1989
ENTERED DATE: 01/17/1990
CLOSURE DATE: 08/06/1998

PRP INFORMATION

NAME: UNITED PARCEL SERVICE INC
ADDRESS: ADDRESS NOT REPORTED
DALLAS TX 75244
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 08/01/1990	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 10000	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 08/01/1990
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: YES
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: YES

TANK DETAILS

MATERIAL:
FRP
CORROSION PROTECTION:
FRP TANK OR PIPING (NONCORRODIBLE)
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: YES
CORROSION PROTECTION VARIANCE: NO VARIANCE

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **109781**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL,SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/01/1990**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **08/01/1990**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **109779**

TANK ID: **1A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

Leaking Petroleum Storage Tanks (LPST)

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/01/1990**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **250**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **08/01/1990**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **109780**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **250**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 194

Distance from Property: 0.313 mi. (1,653 ft.) ESE
Elevation: 19 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: **095872**
LPST ID: **095872**
FACILITY ID: **0015680**
NAME: **UNITED PARCEL SERVICE**
ADDRESS: **3755 WASHINGTON BLVD**
BEAUMONT, TX 77705

LEAKING TANK DETAILS

LPST ID: **095872**
NAME: **UNITED PARCEL SERVICE**
FACILITY LOCATION: **NOT REPORTED**
PRIORITY CODE: **4A - SOIL CONTAMINATION ONLY REQUIRES FULL SITE ASSESSMENT RAP**
CORRECTIVE ACTION STATUS CODE: **6A - FINAL CONCURRENCE ISSUED**
CORRECTIVE ACTION START DATE: **6/20/90**
REPORTED DATE: **06/04/1990**
ENTERED DATE: **06/20/1990**
CLOSURE DATE: **11/19/1990**

PRP INFORMATION

NAME: **UNITED PARCEL SERVICE INC**
ADDRESS: **ADDRESS NOT REPORTED**
DALLAS TX 75244
CONTACT: **NOT REPORTED**
PHONE: **NOT REPORTED**

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 08/01/1990	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 10000	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 08/01/1990
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: YES
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: YES

TANK DETAILS

MATERIAL:
FRP
CORROSION PROTECTION:
FRP TANK OR PIPING (NONCORRODIBLE)
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **109781**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL,SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/01/1990**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **08/01/1990**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **109779**

TANK ID: **1A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

Leaking Petroleum Storage Tanks (LPST)

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/01/1990**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **250**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **08/01/1990**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **109780**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **250**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 195

Distance from Property: 0.319 mi. (1,684 ft.) E

Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

GEOSEARCH ID: 093669

LPST ID: 093669

FACILITY ID: 0009304

NAME: V ROBERTS TEXACO

ADDRESS: 2485 S 11TH ST

BEAUMONT, TX 77701

LEAKING TANK DETAILS

LPST ID: 093669

NAME: V ROBERTS TEXACO

FACILITY LOCATION: NOT REPORTED

PRIORITY CODE: 4A - SOIL CONTAMINATION ONLY REQUIRES FULL SITE ASSESSMENT RAP

CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED

CORRECTIVE ACTION START DATE: 10/2/89

REPORTED DATE: 09/07/1989

ENTERED DATE: 10/02/1989

CLOSURE DATE: 06/23/1992

PRP INFORMATION

NAME: STEINHAGEN OIL COMPANY INC

ADDRESS: ADDRESS NOT REPORTED

BEAUMONT TX 77720

CONTACT: NOT REPORTED

PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1

INSTALLATION DATE: 01/01/1965

TANK CAPACITY (GAL): 4000

STATUS: REMOVED FROM GROUND

INTERNAL PROTECTION DATE: NOT REPORTED

TANK DESIGN SINGLE WALL: YES

PIPE DESIGN SINGLE WALL: NO

NUMBER OF COMPARTMENTS: 1

REGISTRATION DATE: 05/08/1986

EMPTY TANK: NOT EMPTY

STATUS BEGIN DATE: 08/20/1997

REGULATORY STATUS: FULLY REGULATED

TANK DESIGN DOUBLE WALL: NO

PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: NO

CORROSION PROTECTION VARIANCE: NO VARIANCE

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30687**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR**
VALUE

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1965**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **6000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **08/20/1997**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30689**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR**

Leaking Petroleum Storage Tanks (LPST)

VALUE

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1965**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **6000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **08/20/1997**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30688**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR**

VALUE

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 4	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1965	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 550	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 01/11/1991
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30690**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **550**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 5	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 08/31/1987	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 550	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 01/11/1991
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

Leaking Petroleum Storage Tanks (LPST)

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30691**

TANK ID: **5**

COMPARTMENT LETTER: **A**

SUBSTANCES: **UNKNOWN**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **550**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 196

Distance from Property: 0.339 mi. (1,790 ft.) ENE

Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

GEOSEARCH ID: 102135

LPST ID: 102135

FACILITY ID: 0008057

NAME: CIRCLE A

ADDRESS: 2498 CALDER ST
BEAUMONT, TX 77702

LEAKING TANK DETAILS

LPST ID: 102135

NAME: CIRCLE A

FACILITY LOCATION: NOT REPORTED

PRIORITY CODE: 4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS

CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED

CORRECTIVE ACTION START DATE: 3/23/92

REPORTED DATE: 02/12/1992

ENTERED DATE: 03/23/1992

CLOSURE DATE: 08/04/2004

PRP INFORMATION

NAME: CIRCLE A FOOD MART

ADDRESS: ADDRESS NOT REPORTED
BEAUMONT TX 77706

CONTACT: NOT REPORTED

PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1

INSTALLATION DATE: 01/01/1971

TANK CAPACITY (GAL): 8000

STATUS: TEMP OUT OF SERVICE

INTERNAL PROTECTION DATE: NOT REPORTED

TANK DESIGN SINGLE WALL: YES

PIPE DESIGN SINGLE WALL: YES

NUMBER OF COMPARTMENTS: 1

REGISTRATION DATE: 05/08/1986

EMPTY TANK: EMPTY

STATUS BEGIN DATE: 01/01/2006

REGULATORY STATUS: FULLY REGULATED

TANK DESIGN DOUBLE WALL: NO

PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: YES

CORROSION PROTECTION VARIANCE: NO VARIANCE

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **126801**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1971**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **EMPTY**

STATUS: **TEMP OUT OF SERVICE**

STATUS BEGIN DATE: **01/01/2006**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **126800**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY**

Leaking Petroleum Storage Tanks (LPST)

CONTROL

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 197

Distance from Property: 0.341 mi. (1,800 ft.) WNW

Elevation: 19 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: **099325**

LPST ID: **099325**

FACILITY ID: **0021905**

NAME: **STRIP CENTER**

ADDRESS: **4190 CALDER AVE
BEAUMONT, TX 77706**

LEAKING TANK DETAILS

LPST ID: **099325**

NAME: **STRIP CENTER**

FACILITY LOCATION: **NOT REPORTED**

PRIORITY CODE: **4A - SOIL CONTAMINATION ONLY REQUIRES FULL SITE ASSESSMENT RAP**

CORRECTIVE ACTION STATUS CODE: **6A - FINAL CONCURRENCE ISSUED**

CORRECTIVE ACTION START DATE: **6/24/91**

REPORTED DATE: **05/21/1991**

ENTERED DATE: **06/24/1991**

CLOSURE DATE: **09/16/1991**

PRP INFORMATION

NAME: **PARIGI ANTHONY**

ADDRESS: **ADDRESS NOT REPORTED
BEAUMONT TX 77706**

CONTACT: **NOT REPORTED**

PHONE: **NOT REPORTED**

UNDERGROUND STORAGE TANK

TANK ID: **1**

INSTALLATION DATE: **01/01/1971**

TANK CAPACITY (GAL): **550**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **05/08/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **05/14/1991**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **55088**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **WATER**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **550**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1971**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **4000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **05/14/1991**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **55091**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **WATER**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

Leaking Petroleum Storage Tanks (LPST)

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1971**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **5000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **05/14/1991**

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **55090**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **WATER**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **5000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

Leaking Petroleum Storage Tanks (LPST)

INSTALLATION DATE: **01/01/1971** REGISTRATION DATE: **05/08/1986**
TANK CAPACITY (GAL): **8000** EMPTY TANK: **NOT EMPTY**
STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **07/16/1991**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **55089**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **WATER**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 198

Distance from Property: 0.345 mi. (1,822 ft.) E
Elevation: 27 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 104987
LPST ID: 104987
FACILITY ID: 0026694
NAME: EXXON 67288
ADDRESS: 1495 GULF ST
BEAUMONT, TX 77701

LEAKING TANK DETAILS

LPST ID: 104987
NAME: EXXON 67288
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 11/10/92
REPORTED DATE: 01/06/1989
ENTERED DATE: 11/10/1992
CLOSURE DATE: 09/26/1994

PRP INFORMATION

NAME: EXXON COMPANY USA
ADDRESS: ADDRESS NOT REPORTED
HOUSTON TX 77092
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1989	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 12000	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 01/01/1989
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: YES
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
FRP
CORROSION PROTECTION:
FRP TANK OR PIPING (NONCORRODIBLE)
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: YES
CORROSION PROTECTION VARIANCE: NO VARIANCE

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **154832**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **12000**

COMPARTMENT RELEASE DETECTION: **SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **CATHODIC PROTECTION - FIELD INSTALLATION,FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **CATHODIC PROTECTION - FIELD INSTALLATION,FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1965**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **4000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **12/31/1988**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **154828**

TANK ID: **1A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

Leaking Petroleum Storage Tanks (LPST)

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **CATHODIC PROTECTION - FIELD INSTALLATION**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **CATHODIC PROTECTION - FIELD INSTALLATION**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1989**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **01/01/1989**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **154831**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **CATHODIC PROTECTION - FIELD INSTALLATION,FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **CATHODIC PROTECTION - FIELD INSTALLATION,FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 2A	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1965	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 8000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 12/31/1988
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **154827**

TANK ID: **2A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **CATHODIC PROTECTION - FIELD INSTALLATION**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **CATHODIC PROTECTION - FIELD INSTALLATION**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 3	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1989	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 10000	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 01/01/1989
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: YES
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

Leaking Petroleum Storage Tanks (LPST)

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **154830**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **CATHODIC PROTECTION - FIELD INSTALLATION,FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **CATHODIC PROTECTION - FIELD INSTALLATION,FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1965**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **12/31/1988**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

Leaking Petroleum Storage Tanks (LPST)

UST COMPARTMENT ID: **154826**

TANK ID: **3A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **CATHODIC PROTECTION - FIELD INSTALLATION**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **CATHODIC PROTECTION - FIELD INSTALLATION**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1965**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **550**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **12/31/1988**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **154825**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **550**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION: **CATHODIC PROTECTION - FIELD INSTALLATION**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **CATHODIC PROTECTION - FIELD INSTALLATION**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1989**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **1000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **01/01/1989**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **154829**

TANK ID: **4A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **CATHODIC PROTECTION - FIELD INSTALLATION**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **CATHODIC PROTECTION - FIELD INSTALLATION**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

Leaking Petroleum Storage Tanks (LPST)

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 199

Distance from Property: 0.373 mi. (1,969 ft.) W

Elevation: 25 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: **099799**

LPST ID: **099799**

FACILITY ID: **0026915**

NAME: **MINI MART 9**

ADDRESS: **3910 DELAWARE ST
BEAUMONT, TX 77706**

LEAKING TANK DETAILS

LPST ID: **099799**

NAME: **MINI MART 9**

FACILITY LOCATION: **NOT REPORTED**

PRIORITY CODE: **4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS**

CORRECTIVE ACTION STATUS CODE: **6A - FINAL CONCURRENCE ISSUED**

CORRECTIVE ACTION START DATE: **8/8/91**

REPORTED DATE: **08/05/1991**

ENTERED DATE: **08/08/1991**

CLOSURE DATE: **08/18/1999**

PRP INFORMATION

NAME: **VALLEY STAR INC**

ADDRESS: **ADDRESS NOT REPORTED
BEAUMONT TX 77707**

CONTACT: **NOT REPORTED**

PHONE: **NOT REPORTED**

UNDERGROUND STORAGE TANK

TANK ID: **1**

INSTALLATION DATE: **08/01/1991**

TANK CAPACITY (GAL): **8000**

STATUS: **IN USE**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **YES**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **05/08/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **08/01/1991**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **70789**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1980**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **08/01/1991**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **70785**

TANK ID: **1A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

Leaking Petroleum Storage Tanks (LPST)

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/01/1991**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **6000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **08/01/1991**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **70788**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 2A	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1980	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 8000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 08/01/1991
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **70787**

TANK ID: **2A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 3	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 08/01/1991	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 6000	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 08/01/1991
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

Leaking Petroleum Storage Tanks (LPST)

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **70790**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1980**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **08/01/1991**

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

Leaking Petroleum Storage Tanks (LPST)

UST COMPARTMENT ID: **70786**

TANK ID: **3A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

[MAP ID# 200](#)

Distance from Property: 0.374 mi. (1,975 ft.) NW
Elevation: 30 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 097631
LPST ID: 097631
FACILITY ID: 0003246
NAME: SPINDLETOP BUICK
ADDRESS: 3855 EASTEX FWY
BEAUMONT, TX 77706

LEAKING TANK DETAILS

LPST ID: 097631
NAME: SPINDLETOP BUICK
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 4A - SOIL CONTAMINATION ONLY REQUIRES FULL SITE ASSESSMENT RAP
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 1/4/91
REPORTED DATE: 12/13/1990
ENTERED DATE: 01/04/1991
CLOSURE DATE: 02/22/1991

PRP INFORMATION

NAME: SPINDLETOP BUICK
ADDRESS: ADDRESS NOT REPORTED
BEAUMONT TX 77706
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

NO UNDERGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 201

Distance from Property: 0.378 mi. (1,996 ft.) NE
Elevation: 29 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: **098696**
LPST ID: **098696**
FACILITY ID: **0012783**
NAME: **MAINTENANCE CENTER**
ADDRESS: **1740 LIVEOAK ST**
BEAUMONT, TX 77703

LEAKING TANK DETAILS

LPST ID: **098696**
NAME: **MAINTENANCE CENTER**
FACILITY LOCATION: **NOT REPORTED**
PRIORITY CODE: **4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS**
CORRECTIVE ACTION STATUS CODE: **6A - FINAL CONCURRENCE ISSUED**
CORRECTIVE ACTION START DATE: **4/22/91**
REPORTED DATE: **04/09/1991**
ENTERED DATE: **04/22/1991**
CLOSURE DATE: **12/20/2004**

PRP INFORMATION

NAME: **BEAUMONT ISD**
ADDRESS: **ADDRESS NOT REPORTED**
BEAUMONT TX 77704
CONTACT: **NOT REPORTED**
PHONE: **NOT REPORTED**

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1976	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 5000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 10/31/1990
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
STEEL
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **42870**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **5000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

INSTALLATION DATE: **01/01/1976**

TANK CAPACITY (GAL): **1000**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **05/08/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **10/31/1990**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **42871**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

Leaking Petroleum Storage Tanks (LPST)

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 202

Distance from Property: 0.391 mi. (2,064 ft.) ESE
Elevation: 26 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 105839
LPST ID: 105839
FACILITY ID: NOT REPORTED
NAME: TXDOT MLK SITE 7 PARCEL 445 ROW
ADDRESS: NE GLADYS
BEAUMONT, TX 77701

LEAKING TANK DETAILS

LPST ID: 105839
NAME: TXDOT MLK SITE 7 PARCEL 445 ROW
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 2/10/93
REPORTED DATE: 12/01/1992
ENTERED DATE: 02/10/1993
CLOSURE DATE: 01/28/2000

PRP INFORMATION

NAME: TEXAS DEPARTMENT OF TRANSPORTATION
ADDRESS: ADDRESS NOT REPORTED
BEAUMONT TX 77708
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

NO UNDERGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 203

Distance from Property: 0.399 mi. (2,107 ft.) ENE
Elevation: 31 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: **092899**
LPST ID: **092899**
FACILITY ID: **0047944**
NAME: **LAMBS OFFICE PRODUCTS**
ADDRESS: **2100 GULF ST**
BEAUMONT, TX 77703

LEAKING TANK DETAILS

LPST ID: **092899**
NAME: **LAMBS OFFICE PRODUCTS**
FACILITY LOCATION: **NOT REPORTED**
PRIORITY CODE: **2A - GROUNDWATER OTHER THAN 1B SITE CHARACTERIZATION INCOMPLETE**
CORRECTIVE ACTION STATUS CODE: **6A - FINAL CONCURRENCE ISSUED**
CORRECTIVE ACTION START DATE: **5/3/89**
REPORTED DATE: **04/24/1989**
ENTERED DATE: **05/03/1989**
CLOSURE DATE: **12/20/1990**

PRP INFORMATION

NAME: **LAMB, MURRAY**
ADDRESS: **ADDRESS NOT REPORTED**
BEAUMONT TX 77703
CONTACT: **NOT REPORTED**
PHONE: **NOT REPORTED**

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 08/31/1987	REGISTRATION DATE: 12/30/1988
TANK CAPACITY (GAL): 1000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 04/24/1989
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
STEEL
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **114301**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 204

Distance from Property: 0.412 mi. (2,175 ft.) SE
Elevation: 14 ft. (Lower than TP)

FACILITY INFORMATION

GEOSEARCH ID: 118298
LPST ID: 118298
FACILITY ID: 0013625
NAME: TYRELL PARK DIVE-IN GROCERY
ADDRESS: 5225 FANNETT RD
BEAUMONT, TX 77705

LEAKING TANK DETAILS

LPST ID: 118298
NAME: TYRELL PARK DIVE-IN GROCERY
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 3.2 - IMPACTED GW W/IN 500FT-0.25MI TO SW USED BY HUMANENDGR SPEC
CORRECTIVE ACTION STATUS CODE: 6P - FINAL PENDING WELL PLUG
CORRECTIVE ACTION START DATE: 5/10/13
REPORTED DATE: 02/23/2010
ENTERED DATE: 05/10/2010
CLOSURE DATE: 05/10/2013

PRP INFORMATION

NAME: GORJALA, CHAKRAUARTH
ADDRESS: ADDRESS NOT REPORTED
BEAUMONT TX 77707
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1983	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 8000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 12/17/2009
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
STEEL
CORROSION PROTECTION:
CATHODIC PROTECTION - FIELD INSTALLATION
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **24800**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING,SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1983**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **12/17/2009**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **24801**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING,SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY**

Leaking Petroleum Storage Tanks (LPST)

CONTROL

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **10/22/2010**

REGISTRATION DATE: **03/03/2011**

TANK CAPACITY (GAL): **20000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **10/22/2010**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

EXTERNAL NONMETTALIC JACKET

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **24802**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **20000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL,INTERSTITIAL
MONITORING WITHIN SECONDARY WALL/JACKET**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

Leaking Petroleum Storage Tanks (LPST)

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **2**

INSTALLATION DATE: **10/22/2010**

REGISTRATION DATE: **03/03/2011**

TANK CAPACITY (GAL): **12000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **10/22/2010**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

EXTERNAL NONMETTALIC JACKET

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **24803**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **5000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL, INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP, FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP, FLOW RESTRICTOR VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **2**

INSTALLATION DATE: **10/22/2010**

REGISTRATION DATE: **03/03/2011**

TANK CAPACITY (GAL): **12000**

EMPTY TANK: **NOT EMPTY**

Leaking Petroleum Storage Tanks (LPST)

STATUS: **IN USE** STATUS BEGIN DATE: **10/22/2010**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **YES** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

EXTERNAL NONMETTALIC JACKET

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **24804**

TANK ID: **4**

COMPARTMENT LETTER: **B**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **7000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL,INTERSTITIAL**

MONITORING WITHIN SECONDARY WALL/JACKET

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Municipal Solid Waste Landfill Sites (MSWLF)

MAP ID# 205

Distance from Property: 0.416 mi. (2,196 ft.) SSW

Elevation: 14 ft. (Lower than TP)

FACILITY INFORMATION

PERMIT#: 1486B

NAME: CITY OF BEAUMONT LANDFILL

ADDRESS: 5895 LAFIN DR

BEAUMONT, TX 77705-4335

COUNTY: JEFFERSON

FACILITY DETAILS

FACILITY TYPE #: LANDFILL FACILITY

PHYSICAL FACILITY STATUS: ACTIVE

LEGAL STATUS: ISSUED

REFERENCE NUMBER(RN): RN102987369

REGION: REGION 10 - BEAUMONT

[Back to Report Summary](#)

Municipal Solid Waste Landfill Sites (MSWLF)

MAP ID# 205

Distance from Property: 0.416 mi. (2,196 ft.) SSW

Elevation: 14 ft. (Lower than TP)

FACILITY INFORMATION

PERMIT#: 213

NAME: CITY OF BEAUMONT LANDFILL

ADDRESS: .5 MILES W OF TAYLORS BAYOU N OF STATE HIGHWAY 73

BEAUMONT, TX

COUNTY: JEFFERSON

FACILITY DETAILS

FACILITY TYPE #: LANDFILL FACILITY

PHYSICAL FACILITY STATUS: CLOSED

LEGAL STATUS: REVOKED

REFERENCE NUMBER(RN): RN102926219

REGION: REGION 10 - BEAUMONT

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 206

Distance from Property: 0.42 mi. (2,218 ft.) SE

Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

GEOSEARCH ID: 117656

LPST ID: 117656

FACILITY ID: 0008063

NAME: STAR MINI MART

ADDRESS: 5575 FANNETT RD
BEAUMONT, TX 77705

LEAKING TANK DETAILS

LPST ID: 117656

NAME: STAR MINI MART

FACILITY LOCATION: NOT REPORTED

PRIORITY CODE: 4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS

CORRECTIVE ACTION STATUS CODE: 6D - FINAL PENDING FEE PAYMENT

CORRECTIVE ACTION START DATE: 1/10/13

REPORTED DATE: 10/29/2007

ENTERED DATE: 04/03/2008

CLOSURE DATE: 01/10/2013

PRP INFORMATION

NAME: STAR MINI MART LLC

ADDRESS: ADDRESS NOT REPORTED
BEAUMONT TX 77705

CONTACT: NOT REPORTED

PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1

INSTALLATION DATE: 02/01/1974

TANK CAPACITY (GAL): 4000

STATUS: REMOVED FROM GROUND

INTERNAL PROTECTION DATE: NOT REPORTED

TANK DESIGN SINGLE WALL: YES

PIPE DESIGN SINGLE WALL: YES

NUMBER OF COMPARTMENTS: 1

REGISTRATION DATE: 05/08/1986

EMPTY TANK: NOT EMPTY

STATUS BEGIN DATE: 11/06/2007

REGULATORY STATUS: FULLY REGULATED

TANK DESIGN DOUBLE WALL: NO

PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: YES

CORROSION PROTECTION VARIANCE: NO VARIANCE

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **140168**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4000**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **CATHODIC PROTECTION - FIELD INSTALLATION**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **CATHODIC PROTECTION - FIELD INSTALLATION**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **02/01/1974**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **4000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **11/06/2007**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **140170**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4000**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

Leaking Petroleum Storage Tanks (LPST)

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **CATHODIC PROTECTION - FIELD INSTALLATION**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **CATHODIC PROTECTION - FIELD INSTALLATION**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **02/01/1974**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **2000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **11/06/2007**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **140169**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **2000**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **CATHODIC PROTECTION - FIELD INSTALLATION**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **CATHODIC PROTECTION - FIELD INSTALLATION**

PIPE COMPLIANCE FLAG

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 4	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 11/06/2007	REGISTRATION DATE: 12/31/2008
TANK CAPACITY (GAL): 10000	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 06/19/2018
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **140171**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 4	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 11/06/2007	REGISTRATION DATE: 12/31/2008
TANK CAPACITY (GAL): 10000	EMPTY TANK: EMPTY
STATUS: TEMP OUT OF SERVICE	STATUS BEGIN DATE: 02/28/2014
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

Leaking Petroleum Storage Tanks (LPST)

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **140171**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **5**

NUMBER OF COMPARTMENTS: **2**

INSTALLATION DATE: **11/06/2007**

REGISTRATION DATE: **12/31/2008**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **06/19/2018**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **140172**
TANK ID: **5**
COMPARTMENT LETTER: **A**
SUBSTANCES: **GASOLINE**
OTHER SUBSTANCES: **NOT REPORTED**
CAPACITY (GAL): **4000**
COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**
SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**
CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**
EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 5	NUMBER OF COMPARTMENTS: 2
INSTALLATION DATE: 11/06/2007	REGISTRATION DATE: 12/31/2008
TANK CAPACITY (GAL): 10000	EMPTY TANK: EMPTY
STATUS: TEMP OUT OF SERVICE	STATUS BEGIN DATE: 02/28/2014
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
COMPOSITE
CORROSION PROTECTION:
COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **140172**
TANK ID: **5**
COMPARTMENT LETTER: **A**
SUBSTANCES: **EMPTY**
OTHER SUBSTANCES: **NOT REPORTED**
CAPACITY (GAL): **4000**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **5**

NUMBER OF COMPARTMENTS: **2**

INSTALLATION DATE: **11/06/2007**

REGISTRATION DATE: **12/31/2008**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **06/19/2018**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **140173**

TANK ID: **5**

COMPARTMENT LETTER: **B**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

Leaking Petroleum Storage Tanks (LPST)

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **5**

NUMBER OF COMPARTMENTS: **2**

INSTALLATION DATE: **11/06/2007**

REGISTRATION DATE: **12/31/2008**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **EMPTY**

STATUS: **TEMP OUT OF SERVICE**

STATUS BEGIN DATE: **02/28/2014**

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **140173**

TANK ID: **5**

COMPARTMENT LETTER: **B**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY**

CONTROL

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

Leaking Petroleum Storage Tanks (LPST)

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 207

Distance from Property: 0.428 mi. (2,260 ft.) ESE
Elevation: 19 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 091774
LPST ID: 091774
FACILITY ID: 0021922
NAME: GULF DARBY OIL
ADDRESS: 3615 WASHINGTON BLVD
BEAUMONT, TX 77705

LEAKING TANK DETAILS

LPST ID: 091774
NAME: GULF DARBY OIL
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 4A - SOIL CONTAMINATION ONLY REQUIRES FULL SITE ASSESSMENT RAP
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 3/29/88
REPORTED DATE: 03/29/1988
ENTERED DATE: 03/29/1988
CLOSURE DATE: 10/08/1991

PRP INFORMATION

NAME: MODICA BROTHERS LTD
ADDRESS: ADDRESS NOT REPORTED
BEAUMONT TX 77705
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 06/01/1976	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 4000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 04/05/1998
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
STEEL
CORROSION PROTECTION:
EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **55132**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **06/01/1976**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **4000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **04/05/1998**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **55131**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

Leaking Petroleum Storage Tanks (LPST)

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **06/01/1976**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **4000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **04/05/1998**

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **55130**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP**

PIPE COMPLIANCE FLAG

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 4	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 06/01/1978	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 1000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 04/05/1998
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **55129**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 208

Distance from Property: 0.44 mi. (2,323 ft.) E

Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

GEOSEARCH ID: 104986

LPST ID: 104986

FACILITY ID: 0015178

NAME: AMERICAN VALVE

ADDRESS: 3350 HOLLYWOOD ST
BEAUMONT, TX 77701

LEAKING TANK DETAILS

LPST ID: 104986

NAME: AMERICAN VALVE

FACILITY LOCATION: NOT REPORTED

PRIORITY CODE: 5 - MINOR SOIL CONTAMINATION - DOES NOT REQUIRE A RAP

CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED

CORRECTIVE ACTION START DATE: 11/4/92

REPORTED DATE: 09/24/1992

ENTERED DATE: 11/04/1992

CLOSURE DATE: 01/14/1993

PRP INFORMATION

NAME: PORTER OIL CO

ADDRESS: ADDRESS NOT REPORTED
BEAUMONT TX 77702

CONTACT: NOT REPORTED

PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: A1

INSTALLATION DATE: 01/01/1972

TANK CAPACITY (GAL): 1000

STATUS: REMOVED FROM GROUND

INTERNAL PROTECTION DATE: NOT REPORTED

TANK DESIGN SINGLE WALL: YES

PIPE DESIGN SINGLE WALL: YES

NUMBER OF COMPARTMENTS: 1

REGISTRATION DATE: 05/08/1986

EMPTY TANK: NOT EMPTY

STATUS BEGIN DATE: 09/16/1992

REGULATORY STATUS: FULLY REGULATED

TANK DESIGN DOUBLE WALL: NO

PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: NO

CORROSION PROTECTION VARIANCE: NO VARIANCE

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **49194**

TANK ID: **A1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **10/01/1992**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **1000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **01/09/2003**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **49195**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

Leaking Petroleum Storage Tanks (LPST)

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,CATHODIC PROTECTION - FIELD INSTALLATION,FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,CATHODIC PROTECTION - FIELD INSTALLATION,FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 209

Distance from Property: 0.463 mi. (2,445 ft.) NNE
Elevation: 32 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: **098058**
LPST ID: **098058**
FACILITY ID: **0040710**
NAME: **STREET TRAFFIC DEPT**
ADDRESS: **2610 CONCORD RD**
BEAUMONT, TX 77703

LEAKING TANK DETAILS

LPST ID: **098058**
NAME: **STREET TRAFFIC DEPT**
FACILITY LOCATION: **NOT REPORTED**
PRIORITY CODE: **4A - SOIL CONTAMINATION ONLY REQUIRES FULL SITE ASSESSMENT RAP**
CORRECTIVE ACTION STATUS CODE: **6A - FINAL CONCURRENCE ISSUED**
CORRECTIVE ACTION START DATE: **2/22/91**
REPORTED DATE: **01/14/1991**
ENTERED DATE: **02/22/1991**
CLOSURE DATE: **04/23/1991**

PRP INFORMATION

NAME: **CITY OF BEAUMONT**
ADDRESS: **ADDRESS NOT REPORTED**
BEAUMONT TX 77704
CONTACT: **NOT REPORTED**
PHONE: **NOT REPORTED**

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 12/01/1990	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 9816	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 12/01/1990
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
FRP
CORROSION PROTECTION:
EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,FRP TANK OR PIPING (NONCORRODIBLE)
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **2548**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **9816**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,FRP TANK OR PIPING**

(NONCORRODIBLE),ISOLATED IN OPEN AREA/2ND CONTAINMENT

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,FRP TANK OR PIPING**

(NONCORRODIBLE),ISOLATED IN OPEN AREA/2ND CONTAINMENT

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/31/1987**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **11/07/1990**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **2545**

TANK ID: **1A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **12/01/1990**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **9816**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **12/01/1990**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **2549**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **9816**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,FRP TANK OR PIPING (NONCORRODIBLE),ISOLATED IN OPEN AREA/2ND CONTAINMENT**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,FRP TANK OR PIPING (NONCORRODIBLE),ISOLATED IN OPEN AREA/2ND CONTAINMENT**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/31/1987**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **11/07/1990**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **2546**

TANK ID: **2A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/31/1987**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **11/07/1990**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

Leaking Petroleum Storage Tanks (LPST)

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **2547**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 209

Distance from Property: 0.463 mi. (2,445 ft.) NNE
Elevation: 32 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: **098061**
LPST ID: **098061**
FACILITY ID: **0040710**
NAME: **STREET TRAFFIC DEPT**
ADDRESS: **2610 CONCORD RD**
BEAUMONT, TX 77703

LEAKING TANK DETAILS

LPST ID: **098061**
NAME: **STREET TRAFFIC DEPT**
FACILITY LOCATION: **NOT REPORTED**
PRIORITY CODE: **4A - SOIL CONTAMINATION ONLY REQUIRES FULL SITE ASSESSMENT RAP**
CORRECTIVE ACTION STATUS CODE: **6A - FINAL CONCURRENCE ISSUED**
CORRECTIVE ACTION START DATE: **2/22/91**
REPORTED DATE: **10/18/1990**
ENTERED DATE: **02/22/1991**
CLOSURE DATE: **04/23/1991**

PRP INFORMATION

NAME: **CITY OF BEAUMONT**
ADDRESS: **ADDRESS NOT REPORTED**
BEAUMONT TX 77704
CONTACT: **NOT REPORTED**
PHONE: **NOT REPORTED**

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 12/01/1990	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 9816	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 12/01/1990
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
FRP
CORROSION PROTECTION:
EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,FRP TANK OR PIPING (NONCORRODIBLE)
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **2548**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **9816**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,FRP TANK OR PIPING**

(NONCORRODIBLE),ISOLATED IN OPEN AREA/2ND CONTAINMENT

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,FRP TANK OR PIPING**

(NONCORRODIBLE),ISOLATED IN OPEN AREA/2ND CONTAINMENT

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/31/1987**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **11/07/1990**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **2545**

TANK ID: **1A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**
SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**
CORROSION PROTECTION: **NOT REPORTED**
EXTERNAL CONTAINMENT: **NOT REPORTED**
CONNECTORS & VALVES:
NOT REPORTED
CORROSION PROTECTION: **NOT REPORTED**
PIPE COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 2	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 12/01/1990	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 9816	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 12/01/1990
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
FRP
CORROSION PROTECTION:
EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,FRP TANK OR PIPING (NONCORRODIBLE)
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **2549**
TANK ID: **2**
COMPARTMENT LETTER: **A**
SUBSTANCES: **DIESEL**
OTHER SUBSTANCES: **NOT REPORTED**
CAPACITY (GAL): **9816**
COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**
SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**
CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,FRP TANK OR PIPING (NONCORRODIBLE),ISOLATED IN OPEN AREA/2ND CONTAINMENT**
EXTERNAL CONTAINMENT: **NOT REPORTED**
CONNECTORS & VALVES:
NOT REPORTED

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP,FRP TANK OR PIPING (NONCORRODIBLE),ISOLATED IN OPEN AREA/2ND CONTAINMENT**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/31/1987**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **11/07/1990**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **2546**

TANK ID: **2A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/31/1987**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **11/07/1990**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

Leaking Petroleum Storage Tanks (LPST)

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **2547**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 210

Distance from Property: 0.466 mi. (2,460 ft.) SE

Elevation: 13 ft. (Lower than TP)

FACILITY INFORMATION

GEOSEARCH ID: 093590

LPST ID: 093590

FACILITY ID: 0002566

NAME: POOLE TRUCK LINE INC

ADDRESS: 5705 FANNETT RD

BEAUMONT, TX 77705

LEAKING TANK DETAILS

LPST ID: 093590

NAME: POOLE TRUCK LINE INC

FACILITY LOCATION: NOT REPORTED

PRIORITY CODE: 4A - SOIL CONTAMINATION ONLY REQUIRES FULL SITE ASSESSMENT RAP

CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED

CORRECTIVE ACTION START DATE: 9/18/89

REPORTED DATE: 09/05/1989

ENTERED DATE: 09/18/1989

CLOSURE DATE: 05/08/1990

PRP INFORMATION

NAME: LANDSTAR ACQUISITION CORPORATION

ADDRESS: ADDRESS NOT REPORTED

EVERGREEN AL 36401

CONTACT: NOT REPORTED

PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1

INSTALLATION DATE: 01/01/1974

TANK CAPACITY (GAL): 10000

STATUS: REMOVED FROM GROUND

INTERNAL PROTECTION DATE: NOT REPORTED

TANK DESIGN SINGLE WALL: NO

PIPE DESIGN SINGLE WALL: NO

NUMBER OF COMPARTMENTS: 1

REGISTRATION DATE: 05/08/1986

EMPTY TANK: NOT EMPTY

STATUS BEGIN DATE: 07/31/1996

REGULATORY STATUS: FULLY REGULATED

TANK DESIGN DOUBLE WALL: NO

PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: NO

CORROSION PROTECTION VARIANCE: NO VARIANCE

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **9040**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1974**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **07/31/1996**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **9039**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

Leaking Petroleum Storage Tanks (LPST)

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1986**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **4000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **07/31/1996**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **9038**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **NEW OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

Leaking Petroleum Storage Tanks (LPST)

INSTALLATION DATE: **08/31/1987** REGISTRATION DATE: **05/08/1986**
TANK CAPACITY (GAL): **10000** EMPTY TANK: **NOT EMPTY**
STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **09/18/1989**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **9041**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 211

Distance from Property: 0.471 mi. (2,487 ft.) ESE

Elevation: 25 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 114647

LPST ID: 114647

FACILITY ID: 0007653

NAME: GET N GO 2

ADDRESS: 1280 S M L KING JR PKWY
BEAUMONT, TX 77701

LEAKING TANK DETAILS

LPST ID: 114647

NAME: GET N GO 2

FACILITY LOCATION: NOT REPORTED

PRIORITY CODE: 4.2 - NO GW IMPACT NO APPARENT THREATS OR IMPACTS TO RECEPTORS

CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED

CORRECTIVE ACTION START DATE: 6/25/99

REPORTED DATE: 12/07/1998

ENTERED DATE: 06/25/1999

CLOSURE DATE: 02/26/2001

PRP INFORMATION

NAME: HAYNES OIL COMPANY

ADDRESS: ADDRESS NOT REPORTED
VIDOR TX 77670

CONTACT: NOT REPORTED

PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1

INSTALLATION DATE: 01/01/1978

TANK CAPACITY (GAL): 8000

STATUS: REMOVED FROM GROUND

INTERNAL PROTECTION DATE: NOT REPORTED

TANK DESIGN SINGLE WALL: NO

PIPE DESIGN SINGLE WALL: NO

NUMBER OF COMPARTMENTS: 1

REGISTRATION DATE: 05/08/1986

EMPTY TANK: NOT EMPTY

STATUS BEGIN DATE: 11/25/1998

REGULATORY STATUS: FULLY REGULATED

TANK DESIGN DOUBLE WALL: NO

PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: NO

CORROSION PROTECTION VARIANCE: NO VARIANCE

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **36523**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1978**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **11/25/1998**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **36525**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

Leaking Petroleum Storage Tanks (LPST)

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1978**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **11/25/1998**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **36524**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Railroad Commission VCP and Brownfield Sites (RRCVCP)

[MAP ID# 212](#)

Distance from Property: 0.472 mi. (2,492 ft.) WNW
Elevation: 19 ft. (Higher than TP)

ID NUMBER: 40018

TYPE: VOLUNTARY CLEANUP PROGRAM

SITE ADDRESS: 12 ACRES NEAR INTERSECTION OF W. LUCAS & AUTHUR ST

CITY: BEAUMONT

COUNTY: JEFFERSON

STATE: TX

ZIPCODE: NOT REPORTED

ACRES: 12

STATUS: CLOSED

CLEANUP STANDARDS: NOT REPORTED

FINAL CERTIFICATION OF COMPLETION: 4/29/2011

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 213

Distance from Property: 0.484 mi. (2,556 ft.) E

Elevation: 15 ft. (Lower than TP)

FACILITY INFORMATION

GEOSEARCH ID: 110353

LPST ID: 110353

FACILITY ID: 0021073

NAME: AMERICAN FREIGHTWAYS INC

ADDRESS: 1020 S 8TH ST

BEAUMONT, TX 77701

LEAKING TANK DETAILS

LPST ID: 110353

NAME: AMERICAN FREIGHTWAYS INC

FACILITY LOCATION: NOT REPORTED

PRIORITY CODE: 4.2 - NO GW IMPACT NO APPARENT THREATS OR IMPACTS TO RECEPTORS

CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED

CORRECTIVE ACTION START DATE: 2/20/96

REPORTED DATE: 01/26/1996

ENTERED DATE: 02/20/1996

CLOSURE DATE: 07/22/2003

PRP INFORMATION

NAME: FEDEX FREIGHT INC

ADDRESS: ADDRESS NOT REPORTED

HARRISON AR 72601

CONTACT: NOT REPORTED

PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1

INSTALLATION DATE: 03/01/1974

TANK CAPACITY (GAL): 8000

STATUS: REMOVED FROM GROUND

INTERNAL PROTECTION DATE: NOT REPORTED

TANK DESIGN SINGLE WALL: YES

PIPE DESIGN SINGLE WALL: YES

NUMBER OF COMPARTMENTS: 1

REGISTRATION DATE: 05/08/1986

EMPTY TANK: NOT EMPTY

STATUS BEGIN DATE: 02/20/1998

REGULATORY STATUS: FULLY REGULATED

TANK DESIGN DOUBLE WALL: NO

PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: NO

CORROSION PROTECTION VARIANCE: NO VARIANCE

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **50764**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **03/01/1974**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **01/17/1996**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **50765**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

Leaking Petroleum Storage Tanks (LPST)

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **03/01/1974**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **6000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **01/17/1996**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **50766**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 214

Distance from Property: 0.489 mi. (2,582 ft.) NW

Elevation: 30 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 091495

LPST ID: 091495

FACILITY ID: 0041871

NAME: GAS STATION 585

ADDRESS: 3955 EASTEX FWY

BEAUMONT, TX 77706

LEAKING TANK DETAILS

LPST ID: 091495

NAME: GAS STATION 585

FACILITY LOCATION: NOT REPORTED

PRIORITY CODE: 4A - SOIL CONTAMINATION ONLY REQUIRES FULL SITE ASSESSMENT RAP

CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED

CORRECTIVE ACTION START DATE: 10/14/87

REPORTED DATE: 09/03/1987

ENTERED DATE: 10/14/1987

CLOSURE DATE: 10/05/1989

PRP INFORMATION

NAME: WAL-MART STORES INC

ADDRESS: ADDRESS NOT REPORTED

BEAUMONT TX 77708

CONTACT: NOT REPORTED

PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1A

INSTALLATION DATE: 08/31/1987

TANK CAPACITY (GAL): 10000

STATUS: REMOVED FROM GROUND

INTERNAL PROTECTION DATE: NOT REPORTED

TANK DESIGN SINGLE WALL: NO

PIPE DESIGN SINGLE WALL: NO

NUMBER OF COMPARTMENTS: 1

REGISTRATION DATE: 05/08/1986

EMPTY TANK: NOT EMPTY

STATUS BEGIN DATE: 09/30/1987

REGULATORY STATUS: FULLY REGULATED

TANK DESIGN DOUBLE WALL: NO

PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: NO

CORROSION PROTECTION VARIANCE: NO VARIANCE

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: 117418

TANK ID: 1A

COMPARTMENT LETTER: A

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1B**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **06/01/1984**

REGISTRATION DATE: **05/24/1991**

TANK CAPACITY (GAL): **550**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **06/18/1992**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: 117419

TANK ID: **1B**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **550**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

Leaking Petroleum Storage Tanks (LPST)

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/31/1987**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **09/30/1987**

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **117417**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

Leaking Petroleum Storage Tanks (LPST)

INSTALLATION DATE: **08/31/1987** REGISTRATION DATE: **05/08/1986**
TANK CAPACITY (GAL): **10000** EMPTY TANK: **NOT EMPTY**
STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **09/30/1987**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **117416**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/31/1987**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **09/30/1987**

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **117415**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

[MAP ID# 214](#)

Distance from Property: 0.489 mi. (2,582 ft.) NW
Elevation: 30 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 101444
LPST ID: 101444
FACILITY ID: 0058427
NAME: WALMART
ADDRESS: 3955 EASTEX FWY
BEAUMONT, TX 77706

LEAKING TANK DETAILS

LPST ID: 101444
NAME: WALMART
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 4A - SOIL CONTAMINATION ONLY REQUIRES FULL SITE ASSESSMENT RAP
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 1/22/92
REPORTED DATE: 12/23/1991
ENTERED DATE: 01/22/1992
CLOSURE DATE: 01/14/1993

PRP INFORMATION

NAME: WAL-MART STORES INC
ADDRESS: ADDRESS NOT REPORTED
BENTONVILLE AK 72716
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

NO UNDERGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 214

Distance from Property: 0.489 mi. (2,582 ft.) NW

Elevation: 30 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 112305

LPST ID: 112305

FACILITY ID: 0041871

NAME: FORMER WALMART STORE

ADDRESS: 3955 EASTEX FWY

BEAUMONT, TX 77706

LEAKING TANK DETAILS

LPST ID: 112305

NAME: FORMER WALMART STORE

FACILITY LOCATION: NOT REPORTED

PRIORITY CODE: 4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS

CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED

CORRECTIVE ACTION START DATE: 5/14/97

REPORTED DATE: 05/09/1997

ENTERED DATE: 05/14/1997

CLOSURE DATE: 02/03/2010

PRP INFORMATION

NAME: WAL-MART STORES INC

ADDRESS: ADDRESS NOT REPORTED

BENTONVILLE AR 72712

CONTACT: NOT REPORTED

PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1A

INSTALLATION DATE: 08/31/1987

TANK CAPACITY (GAL): 10000

STATUS: REMOVED FROM GROUND

INTERNAL PROTECTION DATE: NOT REPORTED

TANK DESIGN SINGLE WALL: NO

PIPE DESIGN SINGLE WALL: NO

NUMBER OF COMPARTMENTS: 1

REGISTRATION DATE: 05/08/1986

EMPTY TANK: NOT EMPTY

STATUS BEGIN DATE: 09/30/1987

REGULATORY STATUS: FULLY REGULATED

TANK DESIGN DOUBLE WALL: NO

PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: NO

CORROSION PROTECTION VARIANCE: NO VARIANCE

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: 117418

TANK ID: 1A

COMPARTMENT LETTER: A

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1B**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **06/01/1984**

REGISTRATION DATE: **05/24/1991**

TANK CAPACITY (GAL): **550**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **06/18/1992**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: 117419

TANK ID: **1B**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **550**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

Leaking Petroleum Storage Tanks (LPST)

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/31/1987**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **09/30/1987**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **117417**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

Leaking Petroleum Storage Tanks (LPST)

INSTALLATION DATE: **08/31/1987** REGISTRATION DATE: **05/08/1986**
TANK CAPACITY (GAL): **10000** EMPTY TANK: **NOT EMPTY**
STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **09/30/1987**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **117416**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/31/1987**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **09/30/1987**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **117415**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 215

Distance from Property: 0.491 mi. (2,592 ft.) ESE
Elevation: 16 ft. (Lower than TP)

FACILITY INFORMATION

GEOSEARCH ID: 105450
LPST ID: 105450
FACILITY ID: 0064194
NAME: CITY OF BEAUMONT EMS
ADDRESS: 3558 WASHINGTON BLVD
BEAUMONT, TX 77705

LEAKING TANK DETAILS

LPST ID: 105450
NAME: CITY OF BEAUMONT EMS
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 5 - MINOR SOIL CONTAMINATION - DOES NOT REQUIRE A RAP
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 1/5/93
REPORTED DATE: 11/23/1992
ENTERED DATE: 01/05/1993
CLOSURE DATE: 11/01/1995

PRP INFORMATION

NAME: CITY OF BEAUMONT
ADDRESS: ADDRESS NOT REPORTED
BEAUMONT TX 77704
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 08/31/1987	REGISTRATION DATE: 02/01/1993
TANK CAPACITY (GAL): 10000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 11/16/1992
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
STEEL
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **2561**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Brownfields Management System (BF)

MAP ID# 216

Distance from Property: 0.493 mi. (2,603 ft.) E
Elevation: 18 ft. (Higher than TP)

SITE INFORMATION

ID#: 10962

NAME: DOCTOR'S BUILDING BAPTISTS HOSPITAL

ADDRESS: 3155 STAGG DRIVE
BEAUMONT, TX 77701

TYPE FUNDING: HAZARDOUS

PREDOMINANT PAST USE (ACREAGE):

GREENSPACE:
NOT REPORTED

RESIDENTIAL:
NOT REPORTED

COMMERCIAL:
NOT REPORTED

INDUSTRIAL:
NOT REPORTED

FUTURE USE (ACREAGE):

GREENSPACE:
NOT REPORTED

RESIDENTIAL:
NOT REPORTED

COMMERCIAL:
NOT REPORTED

INDUSTRIAL:
NOT REPORTED

PROPERTY HIGHLIGHT:

NOT REPORTED

PROPERTY SIZE (Acres): 4.6

CURRENT OWNER: BAPTIST HOSPITALS OF SOUTHEAST TEXAS

PROPERTY DESCRIPTION/ FORMER USE:

HOSPITAL

CONTAMINATE(S): **NOT REPORTED**

CONTAMINATE(S) CLEANED UP: **NOT REPORTED**

MEDIA(S) AFFECTED: **NOT REPORTED**

MEDIA(S) CLEANED UP: **NOT REPORTED**

TYPE OF BROWNFIELD GRANT: TBA

ENVIRONMENTAL ASSESSMENT ACTIVITY: PHASE II ENVIRONMENTAL ASSESSMENT

ASSESSMENT START DATE: 5/9/2001 0:00

ASSESSMENT COMPLETION DATE: 5/9/2001 0:00

CLEANUP REQUIRED: **NOT REPORTED**

STATE & TRIBAL ENROLLMENT ID: **NOT REPORTED**

STATE & TRIBAL ENROLLMENT DATE: **NOT REPORTED**

PROPERTY ENROLLED IN A STATE & TRIBAL PROGRAM?: **NOT REPORTED**

ARE INSTITUTIONAL CONTROLS REQUIRED?: **NO**

[Back to Report Summary](#)

Brownfields Site Assessments (BSA)

MAP ID# 216

Distance from Property: 0.493 mi. (2,603 ft.) E
Elevation: 18 ft. (Higher than TP)

SITE INFORMATION

ID#: **G046**

NAME: **DOCTORS BLDG BAPTIST HOSP**

ADDRESS: **3155 STAGG DR**

BEAUMONT TX 77701

ACRES: **4.6**

FACILITY TYPE: **ABANDONED HOSPITAL PROPERTY**

APPLICATION DATE: **11/21/2000**

CERTIFICATE OF COMPLETION DATE: **8/1/01**

TYPE OF CERTIFICATE ISSUED: **FINAL**

PHASE: **COMPLETED**

CONTAMINANT/S: **LEAD**

MEDIA AFFECTED: **SOILS**

REMEDY: **NOT REPORTED**

APPLICANT INFORMATION

ORGANIZATION: **BAPTIST HOSPITALS OF SOUTHEAST TEXAS, INC.**

JOSEPH A., CLARK, DIRECTOR OCCUPATIONAL MEDICINE

ADDRESS: **P.O. BOX 1591**

BEAUMONT, TX 77701

PHONE: **409-654-6179**

FAX: **409-654-5008**

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 217

Distance from Property: 0.497 mi. (2,624 ft.) ESE
Elevation: 23 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 091484
LPST ID: 091484
FACILITY ID: 0004568
NAME: BEAUMONT COCA COLA BOTTLE
ADDRESS: 1075 N M L KING JR PKWY
BEAUMONT, TX 77701

LEAKING TANK DETAILS

LPST ID: 091484
NAME: BEAUMONT COCA COLA BOTTLE
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 2A - GROUNDWATER OTHER THAN 1B SITE CHARACTERIZATION INCOMPLETE
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 9/24/87
REPORTED DATE: 09/24/1987
ENTERED DATE: 09/24/1987
CLOSURE DATE: 12/22/1994

PRP INFORMATION

NAME: COCA-COLA REFRESHMENTS USA INC
ADDRESS: ADDRESS NOT REPORTED
ATLANTA GA 30301
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 08/31/1987	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 10000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 06/30/1988
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
STEEL
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **62576**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **WATER**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 218

Distance from Property: 0.498 mi. (2,629 ft.) W

Elevation: 17 ft. (Equal to TP)

FACILITY INFORMATION

GEOSEARCH ID: 106355

LPST ID: 106355

FACILITY ID: 0009324

NAME: JASPERS

ADDRESS: 4625 COLLEGE ST
BEAUMONT, TX 77707

LEAKING TANK DETAILS

LPST ID: 106355

NAME: JASPERS

FACILITY LOCATION: NOT REPORTED

PRIORITY CODE: 4.2 - NO GW IMPACT NO APPARENT THREATS OR IMPACTS TO RECEPTORS

CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED

CORRECTIVE ACTION START DATE: 4/3/96

REPORTED DATE: 03/02/1993

ENTERED DATE: 04/03/1996

CLOSURE DATE: 09/03/1997

PRP INFORMATION

NAME: STEINHAGEN OIL COMPANY INC

ADDRESS: ADDRESS NOT REPORTED
BEAUMONT TX 77707

CONTACT: NOT REPORTED

PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1

INSTALLATION DATE: 01/01/1984

TANK CAPACITY (GAL): 4000

STATUS: REMOVED FROM GROUND

INTERNAL PROTECTION DATE: NOT REPORTED

TANK DESIGN SINGLE WALL: YES

PIPE DESIGN SINGLE WALL: NO

NUMBER OF COMPARTMENTS: 1

REGISTRATION DATE: 05/08/1986

EMPTY TANK: NOT EMPTY

STATUS BEGIN DATE: 07/01/1997

REGULATORY STATUS: FULLY REGULATED

TANK DESIGN DOUBLE WALL: NO

PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: NO

CORROSION PROTECTION VARIANCE: NO VARIANCE

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30772**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1984**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **6000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **07/01/1997**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30771**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR**

Leaking Petroleum Storage Tanks (LPST)

VALUE

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1984**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **6000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **07/01/1997**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **30773**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR**

VALUE

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Unlocated Sites Summary

This list contains sites that could not be mapped due to limited or incomplete address information.

Database Name	Site ID#	Site Name	Address	City/State/Zip/County
ERNSTX	539520	SITE SPECIFIC	INTERSTATE HIGHWAY 10	BEAUMONT 77705 Jefferson
ERNSTX	516223	SITE SPECIFIC	INTERSTATE HIGHWAY 10	BEAUMONT 77705 Jefferson
ERNSTX	551622	SITE SPECIFIC	INTERSTATE HIGHWAY 10	BEAUMONT 77705 Jefferson
ERNSTX	557542	SITE SPECIFIC	INTERSTATE HIGHWAY 10	BEAUMONT 77705 Jefferson
ERNSTX	710081	SITE SPECIFIC	INTERSTATE HIGHWAY 10	BEAUMONT 77705 Jefferson
ERNSTX	557616	SITE SPECIFIC	INTERSTATE HIGHWAY 10	BEAUMONT 77705 Jefferson
IHW	34025*IHW	BEAUMONT MACHINE WORKS	HIGHWAY 96 N	BEAUMONT

Environmental Records Definitions - FEDERAL

AIRSAFS Aerometric Information Retrieval System / Air Facility Subsystem

VERSION DATE: 10/20/14

The United States Environmental Protection Agency (EPA) modified the Aerometric Information Retrieval System (AIRS) to a database that exclusively tracks the compliance of stationary sources of air pollution with EPA regulations: the Air Facility Subsystem (AFS). Since this change in 2001, the management of the AIRS/AFS database was assigned to EPA's Office of Enforcement and Compliance Assurance.

BRS Biennial Reporting System

VERSION DATE: 12/31/15

The United States Environmental Protection Agency (EPA), in cooperation with the States, biennially collects information regarding the generation, management, and final disposition of hazardous wastes regulated under the Resource Conservation and Recovery Act of 1976 (RCRA), as amended. The Biennial Report captures detailed data on the generation of hazardous waste from large quantity generators and data on waste management practices from treatment, storage and disposal facilities. Currently, the EPA states that data collected between 1991 and 1997 was originally a part of the defunct Biennial Reporting System and is now incorporated into the RCRAInfo data system.

CDL Clandestine Drug Laboratory Locations

VERSION DATE: 10/05/17

The U.S. Department of Justice ("the Department") provides this information as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments. The Department does not establish, implement, enforce, or certify compliance with clean-up or remediation standards for contaminated sites; the public should contact a state or local health department or environmental protection agency for that information.

DOCKETS EPA Docket Data

VERSION DATE: 12/22/05

The United States Environmental Protection Agency Docket data lists Civil Case Defendants, filing dates as far back as 1971, laws broken including section, violations that occurred, pollutants involved, penalties assessed and superfund awards by facility and location. Please refer to ICIS database as source of current data.

EC Federal Engineering Institutional Control Sites

VERSION DATE: 08/03/15

This database includes site locations where Engineering and/or Institutional Controls have been identified as part

Environmental Records Definitions - FEDERAL

of a selected remedy for the site as defined by United States Environmental Protection Agency official remedy decision documents. A site listing does not indicate that the institutional and engineering controls are currently in place nor will be in place once the remedy is complete; it only indicates that the decision to include either of them in the remedy is documented as of the completed date of the document. Institutional controls are actions, such as legal controls, that help minimize the potential for human exposure to contamination by ensuring appropriate land or resource use. Engineering controls include caps, barriers, or other device engineering to prevent access, exposure, or continued migration of contamination. The data included in this report was extracted from the final CERCLIS dataset (CERCLIS was a Superfund data system that EPA decommissioned in 2014 following its deployment of the Superfund Enterprise Management System), which represents program progress as of the end of fiscal year 2013.

ECHOR06 Enforcement and Compliance History Information

VERSION DATE: 03/09/19

The U.S. Environmental Protection Agency's Enforcement and Compliance History Online (ECHO) database, provides compliance and enforcement information for facilities nationwide. This database includes facilities regulated as Clean Air Act stationary sources, Clean Water Act direct dischargers, Resource Conservation and Recovery Act hazardous waste handlers, Safe Drinking Water Act public water systems along with other data, such as Toxics Release Inventory releases.

ERNSTX Emergency Response Notification System

VERSION DATE: 04/07/19

This National Response Center database contains data on reported releases of oil, chemical, radiological, biological, and/or etiological discharges into the environment anywhere in the United States and its territories. The data comes from spill reports made to the U.S. Environmental Protection Agency, U.S. Coast Guard, the National Response Center and/or the U.S. Department of Transportation.

FRSTX Facility Registry System

VERSION DATE: 04/05/19

The United States Environmental Protection Agency's Office of Environmental Information (OEI) developed the Facility Registry System (FRS) as the centrally managed database that identifies facilities, sites or places subject to environmental regulations or of environmental interest. The Facility Registry System replaced the Facility Index System or FINDS database.

HMIRSR06 Hazardous Materials Incident Reporting System

VERSION DATE: 04/14/19

The HMIRS database contains unintentional hazardous materials release information reported to the U.S. Department of Transportation located in EPA Region 6. This region includes the following states: Arkansas, Louisiana, New Mexico, Oklahoma, and Texas.

Environmental Records Definitions - FEDERAL

ICIS Integrated Compliance Information System (formerly DOCKETS)

VERSION DATE: 03/09/19

ICIS is a case activity tracking and management system for civil, judicial, and administrative federal Environmental Protection Agency enforcement cases. ICIS contains information on federal administrative and federal judicial cases under the following environmental statutes: the Clean Air Act, the Clean Water Act, the Resource Conservation and Recovery Act, the Emergency Planning and Community Right-to-Know Act - Section 313, the Toxic Substances Control Act, the Federal Insecticide, Fungicide, and Rodenticide Act, the Comprehensive Environmental Response, Compensation, and Liability Act, the Safe Drinking Water Act, and the Marine Protection, Research, and Sanctuaries Act.

ICISNPDES Integrated Compliance Information System National Pollutant Discharge Elimination System

VERSION DATE: 07/09/17

Authorized by the Clean Water Act, the National Pollutant Discharge Elimination System (NPDES) permit program controls water pollution by regulating point sources that discharge pollutants into waters of the United States. This database is provided by the U.S. Environmental Protection Agency.

LUCIS Land Use Control Information System

VERSION DATE: 09/01/06

The LUCIS database is maintained by the U.S. Department of the Navy and contains information for former Base Realignment and Closure (BRAC) properties across the United States.

MLTS Material Licensing Tracking System

VERSION DATE: 06/29/17

MLTS is a list of approximately 8,100 sites which have or use radioactive materials subject to the United States Nuclear Regulatory Commission (NRC) licensing requirements. Disclaimer: Due to agency regulations and policies, this database contains applicant/licensee location information which may or may not be related to the physical location per MLTS site.

NPDES06 National Pollutant Discharge Elimination System

VERSION DATE: 04/01/07

Authorized by the Clean Water Act, the National Pollutant Discharge Elimination System (NPDES) permit program controls water pollution by regulating point sources that discharge pollutants into waters of the United States. The NPDES database was collected from the U.S. Environmental Protection Agency (EPA) from December 2002 through April 2007. Refer to the PCS and/or ICIS-NPDES database as source of current data. This database includes permitted facilities located in EPA Region 6. This region includes the following states: Arkansas, Louisiana, New Mexico, Oklahoma, and Texas.

Environmental Records Definitions - FEDERAL

PADS PCB Activity Database System

VERSION DATE: 09/14/18

PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the U.S. Environmental Protection Agency of such activities.

PCSR06 Permit Compliance System

VERSION DATE: 08/01/12

The Permit Compliance System is used in tracking enforcement status and permit compliance of facilities controlled by the National Pollutant Discharge Elimination System (NPDES) under the Clean Water Act and is maintained by the United States Environmental Protection Agency's Office of Compliance. PCS is designed to support the NPDES program at the state, regional, and national levels. This database includes permitted facilities located in EPA Region 6. This region includes the following states: Arkansas, Louisiana, New Mexico, Oklahoma, and Texas. PCS has been modernized, and no longer exists. National Pollutant Discharge Elimination System (ICIS-NPDES) data can now be found in Integrated Compliance Information System (ICIS).

RCRASC RCRA Sites with Controls

VERSION DATE: 02/22/19

The Resource Conservation and Recovery Act (RCRA) gives the U.S. Environmental Protection Agency (EPA) the authority to control hazardous waste from the "cradle-to-grave." This includes the generation, transportation, treatment, storage, and disposal of hazardous waste. RCRA also set forth a framework for the management of non-hazardous solid wastes. The 1986 amendments to RCRA enabled EPA to address environmental problems that could result from underground tanks storing petroleum and other hazardous substances. This listing refers to facilities with institutional controls in place.

SEMCLIENS SEMS Lien on Property

VERSION DATE: 08/13/18

The U.S. Environmental Protection Agency's (EPA) Office of Solid Waste and Emergency Response, Office of Superfund Remediation and Technology Innovation (OSRTI), has implemented The Superfund Enterprise Management System (SEMS), formerly known as CERCLIS (Comprehensive Environmental Response, Compensation and Liability Information System) to track and report on clean-up and enforcement activities taking place at Superfund sites. SEMS represents a joint development and ongoing collaboration between Superfund's Remedial, Removal, Federal Facilities, Enforcement and Emergency Response programs. This is a listing of SEMS sites with a lien on the property.

SFLIENS CERCLIS Liens

VERSION DATE: 06/08/12

A Federal CERCLA ("Superfund") lien can exist by operation of law at any site or property at which United States

Environmental Records Definitions - FEDERAL

Environmental Protection Agency has spent Superfund monies. These monies are spent to investigate and address releases and threatened releases of contamination. CERCLIS provides information as to the identity of these sites and properties. This database contains those CERCLIS sites where the Lien on Property action is complete. Please refer to the SEMSLIENS database as source of current data.

SSTS Section Seven Tracking System

VERSION DATE: 02/01/17

The United States Environmental Protection Agency tracks information on pesticide establishments through the Section Seven Tracking System (SSTS). SSTS records the registration of new establishments and records pesticide production at each establishment. The Federal Insecticide, Fungicide and Rodenticide Act (FIFRA) requires that production of pesticides or devices be conducted in a registered pesticide-producing or device-producing establishment. ("Production" includes formulation, packaging, repackaging, and relabeling.)

TRI Toxics Release Inventory

VERSION DATE: 12/31/16

The Toxics Release Inventory, provided by the United States Environmental Protection Agency, includes data on toxic chemical releases and waste management activities from certain industries as well as federal and tribal facilities. This inventory contains information about the types and amounts of toxic chemicals that are released each year to the air, water, and land as well as information on the quantities of toxic chemicals sent to other facilities for further waste management.

TSCA Toxic Substance Control Act Inventory

VERSION DATE: 12/31/12

The Toxic Substances Control Act (TSCA) was enacted in 1976 to ensure that chemicals manufactured, imported, processed, or distributed in commerce, or used or disposed of in the United States do not pose any unreasonable risks to human health or the environment. TSCA section 8(b) provides the United States Environmental Protection Agency authority to "compile, keep current, and publish a list of each chemical substance that is manufactured or processed in the United States." This TSCA Chemical Substance Inventory contains non-confidential information on the production amount of toxic chemicals from each manufacturer and importer site.

RCRAGR06 Resource Conservation & Recovery Act - Generator

VERSION DATE: 04/01/19

The Resource Conservation and Recovery Act (RCRA) gives the U.S. Environmental Protection Agency (EPA) the authority to control hazardous waste from the "cradle-to-grave." This includes the generation, transportation, treatment, storage, and disposal of hazardous waste. RCRA also set forth a framework for the management of non-hazardous solid wastes. The 1986 amendments to RCRA enabled EPA to address environmental problems that could result from underground tanks storing petroleum and other hazardous substances. This listing refers to facilities currently generating hazardous waste. EPA region 6 includes the following states: Arkansas,

Environmental Records Definitions - FEDERAL

Louisiana, New Mexico, Oklahoma, and Texas.

RCRANGR06 Resource Conservation & Recovery Act - Non-Generator

VERSION DATE: 04/01/19

The Resource Conservation and Recovery Act (RCRA) gives the U.S. Environmental Protection Agency (EPA) the authority to control hazardous waste from the "cradle-to-grave." This includes the generation, transportation, treatment, storage, and disposal of hazardous waste. RCRA also set forth a framework for the management of non-hazardous solid wastes. The 1986 amendments to RCRA enabled EPA to address environmental problems that could result from underground tanks storing petroleum and other hazardous substances. This listing refers to facilities classified as non-generators. Non-Generators do not presently generate hazardous waste. EPA Region 6 includes the following states: Arkansas, Louisiana, New Mexico, Oklahoma, and Texas.

ALTFUELS Alternative Fueling Stations

VERSION DATE: 03/01/19

Nationwide list of alternative fueling stations made available by the U.S. Department of Energy's Office of Energy Efficiency & Renewable Energy. Includes Bio-diesel stations, Ethanol (E85) stations, Liquefied Petroleum Gas (Propane) stations, Ethanol (E85) stations, Natural Gas stations, Hydrogen stations, and Electric Vehicle Supply Equipment (EVSE).

FEMAUST FEMA Owned Storage Tanks

VERSION DATE: 12/01/16

This is a listing of FEMA owned underground and aboveground storage tank sites. For security reasons, address information is not released to the public according to the U.S. Department of Homeland Security.

HISTPST Historical Gas Stations

VERSION DATE: NR

This historic directory of service stations is provided by the Cities Service Company. The directory includes Cities Service filling stations that were located throughout the United States in 1930.

ICISCLEANERS Integrated Compliance Information System Drycleaners

VERSION DATE: 03/09/19

This is a listing of drycleaner facilities from the Integrated Compliance Information System (ICIS). The U.S. Environmental Protection Agency (EPA) tracks facilities that possess NAIC and SIC codes that classify businesses as drycleaner establishments.

Environmental Records Definitions - FEDERAL

MRDS Mineral Resource Data System

VERSION DATE: 03/15/16

MRDS (Mineral Resource Data System) is a collection of reports describing metallic and nonmetallic mineral resources throughout the world. Included are deposit name, location, commodity, deposit description, geologic characteristics, production, reserves, resources, and references. This database contains the records previously provided in the Mineral Resource Data System (MRDS) of USGS and the Mineral Availability System/Mineral Industry Locator System (MAS/MILS) originated in the U.S. Bureau of Mines, which is now part of USGS.

MSHA Mine Safety and Health Administration Master Index File

VERSION DATE: 03/15/19

The Mine dataset lists all Coal and Metal/Non-Metal mines under MSHA's jurisdiction since 1/1/1970. It includes such information as the current status of each mine (Active, Abandoned, NonProducing, etc.), the current owner and operating company, commodity codes and physical attributes of the mine. Mine ID is the unique key for this data. This information is provided by the United States Department of Labor - Mine Safety and Health Administration (MSHA).

BF Brownfields Management System

VERSION DATE: 03/31/19

Brownfields are real property, the expansion, redevelopment, or reuse of which may be complicated by the presence or potential presence of a hazardous substance, pollutant, or contaminant. Cleaning up and reinvesting in these properties takes development pressures off of undeveloped, open land, and both improves and protects the environment. The United States Environmental Protection Agency maintains this database to track activities in the various brown field grant programs including grantee assessment, site cleanup and site redevelopment. This database included tribal brownfield sites.

DNPL Delisted National Priorities List

VERSION DATE: 04/09/19

This database includes sites from the United States Environmental Protection Agency's Final National Priorities List (NPL) where remedies have proven to be satisfactory or sites where the original analyses were inaccurate, and the site is no longer appropriate for inclusion on the NPL, and final publication in the Federal Register has occurred.

NLRRCRAT No Longer Regulated RCRA Non-CORRACTS TSD Facilities

VERSION DATE: 04/01/19

This database includes RCRA Non-Corrective Action TSD facilities that are no longer regulated by the United States Environmental Protection Agency or do not meet other RCRA reporting requirements. This listing includes facilities that formerly treated, stored or disposed of hazardous waste.

Environmental Records Definitions - FEDERAL

ODI Open Dump Inventory

VERSION DATE: 06/01/85

The open dump inventory was published by the United States Environmental Protection Agency. An "open dump" is defined as a facility or site where solid waste is disposed of which is not a sanitary landfill which meets the criteria promulgated under section 4004 of the Solid Waste Disposal Act (42 U.S.C. 6944) and which is not a facility for disposal of hazardous waste. This inventory has not been updated since June 1985.

RCRAT Resource Conservation & Recovery Act - Non-CORRACTS Treatment, Storage & Disposal Facilities

VERSION DATE: 04/01/19

The Resource Conservation and Recovery Act (RCRA) gives the U.S. Environmental Protection Agency (EPA) the authority to control hazardous waste from the "cradle-to-grave." This includes the generation, transportation, treatment, storage, and disposal of hazardous waste. RCRA also set forth a framework for the management of non-hazardous solid wastes. The 1986 amendments to RCRA enabled EPA to address environmental problems that could result from underground tanks storing petroleum and other hazardous substances. This listing refers to facilities recognized as hazardous waste treatment, storage, and disposal sites (TSD).

SEMS Superfund Enterprise Management System

VERSION DATE: 03/11/19

The U.S. Environmental Protection Agency's (EPA) Office of Solid Waste and Emergency Response, Office of Superfund Remediation and Technology Innovation (OSRTI), has implemented The Superfund Enterprise Management System (SEMS), formerly known as CERCLIS (Comprehensive Environmental Response, Compensation and Liability Information System) to track and report on clean-up and enforcement activities taking place at Superfund sites. SEMS represents a joint development and ongoing collaboration between Superfund's Remedial, Removal, Federal Facilities, Enforcement and Emergency Response programs.

SEMSARCH Superfund Enterprise Management System Archived Site Inventory

VERSION DATE: 03/11/19

The U.S. Environmental Protection Agency's (EPA) Superfund Enterprise Management System Archived Site Inventory (List 8R Archived) replaced the CERCLIS NFRAP reporting system in 2015. This listing reflects sites at which the EPA has determined that assessment has been completed and no further remedial action is planned under the Superfund program.

SMCRA Surface Mining Control and Reclamation Act Sites

VERSION DATE: 03/19/19

An inventory of land and water impacted by past mining (primarily coal mining) is maintained by the Office of Surface Mining Reclamation and Enforcement (OSMRE) to provide information needed to implement the Surface Mining Control and Reclamation Act of 1977 (SMCRA). The inventory contains information on the location, type,

Environmental Records Definitions - FEDERAL

and extent of AML impacts, as well as, information on the cost associated with the reclamation of those problems. The inventory is based upon field surveys by State, Tribal, and OSMRE program officials. It is dynamic to the extent that it is modified as new problems are identified and existing problems are reclaimed.

USUMTRCA Uranium Mill Tailings Radiation Control Act Sites

VERSION DATE: 03/04/17

The Legacy Management Office of the Department of Energy (DOE) manages radioactive and chemical waste, environmental contamination, and hazardous material at over 100 sites across the U.S. The L.M. Office manages this database of sites registered under the Uranium Mill Tailings Control Act (UMTRCA).

DOD Department of Defense Sites

VERSION DATE: 12/01/14

This information originates from the National Atlas of the United States Federal Lands data, which includes lands owned or administered by the Federal government. Army DOD, Army Corps of Engineers DOD, Air Force DOD, Navy DOD and Marine DOD areas of 640 acres or more are included.

FUDS Formerly Used Defense Sites

VERSION DATE: 06/01/15

The Formerly Used Defense Sites (FUDS) inventory includes properties previously owned by or leased to the United States and under Secretary of Defense Jurisdiction, as well as Munitions Response Areas (MRAs). The remediation of these properties is the responsibility of the Department of Defense. This data is provided by the U.S. Army Corps of Engineers (USACE), the boundaries/polygon data are based on preliminary findings and not all properties currently have polygon data available. **DISCLAIMER:** This data represents the results of data collection/processing for a specific USACE activity and is in no way to be considered comprehensive or to be used in any legal or official capacity as presented on this site. While the USACE has made a reasonable effort to insure the accuracy of the maps and associated data, it should be explicitly noted that USACE makes no warranty, representation or guaranty, either expressed or implied, as to the content, sequence, accuracy, timeliness or completeness of any of the data provided herein. For additional information on Formerly Used Defense Sites please contact the USACE Public Affairs Office at (202) 528-4285.

FUSRAP Formerly Utilized Sites Remedial Action Program

VERSION DATE: 03/04/17

The U.S. Department of Energy (DOE) established the Formerly Utilized Sites Remedial Action Program (FUSRAP) in 1974 to remediate sites where radioactive contamination remained from the Manhattan Project and early U.S. Atomic Energy Commission (AEC) operations. The DOE Office of Legacy Management (LM) established long-term surveillance and maintenance (LTS&M) requirements for remediated FUSRAP sites. DOE evaluates the final site conditions of a remediated site on the basis of risk for different future uses. DOE then confirms that LTS&M requirements will maintain protectiveness.

Environmental Records Definitions - FEDERAL

NLRRCRAC No Longer Regulated RCRA Corrective Action Facilities

VERSION DATE: 04/01/19

This database includes RCRA Corrective Action facilities that are no longer regulated by the United States Environmental Protection Agency or do not meet other RCRA reporting requirements.

NMS Former Military Nike Missile Sites

VERSION DATE: 12/01/84

This information was taken from report DRXTH-AS-IA-83A016 (Historical Overview of the Nike Missile System, 12/1984) which was performed by Environmental Science and Engineering, Inc. for the U.S. Army Toxic and Hazardous Materials Agency Assessment Division. The Nike system was deployed between 1954 and the mid-1970's. Among the substances used or stored on Nike sites were liquid missile fuel (JP-4); starter fluids (UDKH, aniline, and furfuryl alcohol); oxidizer (IRFNA); hydrocarbons (motor oil, hydraulic fluid, diesel fuel, gasoline, heating oil); solvents (carbon tetrachloride, trichloroethylene, trichloroethane, stoddard solvent); and battery electrolyte. The quantities of material a disposed of and procedures for disposal are not documented in published reports. Virtually all information concerning the potential for contamination at Nike sites is confined to personnel who were assigned to Nike sites. During deactivation most hardware was shipped to depot-level supply points. There were reportedly instances where excess materials were disposed of on or near the site itself at closure. There was reportedly no routine site decontamination.

NPL National Priorities List

VERSION DATE: 04/09/19

This database includes United States Environmental Protection Agency (EPA) National Priorities List sites that fall under the EPA's Superfund program, established to fund the cleanup of the most serious uncontrolled or abandoned hazardous waste sites identified for possible long-term remedial action.

PNPL Proposed National Priorities List

VERSION DATE: 04/09/19

This database contains sites proposed to be included on the National Priorities List (NPL) in the Federal Register. The United States Environmental Protection Agency investigates these sites to determine if they may present long-term threats to public health or the environment.

RCRAC Resource Conservation & Recovery Act - Corrective Action Facilities

VERSION DATE: 04/01/19

The Resource Conservation and Recovery Act (RCRA) gives the U.S. Environmental Protection Agency (EPA) the authority to control hazardous waste from the "cradle-to-grave." This includes the generation, transportation, treatment, storage, and disposal of hazardous waste. RCRA also set forth a framework for the management of non-hazardous solid wastes. The 1986 amendments to RCRA enabled EPA to address environmental problems

Environmental Records Definitions - FEDERAL

that could result from underground tanks storing petroleum and other hazardous substances. This listing refers to facilities with corrective action activity.

RCRASUBC Resource Conservation & Recovery Act - Subject to Corrective Action Facilities

VERSION DATE: 04/01/19

The Resource Conservation and Recovery Act (RCRA) gives the U.S. Environmental Protection Agency (EPA) the authority to control hazardous waste from the "cradle-to-grave." This includes the generation, transportation, treatment, storage, and disposal of hazardous waste. RCRA also set forth a framework for the management of non-hazardous solid wastes. The 1986 amendments to RCRA enabled EPA to address environmental problems that could result from underground tanks storing petroleum and other hazardous substances. This listing refers to facilities subject to corrective actions.

RODS Record of Decision System

VERSION DATE: 02/06/19

These decision documents maintained by the United States Environmental Protection Agency describe the chosen remedy for NPL (Superfund) site remediation. They also include site history, site description, site characteristics, community participation, enforcement activities, past and present activities, contaminated media, the contaminants present, and scope and role of response action.

Environmental Records Definitions - STATE (TX)

GWCC Groundwater Contamination Cases

VERSION DATE: 12/31/17

This is a Joint Groundwater Monitoring and Contamination Report provided by the Texas Commission on Environmental Quality (TCEQ). The annual report describes the status of groundwater monitoring activities conducted or required by each agency at regulated facilities or associated with regulated activities. The report provides a general overview of groundwater monitoring by participating members on a program by program basis. Groundwater contamination is broadly defined in the report as any detrimental alteration of the naturally occurring quality of groundwater.

HISTGWCC Historic Groundwater Contamination Cases

VERSION DATE: 12/31/16

This is a Joint Groundwater Monitoring and Contamination Report provided by the Texas Commission on Environmental Quality (TCEQ) that includes historic groundwater contamination cases reported since 1994. These cases have been closed by a program area or agency, such as the TCEQ, the Railroad Commission of Texas, and/or the Texas Alliance of Groundwater Districts. According to the TCEQ report, although enforcement actions may be closed on these cases, the Activity Status Code descriptions allow that groundwater contamination may still be present at the site and may therefore be of interest to regulatory agencies and the general public.

LANDAPP Land Application Permits

VERSION DATE: 01/03/19

Texas Land Application Permits are a requirement from the Texas Commission on Environmental Quality for any domestic facility that disposes of treated effluent by land application such as surface irrigation, evaporation, drainfields or subsurface land application.

LIENS TCEQ Liens

VERSION DATE: 06/06/18

Liens filed upon State and/or Federal Superfund Sites by the Texas Commission on Environmental Quality.

MSD Municipal Setting Designations

VERSION DATE: 01/16/19

The Texas Commission on Environmental Quality (TCEQ) defines an MSD as an official state designation given to property within a municipality or its extraterritorial jurisdiction that certifies that designated groundwater at the property is not used as potable water, and is prohibited from future use as potable water because that groundwater is contaminated in excess of the applicable potable-water protective concentration level. The prohibition must be in the form of a city ordinance, or a restrictive covenant that is enforceable by the city and filed in the property records. The MSD property can be a single property, multi-property, or a portion of property.

Environmental Records Definitions - STATE (TX)

TCEQ Disclaimer: This data is for informational purposes and may not have been prepared for or be suitable for legal, engineering, or surveying purposes. It does not represent an on-the-ground survey and represents only the approximate relative location of property boundaries.

NOV Notice of Violations

VERSION DATE: 02/24/16

This database containing Notice of Violations (NOV) is maintained by the Texas Commission on Environmental Quality. An NOV is a written notification that documents and communicates violations observed during an inspection to the business or individual inspected.

SIEC01 State Institutional/Engineering Control Sites

VERSION DATE: 01/01/19

The Texas Risk Reduction Program (TRRP) requires the placement of institutional controls (e.g., deed notices or restrictive covenants) on affected property in different circumstances as part of completing a response action. In its simplest form, an institutional control (IC) is a legal document that is recorded in the county deed records. In certain circumstances, local zoning or ordinances can serve as an IC. This listing may also include locations where Engineering Controls are in effect, such as a cap, barrier, or other engineering device to prevent access, exposure, or continued migration of contamination. The sites included on this list are regulated by various programs of the Texas Commission on Environmental Quality (TCEQ).

SPILLS Spills Listing

VERSION DATE: 02/07/19

This Texas Commission on Environmental Quality database includes releases of hazardous or potentially hazardous materials into the environment.

TIERII Tier II Chemical Reporting Program Facilities

VERSION DATE: 12/31/12

The Texas Tier II Chemical Reporting Program in the Department of State Health Services (DSHS) is the state repository for EPCRA-required Emergency Planning Letters (EPLs), which are one-time notifications to the state from facilities that have certain extremely hazardous chemicals in specified amounts. The Program is also the state repository for EPCRA/state-required hazardous chemical inventory reports called Texas Tier Two Reports. This data contains those facility reports for the 2005 through the 2012 calendar years. Please contact the Texas Commission on Environmental Quality Tier II Chemical Reporting Division as the current source for this data, due to confidentiality and safety reasons details such as the location and capacity of on-site hazardous chemicals is only available to local emergency planning agencies, fire departments, and/or owners.

DCR Dry Cleaner Registration Database

VERSION DATE: 02/01/19

Environmental Records Definitions - STATE (TX)

The database includes dry cleaning drop stations and facilities registered with the Texas Commission on Environmental Quality.

IHW Industrial and Hazardous Waste Sites

VERSION DATE: 01/04/19

Owner and facility information is included in this database of permitted and non-permitted industrial and hazardous waste sites. Industrial waste is waste that results from or is incidental to operations of industry, manufacturing, mining, or agriculture. Hazardous waste is defined as any solid waste listed as hazardous or possesses one or more hazardous characteristics as defined in federal waste regulations. The IHW database is maintained by the Texas Commission on Environmental Quality.

PIHW Permitted Industrial Hazardous Waste Sites

VERSION DATE: 01/04/19

Owner and facility information is included in this database of all permitted industrial and hazardous waste sites. Industrial waste is waste that results from or is incidental to operations of industry, manufacturing, mining, or agriculture. Hazardous waste is defined as any solid waste listed as hazardous or possesses one or more hazardous characteristics as defined in federal waste regulations. Permitted IHW facilities are regulated under 30 Texas Administrative Code Chapter 335 in addition to federal regulations. The IHW database is maintained by the Texas Commission on Environmental Quality.

PST Petroleum Storage Tanks

VERSION DATE: 02/01/19

The Petroleum Storage Tank database is administered by the Texas Commission on Environmental Quality (TCEQ). Both Underground storage tanks (USTs) and Aboveground storage tanks (ASTs) are included in this report. Petroleum Storage Tank registration has been a requirement with the TCEQ since 1986.

APAR Affected Property Assessment Reports

VERSION DATE: 04/05/19

As regulated by the Texas Commission on Environmental Quality, an Affected Property Assessment Report is required when a person is addressing a release of chemical of concern (COC) under 30 TAC Chapter 350, the Texas Risk Reduction Program (TRRP). The purpose of the APAR is to document all relevant affected property information to identify all release sources and COCs, determine the extent of all COCs, identify all transport/exposure pathways, and to determine if any response actions are necessary. The Texas Administrative Code Title 30 §350.4(a)(1) defines affected property as the entire area (i.e. on-site and off-site; including all environmental media) which contains releases of chemicals of concern at concentrations equal to or greater than the assessment level applicable for residential land use and groundwater classification.

Environmental Records Definitions - STATE (TX)

BSA Brownfields Site Assessments

VERSION DATE: 03/05/19

The Brownfields Site Assessments database is maintained by the Texas Commission on Environmental Quality (TCEQ). The TCEQ, in close partnership with the U.S. Environmental Protection Agency (EPA) and other federal, state, and local redevelopment agencies, and stakeholders, is facilitating cleanup, transferability, and revitalization of brownfields through the development of regulatory, tax, and technical assistance tools.

CALF Closed & Abandoned Landfill Inventory

VERSION DATE: 11/01/05

The Texas Commission on Environmental Quality, under a contract with Texas State University, and in cooperation with the 24 regional Council of Governments (COGs) in the State, has located over 4,000 closed and abandoned municipal solid waste landfills throughout Texas. This listing contains "unauthorized sites". Unauthorized sites have no permit and are considered abandoned. The information available for each site varies in detail and this historical information is not updated. Please refer to the specific regional COG for the most current information.

DCRPS Dry Cleaner Remediation Program Sites

VERSION DATE: 03/01/19

This list of DCRP sites is provided by the Texas Commission on Environmental Quality (TCEQ). According to the TCEQ, the Dry Cleaner Remediation Program (DCRP) establishes a prioritization list of dry cleaner sites and administers the Dry Cleaning Remediation fund to assist with remediation of contamination caused by dry cleaning solvents.

IOP Innocent Owner / Operator Database

VERSION DATE: 01/01/19

Texas Innocent Owner / Operator (IOP), created by House Bill 2776 of the 75th Legislature, provides a certificate to an innocent owner or operator if their property is contaminated as a result of a release or migration of contaminants from a source or sources not located on the property, and they did not cause or contribute to the source or sources of contamination. The IOP database is maintained by the Texas Commission on Environmental Quality.

LPST Leaking Petroleum Storage Tanks

VERSION DATE: 03/07/19

The Leaking Petroleum Storage Tank listing is derived from the Petroleum Storage Tank (PST) database and is maintained by the Texas Commission on Environmental Quality. This listing includes aboveground and underground storage tank facilities with reported leaks.

Environmental Records Definitions - STATE (TX)

MSWLF Municipal Solid Waste Landfill Sites

VERSION DATE: 03/01/19

The municipal solid waste landfill database is provided by the Texas Commission on Environmental Quality. This database includes active landfills and inactive landfills, where solid waste is treated or stored.

RRCVCP Railroad Commission VCP and Brownfield Sites

VERSION DATE: 04/18/19

According to the Railroad Commission of Texas, their Voluntary Cleanup Program (RRC-VCP) provides an incentive to remediate Oil & Gas related pollution by participants as long as they did not cause or contribute to the contamination. Applicants to the program receive a release of liability to the state in exchange for a successful cleanup.

RWS Radioactive Waste Sites

VERSION DATE: 07/11/06

This Texas Commission on Environmental Quality database contains all sites in the State of Texas that have been designated as Radioactive Waste sites.

STCV Salt Caverns for Petroleum Storage

VERSION DATE: 09/01/06

The salt caverns for petroleum storage database is provided by the Railroad Commission of Texas.

VCP Voluntary Cleanup Program Sites

VERSION DATE: 05/17/19

The Texas Voluntary Cleanup Program (VCP) provides administrative, technical, and legal incentives to encourage the cleanup of contaminated sites in Texas. Since all non-responsible parties, including future lenders and landowners, receive protection from liability to the state of Texas for cleanup of sites under the VCP, most of the constraints for completing real estate transactions at those sites are eliminated. As a result, many unused or underused properties may be restored to economically productive or community beneficial uses. The VCP database is maintained by the Texas Commission on Environmental Quality.

WMRF Recycling Facilities

VERSION DATE: 11/01/12

This listing of recycling facilities is provided by the Texas Commission on Environmental Quality's Recycle Texas Online service. The company information provided in this database is self-reported. Since recyclers post their own information, a facility or company appearing on the list does not imply that it is in compliance with TCEQ

Environmental Records Definitions - STATE (TX)

regulations or other applicable laws. This database is no longer maintained and includes the last compilation of the program participants before the Recycle Texas Online program was closed.

IHWCA Industrial and Hazardous Waste Corrective Action Sites

VERSION DATE: 04/05/19

This database is provided by the Texas Commission on Environmental Quality (TCEQ). According to the TCEQ, the mission of the industrial and hazardous waste corrective action program is to oversee the cleanup of sites contaminated from industrial and municipal hazardous and industrial nonhazardous wastes. The goals of this program are to: Ensure that sites are assessed and remediated to levels that protect human health and the environment; Verify that waste management units or facilities are taken out of service and closed properly; and to Facilitate revitalization of contaminated properties.

SF State Superfund Sites

VERSION DATE: 10/26/18

The state Superfund program mission is to remediate abandoned or inactive sites within the state that pose an unacceptable risk to public health and safety or the environment, but which do not qualify for action under the federal Superfund program (NPL - National Priority Listing). As required by the Texas Solid Waste Disposal Act, Texas Health and Safety Code, Chapter 361, the Texas Commission on Environmental Quality identifies and evaluates these facilities for inclusion on the state Superfund registry. This registry includes any recent developments and the anticipated action for these sites as documented in the annual state Superfund registry publication of the Texas Register.

Environmental Records Definitions - TRIBAL

USTR06 Underground Storage Tanks On Tribal Lands

VERSION DATE: 11/01/18

This database, provided by the United States Environmental Protection Agency (EPA), contains underground storage tanks on Tribal lands located in EPA Region 6. This region includes the following states: Arkansas, Louisiana, New Mexico, Oklahoma, and Texas.

LUSTR06 Leaking Underground Storage Tanks On Tribal Lands

VERSION DATE: 11/01/18

This database, provided by the United States Environmental Protection Agency (EPA), contains leaking underground storage tanks on Tribal lands located in EPA Region 6. This region includes the following states: Arkansas, Louisiana, New Mexico, Oklahoma, and Texas.

ODINDIAN Open Dump Inventory on Tribal Lands

VERSION DATE: 11/08/06

This Indian Health Service database contains information about facilities and sites on tribal lands where solid waste is disposed of, which are not sanitary landfills or hazardous waste disposal facilities, and which meet the criteria promulgated under section 4004 of the Solid Waste Disposal Act (42 U.S.C. 6944).

INDIANRES Indian Reservations

VERSION DATE: 01/01/00

The Department of Interior and Bureau of Indian Affairs maintains this database that includes American Indian Reservations, off-reservation trust lands, public domain allotments, Alaska Native Regional Corporations and Recognized State Reservations.

Appendix F
OIL AND GAS DETAILED REPORT



On time. On target. In touch.™

Texas Oil & Gas with Pipelines Report

[GeoLens by GeoSearch](#)

Target Property:

IH-10/69 Interchanges

Beaumont, Jefferson County, Texas

Prepared For:

Ecosystem Planning and Restoration LLC

Order #: 127780

Job #: 298093

Project #: HOU0146

Date: 06/07/2019

Table of Contents

<i>Target Property Summary</i>	1
<i>Database Radius Summary</i>	2
<i>Oil & Gas Map</i>	3
<i>Oil & Gas Well/Pipeline Map</i>	4
<i>Oil & Gas Pipeline Report</i>	5
<i>Located Sites Summary</i>	6
<i>Oil & Gas Well Report</i>	9
<i>Environmental Records Definitions</i>	10

Disclaimer

The information provided in this report was obtained from a variety of public sources. GeoSearch cannot ensure and makes no warranty or representation as to the accuracy, reliability, quality, errors occurring from data conversion or the customer's interpretation of this report. This report was made by GeoSearch for exclusive use by its clients only. Therefore, this report may not contain sufficient information for other purposes or parties. GeoSearch and its partners, employees, officers And independent contractors cannot be held liable For actual, incidental, consequential, special or exemplary damages suffered by a customer resulting directly or indirectly from any information provided by GeoSearch.

Target Property Summary

Target Property Information

IH-10/69 Interchanges

Beaumont, Texas

Coordinates

Area centroid (-94.138819, 30.0688753)

USGS Quadrangle

Beaumont East, TX

Beaumont West, TX

Geographic Coverage Information

County/Parish: Jefferson (TX)

ZipCode(s):

Beaumont TX: 77701, 77702, 77703, 77705, 77706, 77707

Database Radius Summary

STATE (TX) LISTING


Acronym	Search Radius (miles)	TP/AP (0 - 0.02)	1/8 Mile (> TP/AP)	1/4 Mile (> 1/8)	1/2 Mile (> 1/4)	1 Mile (> 1/2)	> 1 Mile	Total
OG	0.5000	0	3	6	16	NS	NS	25
SUB-TOTAL		0	3	6	16	0	0	25
TOTAL		0	3	6	16	0	0	25

NOTES:

NS = NOT SEARCHED

TP/AP = TARGET PROPERTY/ADJACENT PROPERTY

OIL / GAS WELL MAP




- Target Property (TP)
- WELL LOCATION
- SURVEY LINE

IH-10/69 Interchanges
Beaumont, Texas



PIPELINE MAP



Target Property (TP)

IH-10/69 Interchanges
Beaumont, Texas

PIPELINE
SURVEY LINE



0' 1300' 2600' 3900'
SCALE: 1" = 2600'

Oil & Gas Pipeline Report

T4 PERMIT #	OPERATOR	SYSTEM NAME	COMMODITY	DIAMETER(Inches)	STATUS	TYPE	PIPELINE ID#
00762	KINDER MORGAN TEXAS PIPELINE LLC	KMTP	NATURAL GAS	10.75	IN SERVICE	GAS TRANSMISSION	0980170000
00762	KINDER MORGAN TEXAS PIPELINE LLC	GOODRICH	NATURAL GAS	4.50	IN SERVICE	GAS TRANSMISSION	0610310000
00762	KINDER MORGAN TEXAS PIPELINE LLC	GOODRICH	NATURAL GAS	4.50	IN SERVICE	GAS TRANSMISSION	0610310000
00762	KINDER MORGAN TEXAS PIPELINE LLC	GOODRICH	NATURAL GAS	8.63	IN SERVICE	GAS TRANSMISSION	0610140000
00762	KINDER MORGAN TEXAS PIPELINE LLC	GOODRICH	NATURAL GAS	8.63	IN SERVICE	GAS TRANSMISSION	0610140000
00762	KINDER MORGAN TEXAS PIPELINE LLC	KMTP	NATURAL GAS	6.63	IN SERVICE	GAS TRANSMISSION	0980170000
00762	KINDER MORGAN TEXAS PIPELINE LLC	KMTP	NATURAL GAS	6.63	IN SERVICE	GAS TRANSMISSION	0980170000
05838	EXXONMOBIL OIL CORPORATION	BMNT - ORANGE - BMNT - TX CITY, LATS, ET	ETHYLENE	8.63	IN SERVICE	OTHER PRODUCT LINES (HIGHLY VOLATILE)	6829
00205	SUNOCO PIPELINE L.P.	WEST TEXAS GULF	CRUDE OIL	26.00	IN SERVICE	CRUDE TRANSMISSION	RRC00205
07331	MOBIL PIPE LINE COMPANY	MPL-111 LNVA CANAL-SPINDLETOP CRUDE	CRUDE OIL	10.75	IN SERVICE	CRUDE TRANSMISSION	6454
05719	CHEVRON PIPE LINE COMPANY	HPG-MT. BELVIEU TO PORT ARTHUR	REFINED PRODUCTS	8.63	ABANDONED	PRODUCT LINES (NOT HIGHLY VOLATILE)	RRC05719
05710	CHEVRON PIPE LINE COMPANY	COASTAL MOORES FIELD-BEAUMONT SYSTEM	CRUDE OIL	10.75	ABANDONED	CRUDE GATHERING	RRC05710
05710	CHEVRON PIPE LINE COMPANY	COASTAL MOORES FIELD-BEAUMONT SYSTEM	CRUDE OIL	10.75	ABANDONED	CRUDE GATHERING	RRC05710
04321	EXXONMOBIL OIL CORPORATION	MR-3 HULL-BEAUMONT ISOBUTANE	ISOBUTANE	8.63	IN SERVICE	OTHER PRODUCT LINES (HIGHLY VOLATILE)	11369
07899	SUNOCO PIPELINE L.P.	MPL-107 BEAUMONT-ALDINE-PWI PRODUCTS	REFINED PRODUCTS	8.63	IN SERVICE	PRODUCT LINES (NOT HIGHLY VOLATILE)	NOT REPORTED
00582	SUNOCO PIPELINE L.P.	SXL INTRASTATE	CRUDE OIL	6.63	IN SERVICE	CRUDE GATHERING	NOT REPORTED
06631	NOBLE ENERGY INC	PHELAN GAS UNIT #1 PIPELINE	NATURAL GAS	4.50	ABANDONED	GAS GATHERING	NOT REPORTED
00582	SUNOCO PIPELINE L.P.	SXL INTRASTATE	CRUDE OIL	6.63	IN SERVICE	CRUDE GATHERING	NOT REPORTED
00582	SUNOCO PIPELINE L.P.	SXL INTRASTATE	CRUDE OIL	6.63	IN SERVICE	CRUDE GATHERING	NOT REPORTED
00582	SUNOCO PIPELINE L.P.	SXL INTRASTATE	CRUDE OIL	6.63	IN SERVICE	CRUDE GATHERING	NOT REPORTED
00582	SUNOCO PIPELINE L.P.	SXL INTRASTATE	CRUDE OIL	8.63	IN SERVICE	CRUDE TRANSMISSION	NOT REPORTED
07331	MOBIL PIPE LINE COMPANY	MPL-111 LNVA CANAL-SPINDLETOP CRUDE	CRUDE OIL	10.75	IN SERVICE	CRUDE TRANSMISSION	6453
00762	KINDER MORGAN TEXAS PIPELINE LLC	KMTP	NATURAL GAS	10.75	IN SERVICE	GAS TRANSMISSION	0980000000
00749	HOUSTON PIPE LINE COMPANY LP	1227 AMELIA FIELD	NATURAL GAS	8.63	IN SERVICE	GAS GATHERING	NOT REPORTED
05710	CHEVRON PIPE LINE COMPANY	COASTAL MOORES FIELD-BEAUMONT SYSTEM	CRUDE OIL	8.63	ABANDONED	CRUDE GATHERING	RRC05710
00964	ONEOK NGL PIPELINE, L.L.C.	WEST TEXAS LIMITED PARTNERSHIP	NATURAL GAS LIQUIDS	10.75	IN SERVICE	OTHER PRODUCT LINES (HIGHLY VOLATILE)	20060
04865	CENTANA INTRASTATE PIPELINE, LLC	CIPCO SYSTEM	NATURAL GAS	12.75	IN SERVICE	GAS GATHERING	151793
04865	CENTANA INTRASTATE PIPELINE, LLC	CIPCO SYSTEM	NATURAL GAS	12.75	IN SERVICE	GAS GATHERING	151793
04865	CENTANA INTRASTATE PIPELINE, LLC	CIPCO SYSTEM	NATURAL GAS	12.75	IN SERVICE	GAS GATHERING	151793
04865	CENTANA INTRASTATE PIPELINE, LLC	CIPCO SYSTEM	NATURAL GAS	12.75	IN SERVICE	GAS GATHERING	151793
04865	CENTANA INTRASTATE PIPELINE, LLC	CIPCO SYSTEM	NATURAL GAS	12.75	IN SERVICE	GAS GATHERING	151793
04865	CENTANA INTRASTATE PIPELINE, LLC	CIPCO SYSTEM	NATURAL GAS	12.75	IN SERVICE	GAS GATHERING	151793
04865	CENTANA INTRASTATE PIPELINE, LLC	CIPCO SYSTEM	NATURAL GAS	12.75	IN SERVICE	GAS GATHERING	151793
04865	CENTANA INTRASTATE PIPELINE, LLC	CIPCO SYSTEM	NATURAL GAS	12.75	IN SERVICE	GAS GATHERING	151793

Oil & Gas Pipeline Report

04865	CENTANA INTRASTATE PIPELINE, LLC	CIPCO SYSTEM	NATURAL GAS	12.75	IN SERVICE	GAS GATHERING	151793
04865	CENTANA INTRASTATE PIPELINE, LLC	CIPCO SYSTEM	NATURAL GAS	12.75	IN SERVICE	GAS GATHERING	151793
04865	CENTANA INTRASTATE PIPELINE, LLC	CIPCO SYSTEM	NATURAL GAS	12.75	IN SERVICE	GAS GATHERING	151793
04865	CENTANA INTRASTATE PIPELINE, LLC	CIPCO SYSTEM	NATURAL GAS	12.75	IN SERVICE	GAS GATHERING	151793
04865	CENTANA INTRASTATE PIPELINE, LLC	CIPCO SYSTEM	NATURAL GAS	12.75	IN SERVICE	GAS GATHERING	151793
04865	CENTANA INTRASTATE PIPELINE, LLC	CIPCO SYSTEM	NATURAL GAS	12.75	IN SERVICE	GAS GATHERING	151793
00475	MOBIL PIPE LINE COMPANY	MPL-2 ALDINE - HULL - BEAUMONT CRUDE	CRUDE OIL	8.63	IN SERVICE	CRUDE TRANSMISSION	11385
04865	CENTANA INTRASTATE PIPELINE, LLC	CIPCO SYSTEM	NATURAL GAS	12.75	IN SERVICE	GAS GATHERING	151793
00762	KINDER MORGAN TEXAS PIPELINE LLC	GOODRICH	NATURAL GAS	18.00	IN SERVICE	GAS TRANSMISSION	0610000000
00762	KINDER MORGAN TEXAS PIPELINE LLC	GOODRICH	NATURAL GAS	18.00	IN SERVICE	GAS TRANSMISSION	0610000000

Located Sites Summary

Map ID#	Database Name	Site ID#	Distance From Site	Site Name	Address
1	OG	284486	0.021 mi. N (111 ft.)		
2	OG	284270	0.027 mi. SE (143 ft.)		
3	OG	284271	0.117 mi. SE (618 ft.)		
4	OG	284556	0.174 mi. W (919 ft.)		
5	OG	284537	0.174 mi. NNW (919 ft.)		
6	OG	284536	0.176 mi. NW (929 ft.)		
7	OG	284484	0.203 mi. NNW (1072 ft.)		
8	OG	284535	0.224 mi. WNW (1183 ft.)		
9	OG	284488	0.235 mi. W (1241 ft.)		
10	OG	284557	0.272 mi. WNW (1436 ft.)		
11	OG	284559	0.304 mi. N (1605 ft.)		
12	OG	284492	0.328 mi. N (1732 ft.)		
13	OG	284534	0.333 mi. W (1758 ft.)		
14	OG	284487	0.368 mi. E (1943 ft.)		
15	OG	284490	0.368 mi. W (1943 ft.)		
16	OG	284272	0.368 mi. WNW (1943 ft.)		
17	OG	284485	0.373 mi. NW (1969 ft.)		
18	OG	284489	0.38 mi. W (2006 ft.)		
19	OG	284560	0.383 mi. NNW (2022 ft.)		
20	OG	284210	0.439 mi. SW (2318 ft.)		
21	OG	1163913	0.442 mi. SSW (2334 ft.)		
22	OG	284539	0.445 mi. NW (2350 ft.)		

Located Sites Summary

Map ID#	Database Name	Site ID#	Distance From Site	Site Name	Address
23	OG	284558	0.447 mi. WNW (2360 ft.)		
24	OG	284538	0.457 mi. WNW (2413 ft.)		
25	OG	284540	0.495 mi. NNW (2614 ft.)		

Oil & Gas Well Report

MAP ID	SURFACE ID	API #	WELL TYPE	LATITUDE	LONGITUDE
1	284486	245	DRY HOLE	30.097048970	-94.132779880
2	284270	245	DRY HOLE	30.043054290	-94.150639610
3	284271	245	DRY HOLE	30.034691400	-94.157148820
4	284556	245	OIL WELL	30.108442930	-94.141881090
5	284537	245	PLUGGED OIL WELL	30.111330450	-94.139070490
6	284536	245	PLUGGED OIL WELL	30.110701580	-94.140799850
7	284484	24531419	CANCELED LOCATION	30.087237420	-94.142520110
8	284535	245	PLUGGED OIL WELL	30.110049100	-94.142390710
9	284488	245	DRY HOLE	30.100977060	-94.140951610
10	284557	24500181	PLUGGED OIL WELL	30.111035380	-94.142644230
11	284559	24500178	PLUGGED OIL WELL	30.113384310	-94.137547840
12	284492	24500177	PLUGGED OIL WELL	30.113735200	-94.138334170
13	284534	245	OIL WELL	30.108235450	-94.144533390
14	284487	245	DRY HOLE	30.107525660	-94.130091630
15	284490	245	DRY HOLE	30.103960220	-94.143288420
16	284272	245	DRY HOLE	30.040051850	-94.164102820
17	284485	245	DRY HOLE	30.087911530	-94.146013040
18	284489	245	DRY HOLE	30.101318370	-94.143391210
19	284560	24500179	PLUGGED OIL WELL	30.114061410	-94.140612660
20	284210	24531259	DRY HOLE	30.037763810	-94.139760760
21	1163913	24532523	SIDETRACK WELL SURFACE LOCATION	30.028070550	-94.161534960
22	284539	24500183	PLUGGED OIL WELL	30.113964730	-94.143260160
23	284558	24500185	PLUGGED OIL WELL	30.111265800	-94.145854750
24	284538	245	PLUGGED OIL WELL	30.112522670	-94.145207130
25	284540	24500176	PLUGGED OIL WELL	30.116057270	-94.139421430

Environmental Records Definitions - STATE (TX)

OG Oil and Gas Wells with Pipelines

VERSION DATE: 09/27/18

This oil and gas well and pipeline data set is provided by the Geographic Information System of the Railroad Commission of Texas (the Commission). The data set includes oil and gas well records dating back to the early 1960's, some wells prior to the 1960's are also included with no API and/or a historical API number in place. Also, this data set includes information on natural gas, crude oil, and refined products pipelines. GIS maps may not be used for pipeline location purposes in lieu of calling an official notification center prior to excavating. It is a violation of Texas law to fail to make the required 8-1-1 calls. The Commission shall not be held liable for use of this data, which is provided as a public service for informational purposes only. Users are responsible for checking the accuracy, completeness, currency, and/or suitability of this data set themselves.