TEXAS DEPARTMENT OF TRANSPORTATION
DALLAS DISTRICT
MO BUR, P.E., DISTRICT ENGINEER

FM 548 DESIGN SCHEMATIC FROM NORTH OF US 80 TO SH 205 KAUFMAN AND ROCKWALL COUNTIES, TEXAS

CSJ' s: 2588-01-017, 2588-02-008

DECEMBER 2018

ROLL 1 OF 4

PROJECT LENGTH	NUMBER OF MILES
AVERAGE DAILY TRAFFIC	10-YEAR PROJECT
ROADWAY SPEED	CLASSIFICATION
FM 548	45 MPH URBAN MINOR ARTERIAL
ALL CROSS STREETS EXCEPT FOR DEVONSHIRE DRIVE	30 MPH MAJOR COLLECTOR
DEVONSHIRE DRIVE	30 MPH MINOR COLLECTOR

LOCATION MAP
N.T.S.

TEXAS COUNTY MAP
N.T.S.

PRELIMINARY

Not to be used for construction, bidding or permit purposes. Released for review on 12/19/2018 by Brad Coleman, P.E. 124777

Brad Coleman — DATE

Pacheco Koch
7557 RAMBLER ROAD, SUITE 1400, DALLAS, TX 75231
972.235.3031 — TBPE REGISTRATION NUMBER F-1386

DATE SUBMITTED

DATE APPROVED

0 10 20 30 40
Scale in Feet

0 50 100 150 200
Scale in Feet

© 2018 by Texas Department of Transportation all rights reserved.

LEGEND:

- EXISTING ROW
- EXISTING CORPORATE LIMITS
- EXISTING EASEMENT
- PROPOSED EASEMENT
- PROPOSED FM 548 BASELINE
- PROPOSED CROSS STREET BASELINE
- EXISTING CONTOUR
- EXISTING UTILITY EASEMENT
- PROPOSED FACE OF CURB
- 100 YR FLOODPLAIN LIMITS
- DIRECTION OF TRAVEL
- EXISTING TREELINE
- PROPOSED WIDENED INSIDE
- PROPOSED PAVEMENT
- EXISTING PAVEMENT
- PAVEMENT + BEYOND TO BE REMOVED
- EXISTING WATER LINE
- EXISTING DRAINAGE EASEMENT
- PROPOSED DRAINAGE EASEMENT
- RIP RAP
- PHYSICAL ESCARPMENT
- PROPOSED RETAINING WALL
- EXISTING RETAINING WALL
- FLOW DIRECTION
- PROPOSED RCB(S) - (HORIZONTAL DIRECTION DRILLING METHOD)
- PROPOSED 5' CONC PATHWAY
- EXIST SIDEWALK TO REMOVE

GENERAL NOTES

1. THE GEOMETRIC LAYOUTS ARE BASED ON EXISTING RIGHT-OF-WAY, EXISTING TOPOGRAPHY AND RECORD PLANS. NOT ALL EXISTING FEATURES WERE FIELD SURVEYED. SPECIAL PROVISIONS MAY BE REQUIRED TO ADJUST THE PROPOSED GEOMETRICS TO EXISTING CONDITIONS.
2. TRAFFIC LAYOUTS ARE SCHEMATIC INFORMATION AND SUBJECTED FROM THE TRAFFIC ENGINEERING. TRAFFIC APPROVAL DETAILS MAY VARY.
3. ALL CURVES ARE TYPE 10 UNLESS NOTED OTHERWISE. ALL CURVES TO BE FULL-RADIUS.
4. CONVENTIONAL PAVEMENT STRIPING SHALL MATCH ALL EXISTING STRIPING AT TIE-IN POINTS.
5. ALL SIGNS AND TYPE 10 CURVES NOTED OTHERWISE, ARE SHOWN WILL BE DESIGNED AND DETAILED IN THE SIGNING AND PAVEMENT MARKING PLANS.
6. ADJACENT LOCATIONS AND DEVELOPMENTS ARE WILL BE FURTHER DEVELOPED DURING FINAL DESIGN. ALL DRIVEWAYS TO BE CONSTRUCTED WITH RADIUS RETURNS.
7. MEDIAN OPENINGS ARE FULL MEDIAN AND SUBJECT TO CHANGE. FINAL MEDIAN OPENINGS WILL BE DETERMINED BY TRAFFIC ENGINEERING DURING THE PS&E PHASE OF THE PROJECT.
8. MAJOR INTERSECTION CURB RADII ARE 50', MINOR INTERSECTION CURB RADII ARE 30', UNLESS NOTED OTHERWISE. ALL RADII ARE MEASURED FROM THE BACK OF CURB.
9. EXISTING PAVEMENT REMOVED ACCORDING TO THE LIMITS SHOWN ON THE PAVEMENT RECONSTRUCTION WILL BE REMOVED UNLESS NOTED OTHERWISE.
10. ALL DRIVEWAYS SHALL BE CONSTRUCTED WITH GRADES AND FLOW LINES DESIGNED TO MEET EXISTING CONDITIONS.
11. EXISTING COLLECTOR LOCATIONS, SIZES, AND ELEVATIONS OBTAINED FROM RECORD DOCUMENTS. ADDITIONAL DETAILED SURVEY WILL BE PERFORMED DURING THE PS&E PHASE.
12. ALL WORK WITHIN THE RIGHT-OF-WAY SHALL BE PERFORMED IN ACCORDANCE WITH THE LATEST EDITION OF THE TEXAS MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES AND IN ACCORDANCE WITH THE LOCAL GOVERNMENT UNIT THE DEPARTMENT IS ENTERED INTO AN AGREEMENT WITH.
13. ANY EXISTING PAVEMENT, CURB, SIDEWALK, ETC. DAMAGED BY CONSTRUCTION OF THE PROPOSED R&B PARALLEL DRIVEWAYS TO THE EXISTING BUILDING STRUCTURE.

CURVE DATA

CURVE	PI STATION	PI NORTHING	PI EASTING	DELTA	RADIUS	DEGREE OF CURVE	TANGENT	CHORD	CHORD BEARING	MIDDLE ORDINATE	EXTERNAL	BEGIN CURVE STATION	BEGIN CURVE NORTHING	BEGIN CURVE EASTING	END CURVE STATION	END CURVE NORTHING	END CURVE EASTING
C1	1+00.00	7,000,000.00	2,500,000.00	0°00'00"	0.00	0°00'00"	0.00	0.00	N 0°00'00" E	0.00	0.00	1+00.00	7,000,000.00	2,500,000.00	1+00.00	7,000,000.00	2,500,000.00
C2	2+00.00	7,000,000.00	2,500,000.00	0°00'00"	0.00	0°00'00"	0.00	0.00	N 0°00'00" E	0.00	0.00	2+00.00	7,000,000.00	2,500,000.00	2+00.00	7,000,000.00	2,500,000.00
C3	3+00.00	7,000,000.00	2,500,000.00	0°00'00"	0.00	0°00'00"	0.00	0.00	N 0°00'00" E	0.00	0.00	3+00.00	7,000,000.00	2,500,000.00	3+00.00	7,000,000.00	2,500,000.00
C4	4+00.00	7,000,000.00	2,500,000.00	0°00'00"	0.00	0°00'00"	0.00	0.00	N 0°00'00" E	0.00	0.00	4+00.00	7,000,000.00	2,500,000.00	4+00.00	7,000,000.00	2,500,000.00
C5	5+00.00	7,000,000.00	2,500,000.00	0°00'00"	0.00	0°00'00"	0.00	0.00	N 0°00'00" E	0.00	0.00	5+00.00	7,000,000.00	2,500,000.00	5+00.00	7,000,000.00	2,500,000.00
C6	6+00.00	7,000,000.00	2,500,000.00	0°00'00"	0.00	0°00'00"	0.00	0.00	N 0°00'00" E	0.00	0.00	6+00.00	7,000,000.00	2,500,000.00	6+00.00	7,000,000.00	2,500,000.00
C7	7+00.00	7,000,000.00	2,500,000.00	0°00'00"	0.00	0°00'00"	0.00	0.00	N 0°00'00" E	0.00	0.00	7+00.00	7,000,000.00	2,500,000.00	7+00.00	7,000,000.00	2,500,000.00
C8	8+00.00	7,000,000.00	2,500,000.00	0°00'00"	0.00	0°00'00"	0.00	0.00	N 0°00'00" E	0.00	0.00	8+00.00	7,000,000.00	2,500,000.00	8+00.00	7,000,000.00	2,500,000.00
C9	9+00.00	7,000,000.00	2,500,000.00	0°00'00"	0.00	0°00'00"	0.00	0.00	N 0°00'00" E	0.00	0.00	9+00.00	7,000,000.00	2,500,000.00	9+00.00	7,000,000.00	2,500,000.00
C10	10+00.00	7,000,000.00	2,500,000.00	0°00'00"	0.00	0°00'00"	0.00	0.00	N 0°00'00" E	0.00	0.00	10+00.00	7,000,000.00	2,500,000.00	10+00.00	7,000,000.00	2,500,000.00











EXISTING TYPICAL SECTIONS



PROPOSED TYPICAL SECTIONS



PARCEL DATA

Parcel #	Owner's Name
1	Patterson John Allen
2	Sheriff Kaufman County
3	Kaufman County Fresh Water Supply District No. 1
4	Kaufman County Fresh Water Supply District No. 1
5	Kaufman County Fresh Water Supply District No. 1

TEXAS DEPARTMENT OF TRANSPORTATION
DALLAS DISTRICT
MO BURY, P.E., DISTRICT ENGINEER

FM 548 DESIGN SCHEMATIC
FROM NORTH OF US 80 TO SH 205
KAUFMAN AND ROCKWALL COUNTIES, TEXAS
CSJ' s: 2588-01-017, 2588-02-008

DECEMBER 2018
ROLL 2 OF 4

PROJECT LENGTH		TOTAL MILES
AVERAGE DAILY TRAFFIC		15,000 (2035)
ROADWAY	SPEED	CLASSIFICATION
FM 548	45 MPH	URBAN MINOR ARTERIAL
ALL CROSS STREETS EXCEPT FOR DEVONSHIRE DRIVE	30 MPH	MAJOR COLLECTOR
DEVONSHIRE DRIVE	30 MPH	MINOR COLLECTOR

PRELIMINARY
Not to be used for construction, bidding or permit purposes
Brad Coleman
12/21/2018

Pacheco Koch
7557 RAMBLER ROAD, SUITE 1400, DALLAS, TX 75231
FIRM REGISTRATION NUMBER F-1386

DATE SUBMITTED
DATE APPROVED

© 2018 by Texas Department of Transportation all rights reserved

LEGEND:

- EXISTING ROW
- EXISTING PROPERTY LIMITS
- EXISTING CENTERLINE
- PROPOSED EQUIVALENT
- PROPOSED FM 548 BASELINE
- PROPOSED CROSS STREET BASELINE
- PROPOSED ROW
- EXISTING UTILITY EASEMENT
- PROPOSED FACE OF CURB
- CBD OR FLOODPLAIN LIMITS
- DIRECTION OF TRAVEL
- PROPOSED BRIDGE
- PROPOSED BRIDGE DECK
- PROPOSED PAVEMENT
- EXISTING PAVEMENT
- PAVEMENT + BRIDGE TO BE REMOVED
- EXISTING WATER LINE
- EXISTING DRAINAGE EASEMENT
- PROPOSED DRAINAGE EASEMENT
- FLOW LINE
- POTENTIAL ESCARPMENT
- PROPOSED RETAINING WALL
- EXISTING MITIGATION AREA
- FLOW DIRECTION
- PROPOSED WCRL - INTERSTATIAL CROSSING REQUIRED
- PROPOSED 5' CONC SIDEWALK
- EXIST SIDEWALK TO REMAIN

GENERAL NOTES

1. THE GEOMETRIC LAYOUTS ARE BASED ON AERIAL TOPOGRAPHIC MAPS, PROPERTY AND RIGHTS SURVEY, NOT ALL EXISTING FEATURES WERE FIELD VERIFIED. SPECIAL EMPHASIS WAS GIVEN TO THOSE FEATURES THAT MAY AFFECT THE PROPOSED DESIGN.
2. TRAFFIC LANES ARE IMPROPERLY INTERRUPTED WHERE SELECTED ITEMS TO BE CLEARED AND REMOVED, COURT APPROVAL EFFECTIVE DATE (BY DATE).
3. ALL DIMENSIONS ARE TO FACE OF CURB UNLESS OTHERWISE INDICATED. FACE OF WALL / CURB & GUTTER / BACK OF CURB DIMENSIONS ARE NOTED.
4. CONVENTIONAL PAVEMENT STRIPING SHALL CLOSELY WILL NOT BE DEVELOPED UNTIL FINAL DESIGN.
5. ALL SIGNS AND TRAFFIC SIGNAL PROJECTIONS DEVELOPED AS PART OF THIS PROJECT.
6. ALL CURB AND FACE OF CURVES WITH STRIPPING / ALL RAMP WALLS BE DESIGNED AND CONSTRUCTED IN ACCORDANCE WITH TXDOT STANDARDS.
7. DRIVEWAY LOCATIONS AND PAVEMENT ARE WILL BE FURTHER DEVELOPED DURING FINAL DESIGN, ALL DRIVEWAYS UTILIZE TY. CURB RADIUS UNLESS NOTED OTHERWISE.
8. BRIDGE OPENINGS ARE PRELIMINARY AND SUBJECT TO CHANGE. FINAL BRIDGE OPENINGS WILL BE DETERMINED BY THE HYDRAULIC ENGINEER DURING THE DESIGN PHASE OF THE PROJECT.
9. MAJOR INTERSECTION CURB RADII ARE ALL BEING CONSTRUCTED USING SHELL AND / OR CURB & GUTTER. ALL CURB RADII ARE MEASURED TO THE FACE OF CURB UNLESS NOTED.
10. ALL PAVEMENT AND BRIDGE REMOVAL QUANTITIES ARE ESTIMATED FOR REMOVAL AND RECONSTRUCTION WILL BE REMOVED UNLESS NOTED OTHERWISE.
11. ALL DISTURBED AREAS SHALL BE RESTORED WITH SEEDING AND TURF, UNLESS NOTED WITH OTHER TREATMENT.
12. EXISTING CULVERT LOCATIONS, SIZES, AND ELEVATIONS OBTAINED FROM RECORD DOCUMENTS AND ARE SUBJECT TO FIELD VERIFICATION.
13. ALL CONSTRUCTION WORK SHALL BE PERFORMED IN ACCORDANCE WITH THE LATEST STANDARDS AND SPECIFICATIONS OF THE TEXAS DEPARTMENT OF TRANSPORTATION AND IN ACCORDANCE WITH THE LOCAL GOVERNMENT UNIT. THE DEPARTMENT IS SUBSTITUTING ITS STANDARDS FOR THE LOCAL GOVERNMENT UNIT'S STANDARDS.

CURVE DATA

CURVE	PI STATION	PI COORDINATES	TANGENT	DELTA	RADIUS	DEGREE OF CURVE	LENGTH	SUPER	SIDE SLOPES	PAVEMENT CROSS SLOPE	PI STATION	PI COORDINATES	CURVE CENTER
C1	1+00.00	N:6966,000.00 E:2,000,000.00	100.00	90°00'00"	100.00	57°18'00"	157.08	NC	4:1	2.0%	2+57.08	N:6966,000.00 E:2,000,000.00	N:6966,000.00 E:2,000,100.00
C2	1+00.00	N:6966,000.00 E:2,000,000.00	100.00	90°00'00"	100.00	57°18'00"	157.08	NC	4:1	2.0%	2+57.08	N:6966,000.00 E:2,000,000.00	N:6966,000.00 E:2,000,100.00

TRAFFIC DIAGRAM

Sources: Texas Department of Transportation Transportation Programming and Planning Division Memorandum, February 26, 2018.

LEGEND
1000-2020 ADT
2020-2040 ADT









EXISTING TYPICAL SECTIONS



PROPOSED TYPICAL SECTIONS



PARCEL DATA

Parcel #	Owner's Name
1	Kaufman County Municipal Utility Dist No 1
2	Kaufman County Municipal Utility Dist No 1
3	Kaufman County Municipal Utility Dist No 1

TEXAS DEPARTMENT OF TRANSPORTATION
DALLAS DISTRICT
MO BUR, P.E., DISTRICT ENGINEER

FM 548 DESIGN SCHEMATIC FROM NORTH OF US 80 TO SH 205 KAUFMAN AND ROCKWALL COUNTIES, TEXAS

CSJ's: 2588-01-017, 2588-02-008

DECEMBER 2018
ROLL 3 OF 4

PROJECT LENGTH	4.5 MILES
AVERAGE DAILY TRAFFIC	15,700 (2035)
ROADWAY SPEED	FUNCTIONAL CLASSIFICATION
FM 548	45 MPH URBAN MINOR ARTERIAL
ALL CROSS STREETS EXCEPT FOR DEVONSHIRE DRIVE	30 MPH MAJOR COLLECTOR
DEVONSHIRE DRIVE	30 MPH MINOR COLLECTOR

LOCATION MAP
N.T.S.

TEXAS COUNTY MAP
N.T.S.

PRELIMINARY
Not to be used for construction, bidding or permit purposes.
Randy Koch
Registered Professional Engineer
Date: 12/21/18

Pacheco Koch
7557 RAMBLER ROAD, SUITE 1400, DALLAS, TX 75231
972.235.3031 TBPE REGISTRATION NUMBER F-1386

DATE SURVEYED:

DATE APPROVED:

© 2018 by Texas Department of Transportation; all rights reserved.

LEGEND:

- EXISTING ROW
- EXISTING PROPERTY LIMITS
- EXISTING EQUIPMENT
- PROPOSED EQUIPMENT
- PROPOSED FM 548 BASELINE
- PROPOSED CROSS STREET BASELINE
- EXISTING UTILITY
- PROPOSED UTILITY EASEMENT
- PROPOSED FACE OF CURB
- 100 YR FLOODPLAIN LIMITS
- DIRECTION OF TRAVEL
- EXISTING PAVEMENT
- PROPOSED MEDIAN NOSE
- PROPOSED PAVEMENT
- EXISTING PAVEMENT
- PAVEMENT / BRIDGE TO BE REMOVED
- EXISTING WATER LINE
- EXISTING DRAINAGE EASEMENT
- PROPOSED DRAINAGE EASEMENT
- EXISTING ROW
- POTENTIAL ESCPE/EASEMENT
- PROPOSED RETAINING WALL
- EXISTING MITIGATION AREA
- FLOW DIRECTION
- PROPOSED MSE WALL - ARCHITECTURAL FACE/FINISH APPEARANCE
- PROPOSED 5' CONC SIDEWALK
- EXIST SIDEWALK TO REMAIN

GENERAL NOTES

1. THE GEOMETRIC LAYOUTS ARE BASED ON CONCEPTUAL PLANS DATED: APRIL, DECEMBER AND OCTOBER CLOUD, SET ALL EXISTING FEATURES WERE FIELD SURVEYED,

TEXAS DEPARTMENT OF TRANSPORTATION
DALLAS DISTRICT
MO BUR, P.E., DISTRICT ENGINEER

FM 548 DESIGN SCHEMATIC FROM NORTH OF US 80 TO SH 205 KAUFMAN AND ROCKWALL COUNTIES, TEXAS

CSJ' s: 2588-01-017, 2588-02-008

DECEMBER 2018
ROLL 4 OF 4

PROJECT LENGTH		3.4 MILES
ROADWAY	AVERAGE DAILY TRAFFIC	15,000 (2035)
	SPEED	CLASSIFICATION
FM 548	50 MPH	MAJOR COLLECTOR
ALL CROSS STREETS EXCEPT FOR DEVONSHIRE DRIVE	45 MPH	URBAN MINOR ARTERIAL
	50 MPH	MAJOR COLLECTOR
DEVONSHIRE DRIVE	30 MPH	MINOR COLLECTOR

LOCATION MAP
N.T.S.

TEXAS COUNTY MAP
N.T.S.

PRELIMINARY
Not to be used for construction, bidding or permit purposes
Brad Coleman
12/21/2018
Texas Registered Engineer

Pacheco Koch
7557 RAMBLER ROAD, SUITE 1400, DALLAS, TX 75231
FIRM REGISTRATION NUMBER F-1386

0 10 20 30 40
Graphic Scale

DATE SUBMITTED

DATE APPROVED

© 2018 by Texas Department of Transportation all rights reserved.

LEGEND:

- EXISTING ROW
- EXISTING PROPERTY LIMITS
- EXISTING EASEMENT
- PROPOSED EASEMENT
- PROPOSED FM 548 BASELINE
- PROPOSED CROSS STREET BASELINE
- EXISTING CENTERLINE
- EXISTING UTILITY EASEMENT
- PROPOSED FACE OF CURB
- 100 YR FLOODPLAIN LIMITS
- DIRECTION OF TRAVEL
- PROPOSED RIP RAP
- PROPOSED BRIDGE DECK
- PROPOSED PAVEMENT
- EXISTING PAVEMENT
- PAVEMENT + BRIDGE TO BE REMOVED
- EXISTING WATER LINE
- EXISTING DRAINAGE EASEMENT
- PROPOSED DRAINAGE EASEMENT
- TEMP. ROW
- PERPETUAL ESCALEMENT
- PROPOSED RETAINING WALL
- EXISTING MITIGATION AREA
- FLOW DIRECTION
- EXISTING BOX CULVERT, INTERNAL DIVISION REMOVED, APPROACH
- PROPOSED 6' CONC PAVEMENT
- EXIST SIDEWALK TO REMAIN

GENERAL NOTES

1. THE GEOMETRIC LAYOUTS ARE BASED ON CURRENT FIELD SURVEY, AERIAL TOPOGRAPHY AND RECORD PLANS. NOT ALL EXISTING FEATURES WERE FIELD SURVEYED. SPECIAL SURVEY WILL BE REQUIRED FOR FINAL PLANS. SURVEY DATUM IS NAD 83 (2011) EPOCH 2010.
2. TRAFFIC, SAFETY AND MOBILITY INFORMATION ARE SUBJECT TO CHANGE AND REQUIRED TRAFFIC APPROVAL DISTRICTS MAY DIFFER.
3. ALL CURB AND TYPE II BARRIER ARE MEASURED FROM THE GUTTER FACE OF RAIL / CURB, UNLESS NOTED OTHERWISE.
4. CONVENTIONAL ROADWAY SIGNAL CABLE DUCTS WILL NOT BE DEVELOPED UNTIL FINAL DESIGN.
5. ROADWAY DRAINAGE SHOWN IS PRELIMINARY AND SUBJECT TO CHANGE. FINAL DESIGN WILL BE DEVELOPED IN ACCORDANCE WITH THE CURRENT EDITION OF THE TXDOT HYDRAULIC DESIGN MANUAL.
6. ALL PAVEMENT TRANSITIONS SHALL BE DESIGNED WITH SMOOTH CURVES.
7. DRIVEWAY LOCATIONS ARE PRELIMINARY AND WILL BE FURTHER DEVELOPED DURING FINAL DESIGN. ALL DRIVEWAYS SHOWN TO CONFORM WITH EXISTING CONDITIONS.
8. MEDIAN OPENINGS ARE PRELIMINARY AND SUBJECT TO CHANGE. FINAL MEDIAN OPENINGS WILL BE DETERMINED BY A TRAFFIC ENGINEERING STUDY PER THE TXDOT ACCESS MANAGEMENT MANUAL.
9. MAJOR INTERSECTIONS LANE TAPER AND 50' L, MINOR INTERSECTIONS LANE TAPER ARE 200' L, AND TURN BAY LENGTHS ARE 200' L, UNLESS NOTED OTHERWISE ON THE PLANS.
10. EXISTING CURBS ARE ASSUMED TO BE 6" UNLESS NOTED OTHERWISE. ALL CURB RETURNS TO BE REMOVED UNLESS NOTED OTHERWISE.
11. ALL DISTURBED AREAS SHALL BE SEEDED AND SODDED WITH TURF, UNLESS NOTED OTHERWISE.
12. EXISTING UTILITY LOCATIONS, SIZES, AND ELEVATIONS OBTAINED FROM RECORD DOCUMENTS AND ARE SUBJECT TO VERIFICATION BY THE CONTRACTOR.
13. ALL UTILITY ADJUSTMENTS SHALL BE COORDINATED WITH THE APPROPRIATE UTILITY OWNER AND COORDINATION WITH THE LOCAL GOVERNMENT UNIT. THE DEPARTMENT IS NOT RESPONSIBLE FOR THE COORDINATION OF UTILITY ADJUSTMENTS.
14. THE CONTRACTOR SHALL BE RESPONSIBLE FOR LOCATION OF THE PROPOSED AND POSSIBLY EXISTING BOX CULVERTS.

CURVE DATA

CURVE 1	90.00°	1432.39'	2251.33'	2026.00'	1823.40'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'
CURVE 2	90.00°	1432.39'	2251.33'	2026.00'	1823.40'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'
CURVE 3	90.00°	1432.39'	2251.33'	2026.00'	1823.40'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'
CURVE 4	90.00°	1432.39'	2251.33'	2026.00'	1823.40'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'
CURVE 5	90.00°	1432.39'	2251.33'	2026.00'	1823.40'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'
CURVE 6	90.00°	1432.39'	2251.33'	2026.00'	1823.40'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'
CURVE 7	90.00°	1432.39'	2251.33'	2026.00'	1823.40'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'
CURVE 8	90.00°	1432.39'	2251.33'	2026.00'	1823.40'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'	1432.39'

TRAFFIC DIAGRAM

Sources: Texas Department of Transportation Transportation Programming and Planning Division Memorandum, February 24, 2016

FALCON WAY TO SH 205
ADT = 11,000
K = 11%
D = 55%
T = Trucks (40T) = 2.9%

LEGEND
1000-2000 ADT
2000-3000 ADT






COLQUITT RD/CR 233
HIGH MEADOW DR
CHISHOLM RIDGE DR
SH 205
PROP. GRADE
EXIST. GRADE
PROP. GRADE @ -4.00 %
EXIST. GRADE @ -4.00 %
PROP. GRADE @ -1.00 %
EXIST. GRADE @ -1.00 %
PROP. GRADE @ 4.00 %
EXIST. GRADE @ 4.00 %
PROP. GRADE @ 1.00 %
EXIST. GRADE @ 1.00 %
PROP. GRADE @ 0.00 %
EXIST. GRADE @ 0.00 %
PROP. GRADE @ -2.00 %
EXIST. GRADE @ -2.00 %
PROP. GRADE @ 2.00 %
EXIST. GRADE @ 2.00 %
PROP. GRADE @ 3.00 %
EXIST. GRADE @ 3.00 %
PROP. GRADE @ -3.00 %
EXIST. GRADE @ -3.00 %
PROP. GRADE @ -5.00 %
EXIST. GRADE @ -5.00 %
PROP. GRADE @ 5.00 %
EXIST. GRADE @ 5.00 %
PROP. GRADE @ -6.00 %
EXIST. GRADE @ -6.00 %
PROP. GRADE @ 6.00 %
EXIST. GRADE @ 6.00 %
PROP. GRADE @ -7.00 %
EXIST. GRADE @ -7.00 %
PROP. GRADE @ 7.00 %
EXIST. GRADE @ 7.00 %
PROP. GRADE @ -8.00 %
EXIST. GRADE @ -8.00 %
PROP. GRADE @ 8.00 %
EXIST. GRADE @ 8.00 %
PROP. GRADE @ -9.00 %
EXIST. GRADE @ -9.00 %
PROP. GRADE @ 9.00 %
EXIST. GRADE @ 9.00 %
PROP. GRADE @ -10.00 %
EXIST. GRADE @ -10.00 %
PROP. GRADE @ 10.00 %
EXIST. GRADE @ 10.00 %
PROP. GRADE @ -11.00 %
EXIST. GRADE @ -11.00 %
PROP. GRADE @ 11.00 %
EXIST. GRADE @ 11.00 %
PROP. GRADE @ -12.00 %
EXIST. GRADE @ -12.00 %
PROP. GRADE @ 12.00 %
EXIST. GRADE @ 12.00 %
PROP. GRADE @ -13.00 %
EXIST. GRADE @ -13.00 %
PROP. GRADE @ 13.00 %
EXIST. GRADE @ 13.00 %
PROP. GRADE @ -14.00 %
EXIST. GRADE @ -14.00 %
PROP. GRADE @ 14.00 %
EXIST. GRADE @ 14.00 %
PROP. GRADE @ -15.00 %
EXIST. GRADE @ -15.00 %
PROP. GRADE @ 15.00 %
EXIST. GRADE @ 15.00 %
PROP. GRADE @ -16.00 %
EXIST. GRADE @ -16.00 %
PROP. GRADE @ 16.00 %
EXIST. GRADE @ 16.00 %
PROP. GRADE @ -17.00 %
EXIST. GRADE @ -17.00 %
PROP. GRADE @ 17.00 %
EXIST. GRADE @ 17.00 %
PROP. GRADE @ -18.00 %
EXIST. GRADE @ -18.00 %
PROP. GRADE @ 18.00 %
EXIST. GRADE @ 18.00 %
PROP. GRADE @ -19.00 %
EXIST. GRADE @ -19.00 %
PROP. GRADE @ 19.00 %
EXIST. GRADE @ 19.00 %
PROP. GRADE @ -20.00 %
EXIST. GRADE @ -20.00 %
PROP. GRADE @ 20.00 %
EXIST. GRADE @ 20.00 %
PROP. GRADE @ -21.00 %
EXIST. GRADE @ -21.00 %
PROP. GRADE @ 21.00 %
EXIST. GRADE @ 21.00 %
PROP. GRADE @ -22.00 %
EXIST. GRADE @ -22.00 %
PROP. GRADE @ 22.00 %
EXIST. GRADE @ 22.00 %
PROP. GRADE @ -23.00 %
EXIST. GRADE @ -23.00 %
PROP. GRADE @ 23.00 %
EXIST. GRADE @ 23.00 %
PROP. GRADE @ -24.00 %
EXIST. GRADE @ -24.00 %
PROP. GRADE @ 24.00 %
EXIST. GRADE @ 24.00 %
PROP. GRADE @ -25.00 %
EXIST. GRADE @ -25.00 %
PROP. GRADE @ 25.00 %
EXIST. GRADE @ 25.00 %
PROP. GRADE @ -26.00 %
EXIST. GRADE @ -26.00 %
PROP. GRADE @ 26.00 %
EXIST. GRADE @ 26.00 %
PROP. GRADE @ -27.00 %
EXIST. GRADE @ -27.00 %
PROP. GRADE @ 27.00 %
EXIST. GRADE @ 27.00 %
PROP. GRADE @ -28.00 %
EXIST. GRADE @ -28.00 %
PROP. GRADE @ 28.00 %
EXIST. GRADE @ 28.00 %
PROP. GRADE @ -29.00 %
EXIST. GRADE @ -29.00 %
PROP. GRADE @ 29.00 %
EXIST. GRADE @ 29.00 %
PROP. GRADE @ -30.00 %
EXIST. GRADE @ -30.00 %
PROP. GRADE @ 30.00 %
EXIST. GRADE @ 30.00 %
PROP. GRADE @ -31.00 %
EXIST. GRADE @ -31.00 %
PROP. GRADE @ 31.00 %
EXIST. GRADE @ 31.00 %
PROP. GRADE @ -32.00 %
EXIST. GRADE @ -32.00 %
PROP. GRADE @ 32.00 %
EXIST. GRADE @ 32.00 %
PROP. GRADE @ -33.00 %
EXIST. GRADE @ -33.00 %
PROP. GRADE @ 33.00 %
EXIST. GRADE @ 33.00 %
PROP. GRADE @ -34.00 %
EXIST. GRADE @ -34.00 %
PROP. GRADE @ 34.00 %
EXIST. GRADE @ 34.00 %
PROP. GRADE @ -35.00 %
EXIST. GRADE @ -35.00 %
PROP. GRADE @ 35.00 %
EXIST. GRADE @ 35.00 %
PROP. GRADE @ -36.00 %
EXIST. GRADE @ -36.00 %
PROP. GRADE @ 36.00 %
EXIST. GRADE @ 36.00 %
PROP. GRADE @ -37.00 %
EXIST. GRADE @ -37.00 %
PROP. GRADE @ 37.00 %
EXIST. GRADE @ 37.00 %
PROP. GRADE @ -38.00 %
EXIST. GRADE @ -38.00 %
PROP. GRADE @ 38.00 %
EXIST. GRADE @ 38.00 %
PROP. GRADE @ -39.00 %
EXIST. GRADE @ -39.00 %
PROP. GRADE @ 39.00 %
EXIST. GRADE @ 39.00 %
PROP. GRADE @ -40.00 %
EXIST. GRADE @ -40.00 %
PROP. GRADE @ 40.00 %
EXIST. GRADE @ 40.00 %
PROP. GRADE @ -41.00 %
EXIST. GRADE @ -41.00 %
PROP. GRADE @ 41.00 %
EXIST. GRADE @ 41.00 %
PROP. GRADE @ -42.00 %
EXIST. GRADE @ -42.00 %
PROP. GRADE @ 42.00 %
EXIST. GRADE @ 42.00 %
PROP. GRADE @ -43.00 %
EXIST. GRADE @ -43.00 %
PROP. GRADE @ 43.00 %
EXIST. GRADE @ 43.00 %
PROP. GRADE @ -44.00 %
EXIST. GRADE @ -44.00 %
PROP. GRADE @ 44.00 %
EXIST. GRADE @ 44.00 %
PROP. GRADE @ -45.00 %
EXIST. GRADE @ -45.00 %
PROP. GRADE @ 45.00 %
EXIST. GRADE @ 45.00 %
PROP. GRADE @ -46.00 %
EXIST. GRADE @ -46.00 %
PROP. GRADE @ 46.00 %
EXIST. GRADE @ 46.00 %
PROP. GRADE @ -47.00 %
EXIST. GRADE @ -47.00 %
PROP. GRADE @ 47.00 %
EXIST. GRADE @ 47.00 %
PROP. GRADE @ -48.00 %
EXIST. GRADE @ -48.00 %
PROP. GRADE @ 48.00 %
EXIST. GRADE @ 48.00 %
PROP. GRADE @ -49.00 %
EXIST. GRADE @ -49.00 %
PROP. GRADE @ 49.00 %
EXIST. GRADE @ 49.00 %
PROP. GRADE @ -50.00 %
EXIST. GRADE @ -50.00 %
PROP. GRADE @ 50.00 %
EXIST. GRADE @ 50.00 %
PROP. GRADE @ -51.00 %
EXIST. GRADE @ -51.00 %
PROP. GRADE @ 51.00 %
EXIST. GRADE @ 51.00 %
PROP. GRADE @ -52.00 %
EXIST. GRADE @ -52.00 %
PROP. GRADE @ 52.00 %
EXIST. GRADE @ 52.00 %
PROP. GRADE @ -53.00 %
EXIST. GRADE @ -53.00 %
PROP. GRADE @ 53.00 %
EXIST. GRADE @ 53.00 %
PROP. GRADE @ -54.00 %
EXIST. GRADE @ -54.00 %
PROP. GRADE @ 54.00 %
EXIST. GRADE @ 54.00 %
PROP. GRADE @ -55.00 %
EXIST. GRADE @ -55.00 %
PROP. GRADE @ 55.00 %
EXIST. GRADE @ 55.00 %
PROP. GRADE @ -56.00 %
EXIST. GRADE @ -56.00 %
PROP. GRADE @ 56.00 %
EXIST. GRADE @ 56.00 %
PROP. GRADE @ -57.00 %
EXIST. GRADE @ -57.00 %
PROP. GRADE @ 57.00 %
EXIST. GRADE @ 57.00 %
PROP. GRADE @ -58.00 %
EXIST. GRADE @ -58.00 %
PROP. GRADE @ 58.00 %
EXIST. GRADE @ 58.00 %
PROP. GRADE @ -59.00 %
EXIST. GRADE @ -59.00 %
PROP. GRADE @ 59.00 %
EXIST. GRADE @ 59.00 %
PROP. GRADE @ -60.00 %
EXIST. GRADE @ -60.00 %
PROP. GRADE @ 60.00 %
EXIST. GRADE @ 60.00 %
PROP. GRADE @ -61.00 %
EXIST. GRADE @ -61.00 %
PROP. GRADE @ 61.00 %
EXIST. GRADE @ 61.00 %
PROP. GRADE @ -62.00 %
EXIST. GRADE @ -62.00 %
PROP. GRADE @ 62.00 %
EXIST. GRADE @ 62.00 %
PROP. GRADE @ -63.00 %
EXIST. GRADE @ -63.00 %
PROP. GRADE @ 63.00 %
EXIST. GRADE @ 63.00 %
PROP. GRADE @ -64.00 %
EXIST. GRADE @ -64.00 %
PROP. GRADE @ 64.00 %
EXIST. GRADE @ 64.00 %
PROP. GRADE @ -65.00 %
EXIST. GRADE @ -65.00 %
PROP. GRADE @ 65.00 %
EXIST. GRADE @ 65.00 %
PROP. GRADE @ -66.00 %
EXIST. GRADE @ -66.00 %
PROP. GRADE @ 66.00 %
EXIST. GRADE @ 66.00 %
PROP. GRADE @ -67.00 %
EXIST. GRADE @ -67.00 %
PROP. GRADE @ 67.00 %
EXIST. GRADE @ 67.00 %
PROP. GRADE @ -68.00 %
EXIST. GRADE @ -68.00 %
PROP. GRADE @ 68.00 %
EXIST. GRADE @ 68.00 %
PROP. GRADE @ -69.00 %
EXIST. GRADE @ -69.00 %
PROP. GRADE @ 69.00 %
EXIST. GRADE @ 69.00 %
PROP. GRADE @ -70.00 %
EXIST. GRADE @ -70.00 %
PROP. GRADE @ 70.00 %
EXIST. GRADE @ 70.00 %
PROP. GRADE @ -71.00 %
EXIST. GRADE @ -71.00 %
PROP. GRADE @ 71.00 %
EXIST. GRADE @ 71.00 %
PROP. GRADE @ -72.00 %
EXIST. GRADE @ -72.00 %
PROP. GRADE @ 72.00 %
EXIST. GRADE @ 72.00 %
PROP. GRADE @ -73.00 %
EXIST. GRADE @ -73.00 %
PROP. GRADE @ 73.00 %
EXIST. GRADE @ 73.00 %
PROP. GRADE @ -74.00 %
EXIST. GRADE @ -74.00 %
PROP. GRADE @ 74.00 %
EXIST. GRADE @ 74.00 %
PROP. GRADE @ -75.00 %
EXIST. GRADE @ -75.00 %
PROP. GRADE @ 75.00 %
EXIST. GRADE @ 75.00 %
PROP. GRADE @ -76.00 %
EXIST. GRADE @ -76.00 %
PROP. GRADE @ 76.00 %
EXIST. GRADE @ 76.00 %
PROP. GRADE @ -77.00 %
EXIST. GRADE @ -77.00 %
PROP. GRADE @ 77.00 %
EXIST. GRADE @ 77.00 %
PROP. GRADE @ -78.00 %
EXIST. GRADE @ -78.00 %
PROP. GRADE @ 78.00 %
EXIST. GRADE @ 78.00 %
PROP. GRADE @ -79.00 %
EXIST. GRADE @ -79.00 %
PROP. GRADE @ 79.00 %
EXIST. GRADE @ 79.00 %
PROP. GRADE @ -80.00 %
EXIST. GRADE @ -80.00 %
PROP. GRADE @ 80.00 %
EXIST. GRADE @ 80.00 %
PROP. GRADE @ -81.00 %
EXIST. GRADE @ -81.00 %
PROP. GRADE @ 81.00 %
EXIST. GRADE @ 81.00 %
PROP. GRADE @ -82.00 %
EXIST. GRADE @ -82.00 %
PROP. GRADE @ 82.00 %
EXIST. GRADE @ 82.00 %
PROP. GRADE @ -83.00 %
EXIST. GRADE @ -83.00 %
PROP. GRADE @ 83.00 %
EXIST. GRADE @ 83.00 %
PROP. GRADE @ -84.00 %
EXIST. GRADE @ -84.00 %
PROP. GRADE @ 84.00 %
EXIST. GRADE @ 84.00 %
PROP. GRADE @ -85.00 %
EXIST. GRADE @ -85.00 %
PROP. GRADE @ 85.00 %
EXIST. GRADE @ 85.00 %
PROP. GRADE @ -86.00 %
EXIST. GRADE @ -86.00 %
PROP. GRADE @ 86.00 %
EXIST. GRADE @ 86.00 %
PROP. GRADE @ -87.00 %
EXIST. GRADE @ -87.00 %
PROP. GRADE @ 87.00 %
EXIST. GRADE @ 87.00 %
PROP. GRADE @ -88.00 %
EXIST. GRADE @ -88.00 %
PROP. GRADE @ 88.00 %
EXIST. GRADE @ 88.00 %
PROP. GRADE @ -89.00 %
EXIST. GRADE @ -89.00 %
PROP. GRADE @ 89.00 %
EXIST. GRADE @ 89.00 %
PROP. GRADE @ -90.00 %
EXIST. GRADE @ -90.00 %
PROP. GRADE @ 90.00 %
EXIST. GRADE @ 90.00 %
PROP. GRADE @ -91.00 %
EXIST. GRADE @ -91.00 %
PROP. GRADE @ 91.00 %
EXIST. GRADE @ 91.00 %
PROP. GRADE @ -92.00 %
EXIST. GRADE @ -92.00 %
PROP. GRADE @ 92.00 %
EXIST. GRADE @ 92.00 %
PROP. GRADE @ -93.00 %
EXIST. GRADE @ -93.00 %
PROP. GRADE @ 93.00 %
EXIST. GRADE @ 93.00 %
PROP. GRADE @ -94.00 %
EXIST. GRADE @ -94.00 %
PROP. GRADE @ 94.00 %
EXIST. GRADE @ 94.00 %
PROP. GRADE @ -95.00 %
EXIST. GRADE @ -95.00 %
PROP. GRADE @ 95.00 %
EXIST. GRADE @ 95.00 %
PROP. GRADE @ -96.00 %
EXIST. GRADE @ -96.00 %
PROP. GRADE @ 96.00 %
EXIST. GRADE @ 96.00 %
PROP. GRADE @ -97.00 %
EXIST. GRADE @ -97.00 %
PROP. GRADE @ 97.00 %
EXIST. GRADE @ 97.00 %
PROP. GRADE @ -98.00 %
EXIST. GRADE @ -98.00 %
PROP. GRADE @ 98.00 %
EXIST. GRADE @ 98.00 %
PROP. GRADE @ -99.00 %
EXIST. GRADE @ -99.00 %
PROP. GRADE @ 99.00 %
EXIST. GRADE @ 99.00 %
PROP. GRADE @ -100.00 %
EXIST. GRADE @ -100.00 %
PROP. GRADE @ 100.00 %
EXIST. GRADE @ 100.00 %