



Report Version 5

Hazardous Materials Initial Site Assessment (ISA)

June 2020

District: El Paso District

Central Business District Phase IV

CSJ: 0924-06-562

The environmental review, consultation, and other actions required by applicable Federal environmental laws for this project are being, or have been, carried-out by TxDOT pursuant to 23 U.S.C. 327 and a Memorandum of Understanding dated December 16, 2014, and executed by FHWA and TxDOT.

TxDOT Environmental Affairs Division
Effective Date: April 2017
510.02.DS
Version 5

Hazardous Materials Initial Site Assessment (ISA) Report

This ISA complies with the Federal Highway Administration's (FHWA's) policy dealing with hazardous materials discussed in FHWA's *Supplemental Hazardous Waste Guidance* (January 16, 1997) located at <http://www.environment.fhwa.dot.gov/guidebook/vol1/doc7b.pdf>.

FHWA's policy emphasizes three objectives: 1) identify and assess potentially contaminated sites early in project development, 2) coordinate early with federal/ state/ local agencies to assess the contamination and the cleanup needed; and 3) determine and implement measures early to avoid or minimize involvement with substantially contaminated properties.

In addition, completing the ISA will aid in identifying hazardous material issues early, avoiding construction delays, and reducing the department's liability associated with the purchase of contaminated right of way.

Maintain a copy of the completed ISA report with all applicable attachments in the project file.

For additional information, refer to TxDOT's online manual: *Hazardous Materials in Project Development*: <http://onlinemanuals.txdot.gov/txdotmanuals/haz/index.htm> and the Hazardous Materials Toolkit Site: <http://www.txdot.gov/inside-txdot/division/environmental/compliance-toolkits/haz-mat.html>

Abbreviations and Acronyms

CALF	Closed and Abandoned Landfill
CERCLIS	Comprehensive Environmental Response Compensation and Liability Information System
EA	Environmental Assessment
EIS	Environmental Impact Statement
ECOS	Environmental Compliance Oversight System
ERNS	Emergency Response Notification System
EPA	Environmental Protection Agency
ESA	Environmental Site Assessment
HAZMAT	Hazardous Materials
MS4	Municipal Separate Storm Sewer System
MSWLF	Municipal Solid Waste Landfill
NPL	National Priorities List
RCRA	Resource Conservation and Recovery Act
ROW	Right of Way
SEMS	Superfund Enterprise Management System
TCEQ	Texas Commission on Environmental Quality
TRRC	Texas Railroad Commission
US	United States
USGS	United States Geological Survey
VCP	Voluntary Cleanup Program

TxDOT Hazardous Materials Initial Site Assessment (ISA) Report

Project Information

CSJ No: 0924-06-562	City: El Paso	Zip Code: 79901	County: El Paso County
HWY: Oregon Street, Kansas Street, Campbell Street, 6 th Avenue, and Father Rahm Avenue		Limits: Various locations citywide. See Figures 1 and 2 in Appendix B for project location maps.	

Section 1: Identify Previously Completed Environmental Site Assessments, Known Hazmat Conditions, Preliminary Project Design, and Right-of-Way Requirements

Note: Obtain information/comments from design, right-of-way, and/or environmental staff. Attach maps and/or details as appropriate.

<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Unknown	Are there any previous environmental assessments, testing, or studies performed within the proposed project area related to contamination issues (to include Phase I ESAs)? If yes, explain here if there are any concerns to the proposed project:
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Have the project schematics and/or plan-profile sheets (if available) been reviewed? * Look for substantial excavations (including utilities and storm sewer designs), new ROW and easements, and bridge demolitions or renovations.

* For consultants: this information shall be supplied by TxDOT.

Section 2: Demolition and Renovation Information Related to Asbestos and Lead-Containing-Paint

Yes No Are there proposed bridges or building demolitions or renovations for this project?

Note: If "Yes" is selected, buildings or structures being acquired through the acquisition process are assessed and mitigated for asbestos, as needed, within the ROW process according to the TxDOT ROW Manual ROW Vol. 6 Miscellaneous -Chapter 1 Section 5. Bridge structures being demolished or renovated are assessed and mitigated for asbestos and lead-containing-paint, as needed, within the construction process according to Standard Specification Item 6.10 (and applicable Provisions), and the TxDOT guidance document: Guidance for Handling Asbestos in Construction Projects, dated January 26, 2007.

Section 3: Project Screening

Note: Section 3.1 is only applicable for Categorically Excluded (CE) projects. If you are uncertain of the project type, select "No" and continue to Section 3.2.

Section 3.1 Determine if the proposed project has a low potential to encounter contamination. Refer to the preliminary schematics for project limits and internet-based maps for surrounding land use.

<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No or an EA or EIS Project	Are the limits of the proposed project within a historically undeveloped area and outside the boundaries of a designated MS4 permitted area? Historically undeveloped areas are locations where no commercial buildings are located within one-half (0.5) miles of the proposed project limits and the surrounding land use is historically agricultural, forest, or ranch lands.
--	---

If "Yes" is selected, the ISA is complete. The proposed project has a low potential to encounter contamination. Complete Sections 9 and 10 of this ISA and maintain a copy and all applicable attachments in the project file.

If "No" is selected, proceed to Section 3.2 of this ISA.

Section 3.2

Note: Determine if the project includes any of the activities listed below:

<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Project Excavations: Will the work consist of substantial excavation operations. Substantial excavation includes, but is not necessarily limited to: <ul style="list-style-type: none"> • Underpass construction, • Storm sewer installations, and • Trenching or tunneling that would require temporary or permanent shoring.
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Dewatering of Groundwater: Are there proposed de-watering operations. If yes, what is the estimated depth to groundwater?
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Encroachments: Are there known or potential encroachments into the project area? Encroachments include soil and groundwater contamination, dump sites, tanks, and other issues in the ROW.
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	ROW and Easements: Are there any acquisitions of new ROW, easements, temporary construction easements planned for the project?

3.3 Complete the appropriate box below:

- If Section 3.2 contains any "Yes" answers, please proceed to Section 4.
- If Section 3.2 contains all "No" answers, proceed to Section 6, Site Survey. Please perform a site survey documenting the results in Section 6 and then mark the appropriate box below. If a Phase I ESA has been prepared for this project, you may use the applicable site survey information from the Phase I ESA.
- The site survey did not identify evidence of any environmental concerns listed in Section 6. The ISA is complete. Complete Sections 9 and 10 and maintain a copy of the ISA and all applicable attachments in the project file.
- The site survey identified evidence of environmental concerns listed in Section 6. Continue with Section 4.

Section 4: Current and Past Land Use Information

Note: Review and assess current and past land use (up to 50 years) in the project area. Document and attach sources that were reviewed. If one or more Phase I ESAs were prepared for this project, please use applicable information from the Phase I ESAs to help complete this section of the ISA.

<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Available <input type="checkbox"/> Not Applicable	4.1 Review Current and Past USGS 7.5 Minute Topographic Maps of the project area: Look for oil & gas pipelines, tanks, landfills, or other industrial features. Describe any concerns: No hazardous materials concerns were identified.		
	List Topo Maps Reviewed:	Dates:	Comments:
	El Paso, TEX. (1:24,000)	1955, 1973, 1997	Multiple rail lines were observed around the downtown El Paso area, but none crossed the proposed project area. No hazardous materials concerns were identified.
	El Paso, TX-CHH (1:24,000)	2012	
	El Paso, TX, CHH (1:24,000)	2019	
	Ysleta NW, TEX. (1:24,000)	1955, 1973, 1994	
	Ysleta NW, TX, CHH	2012, 2019	
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Available <input type="checkbox"/> Not Applicable	4.2 Review Current and Past Aerial Photographs of the project area: Look for oil & gas pipelines, tanks, landfills, or other industrial features. Describe any concerns: No hazardous materials concerns were identified.		
	List All Aerial Photos Reviewed:	Photo Dates:	Comments:

	HistoricAerials.com	1946, 1967, 1996	No hazardous materials concerns were identified.
	Figures 3 through 6: Google Earth	2000, 2005, 2013, 2019	
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Available <input type="checkbox"/> Not Applicable	4.3 Review Current and Past Right-of-Way Maps/Files*: Look for oil & gas pipelines, tanks, landfills, or other industrial features. Describe any concerns: No hazardous materials concerns were identified.		
	List Maps/ Files & Dates Reviewed:	Comments:	
	The project schematic was reviewed and is on file at the TxDOT El Paso District Office.	No hazardous materials concerns were identified.	
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Available <input type="checkbox"/> Not Applicable	4.4 Review Sanborn Fire Insurance Maps/Files: Look for tanks, oil & gas pipelines, landfills, or other industrial features. Describe any concerns:		
	List Maps/ Files & Dates Reviewed:	Comments:	
<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Available <input type="checkbox"/> Not Applicable	4.5 Review TxDOT As-Built Plans*: Were any concerns identified during previous work within the project limits? If yes, explain: If known, what is the previous Project CSJ:		
<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Available <input type="checkbox"/> Not Applicable	4.6 Review TxDOT Geotechnical Soil Boring Logs*: Were any concerns noted on the boring logs such as unusual odors, visible contamination, trash, waste or debris? If yes, explain:		
<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Available	4.7 Review TxDOT Temporary Use ROW Agreements (permits issued by the district to entities to occupy a portion of the ROW)*: Were any concerns such as monitor wells or treatment systems identified within the ROW? For consultants: this information shall be supplied by TxDOT. If yes, explain:		
<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Available	4.8 Review Notifications of Contamination to TxDOT* (These are typically letters from TCEQ or third parties explaining the presence of contamination on TxDOT ROW): Were any concerns regarding contamination of ROW from off-site sources? If yes, explain:		

* For consultants: this information shall be supplied by TxDOT. If no information is supplied by TxDOT, then select Not Available.

Section 5: Complete a Regulatory Records Review (Database Search)

Note: Use the comment field in Section 5.1 to provide a synopsis of the total number of sites identified within the search distances of the regulatory record reviewed. No comments are required when no sites were identified or the regulatory record was not reviewed.

Select the appropriate box below:

A Database search was conducted through a contracted service. Indicate in Section 5.1, and if applicable, Section 5.2, the regulatory records searched. Maintain a complete copy of the database search findings (contractor's report deliverable) in the project file with the ISA.

A Database search was conducted in-house. For in-house database searches, not all databases need to be reviewed, but at a minimum the databases listed in Section 5.1 marked in **bold with a star(*)** must be reviewed. Include

database records that list potential issues in the project file with the ISA. It is not necessary to include records of negative findings.

Section 5.1 Standard Database Sources of Environmental Information from Government Agency Records

Findings	Regulatory Record
<input type="checkbox"/> Sites Identified <input checked="" type="checkbox"/> No Sites Identified	Federal Active NPL or Not NPL list (CERCLIS or SEMS sites)* https://cumulis.epa.gov/supercpad/CurSites/srchsites.cfm ; and/or https://www.epa.gov/cleanups/cleanups-my-community (1 mile minimum search distance from project limits)
Comments for Sites Identified:	
<input checked="" type="checkbox"/> Sites Identified <input type="checkbox"/> No Sites Identified	Federal Archived NPL or Not NPL list (CERCLIS or SEMS sites)* https://cumulis.epa.gov/supercpad/CurSites/srchsites.cfm (0.5 mile minimum search distance from project limits)
Comments for Sites Identified: The GeoSearch Radius Report (Appendix C) identified two SEMSARCH sites within 0.5 mile of the project area. See Section 8.1 for further details.	
<input checked="" type="checkbox"/> Sites Identified <input type="checkbox"/> No Sites Identified <input type="checkbox"/> Not Reviewed	US EPA Brownfield Properties https://www.epa.gov/cleanups/cleanups-my-community (0.5 mile minimum search distance from project limits)
Comments for Sites Identified: The search identified seven BF sites within 0.5 mile of the project area. See Section 8.1 for further details.	
<input type="checkbox"/> Sites Identified <input checked="" type="checkbox"/> No Sites Identified <input type="checkbox"/> Not Reviewed	Federal RCRA Corrective Action (CORRACTS) list https://www.epa.gov/cleanups/cleanups-my-community , and/or http://www.epa.gov/enviro/ (1 mile minimum search distance from project limits)
Comments for Sites Identified:	
<input type="checkbox"/> Sites Identified <input checked="" type="checkbox"/> No Sites Identified <input type="checkbox"/> Not Reviewed	Federal RCRA non-CORRACTS Treatment Storage Disposal (TSD) facilities list http://www.envcap.org/statetools/tsdf/ and/or http://www.epa.gov/enviro/ (0.5 mile minimum search distance from project limits)
Comments for Sites Identified:	
<input checked="" type="checkbox"/> Sites Identified <input type="checkbox"/> No Sites Identified <input type="checkbox"/> Not Reviewed	Federal RCRA generators http://www.epa.gov/enviro/ (acquired property and adjoining properties)
Comments for Sites Identified: The search identified one RCRAGR06 site within or adjacent to the existing ROW. See Section 8.1 for further details.	
<input type="checkbox"/> Sites Identified <input checked="" type="checkbox"/> No Sites Identified <input type="checkbox"/> Not Reviewed	Federal ERNS (or Responses) https://www.epa.gov/cleanups/cleanups-my-community (acquired property and adjoining properties)
Comments for Sites Identified:	
<input checked="" type="checkbox"/> Sites Identified <input type="checkbox"/> No Sites Identified	TCEQ Industrial Hazardous Waste Corrective Action (IHWCA) sites only* http://www15.tceq.texas.gov/crpub/ (1 mile minimum search distance from project limits)
Comments for Sites Identified: The search identified two IHWCA sites within 1 mile of the project area. See Section 8.1 for further details.	
<input type="checkbox"/> Sites Identified <input checked="" type="checkbox"/> No Sites Identified	TCEQ Superfund sites* http://www15.tceq.texas.gov/crpub/ and/or https://www.tceq.texas.gov/remediation/superfund/sites/index.html (1 mile minimum search distance from project limits)

Comments for Sites Identified:	
<input type="checkbox"/> Sites Identified <input checked="" type="checkbox"/> No Sites Identified	Closed and abandoned municipal solid waste landfill sites* http://www.tceq.texas.gov/permitting/waste_permits/msw_permits/msw-data (0.5 mile minimum search distance from project limits)
Comments for Sites Identified:	
<input checked="" type="checkbox"/> Sites Identified <input type="checkbox"/> No Sites Identified	TCEQ leaking petroleum storage tank remediation lists (LPST)* http://www15.tceq.texas.gov/crpub/ (0.5 mile minimum search distance from project limits)
Comments for Sites Identified: The search identified 23 LPST sites within 0.5 mile of the project area. See Section 8.1 for further details.	
<input checked="" type="checkbox"/> Sites Identified <input type="checkbox"/> No Sites Identified	TCEQ registered petroleum storage tank lists (PST)* http://www15.tceq.texas.gov/crpub/ (acquired property and adjoining properties)
Comments for Sites Identified: The search identified 33 PST sites within or adjacent to the existing ROW. See Section 8.1 for further details.	
<input type="checkbox"/> Sites Identified <input checked="" type="checkbox"/> No Sites Identified	TCEQ voluntary cleanup program (VCP) sites* http://www15.tceq.texas.gov/crpub/ (0.5 mile minimum search distance from project limits)
Comments for Sites Identified:	
<input type="checkbox"/> Sites Identified <input checked="" type="checkbox"/> No Sites Identified <input type="checkbox"/> Not Reviewed	TCEQ Innocent Owner/ Operator (IOP) sites http://www15.tceq.texas.gov/crpub/ (0.5 mile minimum search distance from project limits)
Comments for Sites Identified:	
<input type="checkbox"/> Sites Identified <input checked="" type="checkbox"/> No Sites Identified	TCEQ Dry Cleaners remediation only Database* http://www15.tceq.texas.gov/crpub/ (0.5 mile minimum search distance from project limits)
Comments for Sites Identified:	
<input type="checkbox"/> Sites Identified <input checked="" type="checkbox"/> No Sites Identified	Texas Railroad Commission VCP sites* http://www.rrc.state.tx.us/oil-gas/environmental-cleanup-programs/site-remediation/voluntary-cleanup-program/ (0.5 mile minimum search distance from project limits)
Comments for Sites Identified:	
Section 5.2 List below other pertinent records reviewed such as local records and/or additional state records	
Record Source and Comments:	
Record Source and Comments:	

Section 6: Complete a Project Site Survey

Note: Do not document site survey concerns that were previously identified by the regulatory list search, by the Current and Past Land Use review, or both. In Section 6.1, describe the location and size of the concern. Attach site maps and photographs, as appropriate. If a Phase I ESA has been prepared for this project, you may use the applicable site survey information from the Phase I ESA and updated current site conditions, as needed.

Possible Site Survey Concerns: The following items are to be used as a guide to help identify potential hazardous material issues during a site survey.

- underground storage tanks
- aboveground storage tanks
- injection wells, cisterns, sumps, dry wells
- vent pipes, fill pipes, or access ways indicating a fill pipe protruding from the ground
- electrical and transformer equipment storage or evidence of release
- groundwater monitoring wells and groundwater treatment systems

- floor drains, walls stained by substances other than water or emitting foul odors
- stockpiling, storage of material
- surface dumping of trash, garbage, refuse, rubbish, debris half exposed/buried, etc.
- stained, discolored, barren, exposed or foreign (fill) soil
- oil sheen or film on surface water, seeps, lagoons, ponds, or drainage basins
- changes in drainage patterns from possible fill areas
- Dead animals (fish, birds, etc.)
- vats, 55-gallon drums (labeled/unlabeled), canisters, barrels, bottles, etc.
- evidence of liquid spills
- damaged or discarded automotive or industrial batteries
- dead, damaged, or stressed vegetation
- pits, ponds, or lagoons associated with waste treatment or waste disposal
- security fencing, protected areas, placards, warning signs

Site Survey Date(s): August 22, 2019

6.1 Describe Concerns Observed During the Site Survey. Do not include concerns previously identified during the regulatory list search, the current and past land use review or both. Indicate if the concern is associated with existing ROW, proposed ROW, adjacent property, or easements. Provide address location (or relative location) and any additional information about the evidence identified; include photographs as an attachment to the ISA.

Comments or Concerns Identified: No hazardous materials concerns identified.

Section 7: Interviews

Section 7.1 Were interviews conducted? Yes No

Possible interviewees include local residents, TxDOT staff, fire department personnel, city or county department of health/environmental staff, city or county planning staff, TCEQ staff, TRRC staff, and current and former property owners or operators.

If one or more Phase I ESAs were prepared for this project, please use applicable interview information from the Phase I ESAs to help complete this section of the ISA.

Section 7.2 Interview Summary: Complete this section if interviews were conducted. Add additional rows as needed. Attach record of communications to the ISA.

Name:	Title:	Date:
Describe any potential concerns:		
Name:	Title:	Date:
Describe any potential concerns:		
Name:	Title:	Date:
Describe any potential concerns:		

Section 8: Hazardous Material Concerns

On the list below, indicate if a concern is resolved or unresolved. "Unresolved" indicates additional investigation or research is required. "Resolved" indicates the concern has been resolved during the preparation of this ISA. If a concern is "Unresolved" or "Resolved", include a statement explaining the planned next steps to resolve the issue. If no concerns were identified, select "No Issue".

For additional information regarding scheduling considerations, internal/external coordination and recommended practices for resolving hazmat issues please refer to TxDOT's *Environmental Tool Kit* web site.

Contact TxDOT ENV Hazardous Material Management (HMM) for additional assistance.

8.1 Identify Type of Hazardous Material Concerns

Resolution	Type of Concern
<input type="checkbox"/> Unresolved <input type="checkbox"/> Resolved <input checked="" type="checkbox"/> No Issue	Current or Past Land Use Concerns: These concerns are associated with hazardous material issues identified in Section 4 that <u>were not discovered during the database search in Section 5.1 or during the Site Survey in Section 6.1.</u> Note: <i>For ECOS IIR development, the Available Contaminated Media would be "Other".</i>
Explain Unresolved or Resolved Issues:	
<input type="checkbox"/> Unresolved <input type="checkbox"/> Resolved <input checked="" type="checkbox"/> No Issue	Site Visit Concerns: These concerns are associated with hazardous material issues discovered following the completion of Section 6 that <u>were not previously discovered during the database search in Section 5.1 or during the current and past land use review in Section 4.</u> Note: <i>For ECOS IIR development, the Available Contaminated Media would be "Other".</i>
Explain Unresolved or Resolved Issues:	
<input type="checkbox"/> Unresolved <input type="checkbox"/> Resolved <input type="checkbox"/> No Issue <input checked="" type="checkbox"/> N/A	Interview Concerns: These concerns are associated with any hazardous material issues discovered during an interview listed in Section 7, <u>that were not previously discovered during the database search in Section 5.1, during the current and past land use review in Section 4, or during the Site Survey in Section 6.1.</u> Note: <i>For ECOS IIR development, the Available Contaminated Media would be "Other".</i>
Explain Unresolved or Resolved Issues:	

<input type="checkbox"/> Unresolved <input checked="" type="checkbox"/> Resolved <input type="checkbox"/> No Issue	Petroleum Storage Tanks (PSTs) Concerns discovered during the database search: PSTs are underground or aboveground storage tanks used to store fuel or other petroleum substances. Typically, these are found at gasoline and diesel refueling facilities. Select below all that apply.	
	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	ROW acquisition or partial acquisition of a parcel with one or more PSTs.
	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Other- Describe:
<p>Explain Unresolved or Resolved Issues: The GeoSearch Radius Report identified 33 PST sites within or adjacent to the existing ROW. There were no hazardous materials concerns with any of the PST sites. See Table 1 for further details.</p>		
<input type="checkbox"/> Unresolved <input checked="" type="checkbox"/> Resolved <input type="checkbox"/> No Issue	Leaking Petroleum Storage Tanks (LPSTs) Concerns discovered during the database search: LPSTs are PSTs that have caused or are suspected to have caused a release of fuel or other petroleum substances to the environment.	
	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Additional Research is needed or uncertain of impacts from one or more LPSTs. Request assistance from ENV.
	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	ROW acquisition or partial acquisition of a parcel with one or more LPSTs.
	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	One or more LPSTs are located within 0.25 miles of the project.
	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Other- Describe:
<p>Explain Unresolved or Resolved Issues: The GeoSearch Radius Report identified 23 LPST sites within 0.5 mile of the project area. See Table 1 for further details.</p> <p>No ROW would be required from any of the identified LPST sites. Due to the distance from the project area, no hazardous materials concerns are anticipated with any of the LPST sites.</p>		
<input type="checkbox"/> Unresolved <input type="checkbox"/> Resolved <input checked="" type="checkbox"/> No Issue	Oil and Gas Activity Concerns: TxDOT is concerned with the acquisition of oil and gas wells (and ancillary equipment) such as process, piping, production equipment, pipelines, etc. Select below all that apply.	
	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Additional Research needed or uncertain of impacts. Request assistance from ENV.
	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Database search identified TRRC VCP Site within 0.5 miles of project.
	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Oil/ Gas Wells within future ROW.
	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Spills or other Contamination Issues associated with ancillary equipment or pipelines.
	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Other- Describe:
<p>Explain Unresolved or Resolved Issues: According to the Railroad Commission of Texas (RRC) Public GIS Viewer (Figure 7 in Appendix B), there is one LPG site approximately 0.2 mile northeast of the Campbell Street and 6th Avenue intersection, a natural gas pipeline runs along the west side of the project area, and multiple rail lines run along the west and south side of the project area. No hazardous materials concerns are anticipated. Coordination with owners would be conducted as needed. See Table 1 for further details.</p>		
<input type="checkbox"/> Unresolved <input checked="" type="checkbox"/> Resolved <input type="checkbox"/> No Issue	Non-LPST Source Contamination Concerns discovered during the database search: These are sites or locations that have a potential for soil and groundwater contamination and are not associated with LPST sites. Select below all that apply.	
	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Additional Research is needed or uncertain of impacts from a Non-LPST site. Request assistance from ENV.
	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Database search identified SEMS Active NPL or Not NPL site(s) within 1 mile of the project. This may be identified on a database search as a CERCLIS or NPL site.
	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Database search identified SEMS Archived NPL or Not NPL site(s) within 0.5 miles of the project. This may be identified on a database search as a CERCLIS NFRAP.
	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Database search identified RCRA Corrective Action(s) site within 1 mile of project.

<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Database search identified RCRA TSD facilities within 0.5 miles of project.
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Database search identified TCEQ IHW Corrective Action sites within 1 mile of project.
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Database search identified TCEQ Superfund sites within 1 mile of project.
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Database search identified TCEQ VCP sites within 0.5 miles of project.
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Database search identified TCEQ IOP sites within 0.5 miles of project.
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Other- Describe: RCRAGR06 and BF

Explain Unresolved or Resolved Issues: The GeoSearch Radius Report identified two SEMSARCH sites within 0.5 mile of the project area. No hazardous materials concerns are anticipated.

The GeoSearch Radius Report identified two IHWCA sites, within 1 mile of the project area. No hazardous materials concerns are anticipated.

The GeoSearch Radius Report identified one RCRAGR06 site within or adjacent to the existing ROW. No hazardous materials concerns are anticipated.

The GeoSearch Radius Report identified seven BF sites within 0.5 mile of the project area. No hazardous materials concerns are anticipated.

See Table 1 for further details.

<input type="checkbox"/> Unresolved <input type="checkbox"/> Resolved <input checked="" type="checkbox"/> No Issue	Landfills/Waste Pits/Dump Site Concerns: These concerns are associated with any known or suspected (based on visual observations) landfills, dump sites, or waste pits. These concerns may appear on a database search as CALF or MSWLF site. Additionally, the local Council of Governments (COG) maintains a list of closed and open landfills in your project area. Select below all that apply.
--	--

<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Additional research is needed or uncertain of impacts. Request assistance from ENV.
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Database search identified active/closed/abandoned CALF or MSWLF landfill sites within .5 miles of the project.
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Other- Describe:

Explain Unresolved or Resolved Issues:

8.3 Did the ISA identify any Unresolved Hazardous Material concerns?

No, unresolved hazardous materials concerns were identified and/or all potential concerns were resolved within the ISA. No further hazardous materials action is required. The ISA is complete for this project. Any unanticipated hazardous materials impacts encountered during the project construction phase shall be addressed in accordance with regulatory requirements and TxDOT standard specifications. Complete Sections 9 and 10 and maintain a copy of the ISA and all applicable attachments in the project file.

Yes, the ISA identified one or more unresolved hazardous materials concerns requiring additional investigations or assessments. An Issues, Identification, and Resolution (IIR) form shall be completed in ECOS to track the additional investigations and assessments. Complete Sections 9 and 10 and maintain a copy of the ISA and all applicable attachments in the project file.

Section 9: Reference Materials Utilized (Identify any referenced materials and attach them to the ISA or in the project file.

Referenced Materials Used	<input checked="" type="checkbox"/> Project Map	<input checked="" type="checkbox"/> USGS Topo Maps	<input checked="" type="checkbox"/> Aerial Photographs
	<input type="checkbox"/> ROW Maps/Files	<input type="checkbox"/> Sanborn Fire Insurance Maps	<input type="checkbox"/> Temporary Use Agreements
	<input type="checkbox"/> TxDOT As-Built Plans	<input type="checkbox"/> Notifications	<input checked="" type="checkbox"/> Photographs
	<input checked="" type="checkbox"/> Project Schematics/Profiles	<input checked="" type="checkbox"/> Regulatory Database	<input type="checkbox"/> Record of Interviews
	<input checked="" type="checkbox"/> Other: RRC Public GIS Viewer Map (Figure 7); Hazardous Materials Sites and Concerns (Table 1)		

Section 10: Contact/Completed by

Name:	Rachel Sprunger	Tel: 512-264-1095
Title:	Environmental Specialist	
Firm (District Section):	Blanton & Associates, Inc.	
Address:	5 Lakeway Centre Court, Suite 200, Austin, TX 78734	
Signature:		Date: June 23, 2020

Appendix A

The following table shows the revision history for this guidance document.


Revision History	
Effective Date	Reason for and Description of the Change
April 2017	<p>Version 5</p> <p>The cover page has additional fields related to specific project information. This is added to personalize the ISA to a project.</p> <p>Section 2 was modified to acknowledge that asbestos or lead-in-paint issues might exist on our construction projects, but the identification and resolution to these issues are outside of the ISA process and are handled programmatically by TxDOT (usually in CST or the ROW processes).</p> <p>Section 3 was modified by adding an additional screening option. You are now able to screen out of performing a full ISA if your project meets the parameters described.</p> <p>Section 6 was reformatted to remove the numerous selections related to the Possible Site Survey Concerns. Additionally, redundant questions were removed to make the section easier to use. Under the new format, the preparer is required to insert the survey dates and a description of what was identified during the survey.</p> <p>Minor changes were made to terminology throughout the ISA, this was performed to clarify and streamline the process.</p> <p>Section 8.1 has been modified to provide resolution to potential hazardous materials issues that can be resolved easily during the ISA process. Additionally, a comment field was added to provide direction related to issues requiring further action to resolve. This will streamline the process in reducing the amount of IIR entries requires in ECOS and will reduce the time required to review a project.</p>
June 2016	<p>Version 4</p> <p>Modifications to Section 5: Web links and database names were modified based on changes made by regulatory agency websites.</p>
October 2014	<p>Version 3</p> <p>Modifications to Section 2: Clarified this section to better define what are asbestos and lead-in-paint concerns. Changes were made due to numerous comments from the end-user.</p> <p>An additional note was added to this section. This note directs end-users to ENV-HMM for further assistance related to lead-in-paint issues.</p> <p>Modifications to Section 3: The question concerning Project Excavations in Section 3.1 was modified to match the definition used in Scoping Procedure for Categorically Excluded TxDOT Projects for Hazardous Materials found in the NEPA and Project Development Toolkit.</p> <p>Modifications to Section 5: Web links were modified based on changes made by regulatory agency websites.</p> <p>Modifications to 8.2: Clarified the “Yes” answer in 8.2 to remove the need for additional assessments for all identified hazardous materials concerns. The question was modified due to comments by the end-user.</p>

August 2014	Version 2 Removed introductory note describing ISA threshold criteria. Note was removed because the ISA threshold criteria are located in other TxDOT guidance.
April 2014	Version 1 Released

Appendix B

Figures





Base Map: 7.5' USGS Topographic Quadrangles:
El Paso, Texas (1973 El Paso, Map ID No.31106-G4)

 Project Location



1:24,000




Figure 2
Project Location on Topographic Map
Central Business District (CBD)
Phase IV: Oregon Street, Kansas Street,
Campbell Street, 6th Avenue, and
Father Rahm Avenue
El Paso County, Texas
CSJ: 0924-06-562



Figure 3. 2000 Aerial Imagery.




Figure 4. 2005 Aerial Imagery.



Figure 5. 2013 Aerial Imagery.




Figure 6. 2019 Aerial Imagery.




Figure 7. Railroad Commission of Texas Public GIS Viewer

Public GIS Viewer Legend

Well Number



Well Locations

- Permitted Location
- Dry Hole
- Oil
- Gas
- Oil / Gas
- Plugged Oil
- Plugged Gas
- Canceled / Abandoned Location
- Plugged Oil / Gas
- Injection / Disposal
- Core Test
- Sulfur Test
- Storage from Oil
- Storage from Gas
- Shut-In Oil
- Shut-In Gas
- Injection / Disposal from Oil
- Injection / Disposal from Gas
- Injection / Disposal from Oil / Gas
- Geothermal
- Brine Mining
- Water Supply
- Water Supply from Oil
- Water Supply from Gas
- Plugged Storage / Gas
- Plugged Storage Oil / Gas
- Brine Mining
- Brine Mining / Oil
- Brine Mining / Gas
- Brine Mining / Oil / Gas
- Injection / Disposal from Brine Mining
- Injection / Disposal from Brine Mining / Oil
- Injection / Disposal from Brine Mining / Gas
- Injection / Disposal from Brine Mining / Oil / Gas
- Observation from Brine Mining
- Observation from Brine Mining / Oil
- Observation from Brine Mining / Gas
- Observation from Brine Mining / Oil / Gas
- Service from Brine Mining
- Service from Brine Mining / Oil

- Water Supply from Oil / Gas
- Observation
- Observation from Oil
- Observation from Gas
- Observation from Oil / Gas
- Storage
- Service
- Service from Oil
- Service from Gas
- Service from Oil / Gas
- Storage from Oil / Gas
- Injection / Disposal from Storage
- Injection / Disposal from Storage / Oil
- Injection / Disposal from Storage / Gas
- Injection / Disposal from Storage / Oil / Gas
- Observation from Storage
- Observation from Storage / Oil
- Observation from Storage / Gas
- Observation from Storage / Oil / Gas
- Service from Storage
- Service from Storage / Oil
- Service from Storage / Gas
- Service from Storage / Oil / Gas
- Plugged Storage
- Plugged Storage / Oil
- Storage / Brine Mining / Oil
- Storage / Brine Mining / Gas
- Storage / Brine Mining / Oil / Gas
- Injection / Disposal from Storage / Brine Mining
- Injection / Disposal from Storage / Brine Mining / Oil
- Injection / Disposal from Storage / Brine Mining / Gas
- Injection / Disposal from Storage / Brine Mining / Oil / Gas
- Observation from Storage / Brine Mining
- Observation from Storage / Brine Mining / Oil
- Observation from Storage / Brine Mining / Gas
- Observation from Storage / Brine Mining / Oil / Gas
- Plugged Storage / Brine Mining
- Plugged Storage / Brine Mining / Oil
- Plugged Storage / Brine Mining / Gas
- Plugged Storage / Brine Mining / Oil / Gas

- Service from Brine Mining / Gas
- Service from Brine Mining / Oil / Gas
- Plugged Brine Mining
- Plugged Brine Mining / Oil
- Plugged Brine Mining / Gas
- Plugged Brine Mining / Oil / Gas
- Storage / Brine Mining
- Orphan Wells**
- Commercial Disposal**
- Injection/Disposal**
- HCTS Deeper than 15,000 ft.**
- High Cost Tight Sands**
- EOR H13 Oil Wells**
- Well Logs**
- Horiz/Dir Surface Locations**
- Horizontal Well
- Directional Well
- Horizontal/Directional Lines**
- LPGAS Sites**
- QPipelines**
- Pipelines**
- Bay Tracts**
- Offshore Areas**
- Offshore Tracts**
- Water Lines**
- Subdivisions**
- Railroads**
- Surveys**
- Quads**
- Alert Areas**
- Water**
- City Limits**
- Counties**
- Operator Cleanup Program Sites**
- Active
- Closed
- Oil and Gas Districts**
- AED Districts**
- Pipeline Safety Regions**
-

Appendix C
Project Area Photographs



Photo 1. Kansas Street and 7th Avenue, facing north



Photo 2. Kansas Street near southern limit, facing south



Photo 3. Kansas Street at Paisano Drive (northern limit), facing south



Photo 4. Campbell Street near 3rd Avenue, facing south



Photo 5. Campbell Street near southern limit, facing north



Photo 6. Father Rahm Avenue at Stanton Street, facing east



Photo 7. Father Rahm Avenue, facing east



Photo 8. 6th Avenue at Oregon Street, facing east



Photo 9. 6th Avenue near Stanton Street, facing west



Photo 10. Oregon Street at Father Rahm Avenue, facing north



Photo 11. Oregon Street near 4th Avenue, facing south

Appendix D

Hazardous Materials Sites and Concerns Table

Table 1. Hazardous Materials Sites and Concerns

GeoSearch MAP ID	Site Name/Address	Site Type	Location Relative to the Study Area	Additional Actions or Comments	Impact Evaluation (Low, Medium, High)
1	Rainbo Baking 711 S Kansas St, El Paso, TX 79901	PST 29944	0 feet, directly adjacent to existing ROW	Three underground storage tanks (USTs) are permanently filled in place and the site status is inactive. No hazardous materials concerns are anticipated.	Low
2	El Paso-Los Angeles Limousine Express 720 S Oregon St, El Paso, TX 79901	PST 11846 NOV RN101655306	0 feet, directly adjacent to existing ROW	One UST is in use and the site status is active. The site has one active violation for failing to provide records at the time of investigation. No ROW would be required from this site, therefore, no hazardous materials concerns are anticipated.	Low
5	Paisano Auto Supply/Paisano Texaco 600 E Paisano Dr, El Paso, TX 79901	LPST 095371 PST 1602	0.002 mile (11 feet) ENE	Three USTs were removed from the ground and the site status is inactive. Groundwater was impacted, but there were no apparent threats or impacts to receptors. Final concurrence was issued and the closure date was December 1, 1998. No new ROW would be required from this site. No hazardous materials concerns are anticipated.	Low
8	Western Auto 425 E Paisano Dr, El Paso, TX 79901	PST 56893	0.01 mile (53 feet) NNW	One UST was removed from the ground and the site status is inactive. No hazardous materials concerns are anticipated.	Low
10	Chevron 74340 220 E Paisano Dr, El Paso, TX 79901	LPST 092314 LPST 112154 PST 17834	0.03 mile (158 feet) E	Five USTs were removed from the ground and three USTs are in use; the site status is active. The first LPST site reported soil was contaminated and required a full site assessment remedial action plan (RAP). Final concurrence was issued and the closure date was March 8, 1990. The second LPST site reported a designated major or minor aquifer was impacted. Final concurrence was issued and the closure date was October 14, 1999. No new ROW would be required from this site. No hazardous materials concerns are anticipated.	Low

11	Chevron 70868 219 E Paisano Dr, El Paso, TX 79901	LPST 111962 PST 17815	0.031 mile (164 feet) ENE	Three USTs were removed from the ground and the site status is inactive. Groundwater for a public/domestic water supply well was impacted within 0.25 mile. Final concurrence was issued and the closure date was March 4, 2003. No new ROW would be required from this site. No hazardous materials concerns are anticipated.	Low
12	Spade Coop Anton Division 659 Santa Fe Dr, Anton, TX 79313	PST 105	0.032 mile (169 feet) NW	Four USTs are in use and one aboveground storage tank (AST) is out of use. The site status is active. No new ROW would be required from this site. No hazardous materials concerns are anticipated.	Low
13	Chevron 73303 600 S Mesa St, El Paso, TX 79901	PST 17831	0.034 mile (180 feet) NNW	Four USTs were removed from the ground and the site status is inactive. No hazardous materials concerns are anticipated.	Low
14	Family Dollar #4351 406 S. Stanton St, El Paso, TX 79901	RCRAGR06 TXR000082491	0.041 mile (216 feet) WSW	This site is classified as a small quantity generator and is not subject to corrective action. No violations were reported. No new ROW would be required from this site. No hazardous materials concerns are anticipated.	Low
15	Santa Fe Railyard 805 S Santa Fe St, El Paso, TX 79901	PST 69154	0.056 mile (296 feet) W	One UST was removed from the ground and the site status is inactive. No hazardous materials concerns are anticipated.	Low
18	No 11 Fire Station 331 S Santa Fe St, El Paso, TX 79901	PST 11411	0.065 mile (343 feet) WSW	One UST was removed from the ground and the site status is inactive. No hazardous materials concerns are anticipated.	Low

21	300 S. Florence, El Paso, TX 79901	BF 116121 BF 79321	0.079 mile (412 feet) NE	At the first BF site, a supplemental environmental assessment was conducted and was completed on September 9, 2008. No contaminants or contaminated media was reported. It was unknown if cleanup was required. No institutional controls were required. At the second BF site, a supplemental environmental assessment and a Phase I environmental assessment were conducted. The property was used as a textile exchange and storage for vehicles. No contaminates or contaminated media were reported. No cleanup or institutional controls were required. No other spills or contaminants were reported for this site. No new ROW would be required from this site. No hazardous materials concerns are anticipated.	Low
22	City of El Paso Equipt Maint Dpt 210 S Campbell St, El Paso, TX 79901	LPST 091891	0.083 mile (438 feet) NNW	Four USTs were removed from the ground and the site status is inactive. Groundwater was impacted, but there were no apparent threats or impacts to receptors. Final concurrence was issued and the closure date was April 8, 2004. No new ROW would be required from this site. No hazardous materials concerns are anticipated.	Low
23	Sun Metro International Transit Terminal 601 S Santa Fe St, El Paso, TX 79901	IHWCA 32489	0.085 mile (449 feet) NW	This site was reported as inactive and the phase reported workload completed. No new ROW would be required from this site. No hazardous materials concerns are anticipated.	Low
	Santa Fe Center/Santa Fe Service Center 601 S Santa Fe St, El Paso, TX 79901	LPST 095881 PST 21392	0.085 mile (449 feet) NW	Four USTs were removed from the ground and the site status is inactive. Soil was contaminated and required a full site assessment RAP. Final concurrence was issued and the closure date was May 8, 1991. No new ROW would be required from this site. No hazardous materials concerns are anticipated.	Low
24	Goodyear Tire & Rubber 500 E Overland Ave, El Paso, TX 79901	PST 13179	0.089 mile (470 feet) N	One UST was removed from the ground and the site status is inactive. No hazardous materials concerns are anticipated.	Low

25	Central Fire Station 201 S Florence St, El Paso, TX 79901	PST 11417	0.091 mile (480 feet) NNE	Three USTs were removed from the ground and the site status is inactive. No hazardous materials concerns are anticipated.	Low
26	Ochoa Bulk Plant 719 S Ochoa St, El Paso, TX 79901	PST 33962	0.092 mile (486 feet) E	Four USTs were removed from the ground and the site status is inactive. No hazardous materials concerns are anticipated.	Low
28	El Paso Distribution Center 323 Canal Rd, El Paso, TX 79901	PST 14032	0.1 mile (528 feet) SW	One UST was removed from the ground and the site status is inactive. No hazardous materials concerns are anticipated.	Low
29	El Paso Gas, Electric Light & Power Co. Corner W 3 rd & Santa Fe Street, El Paso, TX 79901	SEMSARCH TXD981912355	0.109 mile (576 feet) NW	This site is not a federal facility and is not on the national priorities list (NPL). No other information was available for this site. No new ROW would be required from this site. No hazardous materials concerns are anticipated.	Low
31	Gas Mart USA 401 S Santa Fe St, El Paso, Tx 79901	PST 11757	0.129 mile (681 feet) WSW	Six USTs were reported as removed from the ground, and two of these USTs were also reported as temporarily out of service. The site status is inactive. No new ROW would be required from this site. No hazardous materials concerns are anticipated.	Low
32	Hilton Camino Real 101 S El Paso St, El Paso, TX 79901	PST 56571	0.155 mile (818 feet) NW	One UST was permanently filled in place and the site status is inactive. No hazardous materials concerns are anticipated.	Low
33	El Paso Terminal Warehouse 525 Canal Rd, El Paso, TX 79901	PST 28267	0.155 mile (818 feet) WSW	One UST was removed from the ground and the site status is inactive. No hazardous materials concerns are anticipated.	Low
	El Paso Drum Site 525 Canal Road, El Paso, TX 79901	SEMSARCH TXD987983418	0.166 mile (876 feet) W	This site is not a federal facility and is not on the national priorities list (NPL). No other information was available for this site. No new ROW would be required from this site. No hazardous materials concerns are anticipated.	Low
35	US General Services Admin/US Federal Building 700 E San Antonio Ave, El Paso, TX 79901	LPST 119493 PST 55701	0.159 mile (840 feet) NNE	One UST was permanently filled in place and the site status is inactive. No groundwater was impacted and there were no apparent threats or impacts to receptors. Final concurrence was issued and the closure date was December 19, 2014. No new ROW would be required from this site. No hazardous materials concerns are anticipated.	Low

36	Vacant building 104 E San Antonio Ave, El Paso, TX 79901	PST 86155	0.16 mile (845 feet) NNW	No AST or UST information was reported for this site and the site status is pending. No other data were reported. No new ROW would be required from this site. No hazardous materials concerns are anticipated.	Low
37	Paso Del Norte Parking 120 W San Antonio Ave, El Paso, TX 79901	PST 21408	0.169 mile (892 feet) NNW	Two USTs were permanently filled in place and the site status is inactive. No hazardous materials concerns are anticipated.	Low
38	US Courthouse 511 E San Antonio Ave, El Paso, TX 79901	PST 55225	0.179 mile (945 feet) NNW	One UST was permanently filled in place and the site status is inactive. No hazardous materials concerns are anticipated.	Low
39	Greyhound Lines 200 W San Antonio Ave, El Paso, TX 79901	PST 24120	0.19 mile (1,003 feet) WNW	One UST was removed from the ground and the site status is inactive. No hazardous materials concerns are anticipated.	Low
40	100 N Stanton St, El Paso, Tx 79901	PST 31486	0.203 mile (1,072 feet) NNW	One UST is in use and the site status is active. No new ROW would be required from this site. No hazardous materials concerns are anticipated.	Low
41	Robertson-Umenhauer Plant 800 Canal Rd, El Paso, TX 79901	PST 85598	0.204 mile (1,077 feet) WSW	Two ASTs are in use and the site status is active. No new ROW would be required from this site. No hazardous materials concerns are anticipated.	Low
42	Wyler Industrial Works 711 S Saint Vrain St, El Paso, TX 79901	PST 24256	0.207 mile (1,093 feet) E	Three USTs were removed from the ground and two USTs are in use. The site status is active. No new ROW would be required from this site. No hazardous materials concerns are anticipated.	Low
43	City Baseball Training Facility 200 Texas Ave, El Paso, TX 79901	BF 12482	0.216 mile (1,140 feet) N	No cleanup was required for this site. No other data were reported for this site. No new ROW would be required from this site. No hazardous materials concerns are anticipated.	Low
44	Polos Place 115 S Virginia St, El Paso, Tx 79901	PST 33961	0.22 mile (1,162 feet) NE	Two USTs were removed from the ground and the site status is inactive. No hazardous materials concerns are anticipated.	Low

45	Quick Mart 311 W Paisano Dr, El Paso, TX 79901	LPST 118770 PST 4637	0.221 mile (1,167 feet) W	One UST was removed from the ground and four USTs are in use. The site status is active. An assessment conducted on site was incomplete, but there were no apparent receptors impacted. Final concurrence was issued and the closure date was March 28, 2012. No new ROW would be required from this site. No hazardous materials concerns are anticipated.	Low
46	Vacant Lot 601 Magoffin Ave, El Paso, TX 79901	PST 76678	0.226 mile (1,193 feet) N	One UST was removed from the ground and the site status is inactive. No hazardous materials concerns are anticipated.	Low
47	El Paso Waste Material 900 Canal St, El Paso, TX 79901	LPST 094078 PST 48223	0.241 mile (1,272 feet) W	One UST was removed from the ground and the site status is inactive. Soil was contaminated and required a full site assessment RAP. Final concurrence was issued and the closure date was October 13, 2000. No new ROW would be required from this site. No hazardous materials concerns are anticipated.	Low
48	Wyler Warehouse 802 S Saint Vrain St, El Paso, TX 79901	PST 57584	0.241 mile (1,272 feet) ENE	Two USTs were removed from the ground and the site status is inactive. No hazardous materials concerns are anticipated.	Low
49	National Restaurant Supply 320 W San Antonio Ave, El Paso, TX 79901	LPST 097812 PST 57702	0.242 mile (1,278 feet) WNW	One UST was removed from the ground and one UST was permanently filled in place. The site status is inactive. A designated major or minor aquifer was impacted. Final concurrence was issued and the closure date was August 27, 2003. No new ROW would be required from this site. No hazardous materials concerns are anticipated.	Low
50	1001 E Paisano, El Paso, TX	LPST 112959	0.254 mile (1,341 feet) ENE	No AST or UST data were reported. Groundwater was impacted but there were no apparent threats or impacts to receptors. The incident was reported, but initial directives have not yet been issued. No new ROW would be required from this site. Due to the distance from the project, no hazardous materials concerns are anticipated.	Low

51	Southwestern Bell Telephone Co. 500 Texas Ave, El Paso, TX 79901	LPST 096541	0.256 mile (1,352 feet) NNW	Four USTs were permanently filled in place and one AST is in use. No groundwater was impacted and there were no apparent threats or impacts to receptors. Final concurrence was issued and the closure date was January 12, 1998. No new ROW would be required from this site. No hazardous materials concerns are anticipated.	Low
52	SW Bell Myrtle St Parking Garage 614 Myrtle Ave, El Paso, TX 79901	LPST 100387	0.267 mile (1,410 feet) N	Three USTs were removed from the ground. Soil was contaminated and the site required a full site assessment RAP. Final concurrence was issued and the closure date was August 19, 1996. No new ROW would be required. No hazardous materials concerns are anticipated.	Low
53	State National Bank Warehouse 417 Texas, El Paso, TX 79901	LPST 109812	0.284 mile (1,500 feet) NNW	No UST or AST data were reported for this site. No groundwater was impacted and there were no apparent threats or impacts to receptors. Final concurrence was issued and the closure date was November 30, 1995. No new ROW would be required from this site. No hazardous materials concerns are anticipated.	Low
54	418 S. Durango Street, El Paso, TX 79901	BF 12479	0.289 mile (1,526 feet) W	This property was formerly used as an automotive garage/mechanic shop. A phase I environmental assessment was conducted and completed on September 30, 2004. Soil was contaminated with an unknown contaminant and cleanup was required. No other information was reported. Due to the distance from the proposed improvements and the fact that no new ROW would be required from this site, no hazardous materials concerns are anticipated.	Low
55	Wrangler 501 W Paisano Dr, El Paso, TX 79901	LPST 101977	0.304 mile (1,605 feet) WNW	Five USTs were removed from the ground. Soil was contaminated and the site required a full site assessment RAP. Final concurrence was issued and the closure date was August 21, 1992. No new ROW would be required from this site. No hazardous materials concerns are anticipated.	Low

56	Greyhound Bus Maintenance Fac. 201 W Main Dr, El Paso, TX 79901	LPST 102967	0.308 mile (1,626 feet) NW	<p>Six USTs were removed from the ground, one UST is temporarily out of service, and two USTs are in use (due to similar UST compartment ID numbers, it was unclear if some tanks were reported more than once). There was minor soil contamination that did not require a RAP. Final concurrence was issued and the closure date was June 6, 1992.</p> <p>Due to the distance from the proposed improvements and the fact that no new ROW would be required from this site, no hazardous materials concerns are anticipated.</p>	Low
57	Federal Reserve Bank of Dallas 301 E Main Dr, El Paso, TX 79901	LPST 102724	0.376 mile (1,985 feet) N	<p>One UST was removed from the ground and one UST is in use. Soil was contaminated and the site required a full site assessment RAP. Final concurrence was issued and the closure date was June 27, 1994. No new ROW would be required from this site. No hazardous materials concerns are anticipated.</p>	Low
58	900 Myrtle-LA FE Community Development 900 Myrtle, El Paso, TX 79901	BF 79901	0.395 mile (2,086 feet) NNE	<p>A phase II environmental assessment was conducted and was completed on July 28, 2008. No contaminants or contaminated media were reported. No cleanup or institutional controls were required. No other information was reported. Due to the distance from the proposed improvements and the fact that no new ROW would be required from this site, no hazardous materials concerns are anticipated.</p>	Low
59	Union Pacific RR Dallas Maint 201 Piedras St, El Paso, TX 79903	LPST 118797	0.411 mile (2,170 feet) NNW	<p>No UST or AST data were reported for this site. Groundwater was impacted but there were no apparent threats or impacts to receptors. Final concurrence was issued and the closure date was February 5, 2018. No new ROW would be required from this site. No hazardous materials concerns are anticipated.</p>	Low

60	EDCO Corp 694 W Paisano Dr, El Paso, TX 79901	LPST 099922	0.438 mile (2,313 feet) W	One UST was removed from the ground. No groundwater was impacted and there were no apparent threats or impacts to receptors. The final well plug is reported as pending, and the closure date is January 28, 2005. Due to the distance from the proposed improvements and the fact that no new ROW would be required from this site, no hazardous materials concerns are anticipated.	Low
61	600 N. El Paso, El Paso, TX 79901	BF 12485	0.442 mile (2,334 feet) NW	No information was reported for this site. No new ROW would be required from this site. Due to distance from the project area, no hazardous materials concerns are anticipated.	Low
	Chevron 78065 618 S El Paso St, El Paso, TX 79901	LPST 108482	0.466 mile (2,460 feet) NW	Four USTs were permanently filled in place. No groundwater was impacted and there were no apparent threats or impacts to receptors. Final concurrence was issued and the closure date was August 20, 1996. No new ROW would be required from this site. No hazardous materials concerns are anticipated.	Low
	Former El Paso Saddle Blanket 601 N Oregon St, El Paso, TX 79901	LPST 118638	0.455 mile (2,402 feet) NNW	No UST or AST data were reported for this site. No groundwater was impacted and there were no apparent threats or impacts to receptors. Final concurrence was issued and the closure date was September 14, 2011. No new ROW would be required from this site. No hazardous materials concerns are anticipated.	Low
62	420 N. Campbell Street, El Paso, TX 79901	BF 12476	0.463 mile (2,445 feet) NNW	A phase I environmental assessment was conducted and completed on March 31, 2002. No contaminants or contaminated media were reported, and no cleanup was reported. No other information was reported. Due to the distance from the proposed improvements and the fact that no new ROW would be required from this site, no hazardous materials concerns are anticipated.	Low

63	Chevron USA 73303 600 N Mesa, El Paso, TX 79901	LPST 112796	0.469 mile (2,476 feet) NNW	Four USTs were removed from the ground. The assessment conducted was incomplete, but there were no apparent receptors impacted. Final concurrence was issued and the closure date was October 5, 1998. No new ROW would be required from this site. No hazardous materials concerns are anticipated.	Low
64	Guillen School 900 S Cotton St, El Paso, TX 79901	LPST 096365	0.494 mile (2,608 feet) ENE	One UST was removed from the ground. Soil was contaminated and the site required a full site assessment RAP. Final concurrence was issued and the closure date was January 14, 1991. No new ROW would be required from this site. No hazardous materials concerns are anticipated.	Low
65	Ortega Construction 1708 E Paisano Dr, El Paso, TX 79901	IHWCA T2069	0.82 mile (4,330 feet) ENE	This site was reported as inactive as of February 1, 2008, and the phase was reported as workload complete. No other information was reported. Due to the distance from the proposed improvements and the fact that no new ROW would be required from this site, no hazardous materials concerns are anticipated.	Low

Hazardous Materials Concerns Observed on Railroad Commission of Texas Public GIS Viewer

	Wyler Industrial Works, Inc. 711 S. St. Vrain, El Paso, TX 79901	LPG	0.2 mile NE of Campbell St and 6 th Ave intersection	This site is reported as an industrial forklift. No hazardous materials concerns are anticipated.	Low
	Oneok Westex Transmission, LLC	Natural gas pipeline	Along Santa Fe Street from 3 rd Ave to Loop 375	A natural gas pipeline runs along Santa Fe Street from 3 rd Avenue to Loop 375. Coordination with Oneok Westex Transmission, LLC as needed for any necessary pipeline adjustments.	Low
	Burlington Northern Santa Fe Corp.	Rail lines	West and south of the project area approximately 0.3 mile	Multiple rail lines run west and south of the project area. Coordination with the Burlington Northern Santa Fe Corporation would be conducted as needed.	Low

***Low Impact** = the issue has a low potential to affect the proposed project and no further investigations are required; **Medium Impact** = not enough information is currently known about the project and/or the issue to determine potential impacts. Further investigation, and/or additional project design and right-of-way information, is required; **High Impact** = the issue has a high potential to impact the proposed project and further investigations coordination, or contingencies may be required.

Appendix E

Radius Report

Note: The cover of the GeoSearch Radius Report lists an incorrect CSJ (0924-06-190). The CSJ has been corrected to 0924-06-562 in the ISA form and all other attachments except the cover page of the radius report since the radius report was produced by a separate company.



On time. On target. In touch.™

Radius Report

[GeoLens by GeoSearch](#)

Target Property:

**Central Business District Phase IV: Oregon Street, Kansas Street, Campbell Street,
6th Street, and Father Rahm Avenue
El Paso, El Paso County, Texas 79901**

Prepared For:

Blanton & Associates Inc.

Order #: 130300

Job #: 306790

Project #: CSJ 0924-06-190

Date: 07/26/2019

Table of Contents

<i>Target Property Summary</i>	1
<i>Database Summary</i>	2
<i>Database Radius Summary</i>	7
<i>Radius Map</i>	11
<i>Ortho Map</i>	13
<i>Topographic Map</i>	14
<i>Located Sites Summary</i>	14
<i>Elevation Summary</i>	22
<i>Unlocated Sites Summary</i>	332
<i>Environmental Records Definitions</i>	334
<i>Unlocatable Report</i>	See Attachment
<i>Zip Report</i>	See Attachment

Disclaimer

This report was designed by GeoSearch to meet or exceed the records search requirements of the All Appropriate Inquiries Rule (40 CFR Â§312.26) and the current version of the ASTM International E1527, Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process or, if applicable, the custom requirements requested by the entity that ordered this report. The records and databases of records used to compile this report were collected from various federal, state and local governmental entities. It is the goal of GeoSearch to meet or exceed the 40 CFRÂ§312.26 and E1527 requirements for updating records by using the best available technology. GeoSearch contacts the appropriate governmental entities on a recurring basis. Depending on the frequency with which a record source or database of records is updated by the governmental entity, the data used to prepare this report may be updated monthly, quarterly, semi-annually, or annually.

The information provided in this report was obtained from a variety of public sources. GeoSearch cannot ensure and makes no warranty or representation as to the accuracy, reliability, quality, errors occurring from data conversion or the customer's interpretation of this report. This report was made by GeoSearch for exclusive use by its clients only. Therefore, this report may not contain sufficient information for other purposes or parties. GeoSearch and its partners, employees, officers And independent contractors cannot be held liable For actual, incidental, consequential, special or exemplary damages suffered by a customer resulting directly or indirectly from any information provided by GeoSearch.

Target Property Summary

Target Property Information

Central Business District Phase IV: Oregon Street, Kansas Street, Campbell Street, 6th Street, and Father
Rahm Avenue
El Paso, Texas 79901

Coordinates

Area centroid (-106.48386, 31.7529072)
3,707 feet above sea level

USGS Quadrangle

El Paso, TX
Ysleta Nw, TX

Geographic Coverage Information

County/Parish: El Paso (TX)

ZipCode(s):

El Paso TX: 79901, 79902, 79905

Database Summary

FEDERAL LISTING

Standard Environmental Records

Database	Acronym	Locatable	Unlocatable	Search Radius (miles)
EMERGENCY RESPONSE NOTIFICATION SYSTEM	ERNSTX	0	0	TP/AP
FEDERAL ENGINEERING INSTITUTIONAL CONTROL SITES	EC	0	0	TP/AP
LAND USE CONTROL INFORMATION SYSTEM	LUCIS	0	0	TP/AP
RCRA SITES WITH CONTROLS	RCRASC	0	0	TP/AP
RESOURCE CONSERVATION & RECOVERY ACT - GENERATOR	RCRAGR06	1	0	0.1250
RESOURCE CONSERVATION & RECOVERY ACT - NON-GENERATOR	RCRANGR06	8	0	0.1250
BROWNFIELDS MANAGEMENT SYSTEM	BF	7	0	0.5000
DELISTED NATIONAL PRIORITIES LIST	DNPL	0	0	0.5000
NO LONGER REGULATED RCRA NON-CORRACTS TSD FACILITIES	NLRRCRAT	0	0	0.5000
RESOURCE CONSERVATION & RECOVERY ACT - NON-CORRACTS TREATMENT, STORAGE & DISPOSAL FACILITIES	RCRAT	0	0	0.5000
SUPERFUND ENTERPRISE MANAGEMENT SYSTEM	SEMS	0	0	0.5000
SUPERFUND ENTERPRISE MANAGEMENT SYSTEM ARCHIVED SITE INVENTORY	SEMSARCH	2	0	0.5000
NATIONAL PRIORITIES LIST	NPL	0	0	1.0000
NO LONGER REGULATED RCRA CORRECTIVE ACTION FACILITIES	NLRRCRAC	0	0	1.0000
PROPOSED NATIONAL PRIORITIES LIST	PNPL	0	0	1.0000
RESOURCE CONSERVATION & RECOVERY ACT - CORRECTIVE ACTION FACILITIES	RCRAC	0	0	1.0000
RESOURCE CONSERVATION & RECOVERY ACT - SUBJECT TO CORRECTIVE ACTION FACILITIES	RCRASUBC	0	0	1.0000
SUB-TOTAL		18	0	

Additional Environmental Records

Database	Acronym	Locatable	Unlocatable	Search Radius (miles)
AEROMETRIC INFORMATION RETRIEVAL SYSTEM / AIR FACILITY SUBSYSTEM	AIRSAFS	1	0	TP/AP
BIENNIAL REPORTING SYSTEM	BRS	0	0	TP/AP
CERCLIS LIENS	SFLIENS	0	0	TP/AP
CLANDESTINE DRUG LABORATORY LOCATIONS	CDL	0	0	TP/AP
EPA DOCKET DATA	DOCKETS	0	0	TP/AP
ENFORCEMENT AND COMPLIANCE HISTORY INFORMATION	ECHOR06	2	0	TP/AP
FACILITY REGISTRY SYSTEM	FRSTX	8	0	TP/AP

Database Summary

Database	Acronym	Locatable	Unlocatable	Search Radius (miles)
HAZARDOUS MATERIALS INCIDENT REPORTING SYSTEM	HMIRSR06	0	0	TP/AP
INTEGRATED COMPLIANCE INFORMATION SYSTEM (FORMERLY DOCKETS)	ICIS	1	0	TP/AP
INTEGRATED COMPLIANCE INFORMATION SYSTEM NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM	ICISNPDES	0	0	TP/AP
MATERIAL LICENSING TRACKING SYSTEM	MLTS	0	0	TP/AP
NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM	NPDESR06	0	0	TP/AP
PCB ACTIVITY DATABASE SYSTEM	PADS	0	0	TP/AP
PERMIT COMPLIANCE SYSTEM	PCSR06	0	0	TP/AP
SEMS LIEN ON PROPERTY	SEMSLIENS	0	0	TP/AP
SECTION SEVEN TRACKING SYSTEM	SSTS	0	0	TP/AP
TOXIC SUBSTANCE CONTROL ACT INVENTORY	TSCA	0	0	TP/AP
TOXICS RELEASE INVENTORY	TRI	0	0	TP/AP
ALTERNATIVE FUELING STATIONS	ALTFUELS	0	0	0.2500
FEMA OWNED STORAGE TANKS	FEMAUST	0	0	0.2500
HISTORICAL GAS STATIONS	HISTPST	0	0	0.2500
INTEGRATED COMPLIANCE INFORMATION SYSTEM DRYCLEANERS	ICISCLEANERS	0	0	0.2500
MINE SAFETY AND HEALTH ADMINISTRATION MASTER INDEX FILE	MSHA	0	0	0.2500
MINERAL RESOURCE DATA SYSTEM	MRDS	2	0	0.2500
OPEN DUMP INVENTORY	ODI	0	0	0.5000
SURFACE MINING CONTROL AND RECLAMATION ACT SITES	SMCRA	0	0	0.5000
URANIUM MILL TAILINGS RADIATION CONTROL ACT SITES	USUMTRCA	0	0	0.5000
DEPARTMENT OF DEFENSE SITES	DOD	0	0	1.0000
FORMER MILITARY NIKE MISSILE SITES	NMS	0	0	1.0000
FORMERLY USED DEFENSE SITES	FUDS	0	0	1.0000
FORMERLY UTILIZED SITES REMEDIAL ACTION PROGRAM	FUSRAP	0	0	1.0000
RECORD OF DECISION SYSTEM	RODS	0	0	1.0000
SUB-TOTAL		14	0	

Database Summary

STATE (TX) LISTING

Standard Environmental Records

Database	Acronym	Locatable	Unlocatable	Search Radius (miles)
STATE INSTITUTIONAL/ENGINEERING CONTROL SITES	SIEC01	0	0	TP/AP
PETROLEUM STORAGE TANKS	PST	33	0	0.2500
BROWNFIELDS SITE ASSESSMENTS	BSA	0	0	0.5000
CLOSED & ABANDONED LANDFILL INVENTORY	CALF	0	0	0.5000
LEAKING PETROLEUM STORAGE TANKS	LPST	23	0	0.5000
MUNICIPAL SOLID WASTE LANDFILL SITES	MSWLF	0	0	0.5000
RAILROAD COMMISSION VCP AND BROWNFIELD SITES	RRCVCP	0	0	0.5000
VOLUNTARY CLEANUP PROGRAM SITES	VCP	0	0	0.5000
STATE SUPERFUND SITES	SF	0	0	1.0000
SUB-TOTAL		56	0	

Additional Environmental Records

Database	Acronym	Locatable	Unlocatable	Search Radius (miles)
GROUNDWATER CONTAMINATION CASES	GWCC	0	0	TP/AP
HISTORIC GROUNDWATER CONTAMINATION CASES	HISTGWCC	0	0	TP/AP
LAND APPLICATION PERMITS	LANDAPP	0	0	TP/AP
MUNICIPAL SETTING DESIGNATIONS	MSD	0	0	TP/AP
NOTICE OF VIOLATIONS	NOV	2	0	TP/AP
SPILLS LISTING	SPILLS	0	0	TP/AP
TCEQ LIENS	LIENS	0	0	TP/AP
TIER II CHEMICAL REPORTING PROGRAM FACILITIES	TIERII	0	0	TP/AP
DRY CLEANER REGISTRATION DATABASE	DCR	0	0	0.2500
INDUSTRIAL AND HAZARDOUS WASTE SITES	IHW	18	0	0.2500
PERMITTED INDUSTRIAL HAZARDOUS WASTE SITES	PIHW	0	0	0.2500
AFFECTED PROPERTY ASSESSMENT REPORTS	APAR	0	0	0.5000
DRY CLEANER REMEDIATION PROGRAM SITES	DCRPS	0	0	0.5000
INNOCENT OWNER / OPERATOR DATABASE	IOP	0	0	0.5000
RADIOACTIVE WASTE SITES	RWS	0	0	0.5000
RECYCLING FACILITIES	WMRF	0	0	0.5000
SALT CAVERNS FOR PETROLEUM STORAGE	STCV	0	0	0.5000
INDUSTRIAL AND HAZARDOUS WASTE CORRECTIVE ACTION SITES	IHWCA	2	0	1.0000

Database Summary

SUB-TOTAL		22	0	
-----------	--	----	---	--

Database Summary

TRIBAL LISTING

Standard Environmental Records

Database	Acronym	Locatable	Unlocatable	Search Radius (miles)
UNDERGROUND STORAGE TANKS ON TRIBAL LANDS	USTR06	0	0	0.2500
LEAKING UNDERGROUND STORAGE TANKS ON TRIBAL LANDS	LUSTR06	0	0	0.5000
OPEN DUMP INVENTORY ON TRIBAL LANDS	ODINDIAN	0	0	0.5000
SUB-TOTAL		0	0	

Additional Environmental Records

Database	Acronym	Locatable	Unlocatable	Search Radius (miles)
INDIAN RESERVATIONS	INDIANRES	0	0	1.0000
SUB-TOTAL		0	0	
TOTAL		110	0	

Database Radius Summary

FEDERAL LISTING

Standard environmental records are displayed in **bold**.

Acronym	Search Radius (miles)	TP/AP (0 - 0.02)	1/8 Mile (> TP/AP)	1/4 Mile (> 1/8)	1/2 Mile (> 1/4)	1 Mile (> 1/2)	> 1 Mile	Total
AIRSAFS	0.0200	1	NS	NS	NS	NS	NS	1
BRS	0.0200	0	NS	NS	NS	NS	NS	0
CDL	0.0200	0	NS	NS	NS	NS	NS	0
DOCKETS	0.0200	0	NS	NS	NS	NS	NS	0
EC	0.0200	0	NS	NS	NS	NS	NS	0
ECHOR06	0.0200	2	NS	NS	NS	NS	NS	2
ERNSTX	0.0200	0	NS	NS	NS	NS	NS	0
FRSTX	0.0200	8	NS	NS	NS	NS	NS	8
HMIRSR06	0.0200	0	NS	NS	NS	NS	NS	0
ICIS	0.0200	1	NS	NS	NS	NS	NS	1
ICISNPDES	0.0200	0	NS	NS	NS	NS	NS	0
LUCIS	0.0200	0	NS	NS	NS	NS	NS	0
MLTS	0.0200	0	NS	NS	NS	NS	NS	0
NPDES06	0.0200	0	NS	NS	NS	NS	NS	0
PADS	0.0200	0	NS	NS	NS	NS	NS	0
PCSR06	0.0200	0	NS	NS	NS	NS	NS	0
RCRASC	0.0200	0	NS	NS	NS	NS	NS	0
SEMSLIENS	0.0200	0	NS	NS	NS	NS	NS	0
SFLIENS	0.0200	0	NS	NS	NS	NS	NS	0
SSTS	0.0200	0	NS	NS	NS	NS	NS	0
TRI	0.0200	0	NS	NS	NS	NS	NS	0
TSCA	0.0200	0	NS	NS	NS	NS	NS	0
RCRAGR06	0.1250	0	1	NS	NS	NS	NS	1
RCRANGR06	0.1250	1	7	NS	NS	NS	NS	8
ALTFUELS	0.2500	0	0	0	NS	NS	NS	0
FEMAUST	0.2500	0	0	0	NS	NS	NS	0
HISTPST	0.2500	0	0	0	NS	NS	NS	0
ICISCLEANERS	0.2500	0	0	0	NS	NS	NS	0
MRDS	0.2500	0	2	0	NS	NS	NS	2
MSHA	0.2500	0	0	0	NS	NS	NS	0
BF	0.5000	0	2	1	4	NS	NS	7
DNPL	0.5000	0	0	0	0	NS	NS	0
NLRRCRAT	0.5000	0	0	0	0	NS	NS	0
ODI	0.5000	0	0	0	0	NS	NS	0
RCRAT	0.5000	0	0	0	0	NS	NS	0

Database Radius Summary

Acronym	Search Radius (miles)	TP/AP (0 - 0.02)	1/8 Mile (> TP/AP)	1/4 Mile (> 1/8)	1/2 Mile (> 1/4)	1 Mile (> 1/2)	> 1 Mile	Total
SEMS	0.5000	0	0	0	0	NS	NS	0
SEMSARCH	0.5000	0	1	1	0	NS	NS	2
SMCRA	0.5000	0	0	0	0	NS	NS	0
USUMTRCA	0.5000	0	0	0	0	NS	NS	0
DOD	1.0000	0	0	0	0	0	NS	0
FUDS	1.0000	0	0	0	0	0	NS	0
FUSRAP	1.0000	0	0	0	0	0	NS	0
NLRRCRAC	1.0000	0	0	0	0	0	NS	0
NMS	1.0000	0	0	0	0	0	NS	0
NPL	1.0000	0	0	0	0	0	NS	0
PNPL	1.0000	0	0	0	0	0	NS	0
RCRAC	1.0000	0	0	0	0	0	NS	0
RCRASUBC	1.0000	0	0	0	0	0	NS	0
RODS	1.0000	0	0	0	0	0	NS	0
SUB-TOTAL		13	13	2	4	0	0	32

Database Radius Summary

STATE (TX) LISTING

Standard environmental records are displayed in **bold**.

Acronym	Search Radius (miles)	TP/AP (0 - 0.02)	1/8 Mile (> TP/AP)	1/4 Mile (> 1/8)	1/2 Mile (> 1/4)	1 Mile (> 1/2)	> 1 Mile	Total
GWCC	0.0200	0	NS	NS	NS	NS	NS	0
HISTGWCC	0.0200	0	NS	NS	NS	NS	NS	0
LANDAPP	0.0200	0	NS	NS	NS	NS	NS	0
LIENS	0.0200	0	NS	NS	NS	NS	NS	0
MSD	0.0200	0	NS	NS	NS	NS	NS	0
NOV	0.0200	2	NS	NS	NS	NS	NS	2
SIEC01	0.0200	0	NS	NS	NS	NS	NS	0
SPILLS	0.0200	0	NS	NS	NS	NS	NS	0
TIERII	0.0200	0	NS	NS	NS	NS	NS	0
DCR	0.2500	0	0	0	NS	NS	NS	0
IHW	0.2500	2	12	4	NS	NS	NS	18
PIHW	0.2500	0	0	0	NS	NS	NS	0
PST	0.2500	4	12	17	NS	NS	NS	33
APAR	0.5000	0	0	0	0	NS	NS	0
BSA	0.5000	0	0	0	0	NS	NS	0
CALF	0.5000	0	0	0	0	NS	NS	0
DCRPS	0.5000	0	0	0	0	NS	NS	0
IOP	0.5000	0	0	0	0	NS	NS	0
LPST	0.5000	1	5	4	13	NS	NS	23
MSWLF	0.5000	0	0	0	0	NS	NS	0
RRCVCP	0.5000	0	0	0	0	NS	NS	0
RWS	0.5000	0	0	0	0	NS	NS	0
STCV	0.5000	0	0	0	0	NS	NS	0
VCP	0.5000	0	0	0	0	NS	NS	0
WMRF	0.5000	0	0	0	0	NS	NS	0
IHWCA	1.0000	0	1	0	0	1	NS	2
SF	1.0000	0	0	0	0	0	NS	0
SUB-TOTAL		9	30	25	13	1	0	78

Database Radius Summary

TRIBAL LISTING

Standard environmental records are displayed in **bold**.

Acronym	Search Radius (miles)	TP/AP (0 - 0.02)	1/8 Mile (> TP/AP)	1/4 Mile (> 1/8)	1/2 Mile (> 1/4)	1 Mile (> 1/2)	> 1 Mile	Total
USTR06	0.2500	0	0	0	NS	NS	NS	0
LUSTR06	0.5000	0	0	0	0	NS	NS	0
ODINDIAN	0.5000	0	0	0	0	NS	NS	0
INDIANRES	1.0000	0	0	0	0	0	NS	0

SUB-TOTAL		0						
------------------	--	----------	----------	----------	----------	----------	----------	----------


TOTAL		22	43	27	17	1	0	110
--------------	--	-----------	-----------	-----------	-----------	----------	----------	------------

NOTES:

NS = NOT SEARCHED


TP/AP = TARGET PROPERTY/ADJACENT PROPERTY

Radius Map 1




- | | |
|----------------------|----------|
| Target Property (TP) | BF |
| PST | SEMSARCH |
| FRSTX | IHW |
| LPST | PST |
| NOV | LPST |
| RCRANGR06 | IHWCA |
| RCRAGR06 | |
| IHW | |
| MRDS | |

**Central Business District
Phase IV: Oregon Street,
Kansas Street, Campbell
Street, 6th Street, and Father
Rahm Avenue
El Paso, Texas
79901**




[Click here to access Satellite view](#)

Radius Map 2





- Target Property (TP)
- PST
- FRSTX
- LPST
- NOV
- RCRANGR06
- RCRAGR06
- IHW
- MRDS
- BF
- SEMSARCH
- IHW
- PST
- LPST
- IHWCA

**Central Business District
Phase IV: Oregon Street,
Kansas Street, Campbell
Street, 6th Street, and Father
Rahm Avenue
El Paso, Texas
79901**



[Click here to access Satellite view](#)

Ortho Map



© 2019 Microsoft, Corporation © 2019 DigitalGlobe © CNES (2019) Distribution Airbus DS

- Target Property (TP)
- PST
- FRSTX
- ◆ LPST
- NOV
- RCRANGR06
- RCRAGR06
- IHW
- ✕ MRDS
- BF
- SEMSARCH
- IHW
- PST
- LPST
- IHWCA


**Quadrangle(s): El Paso, Ysleta
Nw**

**Central Business District
Phase IV: Oregon Street,
Kansas Street, Campbell
Street, 6th Street, and Father
Rahm Avenue
El Paso, Texas
79901**



[Click here to access Satellite view](#)

Topographic Map



 Target Property (TP)

**Quadrangle(s): El Paso, Ysleta
Nw**

**Source: USGS, 12/12/2012
Central Business District
Phase IV: Oregon Street,
Kansas Street, Campbell
Street, 6th Street, and Father
Rahm Avenue
El Paso, Texas**



0' 1000' 2000' 3000'
SCALE: 1" = 2000'

[Click here to access Satellite view](#)

Located Sites Summary

NOTE: Standard environmental records are displayed in **bold**.

Map ID#	Database Name	Site ID#	Relative Elevation	Distance From Site	Site Name	Address	PAGE #
1	AIRSAFS	867622	Equal (3,707 ft.)	TP	EARTHGRAINS BAKING COMPANIES, INC.	711 SOUTH KANSAS ST., EL PASO, TX 79901	25
1	ECHOR06	110001870342	Equal (3,707 ft.)	TP	THE EARTHGRAINS COMPANIES	711 SOUTH KANSAS STREET, EL PASO, TX 79901	36
1	FRSTX	110001870342	Equal (3,707 ft.)	TP	THE EARTHGRAINS COMPANIES	711 SOUTH KANSAS STREET, EL PASO, TX 79901	37
1	ICIS	110001870342	Equal (3,707 ft.)	TP	EARTHGRAINS BAKING COMPANIES, INC.	711 SOUTH KANSAS ST., EL PASO, TX 79901	38
1	IHW	20629	Equal (3,707 ft.)	TP	EARTHGRAINS BAKING EL PASO	711 S KANSAS ST, EL PASO, TX 79901	39
1	PST	29944	Equal (3,707 ft.)	TP	RAINBO BAKING	711 S KANSAS ST, EL PASO, TX 79901	42
2	FRSTX	110034421285	Higher (3,710 ft.)	TP	EL PASO-LOS ANGELES LIMOUSINE EXPRESS	720 S OREGON ST, EL PASO, TX 79901	46
2	NOV	RN101655306	Higher (3,710 ft.)	TP	EL PASO-LOS ANGELES LIMOUSINE EXPRESS	720 S OREGON ST, EL PASO, TX 79901	47
2	PST	11846	Higher (3,710 ft.)	TP	EL PASO-LOS ANGELES LIMOUSINE EXPRESS	720 S OREGON ST, EL PASO, TX 79901	49
3	FRSTX	110036600764	Higher (3,708 ft.)	TP	AOY EL	901 S CAMPBELL ST, EL PASO, TX 79901	54
4	FRSTX	110070175250	Equal (3,707 ft.)	TP	OREILLY AUTO PARTS 2609	711 S STANTON ST, EL PASO, TX 79901	55
5	LPST	095371	Higher (3,708 ft.)	0.002 mi. ENE (11 ft.)	PAISANO AUTO SUPPLY	600 E PAISANO DR, EL PASO, TX 79901	56
5	PST	1602	Higher (3,708 ft.)	0.002 mi. ENE (11 ft.)	PAISANO TEXACO	600 E PAISANO DR, EL PASO, TX 79901	60
6	FRSTX	110034420865	Higher (3,710 ft.)	0.005 mi. NNW (26 ft.)	ROAD MASTERS	730 S SANTA FE ST, EL PASO, TX 79901	64
6	NOV	RN103158689	Higher (3,710 ft.)	0.005 mi. NNW (26 ft.)	ROAD MASTERS	730 S SANTA FE ST, EL PASO, TX 79901	65
7	FRSTX	110026258706	Higher (3,713 ft.)	0.007 mi. ENE (37 ft.)	ROOSEVELT ELEMENTARY SCHOOL	EL PASO, TX 79901	66
8	FRSTX	110070166089	Higher (3,711 ft.)	0.01 mi. NNW (53 ft.)	WESTERN AUTO	425 E PAISANO DR, EL PASO, TX 79901	67
8	PST	56893	Higher (3,711 ft.)	0.01 mi. NNW (53 ft.)	WESTERN AUTO	425 E PAISANO DR, EL PASO, TX 79901	68
9	ECHOR06	110005039653	Equal (3,707 ft.)	0.019 mi. N (100 ft.)	GUYNES PRINTING CO INC	614 S STANTON ST, EL PASO, TX 79901	70
9	FRSTX	110005039653	Equal (3,707 ft.)	0.019 mi. N (100 ft.)	GUYNES PRINTING CO INC	614 S STANTON ST, EL PASO, TX 79901	71
9	IHW	63103	Equal (3,707 ft.)	0.019 mi. N (100 ft.)	GUYNES PRINTING	614 S STANTON ST, EL PASO, TX 79901	72

Located Sites Summary

NOTE: Standard environmental records are displayed in **bold**.

Map ID#	Database Name	Site ID#	Relative Elevation	Distance From Site	Site Name	Address	PAGE #
9	RCRANGR06	TXD010488625	Equal (3,707 ft.)	0.019 mi. N (100 ft.)	GUYNES PRINTING CO INC	614 S STANTON ST, EL PASO, TX 79901	73
10	IHW	79141	Higher (3,711 ft.)	0.03 mi. E (158 ft.)	CHEVRON FAC 7-4340	220 E PAISANO DR, EL PASO, TX 79901	75
10	LPST	092314	Higher (3,711 ft.)	0.03 mi. E (158 ft.)	CHEVRON 74340	220 E PAISANO DR, EL PASO, TX 79901	76
10	LPST	112154	Higher (3,711 ft.)	0.03 mi. E (158 ft.)	CHEVRON 74340	220 E PAISANO DR, EL PASO, TX 79901	84
10	PST	17834	Higher (3,711 ft.)	0.03 mi. E (158 ft.)	CENTRAL CHEVRON	220 E PAISANO DR, EL PASO, TX 79901	92
10	RCRANGR06	TXD988060497	Higher (3,711 ft.)	0.03 mi. E (158 ft.)	CHEVRON USA INC	220 E PAISANO, EL PASO, TX 79901	102
11	IHW	79145	Higher (3,711 ft.)	0.031 mi. ENE (164 ft.)	CHEVRON FAC 7-0868	219 E PAISANO DR, EL PASO, TX 79901	104
11	LPST	111962	Higher (3,711 ft.)	0.031 mi. ENE (164 ft.)	CHEVRON 70868	219 E PAISANO DR, EL PASO, TX 79901	105
11	PST	17815	Higher (3,711 ft.)	0.031 mi. ENE (164 ft.)	CHEVRON 70868	219 E PAISANO DR, EL PASO, TX 79901	109
11	RCRANGR06	TXD988034732	Higher (3,711 ft.)	0.031 mi. ENE (164 ft.)	CHEVRON USA INC	219 E PAISANO, EL PASO, TX 79901	113
12	PST	105	Higher (3,710 ft.)	0.032 mi. NW (169 ft.)	SPADE COOP ANTON DIVISION	659 SANTA FE DR, ANTON, TX 79313	115
13	IHW	79138	Higher (3,709 ft.)	0.034 mi. NNW (180 ft.)	CHEVRON FAC 73303	600 S MESA ST, EL PASO, TX 79901	123
13	PST	17831	Higher (3,709 ft.)	0.034 mi. NNW (180 ft.)	CHEVRON 73303	600 S MESA ST, EL PASO, TX 79901	125
14	RCRAGR06	TXR000082491	Higher (3,711 ft.)	0.041 mi. WSW (216 ft.)	FAMILY DOLLAR #4351	406 S. STANTON ST, EL PASO, TX 79901	130
15	IHW	76419	Higher (3,710 ft.)	0.056 mi. W (296 ft.)	IN-TERMINAL SERVICES	805 S SANTA FE ST, EL PASO, TX 79901	132
15	PST	69154	Higher (3,710 ft.)	0.056 mi. W (296 ft.)	SANTA FE RAILYARD	805 S SANTA FE ST, EL PASO, TX 79901	133
16	IHW	61439	Higher (3,709 ft.)	0.057 mi. NNE (301 ft.)	EL PASO CITY COUNTY HEALTH DEPARTMENT TILLMAN CTR	222 S CAMPBELL ST, EL PASO, TX 79901	135
17	IHW	63022	Higher (3,709 ft.)	0.06 mi. E (317 ft.)	SOUTH EL PASO HOSPITAL	702 E PAISANO DR, EL PASO, TX 79901	137
17	RCRANGR06	TXD030169502	Higher (3,709 ft.)	0.06 mi. E (317 ft.)	SOUTH EL PASO HOSPITAL	702 E PAISANO, EL PASO, TX 79901	138
18	PST	11411	Higher (3,709 ft.)	0.065 mi. WSW (343 ft.)	NO 11 FIRE STATION	331 S SANTA FE ST, EL PASO, TX 79901	140
19	IHW	83167	Higher (3,711 ft.)	0.073 mi. E (385 ft.)	TRANSPORTES J Y R	306 E PAISANO DR STE 232, EL PASO, TX 79901	142

Located Sites Summary

NOTE: Standard environmental records are displayed in **bold**.

Map ID#	Database Name	Site ID#	Relative Elevation	Distance From Site	Site Name	Address	PAGE #
19	RCRANGR06	TXR000002642	Higher (3,711 ft.)	0.073 mi. E (385 ft.)	TRANSPORTES J Y R	306 E PAISANO DR STE 232, EL PASO, TX 79901	143
20	MRDS	10130491	Higher (3,712 ft.)	0.078 mi. WSW (412 ft.)	(FACILITY) EL PASO COPPER SMELTER	EL PASO COUNTY, EL PASO, TX 79901	145
21	BF	116121	Higher (3,709 ft.)	0.079 mi. NE (417 ft.)	300 S. FLORENCE	300 S. FLORENCE, EL PASO, TX 79901	146
21	BF	79321	Higher (3,709 ft.)	0.079 mi. NE (417 ft.)	300 FLORENCE	300 S. FLORENCE, EL PASO, TX 79901	147
22	IHW	69975	Higher (3,708 ft.)	0.083 mi. NNW (438 ft.)	CITY OF EL PASO EQUIPT MAINT DPT	210 S CAMPBELL ST, EL PASO, TX 79901	148
22	LPST	091891	Higher (3,708 ft.)	0.083 mi. NNW (438 ft.)	CITY OF EL PASO EQUIPT MAINT DPT	210 S CAMPBELL ST, EL PASO, TX 79901	150
22	PST	11432	Higher (3,708 ft.)	0.083 mi. NNW (438 ft.)	CITY OF EL PASO EQUIPT MAINT DPT	210 S CAMPBELL ST, EL PASO, TX 79901	154
22	RCRANGR06	TXD981606049	Higher (3,708 ft.)	0.083 mi. NNW (438 ft.)	CITY OF EL PASO	210 S CAMPBELL ST, EL PASO, TX 79901	159
23	IHW	32489	Higher (3,714 ft.)	0.085 mi. NW (449 ft.)	EL PASO ELECTRIC	601 S SANTA FE ST, EL PASO, TX 79901	161
23	IHWCA	32489	Higher (3,714 ft.)	0.085 mi. NW (449 ft.)	SUN METRO INTERNATIONAL TRANSIT TERMINAL	601 S SANTA FE ST, EL PASO, TX 79901	172
23	LPST	095881	Higher (3,714 ft.)	0.085 mi. NW (449 ft.)	SANTA FE CENTER	601 S SANTA FE ST, EL PASO, TX 79901	173
23	PST	21392	Higher (3,714 ft.)	0.085 mi. NW (449 ft.)	SANTA FE SERVICE CENTER	601 S SANTA FE ST, EL PASO, TX 79901	177
23	RCRANGR06	TXD981913684	Higher (3,714 ft.)	0.085 mi. NW (449 ft.)	EL PASO ELECTRIC COMPANY	601 S SANTA FE ST, EL PASO, TX 79901	183
24	IHW	73055	Higher (3,708 ft.)	0.089 mi. N (470 ft.)	GOODYEAR TIRE & RUBBER	500 E OVERLAND AVE, EL PASO, TX 79901	186
24	PST	13179	Higher (3,708 ft.)	0.089 mi. N (470 ft.)	GOODYEAR TIRE & RUBBER	500 E OVERLAND AVE, EL PASO, TX 79901	187
24	RCRANGR06	TXD004449237	Higher (3,708 ft.)	0.089 mi. N (470 ft.)	THE GOODYEAR TIRE & RUBBER COMPANY	500 E OVERLAND, EL PASO, TX 79901	189
25	PST	11417	Higher (3,708 ft.)	0.091 mi. NNE (480 ft.)	CENTRAL FIRE STATION	201 S FLORENCE ST, EL PASO, TX 79901	191
26	PST	33962	Equal (3,707 ft.)	0.092 mi. E (486 ft.)	OCHOA BULK PLANT	719 S OCHOA ST, EL PASO, TX 79901	195
27	MRDS	10178881	Equal (3,707 ft.)	0.098 mi. ENE (517 ft.)	(FACILITY) EL PASO LEAD SMELTER	EL PASO COUNTY, EL PASO, TX 79901	200
28	IHW	38945	Higher (3,733 ft.)	0.1 mi. SW (528 ft.)	A DIVISON OF ANSELL WAREHOUSE	323 CANAL RD, EL PASO, TX 79901	201
28	PST	14032	Higher (3,733 ft.)	0.1 mi. SW (528 ft.)	EL PASO DISTRIBUTION CENTER	323 CANAL RD, EL PASO, TX 79901	202

Located Sites Summary

NOTE: Standard environmental records are displayed in **bold**.

Map ID#	Database Name	Site ID#	Relative Elevation	Distance From Site	Site Name	Address	PAGE #
29	SEMSARCH	TXD981912355	Higher (3,714 ft.)	0.109 mi. NW (576 ft.)	EL PASO GAS,ELECTRIC LIGHT & POWER CO.	CORNER W 3RD & SANTA FE STREET, EL PASO, TX 79901	205
30	IHW	61442	Higher (3,708 ft.)	0.124 mi. NNW (655 ft.)	POLICE DEPARTMENT	500 E SAN ANTONIO AVE, EL PASO, TX 79901	206
31	PST	11757	Higher (3,716 ft.)	0.129 mi. WSW (681 ft.)	GAS MART USA	401 S SANTA FE ST, EL PASO, TX 79901	207
32	IHW	73550	Higher (3,718 ft.)	0.155 mi. NW (818 ft.)	HILTON CAMINO REAL PASO DEL NORTE	101 S EL PASO ST, EL PASO, TX 79901	216
32	PST	56571	Higher (3,718 ft.)	0.155 mi. NW (818 ft.)	HILTON CAMINO REAL	101 S EL PASO ST, EL PASO, TX 79901	217
33	PST	28267	Higher (3,730 ft.)	0.155 mi. WSW (818 ft.)	EL PASO TERMINAL WAREHOUSE	525 CANAL RD, EL PASO, TX 79901	220
33	SEMSARCH	TXD987983418	Higher (3,730 ft.)	0.166 mi. W (876 ft.)	EL PASO DRUM SITE	525 CANAL ROAD, EL PASO, TX 79901	222
34	IHW	31088	Higher (3,716 ft.)	0.158 mi. W (834 ft.)	BILLY THE KID	394 CHIHUAHUA ST, EL PASO, TX 79901	223
35	LPST	119493	Higher (3,708 ft.)	0.159 mi. NNE (840 ft.)	US GENERAL SERVICES ADMIN	700 E SAN ANTONIO AVE, EL PASO, TX 79901	224
35	PST	55701	Higher (3,708 ft.)	0.159 mi. NNE (840 ft.)	US FEDERAL BUILDING	700 E SAN ANTONIO AVE, EL PASO, TX 79901	226
36	PST	86155	Higher (3,710 ft.)	0.16 mi. NNW (845 ft.)	VACANT	104 E SAN ANTONIO AVE, EL PASO, TX 79901	229
37	PST	21408	Higher (3,718 ft.)	0.169 mi. WNW (892 ft.)	PASO DEL NORTE PARKING	120 W SAN ANTONIO AVE, EL PASO, TX 79901	231
38	PST	55225	Equal (3,707 ft.)	0.179 mi. NNW (945 ft.)	U S COURTHOUSE	511 E SAN ANTONIO AVE, EL PASO, TX 79901	234
39	PST	24120	Higher (3,718 ft.)	0.19 mi. WNW (1003 ft.)	GREYHOUND LINES	200 W SAN ANTONIO AVE, EL PASO, TX 79901	236
40	IHW	36646	Lower (3,705 ft.)	0.203 mi. NNW (1072 ft.)	TERRELL PLANT	100 N STANTON ST, EL PASO, TX 79901	238
40	IHW	36652	Lower (3,705 ft.)	0.203 mi. NNW (1072 ft.)	EL PASO NATURAL GAS	100 N STANTON ST, EL PASO, TX 79901	239
40	PST	31486	Lower (3,705 ft.)	0.203 mi. NNW (1072 ft.)	100 NORTH STANTON TOWER	100 N STANTON ST, EL PASO, TX 79901	240
41	PST	85598	Higher (3,730 ft.)	0.204 mi. WSW (1077 ft.)	ROBERTSON-UMENHAUER PLANT	800 CANAL RD, EL PASO, TX 79901	244
42	PST	24256	Higher (3,709 ft.)	0.207 mi. E (1093 ft.)	WYLER INDUSTRIAL WORKS	711 S SAINT VRAIN ST, EL PASO, TX 79901	247

Located Sites Summary

NOTE: Standard environmental records are displayed in **bold**.

Map ID#	Database Name	Site ID#	Relative Elevation	Distance From Site	Site Name	Address	PAGE #
43	BF	12482	Higher (3,713 ft.)	0.216 mi. N (1140 ft.)	CITY BASEBALL TRAINING FACILITY	200 TEXAS AVE, EL PASO, TX 79901	255
44	PST	33961	Higher (3,708 ft.)	0.22 mi. NE (1162 ft.)	POLOS PLACE	115 S VIRGINIA ST, EL PASO, TX 79901	256
45	LPST	118770	Higher (3,714 ft.)	0.221 mi. W (1167 ft.)	QUICK MART	311 W PAISANO DR, EL PASO, TX 79901	259
45	PST	4637	Higher (3,714 ft.)	0.221 mi. W (1167 ft.)	QUICK MART	311 W PAISANO DR, EL PASO, TX 79901	264
46	PST	76678	Equal (3,707 ft.)	0.226 mi. N (1193 ft.)	VACANT LOT	601 MAGOFFIN AVE, EL PASO, TX 79901	272
47	LPST	094078	Higher (3,731 ft.)	0.241 mi. W (1272 ft.)	EL PASO WASTE MATERIAL	900 CANAL ST, EL PASO, TX 79901	274
47	PST	48223	Higher (3,731 ft.)	0.241 mi. W (1272 ft.)	EL PASO WASTE MATERIAL	900 CANAL ST, EL PASO, TX 79901	276
48	PST	57584	Higher (3,709 ft.)	0.241 mi. ENE (1272 ft.)	WYLER WAREHOUSE	802 S SAINT VRAIN ST, EL PASO, TX 79901	278
49	LPST	097812	Higher (3,716 ft.)	0.242 mi. WNW (1278 ft.)	NATIONAL RESTAURANT SUPPLY	320 W SAN ANTONIO AVE, EL PASO, TX 79901	281
49	PST	57702	Higher (3,716 ft.)	0.242 mi. WNW (1278 ft.)	NATIONAL RESTAURANT SUPPLY	320 W SAN ANTONIO AVE, EL PASO, TX 79901	284
50	LPST	112959	Higher (3,708 ft.)	0.254 mi. ENE (1341 ft.)		1001 E PAISANO, TX	287
51	LPST	096541	Higher (3,711 ft.)	0.256 mi. NNW (1352 ft.)	SOUTHWESTERN BELL TELEPHONE CO	500 TEXAS AVE, EL PASO, TX 79901	288
52	LPST	100387	Equal (3,707 ft.)	0.267 mi. N (1410 ft.)	SW BELL MYRTLE ST PARKING GARAGE	614 MYRTLE AVE, EL PASO, TX 79901	293
53	LPST	109812	Higher (3,714 ft.)	0.284 mi. NNW (1500 ft.)	STATE NATIONAL BANK WAREHOUSE	417 TEXAS, EL PASO, TX 79901	297
54	BF	12479	Higher (3,715 ft.)	0.289 mi. W (1526 ft.)	418 S. DURANGO STREET	418 S. DURANGO STREET, EL PASO, TX 79901	298
55	LPST	101977	Higher (3,715 ft.)	0.304 mi. WNW (1605 ft.)	WRANGLER	501 W PAISANO DR, EL PASO, TX 79901	299
56	LPST	102967	Higher (3,728 ft.)	0.308 mi. NW (1626 ft.)	GREYHOUND BUS MAINTENANCE FAC	201 W MAIN DR, EL PASO, TX 79901	304
57	LPST	102724	Higher (3,728 ft.)	0.376 mi. N (1985 ft.)	FEDERAL RESERVE BANK OF DALLAS	301 E MAIN DR, EL PASO, TX 79901	312
58	BF	79901	Higher (3,709 ft.)	0.395 mi. NNE (2086 ft.)	900 MYRTLE-LA FE COMMUNITY DEVELOPMENT	900 MYRTLE, EL PASO, TX 79901	315
59	LPST	118797	Lower (3,703 ft.)	0.411 mi. NNW (2170 ft.)	UNION PACIFIC RR DALLAS MAINT	201 PIEDRAS ST, EL PASO, TX 79903	316
60	LPST	099922	Higher (3,718 ft.)	0.438 mi. W (2313 ft.)	EDCO CORP	694 W PAISANO DR, EL PASO, TX 79901	317

Located Sites Summary

NOTE: Standard environmental records are displayed in **bold**.

Map ID#	Database Name	Site ID#	Relative Elevation	Distance From Site	Site Name	Address	PAGE #
61	BF	12485	Higher (3,752 ft.)	0.442 mi. NW (2334 ft.)	600 N. EL PASO	600 N. EL PASO, EL PASO, TX 79901	319
61	LPST	108482	Higher (3,752 ft.)	0.466 mi. NW (2460 ft.)	CHEVRON 78065	618 S EL PASO ST, EL PASO, TX 79901	320
61	LPST	118638	Higher (3,752 ft.)	0.455 mi. NNW (2402 ft.)	FORMER EL PASO SADDLE BLANKET	601 N OREGON ST, EL PASO, TX 79901	324
62	BF	12476	Higher (3,728 ft.)	0.463 mi. NNW (2445 ft.)	420 N. CAMPBELL STREET	420 N. CAMPBELL STREET, EL PASO, TX 79901	325
63	LPST	112796	Higher (3,741 ft.)	0.469 mi. NNW (2476 ft.)	CHEVRON USA 73303	600 N MESA, EL PASO, TX 79901	326
64	LPST	096365	Higher (3,708 ft.)	0.494 mi. ENE (2608 ft.)	GUILLEN SCHOOL	900 S COTTON ST, EL PASO, TX 79901	330
65	IHWCA	T2069	Lower (3,704 ft.)	0.82 mi. ENE (4330 ft.)	ORTEGA CONSTRUCTION	1708 E PAISANO DR, EL PASO, TX 79901	332

Elevation Summary

Elevations are collected from the USGS 3D Elevation Program 1/3 arc-second (approximately 10 meters) layer hosted at the NGTOC. .

Target Property Elevation: 3707 ft.

NOTE: Standard environmental records are displayed in **bold**.

EQUAL/HIGHER ELEVATION

Map ID#	Database Name	Elevation	Site Name	Address	Page #
1	AIRSAFS	3,707 ft.	EARTHGRAINS BAKING COMPANIES, INC.	711 SOUTH KANSAS ST., EL PASO, TX 79901	25
1	ECHOR06	3,707 ft.	THE EARTHGRAINS COMPANIES	711 SOUTH KANSAS STREET, EL PASO, TX 79901	36
1	FRSTX	3,707 ft.	THE EARTHGRAINS COMPANIES	711 SOUTH KANSAS STREET, EL PASO, TX 79901	37
1	ICIS	3,707 ft.	EARTHGRAINS BAKING COMPANIES, INC.	711 SOUTH KANSAS ST., EL PASO, TX 79901	38
1	IHW	3,707 ft.	EARTHGRAINS BAKING EL PASO	711 S KANSAS ST, EL PASO, TX 79901	39
1	PST	3,707 ft.	RAINBO BAKING	711 S KANSAS ST, EL PASO, TX 79901	42
2	FRSTX	3,710 ft.	EL PASO-LOS ANGELES LIMOUSINE EXPRESS	720 S OREGON ST, EL PASO, TX 79901	46
2	NOV	3,710 ft.	EL PASO-LOS ANGELES LIMOUSINE EXPRESS	720 S OREGON ST, EL PASO, TX 79901	47
2	PST	3,710 ft.	EL PASO-LOS ANGELES LIMOUSINE EXPRESS	720 S OREGON ST, EL PASO, TX 79901	49
3	FRSTX	3,708 ft.	AOY EL	901 S CAMPBELL ST, EL PASO, TX 79901	54
4	FRSTX	3,707 ft.	OREILLY AUTO PARTS 2609	711 S STANTON ST, EL PASO, TX 79901	55
5	LPST	3,708 ft.	PAISANO AUTO SUPPLY	600 E PAISANO DR, EL PASO, TX 79901	56
5	PST	3,708 ft.	PAISANO TEXACO	600 E PAISANO DR, EL PASO, TX 79901	60
6	FRSTX	3,710 ft.	ROAD MASTERS	730 S SANTA FE ST, EL PASO, TX 79901	64
6	NOV	3,710 ft.	ROAD MASTERS	730 S SANTA FE ST, EL PASO, TX 79901	65
7	FRSTX	3,713 ft.	ROOSEVELT ELEMENTARY SCHOOL	EL PASO, TX 79901	66
8	FRSTX	3,711 ft.	WESTERN AUTO	425 E PAISANO DR, EL PASO, TX 79901	67
8	PST	3,711 ft.	WESTERN AUTO	425 E PAISANO DR, EL PASO, TX 79901	68
9	ECHOR06	3,707 ft.	GUYNES PRINTING CO INC	614 S STANTON ST, EL PASO, TX 79901	70
9	FRSTX	3,707 ft.	GUYNES PRINTING CO INC	614 S STANTON ST, EL PASO, TX 79901	71
9	IHW	3,707 ft.	GUYNES PRINTING	614 S STANTON ST, EL PASO, TX 79901	72
9	RCRANGR06	3,707 ft.	GUYNES PRINTING CO INC	614 S STANTON ST, EL PASO, TX 79901	73
10	IHW	3,711 ft.	CHEVRON FAC 7-4340	220 E PAISANO DR, EL PASO, TX 79901	75
10	LPST	3,711 ft.	CHEVRON 74340	220 E PAISANO DR, EL PASO, TX 79901	76
10	LPST	3,711 ft.	CHEVRON 74340	220 E PAISANO DR, EL PASO, TX 79901	84
10	PST	3,711 ft.	CENTRAL CHEVRON	220 E PAISANO DR, EL PASO, TX 79901	92
10	RCRANGR06	3,711 ft.	CHEVRON USA INC	220 E PAISANO, EL PASO, TX 79901	102
11	IHW	3,711 ft.	CHEVRON FAC 7-0868	219 E PAISANO DR, EL PASO, TX 79901	104
11	LPST	3,711 ft.	CHEVRON 70868	219 E PAISANO DR, EL PASO, TX 79901	105
11	PST	3,711 ft.	CHEVRON 70868	219 E PAISANO DR, EL PASO, TX 79901	109
11	RCRANGR06	3,711 ft.	CHEVRON USA INC	219 E PAISANO, EL PASO, TX 79901	113
12	PST	3,710 ft.	SPADE COOP ANTON DIVISION	659 SANTA FE DR, ANTON, TX 79313	115

Elevation Summary

Map ID#	Database Name	Elevation	Site Name	Address	Page #
13	IHW	3,709 ft.	CHEVRON FAC 73303	600 S MESA ST, EL PASO, TX 79901	123
13	PST	3,709 ft.	CHEVRON 73303	600 S MESA ST, EL PASO, TX 79901	125
14	RCRAGR06	3,711 ft.	FAMILY DOLLAR #4351	406 S. STANTON ST, EL PASO, TX 79901	130
15	IHW	3,710 ft.	IN-TERMINAL SERVICES	805 S SANTA FE ST, EL PASO, TX 79901	132
15	PST	3,710 ft.	SANTA FE RAILYARD	805 S SANTA FE ST, EL PASO, TX 79901	133
16	IHW	3,709 ft.	EL PASO CITY COUNTY HEALTH DEPARTMENT TILLMAN CTR	222 S CAMPBELL ST, EL PASO, TX 79901	135
17	IHW	3,709 ft.	SOUTH EL PASO HOSPITAL	702 E PAISANO DR, EL PASO, TX 79901	137
17	RCRANGR06	3,709 ft.	SOUTH EL PASO HOSPITAL	702 E PAISANO, EL PASO, TX 79901	138
18	PST	3,709 ft.	NO 11 FIRE STATION	331 S SANTA FE ST, EL PASO, TX 79901	140
19	IHW	3,711 ft.	TRANSPORTES J Y R	306 E PAISANO DR STE 232, EL PASO, TX 79901	142
19	RCRANGR06	3,711 ft.	TRANSPORTES J Y R	306 E PAISANO DR STE 232, EL PASO, TX 79901	143
20	MRDS	3,712 ft.	(FACILITY) EL PASO COPPER SMELTER	EL PASO COUNTY, EL PASO, TX 79901	145
21	BF	3,709 ft.	300 S. FLORENCE	300 S. FLORENCE, EL PASO, TX 79901	146
21	BF	3,709 ft.	300 FLORENCE	300 S. FLORENCE, EL PASO, TX 79901	147
22	IHW	3,708 ft.	CITY OF EL PASO EQUIPT MAINT DPT	210 S CAMPBELL ST, EL PASO, TX 79901	148
22	LPST	3,708 ft.	CITY OF EL PASO EQUIPT MAINT DPT	210 S CAMPBELL ST, EL PASO, TX 79901	150
22	PST	3,708 ft.	CITY OF EL PASO EQUIPT MAINT DPT	210 S CAMPBELL ST, EL PASO, TX 79901	154
22	RCRANGR06	3,708 ft.	CITY OF EL PASO	210 S CAMPBELL ST, EL PASO, TX 79901	159
23	IHW	3,714 ft.	EL PASO ELECTRIC	601 S SANTA FE ST, EL PASO, TX 79901	161
23	IHWCA	3,714 ft.	SUN METRO INTERNATIONAL TRANSIT TERMINAL	601 S SANTA FE ST, EL PASO, TX 79901	172
23	LPST	3,714 ft.	SANTA FE CENTER	601 S SANTA FE ST, EL PASO, TX 79901	173
23	PST	3,714 ft.	SANTA FE SERVICE CENTER	601 S SANTA FE ST, EL PASO, TX 79901	177
23	RCRANGR06	3,714 ft.	EL PASO ELECTRIC COMPANY	601 S SANTA FE ST, EL PASO, TX 79901	183
24	IHW	3,708 ft.	GOODYEAR TIRE & RUBBER	500 E OVERLAND AVE, EL PASO, TX 79901	186
24	PST	3,708 ft.	GOODYEAR TIRE & RUBBER	500 E OVERLAND AVE, EL PASO, TX 79901	187
24	RCRANGR06	3,708 ft.	THE GOODYEAR TIRE & RUBBER COMPANY	500 E OVERLAND, EL PASO, TX 79901	189
25	PST	3,708 ft.	CENTRAL FIRE STATION	201 S FLORENCE ST, EL PASO, TX 79901	191
26	PST	3,707 ft.	OCHOA BULK PLANT	719 S OCHOA ST, EL PASO, TX 79901	195
27	MRDS	3,707 ft.	(FACILITY) EL PASO LEAD SMELTER	EL PASO COUNTY, EL PASO, TX 79901	200
28	IHW	3,733 ft.	A DIVISION OF ANSELL WAREHOUSE	323 CANAL RD, EL PASO, TX 79901	201

Elevation Summary

Map ID#	Database Name	Elevation	Site Name	Address	Page #
28	PST	3,733 ft.	EL PASO DISTRIBUTION CENTER	323 CANAL RD, EL PASO, TX 79901	202
29	SEMSARCH	3,714 ft.	EL PASO GAS,ELECTRIC LIGHT & POWER CO.	CORNER W 3RD & SANTA FE STREET, EL PASO, TX 79901	205
30	IHW	3,708 ft.	POLICE DEPARTMENT	500 E SAN ANTONIO AVE, EL PASO, TX 79901	206
31	PST	3,716 ft.	GAS MART USA	401 S SANTA FE ST, EL PASO, TX 79901	207
32	IHW	3,718 ft.	HILTON CAMINO REAL PASO DEL NORTE	101 S EL PASO ST, EL PASO, TX 79901	216
32	PST	3,718 ft.	HILTON CAMINO REAL	101 S EL PASO ST, EL PASO, TX 79901	217
33	PST	3,730 ft.	EL PASO TERMINAL WAREHOUSE	525 CANAL RD, EL PASO, TX 79901	220
33	SEMSARCH	3,730 ft.	EL PASO DRUM SITE	525 CANAL ROAD, EL PASO, TX 79901	222
34	IHW	3,716 ft.	BILLY THE KID	394 CHIHUAHUA ST, EL PASO, TX 79901	223
35	LPST	3,708 ft.	US GENERAL SERVICES ADMIN	700 E SAN ANTONIO AVE, EL PASO, TX 79901	224
35	PST	3,708 ft.	US FEDERAL BUILDING	700 E SAN ANTONIO AVE, EL PASO, TX 79901	226
36	PST	3,710 ft.	VACANT	104 E SAN ANTONIO AVE, EL PASO, TX 79901	229
37	PST	3,718 ft.	PASO DEL NORTE PARKING	120 W SAN ANTONIO AVE, EL PASO, TX 79901	231
38	PST	3,707 ft.	U S COURTHOUSE	511 E SAN ANTONIO AVE, EL PASO, TX 79901	234
39	PST	3,718 ft.	GREYHOUND LINES	200 W SAN ANTONIO AVE, EL PASO, TX 79901	236
41	PST	3,730 ft.	ROBERTSON-UMENHAUER PLANT	800 CANAL RD, EL PASO, TX 79901	244
42	PST	3,709 ft.	WYLER INDUSTRIAL WORKS	711 S SAINT VRAIN ST, EL PASO, TX 79901	247
43	BF	3,713 ft.	CITY BASEBALL TRAINING FACILITY	200 TEXAS AVE, EL PASO, TX 79901	255
44	PST	3,708 ft.	POLOS PLACE	115 S VIRGINIA ST, EL PASO, TX 79901	256
45	LPST	3,714 ft.	QUICK MART	311 W PAISANO DR, EL PASO, TX 79901	259
45	PST	3,714 ft.	QUICK MART	311 W PAISANO DR, EL PASO, TX 79901	264
46	PST	3,707 ft.	VACANT LOT	601 MAGOFFIN AVE, EL PASO, TX 79901	272
47	LPST	3,731 ft.	EL PASO WASTE MATERIAL	900 CANAL ST, EL PASO, TX 79901	274
47	PST	3,731 ft.	EL PASO WASTE MATERIAL	900 CANAL ST, EL PASO, TX 79901	276
48	PST	3,709 ft.	WYLER WAREHOUSE	802 S SAINT VRAIN ST, EL PASO, TX 79901	278
49	LPST	3,716 ft.	NATIONAL RESTAURANT SUPPLY	320 W SAN ANTONIO AVE, EL PASO, TX 79901	281
49	PST	3,716 ft.	NATIONAL RESTAURANT SUPPLY	320 W SAN ANTONIO AVE, EL PASO, TX 79901	284
50	LPST	3,708 ft.		1001 E PAISANO, TX	287
51	LPST	3,711 ft.	SOUTHWESTERN BELL TELEPHONE CO	500 TEXAS AVE, EL PASO, TX 79901	288
52	LPST	3,707 ft.	SW BELL MYRTLE ST PARKING GARAGE	614 MYRTLE AVE, EL PASO, TX 79901	293

Elevation Summary

Map ID#	Database Name	Elevation	Site Name	Address	Page #
53	LPST	3,714 ft.	STATE NATIONAL BANK WAREHOUSE	417 TEXAS, EL PASO, TX 79901	297
54	BF	3,715 ft.	418 S. DURANGO STREET	418 S. DURANGO STREET, EL PASO, TX 79901	298
55	LPST	3,715 ft.	WRANGLER	501 W PAISANO DR, EL PASO, TX 79901	299
56	LPST	3,728 ft.	GREYHOUND BUS MAINTENANCE FAC	201 W MAIN DR, EL PASO, TX 79901	304
57	LPST	3,728 ft.	FEDERAL RESERVE BANK OF DALLAS	301 E MAIN DR, EL PASO, TX 79901	312
58	BF	3,709 ft.	900 MYRTLE-LA FE COMMUNITY DEVELOPMENT	900 MYRTLE, EL PASO, TX 79901	315
60	LPST	3,718 ft.	EDCO CORP	694 W PAISANO DR, EL PASO, TX 79901	317
61	BF	3,752 ft.	600 N. EL PASO	600 N. EL PASO, EL PASO, TX 79901	319
61	LPST	3,752 ft.	CHEVRON 78065	618 S EL PASO ST, EL PASO, TX 79901	320
61	LPST	3,752 ft.	FORMER EL PASO SADDLE BLANKET	601 N OREGON ST, EL PASO, TX 79901	324
62	BF	3,728 ft.	420 N. CAMPBELL STREET	420 N. CAMPBELL STREET, EL PASO, TX 79901	325
63	LPST	3,741 ft.	CHEVRON USA 73303	600 N MESA, EL PASO, TX 79901	326
64	LPST	3,708 ft.	GUILLEN SCHOOL	900 S COTTON ST, EL PASO, TX 79901	330

LOWER ELEVATION

Map ID#	Database Name	Elevation	Site Name	Address	Page #
40	IHW	3,705 ft.	TERRELL PLANT	100 N STANTON ST, EL PASO, TX 79901	238
40	IHW	3,705 ft.	EL PASO NATURAL GAS	100 N STANTON ST, EL PASO, TX 79901	239
40	PST	3,705 ft.	100 NORTH STANTON TOWER	100 N STANTON ST, EL PASO, TX 79901	240
59	LPST	3,703 ft.	UNION PACIFIC RR DALLAS MAINT	201 PIEDRAS ST, EL PASO, TX 79903	316
65	IHWCA	3,704 ft.	ORTEGA CONSTRUCTION	1708 E PAISANO DR, EL PASO, TX 79901	332

Aerometric Information Retrieval System / Air Facility Subsystem (AIRSAFS)

MAP ID# 1

Distance from Property: 0 mi. (0 ft.) X
Elevation: 3,707 ft. (Equal to TP)

SITE INFORMATION

UNIQUE ID: 867622

PLANT ID: 867622

NAME: EARTHGRAINS BAKING COMPANIES, INC.

ADDRESS: 711 SOUTH KANSAS ST.

EL PASO, TX 79901

CLASSIFICATION: POTENTIAL UNCONTROLLED EMISSIONS <100 TONS/YEAR

OPERATION STATUS: OPERATING

STATE COMPLIANCE STATUS: IN COMPLIANCE - INSPECTION

FACILITY TYPE: PRIVATELY OWNED/OPERATED

CURRENT HIGH PRIORITY VIOLATOR: NOT REPORTED

SIC DESCRIPTION: ESTABLISHMENTS PRIMARILY ENGAGED IN MANUFACTURING FRESH OR FROZEN BREAD AND BREAD-TYPE ROLLS AND FRESH CAKES, PIES, PASTRIES AND OTHER SIMILAR PERISHABLE BAKERY PRODUCTS.

ENFORCEMENT ACTIONS

DATE ACHIEVED: 09/17/2003

DATE RECORDED: 08/04/2006

NATIONAL ACTION TYPE: EPA COURT CONSENT DECREE

ALL AIR PROGRAM: CFC TRACKING

RESULTS OF STACK TEST AND TITLE V: ACTION ACHIEVED

POLLUTANT: NOT REPORTED

ALL POLLUTION IN VIOLATION: NOT REPORTED

TYPE OF VIOLATION(S): NOT REPORTED

PENALTY AMOUNT: 0

AIR PROGRAM

AIR PROGRAM STATUS: OPERATING

EPA COMPLIANCE STATUS: IN COMPLIANCE - INSPECTION

POLLUTANT COMPLIANCE STATUS: IN COMPLIANCE - INSPECTION

POLLUTANT: NOT REPORTED

AIR PROGRAM STATUS: OPERATING

EPA COMPLIANCE STATUS: IN COMPLIANCE - INSPECTION

POLLUTANT COMPLIANCE STATUS: IN COMPLIANCE - INSPECTION

POLLUTANT: CARBON MONOXIDE

AIR PROGRAM STATUS: OPERATING

EPA COMPLIANCE STATUS: IN COMPLIANCE - INSPECTION

POLLUTANT COMPLIANCE STATUS: IN COMPLIANCE - INSPECTION

POLLUTANT: NITROGEN DIOXIDE

AIR PROGRAM STATUS: OPERATING

EPA COMPLIANCE STATUS: IN COMPLIANCE - INSPECTION

Aerometric Information Retrieval System / Air Facility Subsystem (AIRSAFS)

POLLUTANT COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**
POLLUTANT: **PARTICULATE MATTER < 10 UM**

AIR PROGRAM STATUS: **OPERATING**
EPA COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**
POLLUTANT COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**
POLLUTANT: **TOTAL PARTICULATE MATTER**

AIR PROGRAM STATUS: **OPERATING**
EPA COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**
POLLUTANT COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**
POLLUTANT: **SULFUR DIOXIDE**

AIR PROGRAM STATUS: **OPERATING**
EPA COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**
POLLUTANT COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**
POLLUTANT: **TOTAL HAP POLLUTANT**

AIR PROGRAM STATUS: **OPERATING**
EPA COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**
POLLUTANT COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**
POLLUTANT: **VOLATILE ORGANIC COMPOUNDS**

AIR PROGRAM STATUS: **OPERATING**
EPA COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**
POLLUTANT COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**
POLLUTANT: **CHLOROFLUOROCARBONS**

HISTORICAL COMPLIANCE AIR PROGRAM LEVEL

AIR PROGRAM: **SIP SOURCE**
COMPLIANCE DATE (YYYQ): **0701**
HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **CFC TRACKING**
COMPLIANCE DATE (YYYQ): **0704**
HISTORICAL COMPLIANCE STATUS: **NO APPLICABLE STATE REGULATION**

AIR PROGRAM: **CFC TRACKING**
COMPLIANCE DATE (YYYQ): **1001**
HISTORICAL COMPLIANCE STATUS: **NO APPLICABLE STATE REGULATION**

AIR PROGRAM: **SIP SOURCE**
COMPLIANCE DATE (YYYQ): **0901**
HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

Aerometric Information Retrieval System / Air Facility Subsystem (AIRSAFS)

AIR PROGRAM: **CFC TRACKING**
COMPLIANCE DATE (YYYQ): **1302**
HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **CFC TRACKING**
COMPLIANCE DATE (YYYQ): **0903**
HISTORICAL COMPLIANCE STATUS: **NO APPLICABLE STATE REGULATION**

AIR PROGRAM: **SIP SOURCE**
COMPLIANCE DATE (YYYQ): **1401**
HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **SIP SOURCE**
COMPLIANCE DATE (YYYQ): **0902**
HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **SIP SOURCE**
COMPLIANCE DATE (YYYQ): **0702**
HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **SIP SOURCE**
COMPLIANCE DATE (YYYQ): **1301**
HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **CFC TRACKING**
COMPLIANCE DATE (YYYQ): **1201**
HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **CFC TRACKING**
COMPLIANCE DATE (YYYQ): **0802**
HISTORICAL COMPLIANCE STATUS: **NO APPLICABLE STATE REGULATION**

AIR PROGRAM: **CFC TRACKING**
COMPLIANCE DATE (YYYQ): **1002**
HISTORICAL COMPLIANCE STATUS: **NO APPLICABLE STATE REGULATION**

AIR PROGRAM: **CFC TRACKING**
COMPLIANCE DATE (YYYQ): **1304**
HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **CFC TRACKING**
COMPLIANCE DATE (YYYQ): **0902**
HISTORICAL COMPLIANCE STATUS: **NO APPLICABLE STATE REGULATION**

AIR PROGRAM: **CFC TRACKING**
COMPLIANCE DATE (YYYQ): **1102**

Aerometric Information Retrieval System / Air Facility Subsystem (AIRSAFS)

HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **CFC TRACKING**

COMPLIANCE DATE (YYYQ): **1403**

HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **CFC TRACKING**

COMPLIANCE DATE (YYYQ): **0702**

HISTORICAL COMPLIANCE STATUS: **NO APPLICABLE STATE REGULATION**

AIR PROGRAM: **SIP SOURCE**

COMPLIANCE DATE (YYYQ): **1402**

HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **SIP SOURCE**

COMPLIANCE DATE (YYYQ): **0801**

HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **CFC TRACKING**

COMPLIANCE DATE (YYYQ): **1203**

HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **CFC TRACKING**

COMPLIANCE DATE (YYYQ): **0803**

HISTORICAL COMPLIANCE STATUS: **NO APPLICABLE STATE REGULATION**

AIR PROGRAM: **SIP SOURCE**

COMPLIANCE DATE (YYYQ): **1003**

HISTORICAL COMPLIANCE STATUS: **NO APPLICABLE STATE REGULATION**

AIR PROGRAM: **SIP SOURCE**

COMPLIANCE DATE (YYYQ): **0902**

HISTORICAL COMPLIANCE STATUS: **NO APPLICABLE STATE REGULATION**

AIR PROGRAM: **SIP SOURCE**

COMPLIANCE DATE (YYYQ): **0901**

HISTORICAL COMPLIANCE STATUS: **NO APPLICABLE STATE REGULATION**

AIR PROGRAM: **SIP SOURCE**

COMPLIANCE DATE (YYYQ): **1001**

HISTORICAL COMPLIANCE STATUS: **NO APPLICABLE STATE REGULATION**

AIR PROGRAM: **CFC TRACKING**

COMPLIANCE DATE (YYYQ): **1001**

HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

Aerometric Information Retrieval System / Air Facility Subsystem (AIRSAFS)

AIR PROGRAM: **CFC TRACKING**
COMPLIANCE DATE (YYYQ): **1003**
HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **CFC TRACKING**
COMPLIANCE DATE (YYYQ): **0904**
HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **SIP SOURCE**
COMPLIANCE DATE (YYYQ): **0801**
HISTORICAL COMPLIANCE STATUS: **NO APPLICABLE STATE REGULATION**

AIR PROGRAM: **CFC TRACKING**
COMPLIANCE DATE (YYYQ): **0903**
HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **SIP SOURCE**
COMPLIANCE DATE (YYYQ): **0704**
HISTORICAL COMPLIANCE STATUS: **NO APPLICABLE STATE REGULATION**

AIR PROGRAM: **CFC TRACKING**
COMPLIANCE DATE (YYYQ): **0701**
HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **CFC TRACKING**
COMPLIANCE DATE (YYYQ): **0804**
HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **SIP SOURCE**
COMPLIANCE DATE (YYYQ): **0804**
HISTORICAL COMPLIANCE STATUS: **NO APPLICABLE STATE REGULATION**

AIR PROGRAM: **SIP SOURCE**
COMPLIANCE DATE (YYYQ): **0702**
HISTORICAL COMPLIANCE STATUS: **NO APPLICABLE STATE REGULATION**

AIR PROGRAM: **SIP SOURCE**
COMPLIANCE DATE (YYYQ): **0802**
HISTORICAL COMPLIANCE STATUS: **NO APPLICABLE STATE REGULATION**

AIR PROGRAM: **SIP SOURCE**
COMPLIANCE DATE (YYYQ): **0904**
HISTORICAL COMPLIANCE STATUS: **NO APPLICABLE STATE REGULATION**

AIR PROGRAM: **CFC TRACKING**

Aerometric Information Retrieval System / Air Facility Subsystem (AIRSAFS)

COMPLIANCE DATE (YYYQ): **0802**
HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **SIP SOURCE**
COMPLIANCE DATE (YYYQ): **0803**
HISTORICAL COMPLIANCE STATUS: **NO APPLICABLE STATE REGULATION**

AIR PROGRAM: **SIP SOURCE**
COMPLIANCE DATE (YYYQ): **1002**
HISTORICAL COMPLIANCE STATUS: **NO APPLICABLE STATE REGULATION**

AIR PROGRAM: **CFC TRACKING**
COMPLIANCE DATE (YYYQ): **0902**
HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **SIP SOURCE**
COMPLIANCE DATE (YYYQ): **0703**
HISTORICAL COMPLIANCE STATUS: **NO APPLICABLE STATE REGULATION**

AIR PROGRAM: **CFC TRACKING**
COMPLIANCE DATE (YYYQ): **1002**
HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **SIP SOURCE**
COMPLIANCE DATE (YYYQ): **0903**
HISTORICAL COMPLIANCE STATUS: **NO APPLICABLE STATE REGULATION**

AIR PROGRAM: **CFC TRACKING**
COMPLIANCE DATE (YYYQ): **0702**
HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **CFC TRACKING**
COMPLIANCE DATE (YYYQ): **0901**
HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **SIP SOURCE**
COMPLIANCE DATE (YYYQ): **1004**
HISTORICAL COMPLIANCE STATUS: **NO APPLICABLE STATE REGULATION**

AIR PROGRAM: **SIP SOURCE**
COMPLIANCE DATE (YYYQ): **0701**
HISTORICAL COMPLIANCE STATUS: **NO APPLICABLE STATE REGULATION**

AIR PROGRAM: **SIP SOURCE**
COMPLIANCE DATE (YYYQ): **0604**
HISTORICAL COMPLIANCE STATUS: **NO APPLICABLE STATE REGULATION**

Aerometric Information Retrieval System / Air Facility Subsystem (AIRSAFS)

AIR PROGRAM: **CFC TRACKING**
COMPLIANCE DATE (YYYQ): **0604**
HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **CFC TRACKING**
COMPLIANCE DATE (YYYQ): **0803**
HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **CFC TRACKING**
COMPLIANCE DATE (YYYQ): **0801**
HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **CFC TRACKING**
COMPLIANCE DATE (YYYQ): **0704**
HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **CFC TRACKING**
COMPLIANCE DATE (YYYQ): **0703**
HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **CFC TRACKING**
COMPLIANCE DATE (YYYQ): **1004**
HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **SIP SOURCE**
COMPLIANCE DATE (YYYQ): **0904**
HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **SIP SOURCE**
COMPLIANCE DATE (YYYQ): **0903**
HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **CFC TRACKING**
COMPLIANCE DATE (YYYQ): **1104**
HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **SIP SOURCE**
COMPLIANCE DATE (YYYQ): **1102**
HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **SIP SOURCE**
COMPLIANCE DATE (YYYQ): **0604**
HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

Aerometric Information Retrieval System / Air Facility Subsystem (AIRSAFS)

AIR PROGRAM: **SIP SOURCE**
COMPLIANCE DATE (YYYQ): **1001**
HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **CFC TRACKING**
COMPLIANCE DATE (YYYQ): **0701**
HISTORICAL COMPLIANCE STATUS: **NO APPLICABLE STATE REGULATION**

AIR PROGRAM: **CFC TRACKING**
COMPLIANCE DATE (YYYQ): **1401**
HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **SIP SOURCE**
COMPLIANCE DATE (YYYQ): **1104**
HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **CFC TRACKING**
COMPLIANCE DATE (YYYQ): **0703**
HISTORICAL COMPLIANCE STATUS: **NO APPLICABLE STATE REGULATION**

AIR PROGRAM: **SIP SOURCE**
COMPLIANCE DATE (YYYQ): **0804**
HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **CFC TRACKING**
COMPLIANCE DATE (YYYQ): **1301**
HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **SIP SOURCE**
COMPLIANCE DATE (YYYQ): **1302**
HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **SIP SOURCE**
COMPLIANCE DATE (YYYQ): **1304**
HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **SIP SOURCE**
COMPLIANCE DATE (YYYQ): **1204**
HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **SIP SOURCE**
COMPLIANCE DATE (YYYQ): **0703**
HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **SIP SOURCE**
COMPLIANCE DATE (YYYQ): **0802**

Aerometric Information Retrieval System / Air Facility Subsystem (AIRSAFS)

HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **SIP SOURCE**

COMPLIANCE DATE (YYYQ): **1201**

HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **SIP SOURCE**

COMPLIANCE DATE (YYYQ): **1103**

HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **CFC TRACKING**

COMPLIANCE DATE (YYYQ): **1402**

HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **CFC TRACKING**

COMPLIANCE DATE (YYYQ): **1303**

HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **SIP SOURCE**

COMPLIANCE DATE (YYYQ): **1403**

HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **CFC TRACKING**

COMPLIANCE DATE (YYYQ): **1003**

HISTORICAL COMPLIANCE STATUS: **NO APPLICABLE STATE REGULATION**

AIR PROGRAM: **CFC TRACKING**

COMPLIANCE DATE (YYYQ): **0804**

HISTORICAL COMPLIANCE STATUS: **NO APPLICABLE STATE REGULATION**

AIR PROGRAM: **SIP SOURCE**

COMPLIANCE DATE (YYYQ): **1004**

HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **CFC TRACKING**

COMPLIANCE DATE (YYYQ): **1204**

HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **SIP SOURCE**

COMPLIANCE DATE (YYYQ): **1202**

HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **CFC TRACKING**

COMPLIANCE DATE (YYYQ): **1202**

HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

Aerometric Information Retrieval System / Air Facility Subsystem (AIRSAFS)

AIR PROGRAM: **CFC TRACKING**
COMPLIANCE DATE (YYYQ): **1103**
HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **CFC TRACKING**
COMPLIANCE DATE (YYYQ): **0901**
HISTORICAL COMPLIANCE STATUS: **NO APPLICABLE STATE REGULATION**

AIR PROGRAM: **SIP SOURCE**
COMPLIANCE DATE (YYYQ): **0803**
HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **SIP SOURCE**
COMPLIANCE DATE (YYYQ): **1203**
HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **SIP SOURCE**
COMPLIANCE DATE (YYYQ): **1003**
HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **CFC TRACKING**
COMPLIANCE DATE (YYYQ): **0801**
HISTORICAL COMPLIANCE STATUS: **NO APPLICABLE STATE REGULATION**

AIR PROGRAM: **SIP SOURCE**
COMPLIANCE DATE (YYYQ): **0704**
HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **CFC TRACKING**
COMPLIANCE DATE (YYYQ): **0604**
HISTORICAL COMPLIANCE STATUS: **NO APPLICABLE STATE REGULATION**

AIR PROGRAM: **SIP SOURCE**
COMPLIANCE DATE (YYYQ): **1303**
HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **SIP SOURCE**
COMPLIANCE DATE (YYYQ): **1101**
HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **CFC TRACKING**
COMPLIANCE DATE (YYYQ): **1101**
HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **CFC TRACKING**

Aerometric Information Retrieval System / Air Facility Subsystem (AIRSAFS)

COMPLIANCE DATE (YYYQ): **1004**

HISTORICAL COMPLIANCE STATUS: **NO APPLICABLE STATE REGULATION**

AIR PROGRAM: **SIP SOURCE**

COMPLIANCE DATE (YYYQ): **1002**

HISTORICAL COMPLIANCE STATUS: **IN COMPLIANCE - INSPECTION**

AIR PROGRAM: **CFC TRACKING**

COMPLIANCE DATE (YYYQ): **0904**

HISTORICAL COMPLIANCE STATUS: **NO APPLICABLE STATE REGULATION**

[Back to Report Summary](#)

Enforcement and Compliance History Information (ECHOR06)

[MAP ID# 1](#)

Distance from Property: 0 mi. (0 ft.) X
Elevation: 3,707 ft. (Equal to TP)

FACILITY INFORMATION

UNIQUE ID: 110001870342

REGISTRY ID: 110001870342

NAME: THE EARTHGRAINS COMPANIES

ADDRESS: 711 SOUTH KANSAS STREET
EL PASO, TX 79901

COUNTY: EL PASO

FACILITY LINK: [Facility Detail Report](#)

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 1

Distance from Property: 0 mi. (0 ft.) X
Elevation: 3,707 ft. (Equal to TP)

FACILITY INFORMATION

REGISTRY ID: 110001870342

NAME: THE EARTHGRAINS COMPANIES

LOCATION ADDRESS: 711 SOUTH KANSAS STREET
EL PASO, TX 79901-3328

COUNTY: EL PASO

EPA REGION: 06

FEDERAL FACILITY: NOT REPORTED

TRIBAL LAND: NOT REPORTED

ALTERNATIVE NAME/S:

EARTHGRAINS BAKING EL PASO
EARTHGRAINS BAKING COMPANIES, INC.
RAINBO BAKING COMPANY
THE EARTHGRAINS COMPANIES
EARTHGRAINS CO

PROGRAM/S LISTED FOR THIS FACILITY

EIS - EIS
AIR - AIR
ICIS - INTEGRATED COMPLIANCE INFORMATION SYSTEM
AIRS/AFS - AEROMETRIC INFORMATION RETRIEVAL SYSTEM / AIRS FACILITY SYSTEM
TX-TCEQ ACR - TEXAS COMMISSION ON ENVIRONMENTAL QUALITY - AGENCY CENTRAL REGISTRY

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

2051 - BREAD AND OTHER BAKERY PRODUCTS, EXCEPT COOKIES AND CRACKERS

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

311812 - COMMERCIAL BAKERIES.
311812 - COMMERCIAL BAKERIES.

[Back to Report Summary](#)

Integrated Compliance Information System (formerly DOCKETS) (ICIS)

MAP ID# 1

Distance from Property: 0 mi. (0 ft.) X
Elevation: 3,707 ft. (Equal to TP)

SITE INFORMATION

GEOSEARCH ID: 110001870342

REGISTRY ID: 110001870342

NAME: EARTHGRAINS BAKING COMPANIES, INC.

ADDRESS: 711 SOUTH KANSAS ST.
EL PASO TX 79901

STANDARD INDUSTRIAL CLASSIFICATION: BREAD AND OTHER BAKERY PRODUCTS, EXCEPT COOKIES AND CRACKERS

REGIONAL DOCKETS

- NO REGIONAL DOCKETS REPORTED

RELATED ACTIVITIES

- NO RELATED ACTIVITIES REPORTED

VIOLATIONS

- NO VIOLATIONS REPORTED

CASE IDENTIFIER

CASE NUMBER: 06-2003-A041

FISCAL YEAR: 2003

CASE NAME: EARTHGRAINS BAKING COMPANIES, INC. 481410007690002

ACTIVITY TYPE: JUDICIAL

ACTIVITY STATUS: CLOSED

ACTIVITY STATUS DATE: 9/17/2003

LEAD: EPA

CASE STATUS DATE: 9/17/2003

DOJ DOCKET NUMBER: NOT REPORTED

ENFORCEMENT OUTCOME: NOT REPORTED

MULTIMEDIA FLAG: NOT REPORTED

ENFORCEMENT SUMMARY:

NOT REPORTED

ENFORCEMENT TYPE

ENFORCEMENT TYPE: CIVIL JUDICIAL ACTION

POLLUTANTS CITED

- NO POLLUTION CITED REPORTED

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

[MAP ID# 1](#)

Distance from Property: 0 mi. (0 ft.) X
Elevation: 3,707 ft. (Equal to TP)

FACILITY INFORMATION

REGISTRATION#: 20629 EPA ID: NOT REPORTED

TNRCC ID #: 7085

NAME: EARTHGRAINS BAKING EL PASO

ADDRESS: 711 S KANSAS ST

EL PASO, TX 79901

CONTACT: JOE NAJAR

PHONE: 915-5321486

BUSINESS DESCRIPTION: NOT REPORTED

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR

GENERATOR TYPE: INDUSTRIAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 07/21/2003

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

WASTE ID: 87325

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

GENERATOR'S DESCRIPTION OF WASTE: MINERAL SPIRITS (SAFETY KLEEN NAPHTHA SOLVENT); GENERATED FROM PARTS WASHING OFV

WASTE ID: 87326

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

GENERATOR'S DESCRIPTION OF WASTE: WASTE INK SOLVENTS (CONTAINING METHYL-ETHYL KETONE); GENERATED FROM THE CLEANING

WASTE ID: 87327

WASTE CODE STATUS: INACTIVE

Industrial and Hazardous Waste Sites (IHW)

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **PAINT THINNER; GENERATED FROM THE CLEANING OF PAINTING EQUIPMENT;**

INITIAL GENERA

WASTE ID: **87328**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **SCRAP METAL; GENERATED FROM OBSOLETE AND REPAIRED EQUIPMENT;**

INITIAL GENERATION-

WASTE ID: **87329**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **EMPTY METAL DRUMS; GENERATED FROM THE RECEIPT OF INGREDIENTS AND**

OTHER CHEMICALS

WASTE ID: **87330**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **EMPTY PLASTIC DRUMS/CONTAINERS; GENERATED FROM THE RECEIPT OF**

INGREDIENTS; INIT

WASTE ID: **87331**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **SAND TRAP SLUDGE FROM SAND TRAP; GENERATED FOM EQUIPMENT WASHING**

AND FLOOR CLEAN

WASTE ID: **87332**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **GENERAL TRASH AND REFUSE; GENERATED FROM MANUFACTURING PROCESS**

(I.E., INGREDIENT

WASTE ID: **87333**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **SCRAP BREAD/DOUGH AND STALE PRODUCT; GENERATED FROM THE**

MANUFACTURING OF BREAD P

WASTE ID: **164595**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **PLANT REFUSE & GENERAL TRASH.GEN. CIRCA 1953**

Industrial and Hazardous Waste Sites (IHW)

WASTE ID: **164594**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **SLUDGE FROM GREASE TRAP, GENERATED AS WASTEWATER FROM EQUIPMENT WASHING & FLOORC**

WASTE ID: **976**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **977**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **978**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **979**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **980**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 1

Distance from Property: 0 mi. (0 ft.) X
Elevation: 3,707 ft. (Equal to TP)

FACILITY INFORMATION

ID#: 29944
NAME: RAINBO BAKING
ADDRESS: 711 S KANSAS ST
EL PASO, TX 79901
COUNTY: EL PASO
REGION: 6
TYPE: UNKNOWN
BEGIN DATE: 10/31/1986
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/09/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 05/04/1986
SIGNATURE NAME & TITLE: UNSIGNED, SIGNATURE TITLE NOT REPORTED
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN602493033
NAME: SARA LEE BAKERY GROUP INC
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: CORPORATION/COMPANY
BEGIN DATE: 10/31/1986
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1977	REGISTRATION DATE: 05/09/1986
TANK CAPACITY (GAL): 6000	EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: C MITCHELL
TITLE: MGR
ORGANIZATION: RAINBO BAKING CO
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (915) 5321486 0

Petroleum Storage Tanks (PST)

STATUS: **PERM FILLED IN PLACE** STATUS BEGIN DATE: **05/01/1988**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **98356**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1961**

REGISTRATION DATE: **05/09/1986**

TANK CAPACITY (GAL): **2000**

EMPTY TANK: **NOT EMPTY**

STATUS: **PERM FILLED IN PLACE**

STATUS BEGIN DATE: **05/01/1988**

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

Petroleum Storage Tanks (PST)

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **98357**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

INSTALLATION DATE: **01/01/1977**

TANK CAPACITY (GAL): **6000**

STATUS: **PERM FILLED IN PLACE**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **05/09/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **05/01/1988**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **98358**

TANK ID: **2**

Petroleum Storage Tanks (PST)

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 2

Distance from Property: 0 mi. (0 ft.) X
Elevation: 3,710 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRY ID: 110034421285

NAME: EL PASO-LOS ANGELES LIMOUSINE EXPRESS

LOCATION ADDRESS: 720 S OREGON ST
EL PASO, TX 79901-3237

COUNTY: EL PASO

EPA REGION: 06

FEDERAL FACILITY: NOT REPORTED

TRIBAL LAND: NOT REPORTED

ALTERNATIVE NAME/S:

EL PASO-LOS ANGELES LIMOUSINE EXPRESS

PROGRAM/S LISTED FOR THIS FACILITY

TX-TCEQ ACR - TEXAS COMMISSION ON ENVIRONMENTAL QUALITY - AGENCY CENTRAL REGISTRY

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Notice of Violations (NOV)

MAP ID# 2

Distance from Property: 0 mi. (0 ft.) X
Elevation: 3,710 ft. (Higher than TP)

SITE INFORMATION

REFERENCE #: RN101655306
CUSTOMER #: CN600892210
NAME: EL PASO-LOS ANGELES LIMOUSINE EXPRESS
ADDRESS: 720 S OREGON ST
CITY: EL PASO
STATE: TX
ZIPCODE: 79901-3237
COUNTY: EL PASO
BUSINESS: FLEET REFUELING
CONTACT: NOT REPORTED

SITE DETAILS

VIOLATION ISSUED: 04/04/06

CATEGORY: MINOR

MEDIA: WASTE

STATUS: RESOLVED

ALLEGATION:

FACILITY FAILED TO PROVIDE THE FOLLOWING RECORDS AT THE TIME OF THE INVESTIGATION: 1) ATG MONTHLY TEST RESULTS, 2) ATG DAILY READING.

RESOLUTION DESCRIPTION:

NOT REPORTED

VIOLATION ISSUED: 04/04/06

CATEGORY: MINOR

MEDIA: WASTE

STATUS: RESOLVED

ALLEGATION:

FACILITY FAILED TO PROVIDE THE FOLLOWING RECORDS AT THE TIME OF THE INVESTIGATION: 1) ATG MONTHLY TEST RESULTS, 2) ATG DAILY READING.

RESOLUTION DESCRIPTION:

NOT REPORTED

VIOLATION ISSUED: 04/04/06

CATEGORY: MODERATE

MEDIA: WASTE

STATUS: ACTIVE

ALLEGATION:

FACILITY FAILED TO PROVIDE THE FOLLOWING RECORDS AT THE TIME OF THE INVESTIGATION: 1) ATG MONTHLY TEST RESULTS, 2) ATG DAILY READING.

RESOLUTION DESCRIPTION:

NOT REPORTED

VIOLATION ISSUED: 04/04/06

CATEGORY: MODERATE

Notice of Violations (NOV)

MEDIA: **WASTE**

STATUS: **RESOLVED**

ALLEGATION:

FACILITY FAILED TO PROVIDE THE FOLLOWING RECORDS AT THE TIME OF THE INVESTIGATION: 1) ATG MONTHLY TEST RESULTS, 2) ATG DAILY READING.

RESOLUTION DESCRIPTION:

NOT REPORTED

VIOLATION ISSUED: **04/04/06**

CATEGORY: **MODERATE**

MEDIA: **WASTE**

STATUS: **RESOLVED**

ALLEGATION:

FACILITY FAILED TO PROVIDE THE FOLLOWING RECORDS AT THE TIME OF THE INVESTIGATION: 1) ATG MONTHLY TEST RESULTS, 2) ATG DAILY READING.

RESOLUTION DESCRIPTION:

NOT REPORTED

VIOLATION ISSUED: **04/04/06**

CATEGORY: **MODERATE**

MEDIA: **WASTE**

STATUS: **RESOLVED**

ALLEGATION:

FACILITY FAILED TO PROVIDE THE FOLLOWING RECORDS AT THE TIME OF THE INVESTIGATION: 1) ATG MONTHLY TEST RESULTS, 2) ATG DAILY READING.

RESOLUTION DESCRIPTION:

NOT REPORTED

VIOLATION ISSUED: **04/04/06**

CATEGORY: **MODERATE**

MEDIA: **WASTE**

STATUS: **RESOLVED**

ALLEGATION:

FACILITY FAILED TO PROVIDE THE FOLLOWING RECORDS AT THE TIME OF THE INVESTIGATION: 1) ATG MONTHLY TEST RESULTS, 2) ATG DAILY READING.

RESOLUTION DESCRIPTION:

NOT REPORTED

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 2

Distance from Property: 0 mi. (0 ft.) X
Elevation: 3,710 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 11846
NAME: EL PASO-LOS ANGELES LIMOUSINE EXPRESS
ADDRESS: 720 S OREGON ST
EL PASO, TX 79901
COUNTY: EL PASO
REGION: 6
TYPE: FLEET REFUELING
BEGIN DATE: 05/01/1980
STATUS: ACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 1
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/10/2018
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 05/04/2018
SIGNATURE NAME & TITLE: BONI MORALES, DIR OF ACCOUNTING
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600892210
NAME: EL PASO--LOS ANGELES LIMOUSINE EXPRESS INC
CONTACT ADDRESS: PO BOX 1183
EL PASO TX 79947
TYPE: CORPORATION/COMPANY
BEGIN DATE: 11/07/1998
CONTACT ROLE: OWNOPRCON
CONTACT NAME: BONI MORALES
CONTACT TITLE: DIR OF ACCT
ORGANIZATION: EL PASO-LOS ANGELES LIMOUSINE EXPRESS INC
PHONE: (915) 5444719 0
FAX: (915) 5444718
EMAIL: BONILIMO@AOL.COM

OPERATOR

OPERATOR NUMBER: CN600892210
NAME: EL PASO--LOS ANGELES LIMOUSINE EXPRESS INC
CONTACT ADDRESS: 7320 ALAMEDA AVE
EL PASO TX 79915
TYPE: CORPORATION/COMPANY
BEGIN DATE: 11/07/1998
CONTACT ROLE: OPRCON
CONTACT NAME: SALVADOR ROCHA
CONTACT TITLE: NOT REPORTED

CONTACT INFORMATION

NAME: CHRISTIAN SALCEDO
TITLE: TERMINAL SUPERVISOR
ORGANIZATION: EL PASO-LOS ANGELES LIMOUSINE EXPRESS
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (915) 5324061 0

Petroleum Storage Tanks (PST)

ORGANIZATION: EL PASO-LOS ANGELES LIMOUSINE EXPRESS INC

PHONE: (915) 7740850 0

FAX: NOT REPORTED

EMAIL: SALRLIMO@AOL.COM

SELF-CERTIFICATION

SELF-CERTIFICATION ID: 303735

SIGNATURE DATE: 05/04/2018

SIGNATURE NAME & TITLE: BONI MORALES, DIR OF ACCOUNTING

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 287945

SIGNATURE DATE: 06/12/2017

SIGNATURE NAME & TITLE: BONI MORALES, DIR OF ACCT

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 272011

SIGNATURE DATE: 06/24/2016

SIGNATURE NAME & TITLE: BONI MORALES, DIR OF ACCT

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 254682

SIGNATURE DATE: 06/25/2015

SIGNATURE NAME & TITLE: BONI MORALES, DIR OF ACCT

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 237880

SIGNATURE DATE: 05/29/2014

SIGNATURE NAME & TITLE: BONI MORALES, DIR OF ACCT

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 221292

SIGNATURE DATE: 06/12/2013

SIGNATURE NAME & TITLE: BONI MORALES, DIR OF ACCT

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 44163

SIGNATURE DATE: 05/14/2012

SIGNATURE NAME & TITLE: BONI MORALES, DIR OF ACCOUNTING

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 43933

SIGNATURE DATE: 05/31/2011

SIGNATURE NAME & TITLE: BONI MORALES, DIR OF ACCT

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 43932

SIGNATURE DATE: 06/11/2010

Petroleum Storage Tanks (PST)

SIGNATURE NAME & TITLE: **BONI MORALES, DIRECTOR OF ACCT**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **43931**

SIGNATURE DATE: **05/19/2009**

SIGNATURE NAME & TITLE: **BONI MORALES, DIR OF ACCT**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **43930**

SIGNATURE DATE: **05/14/2008**

SIGNATURE NAME & TITLE: **BONI MORALES, DIR OF ACCT**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **43929**

SIGNATURE DATE: **04/27/2007**

SIGNATURE NAME & TITLE: **BONI MORALES, DIR OF ACCT**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **43928**

SIGNATURE DATE: **05/11/2006**

SIGNATURE NAME & TITLE: **BONI MORALES, DIR OF ACCOUNTING**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **43927**

SIGNATURE DATE: **05/26/2005**

SIGNATURE NAME & TITLE: **BONI MORALES, DIR OF ACCOUNTING**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **43926**

SIGNATURE DATE: **06/02/2004**

SIGNATURE NAME & TITLE: **BONI MORALES, DIRECTOR OF ACCT**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **43925**

SIGNATURE DATE: **05/20/2003**

SIGNATURE NAME & TITLE: **JAMES JERRY ROSENBAUM, PRESIDENT**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **43924**

SIGNATURE DATE: **06/01/2002**

SIGNATURE NAME & TITLE: **JERRY ROSENBAUM, PRES**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **43923**

SIGNATURE DATE: **01/19/2001**

SIGNATURE NAME & TITLE: **JERRY ROSENBAUM, PRES**

FILING STATUS: **INITIAL**

Petroleum Storage Tanks (PST)

REGISTRATION FLAG: YES

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 05/01/1980	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 10000	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 05/01/1980
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FACTORY INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: YES

CORROSION PROTECTION VARIANCE: NO VARIANCE

COMPARTMENT DETAILS

UST COMPARTMENT ID: 31054

TANK ID: 1

COMPARTMENT LETTER: A

SUBSTANCES: DIESEL

OTHER SUBSTANCES: NOT REPORTED

CAPACITY (GAL): 10000

COMPARTMENT RELEASE DETECTION: MONITORING OF SECONDARY CONTAINMENT BARRIER,AUTOMATIC TANK GAUGE

TEST & INVENTORY CONTROL

SPILL CONTAINMENT AND OVERFILL PREVENTION: TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALVE,ALARM (SET@<=90%) W3A OR 3B

PIPING SYSTEMS

MATERIAL: FRP

CORROSION PROTECTION: FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT: NOT REPORTED

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),TRIENNIAL TIGHTNESS TEST (FOR

SUCTION/GRAVITY PIPING),AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: YES

CORROSION PROTECTION VARIANCE: NO VARIANCE

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

Petroleum Storage Tanks (PST)

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 3

Distance from Property: 0 mi. (0 ft.) X
Elevation: 3,708 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRY ID: 110036600764

NAME: AOY EL

LOCATION ADDRESS: 901 S CAMPBELL ST
EL PASO, TX 79901

COUNTY: EL PASO

EPA REGION: 06

FEDERAL FACILITY: NOT REPORTED

TRIBAL LAND: NOT REPORTED

ALTERNATIVE NAME/S:

AOY ELEMENTARY SCHOOL

AOY EL

PROGRAM/S LISTED FOR THIS FACILITY

GNIS - GEOGRAPHIC NAMES INFORMATION SYSTEM

NCES - NATIONAL CENTER FOR EDUCATION STATISTICS

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 4

Distance from Property: 0 mi. (0 ft.) X
Elevation: 3,707 ft. (Equal to TP)

FACILITY INFORMATION

REGISTRY ID: 110070175250

NAME: OREILLY AUTO PARTS 2609

LOCATION ADDRESS: 711 S STANTON ST
EL PASO, TX 79901-3336

COUNTY: EL PASO

EPA REGION: 06

FEDERAL FACILITY: NOT REPORTED

TRIBAL LAND: NOT REPORTED

ALTERNATIVE NAME/S:

NO ALTERNATIVE NAME(S) LISTED FOR THIS FACILITY

PROGRAM/S LISTED FOR THIS FACILITY

TX-TCEQ ACR - TEXAS COMMISSION ON ENVIRONMENTAL QUALITY - AGENCY CENTRAL REGISTRY

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 5

Distance from Property: 0.002 mi. (11 ft.) ENE
Elevation: 3,708 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 095371
LPST ID: 095371
FACILITY ID: 1602
NAME: PAISANO AUTO SUPPLY
ADDRESS: 600 E PAISANO DR
EL PASO, TX 79901

LEAKING TANK DETAILS

LPST ID: 095371
NAME: PAISANO AUTO SUPPLY
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 5/4/90
REPORTED DATE: 03/21/1990
ENTERED DATE: 05/04/1990
CLOSURE DATE: 12/01/1998

PRP INFORMATION

NAME: TEXAS COMMERCE BANK TRUSTEE
ADDRESS: ADDRESS NOT REPORTED
EL PASO TX 79980
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1966	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 2000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 03/21/1990
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
STEEL
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **5391**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **2000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1966**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **2000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **03/21/1990**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **5390**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **2000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

Leaking Petroleum Storage Tanks (LPST)

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1966**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **2000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **03/21/1990**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **5389**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **2000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

Leaking Petroleum Storage Tanks (LPST)

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 5

Distance from Property: 0.002 mi. (11 ft.) ENE
Elevation: 3,708 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 1602
NAME: PAISANO TEXACO
ADDRESS: 600 E PAISANO DR
EL PASO, TX 79901
COUNTY: EL PASO
REGION: 6
TYPE: UNKNOWN
BEGIN DATE: 09/01/1988
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/08/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 05/01/1986
SIGNATURE NAME & TITLE: J P KEMP, SIGNATURE TITLE NOT REPORTED
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600890909
NAME: TX COMMERCE BANK TRUSTEE-KEMP
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: ORGANIZATION
BEGIN DATE: 09/01/1989
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 3	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1966	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 2000	EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: C SALCIDO
TITLE: OPERATOR
ORGANIZATION: PAISANO TEXACO
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (915) 5469016 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **03/21/1990**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **5389**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **2000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

INSTALLATION DATE: **01/01/1966**

TANK CAPACITY (GAL): **2000**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **05/08/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **03/21/1990**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

Petroleum Storage Tanks (PST)

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **5390**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **2000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1**

INSTALLATION DATE: **01/01/1966**

TANK CAPACITY (GAL): **2000**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **05/08/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **03/21/1990**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **5391**

TANK ID: **1**

Petroleum Storage Tanks (PST)

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **2000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 6

Distance from Property: 0.005 mi. (26 ft.) NNW
Elevation: 3,710 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRY ID: 110034420865

NAME: ROAD MASTERS

LOCATION ADDRESS: 730 S SANTA FE ST
EL PASO, TX 79901-2234

COUNTY: EL PASO

EPA REGION: 06

FEDERAL FACILITY: NOT REPORTED

TRIBAL LAND: NOT REPORTED

ALTERNATIVE NAME/S:

ROAD MASTERS

PROGRAM/S LISTED FOR THIS FACILITY

TX-TCEQ ACR - TEXAS COMMISSION ON ENVIRONMENTAL QUALITY - AGENCY CENTRAL REGISTRY

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Notice of Violations (NOV)

MAP ID# 6

Distance from Property: 0.005 mi. (26 ft.) NNW
Elevation: 3,710 ft. (Higher than TP)

SITE INFORMATION

REFERENCE #: RN103158689
CUSTOMER #: CN603248741
NAME: ROAD MASTERS
ADDRESS: 730 S SANTA FE ST
CITY: EL PASO
STATE: TX
ZIPCODE: 79901-2234
COUNTY: EL PASO
BUSINESS: NOT REPORTED
CONTACT: ISAAC GARCIA

SITE DETAILS

VIOLATION ISSUED: 01/28/08

CATEGORY: MODERATE

MEDIA: WASTE

STATUS: RESOLVED

ALLEGATION:

FAILURE TO ENSURE THAT SCRAP TIRES WERE TRANSPORTED TO AN AUTHORIZED SCRAP TIRE FACILITY. TWENTY-FOUR SHIPMENTS OF SCRAP TIRES WERE DELIVERED TO THE ANGIE CROOK TIRE SITE (UNAUTHORIZED DISPOSAL SITE) BETWEEN JULY 30, 2007 AND SEPTEMBER 25, 2007.

RESOLUTION DESCRIPTION:

NOT REPORTED

VIOLATION ISSUED: 01/28/08

CATEGORY: MODERATE

MEDIA: WASTE

STATUS: ACTIVE

ALLEGATION:

FAILURE TO ENSURE THAT SCRAP TIRES WERE TRANSPORTED TO AN AUTHORIZED SCRAP TIRE FACILITY. TWENTY-FOUR SHIPMENTS OF SCRAP TIRES WERE DELIVERED TO THE ANGIE CROOK TIRE SITE (UNAUTHORIZED DISPOSAL SITE) BETWEEN JULY 30, 2007 AND SEPTEMBER 25, 2007.

RESOLUTION DESCRIPTION:

NOT REPORTED

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 7

Distance from Property: 0.007 mi. (37 ft.) ENE
Elevation: 3,713 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRY ID: 110026258706

NAME: ROOSEVELT ELEMENTARY SCHOOL

LOCATION ADDRESS: NO STREET REPORTED
EL PASO, TX 79901

COUNTY: EL PASO

EPA REGION: 06

FEDERAL FACILITY: NOT REPORTED

TRIBAL LAND: NOT REPORTED

ALTERNATIVE NAME/S:

ROOSEVELT ELEMENTARY SCHOOL

PROGRAM/S LISTED FOR THIS FACILITY

GNIS - GEOGRAPHIC NAMES INFORMATION SYSTEM

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 8

Distance from Property: 0.01 mi. (53 ft.) NNW
Elevation: 3,711 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRY ID: 110070166089

NAME: WESTERN AUTO

LOCATION ADDRESS: 425 E PAISANO DR
EL PASO, TX 79901-2879

COUNTY: EL PASO

EPA REGION: 06

FEDERAL FACILITY: NOT REPORTED

TRIBAL LAND: NOT REPORTED

ALTERNATIVE NAME/S:

NO ALTERNATIVE NAME(S) LISTED FOR THIS FACILITY

PROGRAM/S LISTED FOR THIS FACILITY

TX-TCEQ ACR - TEXAS COMMISSION ON ENVIRONMENTAL QUALITY - AGENCY CENTRAL REGISTRY

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 8

Distance from Property: 0.01 mi. (53 ft.) NNW
Elevation: 3,711 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 56893
NAME: WESTERN AUTO
ADDRESS: 425 E PAISANO DR
EL PASO, TX 79901
COUNTY: EL PASO
REGION: 6
TYPE: RETAIL
BEGIN DATE: 11/28/1990
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 11/26/1990
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 11/19/1990
SIGNATURE NAME & TITLE: ALAN TERHUNE, STORE DEV
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600263578
NAME: WESTERN AUTO SUPPLY COMPANY
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: CORPORATION/COMPANY
BEGIN DATE: 11/28/1990
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 12/01/1969	REGISTRATION DATE: 11/26/1990
TANK CAPACITY (GAL): 550	EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: NOT REPORTED
TITLE: NOT REPORTED
ORGANIZATION: WESTERN AUTO
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (915) 5444663 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **12/07/1990**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **103016**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **550**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Enforcement and Compliance History Information (ECHOR06)

MAP ID# 9

Distance from Property: 0.019 mi. (100 ft.) N
Elevation: 3,707 ft. (Equal to TP)

FACILITY INFORMATION

UNIQUE ID: 110005039653

REGISTRY ID: 110005039653

NAME: GUYNES PRINTING CO INC

ADDRESS: 614 S STANTON ST
EL PASO, TX 79901

COUNTY: EL PASO

FACILITY LINK: [Facility Detail Report](#)

[Back to Report Summary](#)

Facility Registry System (FRSTX)

MAP ID# 9

Distance from Property: 0.019 mi. (100 ft.) N
Elevation: 3,707 ft. (Equal to TP)

FACILITY INFORMATION

REGISTRY ID: 110005039653

NAME: GYNES PRINTING CO INC

LOCATION ADDRESS: 614 S STANTON ST
EL PASO, TX 79901

COUNTY: EL PASO

EPA REGION: 06

FEDERAL FACILITY: NOT REPORTED

TRIBAL LAND: NOT REPORTED

ALTERNATIVE NAME/S:

GYNES PRINTING CO INC

PROGRAM/S LISTED FOR THIS FACILITY

RCRAINFO - RESOURCE CONSERVATION AND RECOVERY ACT INFORMATION SYSTEM

STANDARD INDUSTRIAL CLASSIFICATION/S (SIC)

NO SIC DATA REPORTED

NORTH AMERICAN INDUSTRY CLASSIFICATION/S (NAICS)

NO NAICS DATA REPORTED

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 9

Distance from Property: 0.019 mi. (100 ft.) N

Elevation: 3,707 ft. (Equal to TP)

FACILITY INFORMATION

REGISTRATION#: 63103 EPA ID: TXD010488625

TNRCC ID #: 20381

NAME: GUYNES PRINTING

ADDRESS: 614 S STANTON ST
EL PASO, TX 79901

CONTACT: EDWARD TURNER

PHONE: 915-6729571

BUSINESS DESCRIPTION: THIS REGISTRATION WAS INACTIVATED BECAUSE THIS FACILITY WAS REGISTERED PRIOR TO 1994 AND NO WASTE ACTIVITY WAS REPORTED IN 1994, 1995 AND 1996.

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: NOT A HW GENERATOR

GENERATOR TYPE: NOT REPORTED

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 03/16/2006

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

NO RECORDS

OWNER INFORMATION

NAME:

ADDRESS:

PHONE:

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

MAP ID# 9

Distance from Property: 0.019 mi. (100 ft.) N
Elevation: 3,707 ft. (Equal to TP)

FACILITY INFORMATION

EPA ID#: TXD010488625

NAME: GUYNES PRINTING CO INC

ADDRESS: 614 S STANTON ST
EL PASO, TX 79901

CONTACT NAME: EDWARD TURNER

CONTACT ADDRESS: 615 N STANTON ST
EL PASO TX 79901

CONTACT PHONE: 915-672-9571

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 08/23/2001

OWNER TYPE: NOT REPORTED

OWNER NAME: NOT REPORTED

OPERATOR TYPE: PRIVATE

OPERATOR NAME: GUYNES PRINTING CO INC

CERTIFICATION

CERTIFICATION NAME:

CERTIFICATION TITLE:

CERTIFICATION SIGNED DATE:

EDWARD TURNER

UNKNOWN

08/23/2001

INDUSTRY CLASSIFICATION (NAICS)

33995 - SIGN MANUFACTURING

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: **NON-GENERATOR** LAST UPDATED DATE: **04/11/2006**

SUBJECT TO CORRECTIVE ACTION UNIVERSE: **NO**

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: **NO**

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: **NO**

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: **NO**

CORRECTIVE ACTION WORKLOAD UNIVERSE: **NO**

IMPORTER: **NO**

UNDERGROUND INJECTION: **NO**

MIXED WASTE GENERATOR: **NO**

UNIVERSAL WASTE DESTINATION FACILITY: **NO**

RECYCLER: **NO**

TRANSFER FACILITY: **NO**

TRANSPORTER: **NO**

USED OIL FUEL BURNER: **NO**

ONSITE BURNER EXEMPTION: **NO**

USED OIL PROCESSOR: **NO**

FURNACE EXEMPTION: **NO**

USED OIL FUEL MARKETER TO BURNER: **NO**

USED OIL REFINER: **NO**

SPECIFICATION USED OIL MARKETER: **NO**

USED OIL TRANSFER FACILITY: **NO**

USED OIL TRANSPORTER: **NO**

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS - **NO EVALUATIONS REPORTED** -

VIOLATIONS - **NO VIOLATIONS REPORTED** -

ENFORCEMENTS - **NO ENFORCEMENTS REPORTED** -

HAZARDOUS WASTE

D001 IGNITABLE WASTE

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

- F001 THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING:
TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON
TETRACHLORIDE AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN
DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE
OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005; AND STILL
BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
- F006 WASTEWATER TREATMENT SLUDGES FROM ELECTROPLATING OPERATIONS EXCEPT FROM THE FOLLOWING
PROCESSES: (1) SULFURIC ACID ANODIZING OF ALUMINUM; (2) TIN PLATING ON CARBON STEEL; (3) ZINC
PLATING (SEGREGATED BASIS) ON CARBON STEEL; (4) ALUMINUM OR ZINC-ALUMINUM PLATING ON CARBON
STEEL; (5) CLEANING/STRIPPING ASSOCIATED WITH TIN, ZINC, AND ALUMINUM PLATING ON CARBON STEEL;
AND (6) CHEMICAL ETCHING AND MILLING OF ALUMINUM.
- F007 SPENT CYANIDE PLATING BATH SOLUTIONS FROM ELECTROPLATING OPERATIONS.
- F008 PLATING BATH RESIDUES FROM THE BOTTOM OF PLATING BATHS FROM ELECTROPLATING OPERATIONS IN
WHICH CYANIDES ARE USED IN THE PROCESS.

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 10

Distance from Property: 0.03 mi. (158 ft.) E
Elevation: 3,711 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRATION#: 79141 EPA ID: TXD988060497

TNRCC ID #: 32695

NAME: CHEVRON FAC 7-4340

ADDRESS: 220 E PAISANO DR
EL PASO, TX 79901

CONTACT: J R LOPEZ

PHONE: 915-5451076

BUSINESS DESCRIPTION: NOT REPORTED

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR

GENERATOR TYPE: NON-INDUSTRIAL AND/OR MUNICIPAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 04/23/2003

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

WASTE ID: 62685

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

GENERATOR'S DESCRIPTION OF WASTE: NOT REPORTED

WASTE ID: 62686

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

GENERATOR'S DESCRIPTION OF WASTE: NOT REPORTED

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 10

Distance from Property: 0.03 mi. (158 ft.) E
Elevation: 3,711 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 092314
LPST ID: 092314
FACILITY ID: 17834
NAME: CHEVRON 74340
ADDRESS: 220 E PAISANO DR
EL PASO, TX 79901

LEAKING TANK DETAILS

LPST ID: 092314
NAME: CHEVRON 74340
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 4A - SOIL CONTAMINATION ONLY REQUIRES FULL SITE ASSESSMENT RAP
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 11/18/88
REPORTED DATE: 11/01/1988
ENTERED DATE: 11/18/1988
CLOSURE DATE: 03/08/1990

PRP INFORMATION

NAME: CHEVRON USA INC
ADDRESS: ADDRESS NOT REPORTED
HOUSTON TX 77210
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1989	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 10054	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 01/01/1989
INTERNAL PROTECTION DATE: 01/01/1989	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: YES
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE),FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: 149402

TANK ID: 1

COMPARTMENT LETTER: A

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10054**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING,GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL,INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALVE,ALARM (SET@<=90%) W3A OR 3B

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1974**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **2000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **11/05/1988**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: 149395

TANK ID: **1A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **2000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

Leaking Petroleum Storage Tanks (LPST)

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1989**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10054**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **01/01/1989**

INTERNAL PROTECTION DATE: **01/01/1989**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE),FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **149401**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10054**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING,GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE**

TEST & INVENTORY CONTROL,INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALVE,ALARM (SET@<=90%) W3A OR 3B

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

Leaking Petroleum Storage Tanks (LPST)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1974**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **2000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **11/05/1988**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **149397**

TANK ID: **2A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **2000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1989**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10054**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **01/01/1989**

INTERNAL PROTECTION DATE: **01/01/1989**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

Leaking Petroleum Storage Tanks (LPST)

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE),FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **149400**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10054**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING,GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL,INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALVE,ALARM (SET@<=90%) W3A OR 3B**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1974**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **2000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **11/05/1988**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **149399**
TANK ID: **3A**
COMPARTMENT LETTER: **A**
SUBSTANCES: **GASOLINE**
OTHER SUBSTANCES: **NOT REPORTED**
CAPACITY (GAL): **2000**
COMPARTMENT RELEASE DETECTION: **NOT REPORTED**
SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**
CORROSION PROTECTION: **NOT REPORTED**
EXTERNAL CONTAINMENT: **NOT REPORTED**
CONNECTORS & VALVES:
NOT REPORTED
CORROSION PROTECTION: **NOT REPORTED**
PIPE COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 4	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1974	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 2000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 11/05/1988
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
STEEL
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **149398**
TANK ID: **4**
COMPARTMENT LETTER: **A**
SUBSTANCES: **GASOLINE**
OTHER SUBSTANCES: **NOT REPORTED**
CAPACITY (GAL): **2000**
COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

Leaking Petroleum Storage Tanks (LPST)

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **5**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1974**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **500**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **11/05/1988**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **149396**

TANK ID: **5**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **500**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 10

Distance from Property: 0.03 mi. (158 ft.) E
Elevation: 3,711 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 112154
LPST ID: 112154
FACILITY ID: 17834
NAME: CHEVRON 74340
ADDRESS: 220 E PAISANO DR
EL PASO, TX 79901

LEAKING TANK DETAILS

LPST ID: 112154
NAME: CHEVRON 74340
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 3.5 - A DESIGNATED MAJOR OR MINOR AQUIFER IS IMPACTED
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 3/3/97
REPORTED DATE: 02/26/1997
ENTERED DATE: 03/03/1997
CLOSURE DATE: 10/14/1999

PRP INFORMATION

NAME: CHEVRON USA INC
ADDRESS: ADDRESS NOT REPORTED
HOUSTON TX 77210
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1989	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 10054	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 01/01/1989
INTERNAL PROTECTION DATE: 01/01/1989	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: YES
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
COMPOSITE
CORROSION PROTECTION:
COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE),FRP TANK OR PIPING (NONCORRODIBLE)
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **149402**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10054**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING,GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL,INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALVE,ALARM (SET@<=90%) W3A OR 3B

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1974**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **2000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **11/05/1988**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **149395**

TANK ID: **1A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **2000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

Leaking Petroleum Storage Tanks (LPST)

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1989**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10054**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **01/01/1989**

INTERNAL PROTECTION DATE: **01/01/1989**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE),FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **149401**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10054**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING,GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE**

TEST & INVENTORY CONTROL,INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALVE,ALARM (SET@<=90%) W3A OR 3B

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

Leaking Petroleum Storage Tanks (LPST)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1974**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **2000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **11/05/1988**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **149397**

TANK ID: **2A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **2000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1989**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10054**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **01/01/1989**

INTERNAL PROTECTION DATE: **01/01/1989**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

Leaking Petroleum Storage Tanks (LPST)

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE),FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **149400**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10054**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING,GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL,INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALVE,ALARM (SET@<=90%) W3A OR 3B**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1974**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **2000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **11/05/1988**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **149399**
TANK ID: **3A**
COMPARTMENT LETTER: **A**
SUBSTANCES: **GASOLINE**
OTHER SUBSTANCES: **NOT REPORTED**
CAPACITY (GAL): **2000**
COMPARTMENT RELEASE DETECTION: **NOT REPORTED**
SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**
CORROSION PROTECTION: **NOT REPORTED**
EXTERNAL CONTAINMENT: **NOT REPORTED**
CONNECTORS & VALVES:
NOT REPORTED
CORROSION PROTECTION: **NOT REPORTED**
PIPE COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 4	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1974	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 2000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 11/05/1988
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
STEEL
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **149398**
TANK ID: **4**
COMPARTMENT LETTER: **A**
SUBSTANCES: **GASOLINE**
OTHER SUBSTANCES: **NOT REPORTED**
CAPACITY (GAL): **2000**
COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

Leaking Petroleum Storage Tanks (LPST)

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **5**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1974**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **500**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **11/05/1988**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **149396**

TANK ID: **5**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **500**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 10

Distance from Property: 0.03 mi. (158 ft.) E
Elevation: 3,711 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 17834
NAME: **CENTRAL CHEVRON**
ADDRESS: **220 E PAISANO DR**
EL PASO, TX 79901
COUNTY: **EL PASO**
REGION: **6**
TYPE: **RETAIL**
BEGIN DATE: **09/01/1988**
STATUS: **ACTIVE**
EXEMPT STATUS: **NO**
RECORDS OFF-SITE: **NO**
NUMBER OF ACTIVE UNDERGROUND TANKS: **3**
NUMBER OF ACTIVE ABOVEGROUND TANKS: **0**

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: **09/17/2018**
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: **08/21/2018**
SIGNATURE NAME & TITLE: **HUMBERTO NEVAREZ, MGR**
ENFORCEMENT ACTION DATE: **NOT REPORTED**

OWNER

OWNER NUMBER: **CN601262058**
NAME: **ROMO**
CONTACT ADDRESS: **220 E PAISANO DR**
EL PASO TX 79901

TYPE: **INDIVIDUAL**
BEGIN DATE: **01/01/2001**
CONTACT ROLE: **OWNCON**
CONTACT NAME: **HUMBERTO NEVAREZ**
CONTACT TITLE: **MANAGER**
ORGANIZATION: **ROMO DAVID**
PHONE: **(915) 5451076 0**
FAX: **NOT REPORTED**
EMAIL: **NOT REPORTED**

OPERATOR

OPERATOR NUMBER: **CN601262058**
NAME: **ROMO**
CONTACT ADDRESS: **220 E PAISANO DR**
EL PASO TX 79901

TYPE: **INDIVIDUAL**
BEGIN DATE: **01/01/2001**
CONTACT ROLE: **OPRCON**
CONTACT NAME: **HUMBERTO NEVAREZ**
CONTACT TITLE: **MANAGER**

CONTACT INFORMATION

NAME: **HUMBERTO NEVAREZ**
TITLE: **MANAGER**
ORGANIZATION: **CENTRAL CHEVRON**
MAIL ADDRESS: **MAILING ADDRESS NOT REPORTED**
CITY NOT REPORTED
PHONE: **(915) 8679986 0**

Petroleum Storage Tanks (PST)

ORGANIZATION: ROMO DAVID

PHONE: (915) 5451076 0

FAX: NOT REPORTED

EMAIL: NOT REPORTED

SELF-CERTIFICATION

SELF-CERTIFICATION ID: 310132

SIGNATURE DATE: 08/21/2018

SIGNATURE NAME & TITLE: HUMBERTO NEVAREZ, MGR

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 292674

SIGNATURE DATE: 07/31/2017

SIGNATURE NAME & TITLE: HUMBERTO NEVALEZ, MGR

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 276096

SIGNATURE DATE: 08/02/2016

SIGNATURE NAME & TITLE: HUMBERTO ALEVAREZ, MGR

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 260792

SIGNATURE DATE: 07/24/2015

SIGNATURE NAME & TITLE: HUMBERTO NEVAREZ, MGR

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 241340

SIGNATURE DATE: 07/21/2014

SIGNATURE NAME & TITLE: DAVID ROMO, OWNER

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 227513

SIGNATURE DATE: 09/18/2013

SIGNATURE NAME & TITLE: HUMBERTO NEVAREZ, MGR

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 147022

SIGNATURE DATE: 07/27/2012

SIGNATURE NAME & TITLE: HUMBERTO NEVAREZ, MGR

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 147021

SIGNATURE DATE: 08/12/2011

SIGNATURE NAME & TITLE: HUMBERTO NEVAREZ, MGR

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 147020

SIGNATURE DATE: 07/26/2010

Petroleum Storage Tanks (PST)

SIGNATURE NAME & TITLE: **HUMBERTO NEVAREZ, MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **147019**

SIGNATURE DATE: **07/24/2009**

SIGNATURE NAME & TITLE: **HUMBERTO NEVAREZ, MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **147018**

SIGNATURE DATE: **07/25/2008**

SIGNATURE NAME & TITLE: **HUMBERTO NEVAREZ, MGR**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **147017**

SIGNATURE DATE: **07/26/2007**

SIGNATURE NAME & TITLE: **HUMBERTO NEVAREZ, MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **147016**

SIGNATURE DATE: **08/02/2006**

SIGNATURE NAME & TITLE: **DAVID ROMO, OWNER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **147015**

SIGNATURE DATE: **08/12/2005**

SIGNATURE NAME & TITLE: **DAVID ROMO, OWNER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **147014**

SIGNATURE DATE: **08/20/2004**

SIGNATURE NAME & TITLE: **DAVID ROMO, OWNER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **147013**

SIGNATURE DATE: **07/23/2002**

SIGNATURE NAME & TITLE: **DAVID ROMO, OWNER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **147012**

SIGNATURE DATE: **01/01/2001**

SIGNATURE NAME & TITLE: **DAVID ROMO, OWNER**

FILING STATUS: **INITIAL**

REGISTRATION FLAG: **YES**

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: **1A**

NUMBER OF COMPARTMENTS: **1**

Petroleum Storage Tanks (PST)

INSTALLATION DATE: **01/01/1974** REGISTRATION DATE: **05/08/1986**
TANK CAPACITY (GAL): **2000** EMPTY TANK: **NOT EMPTY**
STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **11/05/1988**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **149395**

TANK ID: **1A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **2000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **5**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1974**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **500**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **11/05/1988**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

Petroleum Storage Tanks (PST)

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **149396**

TANK ID: **5**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **500**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1974**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **2000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **11/05/1988**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

Petroleum Storage Tanks (PST)

UST COMPARTMENT ID: 149397

TANK ID: 2A

COMPARTMENT LETTER: A

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **2000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 4

NUMBER OF COMPARTMENTS: 1

INSTALLATION DATE: **01/01/1974**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **2000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **11/05/1988**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: 149398

TANK ID: 4

COMPARTMENT LETTER: A

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **2000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

Petroleum Storage Tanks (PST)

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1974**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **2000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **11/05/1988**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **149399**

TANK ID: **3A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **2000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

Petroleum Storage Tanks (PST)

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 3	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1989	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 10054	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 01/01/1989
INTERNAL PROTECTION DATE: 01/01/1989	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: YES
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE),FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **149400**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10054**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING,GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL,INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALVE,ALARM (SET@<=90%) W3A OR 3B**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 2	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1989	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 10054	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 01/01/1989
INTERNAL PROTECTION DATE: 01/01/1989	REGULATORY STATUS: FULLY REGULATED

Petroleum Storage Tanks (PST)

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE),FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **149401**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10054**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING,GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE**

TEST & INVENTORY CONTROL,INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALVE,ALARM (SET@<=90%) W3A OR 3B

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1989**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10054**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **01/01/1989**

INTERNAL PROTECTION DATE: **01/01/1989**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

Petroleum Storage Tanks (PST)

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE),FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **149402**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10054**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING,GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL,INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALVE,ALARM (SET@<=90%) W3A OR 3B**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

MAP ID# 10

Distance from Property: 0.03 mi. (158 ft.) E
Elevation: 3,711 ft. (Higher than TP)

FACILITY INFORMATION

EPA ID#: TXD988060497
NAME: CHEVRON USA INC
ADDRESS: 220 E PAISANO
EL PASO, TX 79901

OWNER TYPE: NOT REPORTED
OWNER NAME: CHEVRON USA INC
OPERATOR TYPE: NOT REPORTED
OPERATOR NAME: CHEVRON USA INC

CONTACT NAME: J R LOPEZ
CONTACT ADDRESS: 220 E PAISANO
EL PASO TX 79901

CONTACT PHONE: 915-545-1076
NON-NOTIFIER: NOT A NON-NOTIFIER
DATE RECEIVED BY AGENCY: 08/23/2001

CERTIFICATION - NO CERTIFICATION REPORTED -

INDUSTRY CLASSIFICATION (NAICS) - NO NAICS INFORMATION REPORTED -

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: **NON-GENERATOR** LAST UPDATED DATE: 03/25/2004

SUBJECT TO CORRECTIVE ACTION UNIVERSE: **NO**

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: **NO**

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: **NO**

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: **NO**

CORRECTIVE ACTION WORKLOAD UNIVERSE: **NO**

IMPORTER: **NO**

UNDERGROUND INJECTION: **NO**

MIXED WASTE GENERATOR: **NO**

UNIVERSAL WASTE DESTINATION FACILITY: **NO**

RECYCLER: **NO**

TRANSFER FACILITY: **NO**

TRANSPORTER: **NO**

USED OIL FUEL BURNER: **NO**

ONSITE BURNER EXEMPTION: **NO**

USED OIL PROCESSOR: **NO**

FURNACE EXEMPTION: **NO**

USED OIL FUEL MARKETER TO BURNER: **NO**

USED OIL REFINER: **NO**

SPECIFICATION USED OIL MARKETER: **NO**

USED OIL TRANSFER FACILITY: **NO**

USED OIL TRANSPORTER: **NO**

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS - NO EVALUATIONS REPORTED -

VIOLATIONS - NO VIOLATIONS REPORTED -

ENFORCEMENTS - NO ENFORCEMENTS REPORTED -

HAZARDOUS WASTE

D000

D001 IGNITABLE WASTE

D002 CORROSIVE WASTE

D008 LEAD

D018 BENZENE

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 11

Distance from Property: 0.031 mi. (164 ft.) ENE

Elevation: 3,711 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRATION#: 79145 EPA ID: TXD988034732

TNRCC ID #: 32699

NAME: CHEVRON FAC 7-0868

ADDRESS: 219 E PAISANO DR

EL PASO, TX 79901

CONTACT: MARK KANITRA

PHONE: 213-6947452

BUSINESS DESCRIPTION: NOT REPORTED

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR

GENERATOR TYPE: NON-INDUSTRIAL AND/OR MUNICIPAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 04/23/2003

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

WASTE ID: 62694

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

GENERATOR'S DESCRIPTION OF WASTE: NOT REPORTED

WASTE ID: 62695

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

GENERATOR'S DESCRIPTION OF WASTE: NOT REPORTED

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 11

Distance from Property: 0.031 mi. (164 ft.) ENE
Elevation: 3,711 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 111962
LPST ID: 111962
FACILITY ID: 17815
NAME: CHEVRON 70868
ADDRESS: 219 E PAISANO DR
EL PASO, TX 79901

LEAKING TANK DETAILS

LPST ID: 111962
NAME: CHEVRON 70868
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 2.5 - GW IMPACT PUBLIC/DOMESTIC WATER SUPPLY WELL W/IN 0.25MI
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 12/3/96
REPORTED DATE: 12/31/3000
ENTERED DATE: 12/03/1996
CLOSURE DATE: 03/04/2003

PRP INFORMATION

NAME: CHEVRON USA INC
ADDRESS: ADDRESS NOT REPORTED
HOUSTON TX 77210
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1974	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 10000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 02/26/1996
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
STEEL
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **148648**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1974**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **02/26/1996**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **148650**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

Leaking Petroleum Storage Tanks (LPST)

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1974**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **02/26/1996**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **148649**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

Leaking Petroleum Storage Tanks (LPST)

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 11

Distance from Property: 0.031 mi. (164 ft.) ENE
Elevation: 3,711 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 17815
NAME: CHEVRON 70868
ADDRESS: 219 E PAISANO DR
EL PASO, TX 79901
COUNTY: EL PASO
REGION: 6
TYPE: RETAIL
BEGIN DATE: 09/01/1988
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/08/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 04/17/1986
SIGNATURE NAME & TITLE: L BURKE, ENV COORDINATOR
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600132484
NAME: CHEVRON USA INC
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: CORPORATION/COMPANY
BEGIN DATE: 09/01/1988
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OWNER NUMBER: CN600126544
NAME: CHEVRON U S A INC
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: CORPORATION/COMPANY
BEGIN DATE: 09/01/1988
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED

CONTACT INFORMATION

NAME: J MCELROY
TITLE: MANAGER
ORGANIZATION: CHEVRON 70868
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (915) 7753280 0

Petroleum Storage Tanks (PST)

FAX: **NOT REPORTED**
EMAIL: **NOT REPORTED**

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1974	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 10000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 02/26/1996
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: 148648

TANK ID: 1

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Petroleum Storage Tanks (PST)

TANK ID: **3** NUMBER OF COMPARTMENTS: **1**
INSTALLATION DATE: **01/01/1974** REGISTRATION DATE: **05/08/1986**
TANK CAPACITY (GAL): **10000** EMPTY TANK: **NOT EMPTY**
STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **02/26/1996**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **148649**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2** NUMBER OF COMPARTMENTS: **1**
INSTALLATION DATE: **01/01/1974** REGISTRATION DATE: **05/08/1986**
TANK CAPACITY (GAL): **10000** EMPTY TANK: **NOT EMPTY**
STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **02/26/1996**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

Petroleum Storage Tanks (PST)

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **148650**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

MAP ID# 11

Distance from Property: 0.031 mi. (164 ft.) ENE
Elevation: 3,711 ft. (Higher than TP)

FACILITY INFORMATION

EPA ID#: TXD988034732
NAME: CHEVRON USA INC
ADDRESS: 219 E PAISANO
EL PASO, TX 79901

OWNER TYPE: NOT REPORTED
OWNER NAME: CHEVRON USA INC
OPERATOR TYPE: NOT REPORTED
OPERATOR NAME: CHEVRON USA INC

CONTACT NAME: MARK KANITRA
CONTACT ADDRESS: PO BOX 2833
LA HABRA CA 90632

CONTACT PHONE: 213-694-7452
NON-NOTIFIER: NOT A NON-NOTIFIER
DATE RECEIVED BY AGENCY: 08/23/2001

CERTIFICATION - NO CERTIFICATION REPORTED -

INDUSTRY CLASSIFICATION (NAICS) - NO NAICS INFORMATION REPORTED -

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: **NON-GENERATOR** LAST UPDATED DATE: 03/25/2004

SUBJECT TO CORRECTIVE ACTION UNIVERSE: **NO**

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: **NO**

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: **NO**

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: **NO**

CORRECTIVE ACTION WORKLOAD UNIVERSE: **NO**

IMPORTER: **NO**

UNDERGROUND INJECTION: **NO**

MIXED WASTE GENERATOR: **NO**

UNIVERSAL WASTE DESTINATION FACILITY: **NO**

RECYCLER: **NO**

TRANSFER FACILITY: **NO**

TRANSPORTER: **NO**

USED OIL FUEL BURNER: **NO**

ONSITE BURNER EXEMPTION: **NO**

USED OIL PROCESSOR: **NO**

FURNACE EXEMPTION: **NO**

USED OIL FUEL MARKETER TO BURNER: **NO**

USED OIL REFINER: **NO**

SPECIFICATION USED OIL MARKETER: **NO**

USED OIL TRANSFER FACILITY: **NO**

USED OIL TRANSPORTER: **NO**

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS - NO EVALUATIONS REPORTED -

VIOLATIONS - NO VIOLATIONS REPORTED -

ENFORCEMENTS - NO ENFORCEMENTS REPORTED -

HAZARDOUS WASTE

D001 IGNITABLE WASTE

D008 LEAD

D018 BENZENE

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 12

Distance from Property: 0.032 mi. (169 ft.) NW
Elevation: 3,710 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 105
NAME: SPADE COOP ANTON DIVISION
ADDRESS: 659 SANTA FE DR
ANTON, TX 79313
COUNTY: HOCKLEY
REGION: 2
TYPE: RETAIL
BEGIN DATE: 09/01/1989
STATUS: ACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 4
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 03/04/2019
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 02/20/2019
SIGNATURE NAME & TITLE: CURTIS STEWART, GM
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN601178247
NAME: SPADE COOPERATIVE INC
CONTACT ADDRESS: PO BOX 59
SPADE TX 79369
TYPE: CORPORATION/COMPANY
BEGIN DATE: 09/01/1989
CONTACT ROLE: OWNOPRCON
CONTACT NAME: CURTIS H STEWART
CONTACT TITLE: GM
ORGANIZATION: SPADE COOPERATIVE INC
PHONE: (806) 2332331 0
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

OPERATOR NUMBER: CN601178247
NAME: SPADE COOPERATIVE INC
CONTACT ADDRESS: PO BOX 59
SPADE TX 79369
TYPE: CORPORATION/COMPANY
BEGIN DATE: 09/01/1989
CONTACT ROLE: OWNOPRCON
CONTACT NAME: CURTIS H STEWART
CONTACT TITLE: GM

CONTACT INFORMATION

NAME: CURTIS H STEWART
TITLE: GENERAL MANAGER
ORGANIZATION: SPADE COOP ANTON DIVISION
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (806) 2332331 0

Petroleum Storage Tanks (PST)

ORGANIZATION: **SPADE COOPERATIVE INC**

PHONE: **(806) 2332331 0**

FAX: **NOT REPORTED**

EMAIL: **NOT REPORTED**

SELF-CERTIFICATION

SELF-CERTIFICATION ID: **317838**

SIGNATURE DATE: **02/20/2019**

SIGNATURE NAME & TITLE: **CURTIS STEWART, GM**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **301462**

SIGNATURE DATE: **03/08/2018**

SIGNATURE NAME & TITLE: **CURTIS STEWART, GM**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **284165**

SIGNATURE DATE: **02/20/2017**

SIGNATURE NAME & TITLE: **CURTIS H STEWART, GENERAL MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **268102**

SIGNATURE DATE: **02/22/2016**

SIGNATURE NAME & TITLE: **CURTIS STEWART, GM**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **252360**

SIGNATURE DATE: **05/01/2015**

SIGNATURE NAME & TITLE: **CURTIS H STEWART, GEN MGR**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **233794**

SIGNATURE DATE: **02/27/2014**

SIGNATURE NAME & TITLE: **CURTIS H STEWART, GM**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **218910**

SIGNATURE DATE: **04/16/2013**

SIGNATURE NAME & TITLE: **CURTIS H STEWART, GM**

FILING STATUS: **INITIAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **143646**

SIGNATURE DATE: **03/16/2012**

SIGNATURE NAME & TITLE: **RANDY PARKER, FUEL DEPT**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **143645**

SIGNATURE DATE: **03/08/2011**

Petroleum Storage Tanks (PST)

SIGNATURE NAME & TITLE: **RANDY PARKER, FUEL DEPARTMENT**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **143644**

SIGNATURE DATE: **03/01/2010**

SIGNATURE NAME & TITLE: **RANDY PARKER, FUEL DEPT**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **143643**

SIGNATURE DATE: **03/04/2009**

SIGNATURE NAME & TITLE: **RANDY PARKER, FUEL DEPT**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **143642**

SIGNATURE DATE: **03/14/2008**

SIGNATURE NAME & TITLE: **RANDY PARKER, FUEL MGR**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **143641**

SIGNATURE DATE: **03/08/2007**

SIGNATURE NAME & TITLE: **RANDY PARKER, FUEL MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **143640**

SIGNATURE DATE: **01/27/2006**

SIGNATURE NAME & TITLE: **RANDY PARKER, MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **143639**

SIGNATURE DATE: **03/23/2005**

SIGNATURE NAME & TITLE: **KAREN GORSKI, OFFICE MGR**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **143638**

SIGNATURE DATE: **03/30/2004**

SIGNATURE NAME & TITLE: **NICK JEZISEK, DIVISION MANAGER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **143637**

SIGNATURE DATE: **02/26/2003**

SIGNATURE NAME & TITLE: **NICK JEZISEK, DIV MGR**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **143636**

SIGNATURE DATE: **03/24/2002**

SIGNATURE NAME & TITLE: **NICK JEZISEK, DIV MGR**

FILING STATUS: **RENEWAL**

Petroleum Storage Tanks (PST)

REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: **143635**
SIGNATURE DATE: **09/05/2000**
SIGNATURE NAME & TITLE: **NICK JEZISEK, DIV MGR**
FILING STATUS: **INITIAL**
REGISTRATION FLAG: **YES**

CONSTRUCTION NOTIFICATION

NOTIFICATION CONSTRUCTION ID: **27799**
APPLICATION RECEIVED DATE: **06/22/2015**
SCHEDULE CONSTRUCTION DATE: **06/17/2015**
GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:
UNLEADED LINE TEST. REPAIR SHEAR LINE VALVE. REQUEST 30 DAY WAIVER. WAIVER APPROVED BY W. KOHOUT, R-2.

NOTIFICATION CONSTRUCTION ID: **14411**
APPLICATION RECEIVED DATE: **05/01/2000**
SCHEDULE CONSTRUCTION DATE: **05/31/2000**
GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:
NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1974	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 12000	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 01/01/1974
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
STEEL
CORROSION PROTECTION:
CATHODIC PROTECTION - FIELD INSTALLATION,FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **150852**
TANK ID: **1**
COMPARTMENT LETTER: **A**
SUBSTANCES: **GASOLINE**
OTHER SUBSTANCES: **NOT REPORTED**
CAPACITY (GAL): **12000**
COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**
SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**

Petroleum Storage Tanks (PST)

CORROSION PROTECTION: **CATHODIC PROTECTION - FIELD INSTALLATION,FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1974**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **12000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **01/01/1974**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION,FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **150853**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **12000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **CATHODIC PROTECTION - FIELD INSTALLATION,FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

GROUNDWATER MONITORING,AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

Petroleum Storage Tanks (PST)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1974**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **12000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **01/01/1974**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION,FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **150854**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **12000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **CATHODIC PROTECTION - FIELD INSTALLATION,FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

GROUNDWATER MONITORING,AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1974**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **12000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **01/01/1974**

Petroleum Storage Tanks (PST)

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **YES** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **YES** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION,FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **150855**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **12000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **CATHODIC PROTECTION - FIELD INSTALLATION,FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

GROUNDWATER MONITORING,AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

AST ID #: **150194** MULTIPLE COMPARTMENT FLAG: **NO**

TANK ID: **1** REGISTRATION DATE: **05/08/1986**

INSTALLATION DATE: **01/01/1974** STATUS BEGIN DATE: **08/31/2000**

TANK CAPACITY (GAL): **15000** REGULATORY STATUS: **FULLY REGULATED**

STATUS: **OUT OF USE** SUBSTANCES: **DIESEL**

MATERIAL OF CONSTRUCTION

STEEL: **YES** CORRUGATED METAL: **NO**

FIBERGLASS: **NO** CONCRETE: **NO**

ALUMINIUM: **NO**

Petroleum Storage Tanks (PST)

CONTAINMENT

EARTHEN DIKE: **NO** CONCRETE: **NO**
CONTAINMENT LINER: **NO** NONE: **NO**
STAGE I VAPOR RECOVERY: **NOT REPORTED**
STAGE I INSTALLATION DATE: **NOT REPORTED**

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 13

Distance from Property: 0.034 mi. (180 ft.) NNW

Elevation: 3,709 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRATION#: 79138 EPA ID: TXD988033536

TNRCC ID #: 32692

NAME: CHEVRON FAC 73303

ADDRESS: 600 S MESA ST
EL PASO, TX 79901

CONTACT: ROBERT HUSTON

PHONE: 915-5323212

BUSINESS DESCRIPTION: NOT REPORTED

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR

GENERATOR TYPE: NON-INDUSTRIAL AND/OR MUNICIPAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 04/23/2003

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

WASTE ID: 62676

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

GENERATOR'S DESCRIPTION OF WASTE: NOT REPORTED

WASTE ID: 62677

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

GENERATOR'S DESCRIPTION OF WASTE: NOT REPORTED

WASTE ID: 62678

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

Industrial and Hazardous Waste Sites (IHW)

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 13

Distance from Property: 0.034 mi. (180 ft.) NNW
Elevation: 3,709 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 17831
NAME: CHEVRON 73303
ADDRESS: 600 S MESA ST
EL PASO, TX 79901
COUNTY: EL PASO
REGION: 6
TYPE: RETAIL
BEGIN DATE: 09/01/1988
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/08/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 04/17/1986
SIGNATURE NAME & TITLE: L BURKE, ENV COORD
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600132484
NAME: CHEVRON USA INC
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: CORPORATION/COMPANY
BEGIN DATE: 09/01/1988
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OWNER NUMBER: CN600126544
NAME: CHEVRON U S A INC
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: CORPORATION/COMPANY
BEGIN DATE: 09/01/1988
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED

CONTACT INFORMATION

NAME: NOT REPORTED
TITLE: NOT REPORTED
ORGANIZATION: CHEVRON 73303
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (310) 6947305 0

Petroleum Storage Tanks (PST)

FAX: **NOT REPORTED**
EMAIL: **NOT REPORTED**

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1984	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 8000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 11/07/1997
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: 149381

TANK ID: 1

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

Petroleum Storage Tanks (PST)

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 2	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1984	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 8000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 11/07/1997
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **149382**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 4	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1984	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 1000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 11/07/1997
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

Petroleum Storage Tanks (PST)

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **149383**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1984**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **11/07/1997**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

Petroleum Storage Tanks (PST)

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **149384**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Generator (RCRAGR06)

MAP ID# 14

Distance from Property: 0.041 mi. (216 ft.) WSW
Elevation: 3,711 ft. (Higher than TP)

FACILITY INFORMATION

EPA ID#: TXR000082491

NAME: FAMILY DOLLAR #4351

ADDRESS: 406 S. STANTON ST

EL PASO, TX 79901-2814

CONTACT NAME: KEVIN STRAIGHT

CONTACT ADDRESS: PO BOX 1017

CHARLOTTE NC 28201

CONTACT PHONE: 704-708-1909

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 01/14/2015

OWNER TYPE: PRIVATE

OWNER NAME: EP OVERLAND/STANTON JOINT

OPERATOR TYPE: PRIVATE

OPERATOR NAME: FAMILY DOLLAR STORES

CERTIFICATION

CERTIFICATION NAME:

CERTIFICATION TITLE:

CERTIFICATION SIGNED DATE:

KEVIN STRAIGHT

PRG MGR, ENVR COMP

11/13/2014

INDUSTRY CLASSIFICATION (NAICS)

45299 - ALL OTHER GENERAL MERCHANDISE STORES

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: **CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR** LAST UPDATED DATE: **01/29/2015**

SUBJECT TO CORRECTIVE ACTION UNIVERSE: **NO**

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: **NO**

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: **NO**

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: **NO**

CORRECTIVE ACTION WORKLOAD UNIVERSE: **NO**

IMPORTER: **NO**

UNDERGROUND INJECTION: **NO**

MIXED WASTE GENERATOR: **NO**

UNIVERSAL WASTE DESTINATION FACILITY: **NO**

RECYCLER: **NO**

TRANSFER FACILITY: **NO**

TRANSPORTER: **NO**

USED OIL FUEL BURNER: **NO**

ONSITE BURNER EXEMPTION: **NO**

USED OIL PROCESSOR: **NO**

FURNACE EXEMPTION: **NO**

USED OIL FUEL MARKETER TO BURNER: **NO**

USED OIL REFINER: **NO**

SPECIFICATION USED OIL MARKETER: **NO**

USED OIL TRANSFER FACILITY: **NO**

USED OIL TRANSPORTER: **NO**

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS - **NO EVALUATIONS REPORTED -**

VIOLATIONS - **NO VIOLATIONS REPORTED -**

ENFORCEMENTS - **NO ENFORCEMENTS REPORTED -**

HAZARDOUS WASTE

D001 IGNITABLE WASTE

D004 ARSENIC

D005 BARIUM

D007 CHROMIUM

D008 LEAD

Resource Conservation & Recovery Act - Generator (RCRAGR06)

D009 MERCURY
D010 SELENIUM
D011 SILVER
D016 2,4-D (2,4-DICHLOROPHENOXYACETIC ACID)
D024 M-CRESOL
D035 METHYL ETHYL KETONE
U002 2-PROPANONE (I)
U002 ACETONE (I)

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 15

Distance from Property: 0.056 mi. (296 ft.) W
Elevation: 3,710 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRATION#: **76419** EPA ID: **NOT REPORTED**

TNRCC ID #: **30740**

NAME: **IN-TERMINAL SERVICES**

ADDRESS: **805 S SANTA FE ST
EL PASO, TX 79901**

CONTACT: **RON TEAGUE**

PHONE: **713-6417105**

BUSINESS DESCRIPTION: **THIS REGISTRATION WAS INACTIVATED BECAUSE THERE WERE ONLY 6-DIGIT WASTE CODES ON THE NOR AND NO WASTE ACTIVITY WAS REPORTED IN 1994, 1995 AND 1996.**

INDUSTRIAL WASTE PERMIT #: **NOT REPORTED**

MUNICIPAL WASTE PERMIT #: **NOT REPORTED**

SIC CODE: **NOT REPORTED**

WASTE GENERATOR: **YES**

WASTE RECEIVER: **NO**

WASTE TRANSPORTER: **NO**

TRANSFER FACILITY: **NO**

MAQUILADORA (MEXICAN FACILITY): **NO**

STATUS: **INACTIVE**

AMOUNT OF WASTE GENERATED: **NOT REPORTED**

GENERATOR TYPE: **NOT REPORTED**

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): **02/04/2004**

ACTIVITIES

ACTIVITY TYPE: **UNKNOWN**

ACTIVITY DESCRIPTION: **NOT REPORTED**

WASTE

WASTE ID: **59277**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 15

Distance from Property: 0.056 mi. (296 ft.) W
Elevation: 3,710 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 69154
NAME: SANTA FE RAILYARD
ADDRESS: 805 S SANTA FE ST
EL PASO, TX 79901
COUNTY: EL PASO
REGION: 6
TYPE: FLEET REFUELING
BEGIN DATE: 08/31/1987
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 12/17/1996
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 12/13/1996
SIGNATURE NAME & TITLE: HENRY STOPPLECAMP, SPVR ENV OPR
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600801856
NAME: ATCHISON TOPEKA & SANTA FE RAILWAY CO
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: ORGANIZATION
BEGIN DATE: 08/31/1987
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1
INSTALLATION DATE: 08/31/1987
TANK CAPACITY (GAL): 200
NUMBER OF COMPARTMENTS: 1
REGISTRATION DATE: 12/17/1996
EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: NOT REPORTED
TITLE: NOT REPORTED
ORGANIZATION: SANTA FE RAILYARD
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (817) 7407357 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **12/05/1996**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **YES** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **YES** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **172056**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **200**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 16

Distance from Property: 0.057 mi. (301 ft.) NNE
Elevation: 3,709 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRATION#: 61439 EPA ID: NOT REPORTED
TNRCC ID #: 19793
NAME: EL PASO CITY COUNTY HEALTH DEPARTMENT
TILLMAN CTR
ADDRESS: 222 S CAMPBELL ST
EL PASO, TX 79901

CONTACT: ARTHURO PORRAS
PHONE: 915-5935465

BUSINESS DESCRIPTION: THIS REGISTRATION WAS INACTIVATED BECAUSE THERE WERE ONLY 6-DIGIT WASTE CODES
ON THE NOR AND NO WASTE ACTIVITY WAS REPORTED IN 1994, 1995 AND 1996.

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR

GENERATOR TYPE: NON-INDUSTRIAL AND/OR MUNICIPAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 01/03/2003

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

WASTE ID: 270289

WASTE CODE STATUS: NOT REPORTED

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

GENERATOR'S DESCRIPTION OF WASTE: NOT REPORTED

WASTE ID: 353115

WASTE CODE STATUS: NOT REPORTED

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

GENERATOR'S DESCRIPTION OF WASTE: SMALL PCB BALLASTS

WASTE ID: 44412

WASTE CODE STATUS: INACTIVE

Industrial and Hazardous Waste Sites (IHW)

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **44413**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 17

Distance from Property: 0.06 mi. (317 ft.) E
Elevation: 3,709 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRATION#: 63022 EPA ID: TXD030169502

TNRCC ID #: 20347

NAME: SOUTH EL PASO HOSPITAL

ADDRESS: 702 E PAISANO DR
EL PASO, TX 79901

CONTACT: NOT REPORTED

PHONE: NOT REPORTED

BUSINESS DESCRIPTION: THIS REGISTRATION WAS INACTIVATED BECAUSE THIS FACILITY WAS REGISTERED PRIOR TO 1994 AND NO WASTE ACTIVITY WAS REPORTED IN 1994, 1995 AND 1996.

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: NOT A HW GENERATOR

GENERATOR TYPE: NOT REPORTED

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 06/04/2010

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

NO RECORDS

OWNER INFORMATION

NAME: SOUTH EL PASO HOSPITAL

ADDRESS: 702 E PAISANO DR
EL PASO, TX 79901

PHONE: NOT REPORTED

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

MAP ID# 17

Distance from Property: 0.06 mi. (317 ft.) E
Elevation: 3,709 ft. (Higher than TP)

FACILITY INFORMATION

EPA ID#: TXD030169502

NAME: SOUTH EL PASO HOSPITAL

ADDRESS: 702 E PAISANO

EL PASO, TX 79901

CONTACT NAME: ENVIRONMENTAL MANAGER

CONTACT ADDRESS: 702 E PAISANO

EL PASO TX 79901

CONTACT PHONE: NOT REPORTED

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 08/23/2001

CERTIFICATION - NO CERTIFICATION REPORTED -

INDUSTRY CLASSIFICATION (NAICS)

62211 - GENERAL MEDICAL AND SURGICAL HOSPITALS

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: **NON-GENERATOR** LAST UPDATED DATE: **04/16/2004**

SUBJECT TO CORRECTIVE ACTION UNIVERSE: **NO**

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: **NO**

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: **NO**

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: **NO**

CORRECTIVE ACTION WORKLOAD UNIVERSE: **NO**

IMPORTER: **NO**

UNDERGROUND INJECTION: **NO**

MIXED WASTE GENERATOR: **NO**

UNIVERSAL WASTE DESTINATION FACILITY: **NO**

RECYCLER: **NO**

TRANSFER FACILITY: **NO**

TRANSPORTER: **NO**

USED OIL FUEL BURNER: **NO**

ONSITE BURNER EXEMPTION: **NO**

USED OIL PROCESSOR: **NO**

FURNACE EXEMPTION: **NO**

USED OIL FUEL MARKETER TO BURNER: **NO**

USED OIL REFINER: **NO**

SPECIFICATION USED OIL MARKETER: **NO**

USED OIL TRANSFER FACILITY: **NO**

USED OIL TRANSPORTER: **NO**

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS - NO EVALUATIONS REPORTED -

VIOLATIONS - NO VIOLATIONS REPORTED -

ENFORCEMENTS - NO ENFORCEMENTS REPORTED -

HAZARDOUS WASTE

- NO HAZARDOUS WASTE INFORMATION REPORTED -

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 18

Distance from Property: 0.065 mi. (343 ft.) WSW
Elevation: 3,709 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 11411
NAME: NO 11 FIRE STATION
ADDRESS: 331 S SANTA FE ST
EL PASO, TX 79901
COUNTY: EL PASO
REGION: 6
TYPE: FLEET REFUELING
BEGIN DATE: 07/28/1986
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/08/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 04/01/1986
SIGNATURE NAME & TITLE: CHARLES T KIMBALL, ASST CHIEF
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN601410244
NAME: CITY OF EL PASO
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: CITY GOVERNMENT
BEGIN DATE: 07/28/1986
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1964	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 564	EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: CHARLES T KIMBALL
TITLE: ASST CHIEF
ORGANIZATION: NO 11 FIRE STATION
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (915) 5414620 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **07/18/1990**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **27683**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **564**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 19

Distance from Property: 0.073 mi. (385 ft.) E

Elevation: 3,711 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRATION#: 83167 EPA ID: TXR000002642

TNRCC ID #: 99939

NAME: TRANSPORTES J Y R

ADDRESS: 306 E PAISANO DR STE 232

EL PASO, TX 79901

CONTACT: JOSE ALFREDO PAYAN

PHONE: 915-5434735

BUSINESS DESCRIPTION: NOT REPORTED

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: YES

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR

GENERATOR TYPE: NON-INDUSTRIAL AND/OR MUNICIPAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 06/21/2007

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

NO RECORDS

OWNER INFORMATION

NAME: TRANSPORTES J Y R

ADDRESS: 306 E PAISANO DR STE 232

EL PASO, TX 79901

PHONE: 1-915-5434735

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

MAP ID# 19

Distance from Property: 0.073 mi. (385 ft.) E
Elevation: 3,711 ft. (Higher than TP)

FACILITY INFORMATION

EPA ID#: TXR000002642

NAME: TRANSPORTES J Y R

ADDRESS: 306 E PAISANO DR STE 232

EL PASO, TX 79901

CONTACT NAME: JOSE ALFREDO PAYAN

CONTACT ADDRESS: 306 E PAISANO DR STE 232

EL PASO TX 79901

CONTACT PHONE: 915-543-4735

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 06/21/2007

OWNER TYPE: PRIVATE

OWNER NAME: TRANSPORTES J Y R

OPERATOR TYPE: PRIVATE

OPERATOR NAME: TRANSPORTES J Y R

CERTIFICATION

CERTIFICATION NAME:

CERTIFICATION TITLE:

CERTIFICATION SIGNED DATE:

JOSE ALFREDO PAYAN

MANAGER

06/21/2007

INDUSTRY CLASSIFICATION (NAICS) - NO NAICS INFORMATION REPORTED -

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: NON-GENERATOR LAST UPDATED DATE: 07/11/2007

SUBJECT TO CORRECTIVE ACTION UNIVERSE: NO

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: NO

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: NO

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: NO

CORRECTIVE ACTION WORKLOAD UNIVERSE: NO

IMPORTER: NO

UNDERGROUND INJECTION: NO

MIXED WASTE GENERATOR: NO

UNIVERSAL WASTE DESTINATION FACILITY: NO

RECYCLER: NO

TRANSFER FACILITY: NO

TRANSPORTER: NO

USED OIL FUEL BURNER: NO

ONSITE BURNER EXEMPTION: NO

USED OIL PROCESSOR: NO

FURNACE EXEMPTION: NO

USED OIL FUEL MARKETER TO BURNER: NO

USED OIL REFINER: NO

SPECIFICATION USED OIL MARKETER: NO

USED OIL TRANSFER FACILITY: NO

USED OIL TRANSPORTER: NO

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS

04/17/2007 CEI COMPLIANCE EVALUATION INSPECTION ON-SITE

VIOLATIONS

04/17/2007 270.A PERMITS - GENERAL INFORMATION

04/17/2007 XXS STATE STATUTE OR REGULATION

ENFORCEMENTS

04/17/2007 120 WRITTEN INFORMAL

HAZARDOUS WASTE

D001 IGNITABLE WASTE

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

- D002 CORROSIVE WASTE
- D006 CADMIUM
- D007 CHROMIUM
- D008 LEAD
- D035 METHYL ETHYL KETONE
- D039 TETRACHLOROETHYLENE
- D040 TRICHLOROETHYLENE
- F001 THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
- F002 THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
- F003 THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
- F004 THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: CRESOLS, CRESYLIC ACID, AND NITROBENZENE; AND THE STILL BOTTOMS FROM THE RECOVERY OF THESE SOLVENTS; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
- F005 THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

[Back to Report Summary](#)

Mineral Resource Data System (MRDS)

MAP ID# 20

Distance from Property: 0.078 mi. (412 ft.) WSW
Elevation: 3,712 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 10130491

DEP ID: 10130491

MINE NAME: (FACILITY) EL PASO COPPER SMELTER

ADDRESS: EL PASO COUNTY

EL PASO, TX 79901

DEVELOPMENT STATUS: PLANT

COMMODITY DETAILS

COMMODITY: COPPER

COMMODITY TYPE: METALLIC

COMMODITY GROUP: COPPER

IMPORTANCE: PRIMARY

COMMODITY: SULFUR, SULFURIC ACID

COMMODITY TYPE: NON-METALLIC

COMMODITY GROUP: SULFUR

IMPORTANCE: SECONDARY

MATERIAL DETAILS

NO MATERIAL DETAILS REPORTED

NAME DETAILS

SITE NAME: (FACILITY) EL PASO COPPER SMELTER

STATUS: CURRENT

SITE NAME: EL PASO SMELTING WORKS

STATUS: PREVIOUS

[Back to Report Summary](#)

Brownfields Management System (BF)

MAP ID# 21

Distance from Property: 0.079 mi. (417 ft.) NE
Elevation: 3,709 ft. (Higher than TP)

SITE INFORMATION

ID#: 116121

NAME: 300 S. FLORENCE

ADDRESS: 300 S. FLORENCE

EL PASO, TX 79901

TYPE FUNDING: HAZARDOUS

PREDOMINANT PAST USE (ACREAGE):

GREENSPACE:
NOT REPORTED

RESIDENTIAL:
NOT REPORTED

COMMERCIAL:
NOT REPORTED

INDUSTRIAL:
NOT REPORTED

FUTURE USE (ACREAGE):

GREENSPACE:
NOT REPORTED

RESIDENTIAL:
NOT REPORTED

COMMERCIAL:
NOT REPORTED

INDUSTRIAL:
NOT REPORTED

PROPERTY HIGHLIGHT:

NOT REPORTED

PROPERTY SIZE (Acres): 0.29

CURRENT OWNER: EL PASO PROJECT

PROPERTY DESCRIPTION/ FORMER USE:

NOT REPORTED

CONTAMINATE(S): NOT REPORTED

CONTAMINATE(S) CLEANED UP: NOT REPORTED

MEDIA(S) AFFECTED: NOT REPORTED

MEDIA(S) CLEANED UP: NOT REPORTED

TYPE OF BROWNFIELD GRANT: ASSESSMENT

ENVIRONMENTAL ASSESSMENT ACTIVITY: SUPPLEMENTAL ASSESSMENT

ASSESSMENT START DATE: 9/5/2008 0:00

ASSESSMENT COMPLETION DATE: 9/9/2008 0:00

CLEANUP REQUIRED: UNKNOWN

STATE & TRIBAL ENROLLMENT ID: NOT REPORTED

STATE & TRIBAL ENROLLMENT DATE: NOT REPORTED

PROPERTY ENROLLED IN A STATE & TRIBAL PROGRAM?: NOT REPORTED

ARE INSTITUTIONAL CONTROLS REQUIRED?: NO

[Back to Report Summary](#)

Brownfields Management System (BF)

MAP ID# 21

Distance from Property: 0.079 mi. (417 ft.) NE
Elevation: 3,709 ft. (Higher than TP)

SITE INFORMATION

ID#: 79321

NAME: 300 FLORENCE

ADDRESS: 300 S. FLORENCE

EL PASO, TX 79901

TYPE FUNDING: HAZARDOUS & PETROLEUM

PREDOMINANT PAST USE (ACREAGE):

GREENSPACE:
NOT REPORTED

RESIDENTIAL:
NOT REPORTED

COMMERCIAL:
NOT REPORTED

INDUSTRIAL:
0.29

FUTURE USE (ACREAGE):

GREENSPACE:
NOT REPORTED

RESIDENTIAL:
NOT REPORTED

COMMERCIAL:
NOT REPORTED

INDUSTRIAL:
NOT REPORTED

PROPERTY HIGHLIGHT:

NOT REPORTED

PROPERTY SIZE (Acres): 0.29

CURRENT OWNER: EL PASO PROJECT

PROPERTY DESCRIPTION/ FORMER USE:

VACANT WAREHOUSE. PAST USES INCLUDE TEXTILE EXCHANGE & STORAGE FOR VEHICLES.

CONTAMINATE(S): **NOT REPORTED**

CONTAMINATE(S) CLEANED UP: **NOT REPORTED**

MEDIA(S) AFFECTED: **NOT REPORTED**

MEDIA(S) CLEANED UP: **NOT REPORTED**

TYPE OF BROWNFIELD GRANT: **ASSESSMENT**

ENVIRONMENTAL ASSESSMENT ACTIVITY: **SUPPLEMENTAL ASSESSMENT**

ASSESSMENT START DATE: **9/5/2008 0:00**

ASSESSMENT COMPLETION DATE: **9/9/2008 0:00**

CLEANUP REQUIRED: **NO**

STATE & TRIBAL ENROLLMENT ID: **NOT REPORTED**

STATE & TRIBAL ENROLLMENT DATE: **NOT REPORTED**

PROPERTY ENROLLED IN A STATE & TRIBAL PROGRAM?: **NOT REPORTED**

ARE INSTITUTIONAL CONTROLS REQUIRED?: **NO**

TYPE OF BROWNFIELD GRANT: **ASSESSMENT**

ENVIRONMENTAL ASSESSMENT ACTIVITY: **PHASE I ENVIRONMENTAL ASSESSMENT**

ASSESSMENT START DATE: **5/1/2008 0:00**

ASSESSMENT COMPLETION DATE: **5/20/2008 0:00**

CLEANUP REQUIRED: **NO**

STATE & TRIBAL ENROLLMENT ID: **NOT REPORTED**

STATE & TRIBAL ENROLLMENT DATE: **NOT REPORTED**

PROPERTY ENROLLED IN A STATE & TRIBAL PROGRAM?: **NOT REPORTED**

ARE INSTITUTIONAL CONTROLS REQUIRED?: **NO**

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 22

Distance from Property: 0.083 mi. (438 ft.) NNW

Elevation: 3,708 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRATION#: 69975 EPA ID: TXD981606049

TNRCC ID #: 24838

NAME: CITY OF EL PASO EQUIPT MAINT DPT

ADDRESS: 210 S CAMPBELL ST
EL PASO, TX 79901

CONTACT: CURTIS WINGWOOD

PHONE: 915-5948609

BUSINESS DESCRIPTION: THIS REGISTRATION WAS INACTIVATED BECAUSE THERE WERE ONLY 6-DIGIT WASTE CODES ON THE NOR AND NO WASTE ACTIVITY WAS REPORTED IN 1994, 1995 AND 1996.

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: SMALL QUANTITY GENERATOR

GENERATOR TYPE: NON-INDUSTRIAL AND/OR MUNICIPAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 02/28/2003

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

WASTE ID: 50254

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: YES

GENERATOR'S DESCRIPTION OF WASTE: NOT REPORTED

WASTE ID: 50255

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: YES

GENERATOR'S DESCRIPTION OF WASTE: NOT REPORTED

WASTE ID: 50256

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

Industrial and Hazardous Waste Sites (IHW)

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 22

Distance from Property: 0.083 mi. (438 ft.) NNW
Elevation: 3,708 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 091891
LPST ID: 091891
FACILITY ID: 11432
NAME: CITY OF EL PASO EQUIPT MAINT DPT
ADDRESS: 210 S CAMPBELL ST
EL PASO, TX 79901

LEAKING TANK DETAILS

LPST ID: 091891
NAME: CITY OF EL PASO EQUIPT MAINT DPT
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 5/24/88
REPORTED DATE: 04/29/1988
ENTERED DATE: 05/24/1988
CLOSURE DATE: 04/08/2004

PRP INFORMATION

NAME: CITY OF EL PASO
ADDRESS: ADDRESS NOT REPORTED
EL PASO TX 79901
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1965	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 8000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 05/05/1988
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
NOT REPORTED
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: NO
CORROSION PROTECTION VARIANCE: NO VARIANCE

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **27730**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1965**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **2000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **05/05/1988**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **27729**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **2000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

Leaking Petroleum Storage Tanks (LPST)

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1968**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **250**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **07/26/1990**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **28383**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **250**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

Leaking Petroleum Storage Tanks (LPST)

INSTALLATION DATE: **01/01/1965** REGISTRATION DATE: **05/08/1986**
TANK CAPACITY (GAL): **NOT REPORTED** EMPTY TANK: **NOT EMPTY**
STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **09/07/1990**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **YES** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **28384**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **0**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 22

Distance from Property: 0.083 mi. (438 ft.) NNW
Elevation: 3,708 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 11432
NAME: CITY OF EL PASO EQUIPT MAINT DPT
ADDRESS: 210 S CAMPBELL ST
EL PASO, TX 79901
COUNTY: EL PASO
REGION: 6
TYPE: FLEET REFUELING
BEGIN DATE: 07/28/1986
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/08/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 03/21/1986
SIGNATURE NAME & TITLE: DONALD J WILCUT, DIR EQUIPT MAINT DPT
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN601410244
NAME: CITY OF EL PASO
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: CITY GOVERNMENT
BEGIN DATE: 07/28/1986
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

OPERATOR NUMBER: CN601410244
NAME: CITY OF EL PASO
CONTACT ADDRESS: 7968 SAN PAULO DR
EL PASO TX 79907
TYPE: OTHER GOVERNMENT
BEGIN DATE: 07/28/1986
CONTACT ROLE: OPRCON
CONTACT NAME: MIGUEL PARRA
CONTACT TITLE: ENG DIV MGR

CONTACT INFORMATION

NAME: DONALD J WILCUT
TITLE: DIR EQUIPT MAINT DPT
ORGANIZATION: CITY OF EL PASO EQUIPT MAINT DPT
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (915) 5948609 0

Petroleum Storage Tanks (PST)

ORGANIZATION: CITY OF EL PASO

PHONE: (915) 5996235 0

FAX: NOT REPORTED

EMAIL: NOT REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 2

NUMBER OF COMPARTMENTS: 1

INSTALLATION DATE: 01/01/1965

REGISTRATION DATE: 05/08/1986

TANK CAPACITY (GAL): 2000

EMPTY TANK: NOT EMPTY

STATUS: REMOVED FROM GROUND

STATUS BEGIN DATE: 05/05/1988

INTERNAL PROTECTION DATE: NOT REPORTED

REGULATORY STATUS: FULLY REGULATED

TANK DESIGN SINGLE WALL: NO

TANK DESIGN DOUBLE WALL: NO

PIPE DESIGN SINGLE WALL: NO

PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: NO

CORROSION PROTECTION VARIANCE: NO VARIANCE

COMPARTMENT DETAILS

UST COMPARTMENT ID: 27729

TANK ID: 2

COMPARTMENT LETTER: A

SUBSTANCES: GASOLINE

OTHER SUBSTANCES: NOT REPORTED

CAPACITY (GAL): 2000

COMPARTMENT RELEASE DETECTION: NOT REPORTED

SPILL CONTAINMENT AND OVERFILL PREVENTION: NOT REPORTED

PIPING SYSTEMS

MATERIAL: NOT REPORTED

CORROSION PROTECTION: NOT REPORTED

EXTERNAL CONTAINMENT: NOT REPORTED

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: NO

CORROSION PROTECTION VARIANCE: NO VARIANCE

Petroleum Storage Tanks (PST)

TANK ID: 1
INSTALLATION DATE: 01/01/1965
TANK CAPACITY (GAL): 8000
STATUS: **REMOVED FROM GROUND**
INTERNAL PROTECTION DATE: **NOT REPORTED**
TANK DESIGN SINGLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: 1
REGISTRATION DATE: 05/08/1986
EMPTY TANK: **NOT EMPTY**
STATUS BEGIN DATE: 05/05/1988
REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: 27730

TANK ID: 1

COMPARTMENT LETTER: A

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): 8000

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 3
INSTALLATION DATE: 01/01/1968
TANK CAPACITY (GAL): 250
STATUS: **REMOVED FROM GROUND**
INTERNAL PROTECTION DATE: **NOT REPORTED**
TANK DESIGN SINGLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: 1
REGISTRATION DATE: 05/08/1986
EMPTY TANK: **NOT EMPTY**
STATUS BEGIN DATE: 07/26/1990
REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

Petroleum Storage Tanks (PST)

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **28383**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **250**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1965**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **NOT REPORTED**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **09/07/1990**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Petroleum Storage Tanks (PST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **28384**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **0**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

MAP ID# 22

Distance from Property: 0.083 mi. (438 ft.) NNW
Elevation: 3,708 ft. (Higher than TP)

FACILITY INFORMATION

EPA ID#: TXD981606049
NAME: CITY OF EL PASO
ADDRESS: 210 S CAMPBELL ST
EL PASO, TX 79901

OWNER TYPE: MUNICIPAL
OWNER NAME: CITY OF EL PASO
OPERATOR TYPE: MUNICIPAL
OPERATOR NAME: CITY OF EL PASO

CONTACT NAME: CURTIS WINGWOOD
CONTACT ADDRESS: PO BOX 1919
EL PASO TX 79999

CONTACT PHONE: 915-594-8609

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 07/27/2001

CERTIFICATION - NO CERTIFICATION REPORTED -

INDUSTRY CLASSIFICATION (NAICS) - NO NAICS INFORMATION REPORTED -

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: NON-GENERATOR LAST UPDATED DATE: 03/25/2004

SUBJECT TO CORRECTIVE ACTION UNIVERSE: NO

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: NO

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: NO

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: NO

CORRECTIVE ACTION WORKLOAD UNIVERSE: NO

IMPORTER: NO

UNDERGROUND INJECTION: NO

MIXED WASTE GENERATOR: NO

UNIVERSAL WASTE DESTINATION FACILITY: NO

RECYCLER: NO

TRANSFER FACILITY: NO

TRANSPORTER: NO

USED OIL FUEL BURNER: NO

ONSITE BURNER EXEMPTION: NO

USED OIL PROCESSOR: NO

FURNACE EXEMPTION: NO

USED OIL FUEL MARKETER TO BURNER: NO

USED OIL REFINER: NO

SPECIFICATION USED OIL MARKETER: NO

USED OIL TRANSFER FACILITY: NO

USED OIL TRANSPORTER: NO

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS - NO EVALUATIONS REPORTED -

VIOLATIONS - NO VIOLATIONS REPORTED -

ENFORCEMENTS - NO ENFORCEMENTS REPORTED -

HAZARDOUS WASTE

D000

D001 IGNITABLE WASTE

F002 THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

F004 THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: CRESOLS, CRESYLIC ACID, AND NITROBENZENE; AND THE STILL BOTTOMS FROM THE RECOVERY OF THESE SOLVENTS; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 23

Distance from Property: 0.085 mi. (449 ft.) NW
Elevation: 3,714 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRATION#: 32489 EPA ID: TXD981913684

TNRCC ID #: 10029

NAME: EL PASO ELECTRIC

ADDRESS: 601 S SANTA FE ST
EL PASO, TX 79901

CONTACT: LUIS H ITO

PHONE: 915-5435942

BUSINESS DESCRIPTION: MAINTENANCE ON TRANSFORMERS AND VEHICLES.

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: YES

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: CLOSURE REQUEST

AMOUNT OF WASTE GENERATED: CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR

GENERATOR TYPE: NON-INDUSTRIAL AND/OR MUNICIPAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 05/17/2007

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

WASTE ID: 103119

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

GENERATOR'S DESCRIPTION OF WASTE: SOIL CONTAMINATED WITH >=50 PPM TO <500 PPM PCBS.; DUE TO WASTE MINIMIZATION, IN

WASTE ID: 103120

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: NO

GENERATOR'S DESCRIPTION OF WASTE: SOIL CONTAMINATED WITH >=500 PPM PCBS.; DUE TO WASTE MINIMIZATION, INGREDIENT CH

WASTE ID: 103121

WASTE CODE STATUS: INACTIVE

Industrial and Hazardous Waste Sites (IHW)

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **SOLIDS, SUCH AS RAGS, SAMPLE KITS, ETC. CONTAMINATED WITH \geq 50 PPM TO $<$ 500PPM PC**

WASTE ID: **103122**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **SOLIDS, SUCH AS RAGS, SAMPLE KITS, ABSORBENTS, ETC. CONTAMINATED WITH \geq 500PPMPC**

WASTE ID: **103123**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **PCB CONTAMINATED LIQUIDS; SOLID WASTE REGISTRATION NUMBER AND FACILITY HAVETEMPO**

WASTE ID: **103124**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **PCB CONTAMINATED LIQUIDS WITH $>$ OR = 500 PPM PCBs.; SOLID WASTE REGISTRATION NUM**

WASTE ID: **153775**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **SOLVENTS/NEW/OFF-SPEC/SPENT HALOGENATED/NON-HALOGENATED,GENERATED WHEN CLEANINGP**

WASTE ID: **103125**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **USED OIL GENERATED FROM MAINTENANCE ACTIVITIES OR METAL WORKING ACTIVITIES.INCLU**

WASTE ID: **153776**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **WASTE OIL GENERATED FROM MAINTENANCE OR METAL WORKING.INCLUDES MOTOR,LUBRICATING**

WASTE ID: **103126**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **EMPTY CONTAINERS - FIBER OR PLASTIC, $<$ 5 GALLON CAPACITY, THAT ARE EMPTY (LESS TH**

Industrial and Hazardous Waste Sites (IHW)

WASTE ID: **103127**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **EMPTY CONTAINERS (AEROSOLS OR PAILS 5 GALLON OR LESS IN SIZE).
GENERATED WHEN EM**

WASTE ID: **97066**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **ASBESTOS CONTAINING MATERIAL**

WASTE ID: **103129**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **CONSTRUCTION DEBRIS CONSISTING OF WOOD, CONCRETE, BRICK, NAILS,
PLASTER, PLASTIC**

WASTE ID: **103130**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **CONTAMINATED CONSTRUCTION DEBRIS CONSISTING OF WOOD, CONCRETE,
BRICK, PLASTER, E**

WASTE ID: **103131**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **DISCARDED CONTAINERS OF LIQUID PAINT. GENERATED WHEN NO LONGER
NEEDED.; SOLID WA**

WASTE ID: **103133**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **EMPTY METAL DRUMS THAT HELD MATERIALS WHICH, IF DISCARDED, WOULD BE
HAZARDOUS OR**

WASTE ID: **103134**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **PLANT OFFICE REFUSE GENERATED FROM GENERAL OFFICE OPERATIONS.**

WASTE ID: **103135**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **PLANT PRODUCTION REFUSE GENERATED AS A RESULT OF PLANT PRODUCTION,**

Industrial and Hazardous Waste Sites (IHW)

MANUFACTURING

WASTE ID: **103136**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **SUPPLEMENTAL PLANT PRODUCTION REFUSE GENERATED FROM PRODUCTION, MANUFACTURING, O**

WASTE ID: **103138**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **OILY CONTAMINATED SOLIDS INCLUDING ADSORBENTS OR SOIL MIXED WITH OIL, DEBRIS, FI**

WASTE ID: **103140**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **GREASE FROM LUBRICATING VEHICLES AND EQUIPMENT.; SOLID WASTE REGISTRATION NUMBER**

WASTE ID: **103141**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **TIRES GENERATED DURING VEHICLE MAINTENANCE.; SOLID WASTE REGISTRATION NUMBER AND**

WASTE ID: **103142**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **WATER AND AIR FILTERS (CELLULOSE AND FIBERGLASS). GENERATED DURING EQUIPMENT MAI**

WASTE ID: **103143**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **USED FILTERS GENERATED DURING VEHICLE MAINTENANCE.; SOLID WASTE REGISTRATION NUM**

WASTE ID: **103145**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **ELECTRICAL EQUIPMENT CONTAINING >=50 PPM TO <500 PCBS. INCLUDES EMPTY TRANSFORME**

WASTE ID: **103146**

WASTE CODE STATUS: **INACTIVE**

Industrial and Hazardous Waste Sites (IHW)

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **ELECTRICAL EQUIPMENT CONTAINING >=500 PPM PCBS. GENERATED DURING REPAIR ANDREPLA**

WASTE ID: **103147**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **MERCURY CONTAMINATED EQUIPMENT AND MATERIALS INCLUDING LIGHT SWITCHES, LIGHT BUL**

WASTE ID: **103148**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **SOLVENT CONTAMINATED SOLIDS SUCH AS RAGS, OR PAPER TOWELS FOR CLEANING PARTS WIT**

WASTE ID: **103149**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **WASTE ANTIFREEZE; CLEAN YELLOW LIQUID GENERATED FROM VEHICLE MAINTENANCE; WASTEC**

WASTE ID: **103150**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **PERMATROL SWITCHES; HAZARDOUS SOLID CONTAINING MERCURY; GENERATED FROM EQUIPMENT**

WASTE ID: **103151**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **LAB PACK CONTAINING OBSOLETE MATERIAL (CHEMICALS); SOLID WASTE REGISTRATION NUM**

WASTE ID: **103152**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **WASTE BATTERIES CONTAINING NICKEL-CADMIUM OR LITHIUM ARE WET AND NON-SPILLABLE;**

WASTE ID: **103153**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **METAL SCRAP FROM MACHINING ACTIVITIES CONTAMINATED WITH CUTTING OIL.**

Industrial and Hazardous Waste Sites (IHW)

WASTE ID: **103155**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **METAL SCRAP, STAINLESS, COPPER WIRE, ALUMINUM, IRON MATERIALS, GENERATED FROM PR**

WASTE ID: **103156**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **PLASTIC AND RUBBER SCRAP SUCH AS PVC PIPING, GASKET MATERIALS, ETC. GENERATED DU**

WASTE ID: **103157**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **SPILL CLEANUP MATERIAL FROM CLEANUP OF SPILLS OF LISTED HAZARDOUS WASTE. INCLUDE**

WASTE ID: **200679**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **SPENT ACTIVATED ALUMINA SILICA GEL, ALUMINO SILICATE. A DESSICANT OF WATERVAPORF**

WASTE ID: **103158**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **DISCARDED CONTAINERS OF DRIED PAINT GENERATED WHEN NO LONGER NEEDED.**

WASTE ID: **103159**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **DISCARDED BATTERIES (LEAD-ACID, LEAD-ACID-CADMIUM), WET CELL. MAY BE RECYCLED.;**

WASTE ID: **103160**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **SAND BLAST GRIT CONTAMINATED WITH LEAD BASED PAINT. GENERATED WHEN BLASTINGPAINT**

WASTE ID: **103161**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

Industrial and Hazardous Waste Sites (IHW)

GENERATOR'S DESCRIPTION OF WASTE: **SAND BLAST GRIT. GENERATED WHEN BLASTING PAINT OR RUST OFF OF EQUIPMENT.; SOLID**

WASTE ID: **103162**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **SAND BLAST GRIT, UNCONTAMINATED. GENERATED WHEN DISCARDED OR WHEN USED TO PREPAR**

WASTE ID: **103163**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **INSULATION, NON-ASBESTOS. GENERATED WHEN PERFORMING PLANT MAINTENANCE.; SOLID WA**

WASTE ID: **103164**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **SOILS, DARK-COLORED SOLIDS & DEBRIS; ABSORBENT USED TO CLEAN UP OIL SPILL ON-SIT**

WASTE ID: **103165**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **ELECTRICAL EQUIPMENT THAT HELD OR MAY HAVE NON-PCB OIL. GENERATED WHEN REPLACING**

WASTE ID: **107819**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **LIQUID CONTAMINATED WITH < 50 PPM PCBS.; SOLID WASTE REGISTRATION NUMBER AND FAC**

WASTE ID: **153777**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **ASBESTOS CONTAINING MATERIALS, BUILDING MATERIALS, ETC. THAT CONTAIN ASBESTOSDAT**

WASTE ID: **153778**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **CONTAINERS OF VARYING SIZES THAT HOLD DRIED PAINT THAT IS CHARACTERISTICALLYHAZA**

WASTE ID: **148698**

Industrial and Hazardous Waste Sites (IHW)

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NON-PCB OIL/WATER MIXTURE. INCLUDES WATER GENERATED IN SECONDARY CONTAINMENTS FO**

WASTE ID: **153779**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **ALKALINE BATTERIES, CLOSED-DRY CELL BAT-TERIES OF VARYING SIZES USED IN FLASH-LI**

WASTE ID: **153780**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NON-HAZ WASTE SOLVENT THAT IS NOT CHARA-CTERISTICALLY HAZ. & DOES NOT CONTAIN AL**

WASTE ID: **155475**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **WOOD PRESERVATIVE GREASE - CONTAINING PENTACHLORPHENOL, CHLORPHENOLS ANDAROMATIC**

WASTE ID: **156396**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NON-HAZ WASTE SOLVENT THAT IS NOT CHARA-CTERISTICALLY HAZ & DOES NOT CONTAIN ALI**

WASTE ID: **166124**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NON-HAZ LAB PACKS.LAB PACKS CONTAINING NON-HAZ MATERIALS.GENERATED WHEN DISCARDI**

WASTE ID: **166125**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NON-HAZ ORGANIC CONTAMINATED SOIL. SOIL CONTAMINATED WITH NON-HAZ ORGANICMATERIA**

WASTE ID: **166126**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NON-HAZ INORGANIC CONTAMINATED SOIL. SOIL CONTAMINATED WITH NON-HAZ**

Industrial and Hazardous Waste Sites (IHW)

INORGANICMAT

WASTE ID: 200680

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **PLANT TRASH GENERATED AS A RESULT OF PLANT PRODUCTION, MANUFACTURING OR LABORATO**

WASTE ID: 191912

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **SOLIDS CONTAMINATED WITH INORGANICS. INCLUDES PPE, ABSORBENTS, SOIL, ETC.;SOLID**

WASTE ID: 213321

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **WASTE FUEL GENERATED DURING EQUIPMENT MAINTENANCE.; SOLID WASTE REGISTRATION NUM**

WASTE ID: 213322

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **SOLIDS SUCH AS RAGS, FILTERS, AND DIRT CONTAMINATED WITH PETROLEUM PRODUCTSGENER**

WASTE ID: 213323

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **ELECTRONIC EQUIPMENT INCLUDING COMPUTERS, TVS, RADIOS, CLOCKS, GAUGES, PRINTED C**

WASTE ID: 213324

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **ELECTRONIC EQUIPMENT INCLUDING COMPUTERS, TVS, RADIOS, GAUGES, PRINTED CIRCUIT B**

WASTE ID: 78549

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **WASTE SOLVENTS, DENATURE ALCOHOL, TEXANOH GLYPLOH THINNER, UNIVERSAL INSOLADOILD**

WASTE ID: 103167

WASTE CODE STATUS: **INACTIVE**

Industrial and Hazardous Waste Sites (IHW)

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **SPENT SOLVENT (SAFETY KLEEN). GENERATED DURING PARTS CLEANING.;
SOLID WASTEREgis**

WASTE ID: **103168**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **IMMERSION CLEANER (SAFETY KLEEN). GENERATED WHEN CLEANING PARTS.**

WASTE INACTIV

WASTE ID: **195791**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **SAFETY KLEEN USED AQUEOUS BRAKE CLEANING COMPOUNDS.; SOLID WASTE**

REGISTRATION NU

WASTE ID: **317777**

WASTE CODE STATUS: **NOT REPORTED**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **25694**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **25695**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **25696**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **25697**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **25698**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

Industrial and Hazardous Waste Sites (IHW)

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **25699**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **25700**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **NO**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

WASTE ID: **25701**

WASTE CODE STATUS: **INACTIVE**

WASTE IS RADIOACTIVE: **NO**

WASTE IS TREATED OFF SITE: **YES**

GENERATOR'S DESCRIPTION OF WASTE: **NOT REPORTED**

[Back to Report Summary](#)

Industrial and Hazardous Waste Corrective Action Sites (IHWCA)

MAP ID# 23

Distance from Property: 0.085 mi. (449 ft.) NW
Elevation: 3,714 ft. (Higher than TP)

PROGRAM ID: 32489

RN NUMBER: RN100677863

NAME: SUN METRO INTERNATIONAL TRANSIT TERMINAL

ADDRESS: 601 S SANTA FE ST
EL PASO, TX 79901

STATUS: INACTIVE

STATUS DATE: 8/6/07

PHASE: COMPLETED WORKLOAD

LOCATION DESCRIPTION:

NOT REPORTED

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 23

Distance from Property: 0.085 mi. (449 ft.) NW
Elevation: 3,714 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 095881
LPST ID: 095881
FACILITY ID: 21392
NAME: SANTA FE CENTER
ADDRESS: 601 S SANTA FE ST
EL PASO, TX 79901

LEAKING TANK DETAILS

LPST ID: 095881
NAME: SANTA FE CENTER
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 4A - SOIL CONTAMINATION ONLY REQUIRES FULL SITE ASSESSMENT RAP
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 6/20/90
REPORTED DATE: 06/18/1990
ENTERED DATE: 06/20/1990
CLOSURE DATE: 05/08/1991

PRP INFORMATION

NAME: EL PASO ELECTRIC COMPANY
ADDRESS: ADDRESS NOT REPORTED
EL PASO TX 79960
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1A	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1992	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 6000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 07/13/2005
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: YES

TANK DETAILS

MATERIAL:
FRP
CORROSION PROTECTION:
FRP TANK OR PIPING (NONCORRODIBLE)
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: YES
CORROSION PROTECTION VARIANCE: NO VARIANCE

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **63758**

TANK ID: **1A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING,GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE**

TEST & INVENTORY CONTROL

SPILL CONTAINMENT AND OVERFILL PREVENTION: **FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1B**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1970**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **5000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **06/01/1990**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **63755**

TANK ID: **1B**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **5000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

Leaking Petroleum Storage Tanks (LPST)

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1975**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **5000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **06/01/1990**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **63756**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **5000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 3	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1972	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 500	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 01/01/1992
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **63757**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **500**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 23

Distance from Property: 0.085 mi. (449 ft.) NW
Elevation: 3,714 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 21392
NAME: SANTA FE SERVICE CENTER
ADDRESS: 601 S SANTA FE ST
EL PASO, TX 79901
COUNTY: EL PASO
REGION: 6
TYPE: FLEET REFUELING
BEGIN DATE: 09/16/1986
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: YES
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/08/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 04/04/1986
SIGNATURE NAME & TITLE: I TRONCOSO, VP
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600352819
NAME: EL PASO ELECTRIC COMPANY
CONTACT ADDRESS: PO BOX 982
EL PASO TX 79960
TYPE: CORPORATION/COMPANY
BEGIN DATE: 09/16/1986
CONTACT ROLE: OWNCON
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: EL PASO ELECTRIC COMPANY
PHONE: (915) 5435956 0
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

OPERATOR NUMBER: CN600352819
NAME: EL PASO ELECTRIC COMPANY
CONTACT ADDRESS: PO BOX 982
EL PASO TX 79999
TYPE: CORPORATION/COMPANY
BEGIN DATE: 09/16/1986
CONTACT ROLE: OPRCON
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED

CONTACT INFORMATION

NAME: NOT REPORTED
TITLE: NOT REPORTED
ORGANIZATION: SANTA FE SERVICE CENTER
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (915) 5435831 0

Petroleum Storage Tanks (PST)

ORGANIZATION: EL PASO ELECTRIC COMPANY

PHONE: (915) 5435956 0

FAX: (915) 5435802

EMAIL: AMAURICIO@EPELECTRIC.COM

SELF-CERTIFICATION

SELF-CERTIFICATION ID: 56640

SIGNATURE DATE: 10/06/2004

SIGNATURE NAME & TITLE: ELDA RODRIGUEZ-HEFNER, SR ENV SCIENTIST

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 56639

SIGNATURE DATE: 07/25/2003

SIGNATURE NAME & TITLE: ELDA RODRIGUEZ, SR ENVIR SCIENTIST

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 56638

SIGNATURE DATE: 07/24/2002

SIGNATURE NAME & TITLE: ELDA RODRIGUEZ, SEN ENVIRO SCIENTIST

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 56637

SIGNATURE DATE: 04/27/2001

SIGNATURE NAME & TITLE: LUIS H ITO, MGR ENVIRO AFFAIRS

FILING STATUS: INITIAL

REGISTRATION FLAG: YES

CONSTRUCTION NOTIFICATION

NOTIFICATION CONSTRUCTION ID: 28785

APPLICATION RECEIVED DATE: 01/11/2016

SCHEDULE CONSTRUCTION DATE: 01/13/2016

GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:

REMOVAL OF A GHOST UNDERGROUND TANK (UNREGISTERED).

NOTIFICATION CONSTRUCTION ID: 5232

APPLICATION RECEIVED DATE: 05/10/2005

SCHEDULE CONSTRUCTION DATE: 06/28/2005

GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:

NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1B

INSTALLATION DATE: 01/01/1970

TANK CAPACITY (GAL): 5000

STATUS: REMOVED FROM GROUND

INTERNAL PROTECTION DATE: NOT REPORTED

TANK DESIGN SINGLE WALL: NO

PIPE DESIGN SINGLE WALL: NO

NUMBER OF COMPARTMENTS: 1

REGISTRATION DATE: 05/08/1986

EMPTY TANK: NOT EMPTY

STATUS BEGIN DATE: 06/01/1990

REGULATORY STATUS: FULLY REGULATED

TANK DESIGN DOUBLE WALL: NO

PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

STEEL

Petroleum Storage Tanks (PST)

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **63755**

TANK ID: **1B**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **5000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

INSTALLATION DATE: **01/01/1975**

TANK CAPACITY (GAL): **5000**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **05/08/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **06/01/1990**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **63756**

Petroleum Storage Tanks (PST)

TANK ID: 2
COMPARTMENT LETTER: A
SUBSTANCES: **GASOLINE**
OTHER SUBSTANCES: **NOT REPORTED**
CAPACITY (GAL): **5000**
COMPARTMENT RELEASE DETECTION: **NOT REPORTED**
SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**
CORROSION PROTECTION: **NOT REPORTED**
EXTERNAL CONTAINMENT: **NOT REPORTED**
CONNECTORS & VALVES:
NOT REPORTED
PIPING RELEASE DETECTION:
NOT REPORTED
PIPE COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 3	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1972	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 500	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 01/01/1992
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
STEEL
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **63757**
TANK ID: **3**
COMPARTMENT LETTER: **A**
SUBSTANCES: **USED OIL**
OTHER SUBSTANCES: **NOT REPORTED**
CAPACITY (GAL): **500**
COMPARTMENT RELEASE DETECTION: **NOT REPORTED**
SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

Petroleum Storage Tanks (PST)

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1992**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **6000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **07/13/2005**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **63758**

TANK ID: **1A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **6000**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING,GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE**

TEST & INVENTORY CONTROL

SPILL CONTAINMENT AND OVERFILL PREVENTION: **FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALVE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

Petroleum Storage Tanks (PST)

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

MAP ID# 23

Distance from Property: 0.085 mi. (449 ft.) NW
Elevation: 3,714 ft. (Higher than TP)

FACILITY INFORMATION

EPA ID#: TXD981913684

NAME: EL PASO ELECTRIC COMPANY

ADDRESS: 601 S SANTA FE ST

EL PASO, TX 79901

CONTACT NAME: LUIS H ITO

CONTACT ADDRESS: 123 W MILLS

EL PASO TX 79901

CONTACT PHONE: 915-543-5942

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 05/17/2007

OWNER TYPE: PRIVATE

OWNER NAME: EL PASO ELECTRIC COMPANY

OPERATOR TYPE: PRIVATE

OPERATOR NAME: EL PASO ELECTRIC COMPANY

CERTIFICATION

CERTIFICATION NAME:	CERTIFICATION TITLE:	CERTIFICATION SIGNED DATE:
LUIS H ITO	PRINCIPAL ENV E	05/17/2007
LUIS H ITO	PRINCIPAL ENV E	03/13/2007
LUIS H ITO	PRINCIPAL ENV E	01/18/2007
LUIS H ITO	UNKNOWN	06/21/2006
LUIS H ITO	UNKNOWN	02/22/2006
LUIS H ITO	UNKNOWN	02/07/2006
LUIS H ITO	UNKNOWN	01/30/2006
LUIS H ITO	UNKNOWN	11/29/2005

INDUSTRY CLASSIFICATION (NAICS)

2211 - ELECTRIC POWER GENERATION, TRANSMISSION AND DISTRIBUTION

221122 - ELECTRIC POWER DISTRIBUTION

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: **NON-GENERATOR** LAST UPDATED DATE: **05/29/2007**

SUBJECT TO CORRECTIVE ACTION UNIVERSE: **NO**

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: **NO**

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: **NO**

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: **NO**

CORRECTIVE ACTION WORKLOAD UNIVERSE: **NO**

IMPORTER: **NO**

UNDERGROUND INJECTION: **NO**

MIXED WASTE GENERATOR: **NO**

UNIVERSAL WASTE DESTINATION FACILITY: **NO**

RECYCLER: **NO**

TRANSFER FACILITY: **NO**

TRANSPORTER: **NO**

USED OIL FUEL BURNER: **NO**

ONSITE BURNER EXEMPTION: **NO**

USED OIL PROCESSOR: **NO**

FURNACE EXEMPTION: **NO**

USED OIL FUEL MARKETER TO BURNER: **NO**

USED OIL REFINER: **NO**

SPECIFICATION USED OIL MARKETER: **NO**

USED OIL TRANSFER FACILITY: **NO**

USED OIL TRANSPORTER: **NO**

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS

05/20/1988

CEI COMPLIANCE EVALUATION INSPECTION ON-SITE

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

07/17/2003 CEI COMPLIANCE EVALUATION INSPECTION ON-SITE

VIOLATIONS

05/20/1988 XXS STATE STATUTE OR REGULATION
07/17/2003 XXS STATE STATUTE OR REGULATION
07/17/2003 XXS STATE STATUTE OR REGULATION

ENFORCEMENTS

06/09/1988 120 WRITTEN INFORMAL
07/17/2003 110 VERBAL INFORMAL

HAZARDOUS WASTE

D001 IGNITABLE WASTE
D002 CORROSIVE WASTE
D003 REACTIVE WASTE
D004 ARSENIC
D006 CADMIUM
D007 CHROMIUM
D008 LEAD
D009 MERCURY
D011 SILVER
D018 BENZENE
D019 CARBON TETRACHLORIDE
D021 CHLOROBENZENE
D023 O-CRESOL
D024 M-CRESOL
D025 P-CRESOL
D026 CRESOL
D027 1,4-DICHLOROBENZENE
D028 1,2-DICHLOROETHANE
D029 1,1-DICHLOROETHYLENE
D035 METHYL ETHYL KETONE
D039 TETRACHLOROETHYLENE
D040 TRICHLORETHYLENE
D043 VINYL CHLORIDE
F001 THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING:
TETRACHLOROETHYLENE, TRICHLORETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON
TETRACHLORIDE AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN
DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE
OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005; AND STILL
BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
F002 THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE
CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-
TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2,
TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN
PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE
SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT
SOLVENTS AND SPENT SOLVENT MIXTURES.

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

- F003 THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
- F004 THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: CRESOLS, CRESYLIC ACID, AND NITROBENZENE; AND THE STILL BOTTOMS FROM THE RECOVERY OF THESE SOLVENTS; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
- F005 THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
- F027 DISCARDED UNUSED FORMULATIONS CONTAINING TRI-, TETRA-, OR PENTACHLOROPHENOL OR DISCARDED UNUSED FORMULATIONS CONTAINING COMPOUNDS DERIVED FROM THESE CHLOROPHENOLS. (THIS LISTING DOES NOT INCLUDE FORMULATIONS CONTAINING HEXACHLOROPHENE SYNTHESIZED FROM PREPURIFIED 2,4,5-TRICHLOROPHENOL AS THE SOLE COMPONENT.)
- U002 2-PROPANONE (I)
- U002 ACETONE (I)
- U037 BENZENE, CHLORO-
- U037 CHLOROBENZENE

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 24

Distance from Property: 0.089 mi. (470 ft.) N

Elevation: 3,708 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRATION#: 73055 EPA ID: TXD004449237

TNRCC ID #: 27488

NAME: GOODYEAR TIRE & RUBBER

ADDRESS: 500 E OVERLAND AVE

EL PASO, TX 79901

CONTACT: J D BOWDEN

PHONE: 915-7785421

BUSINESS DESCRIPTION: THIS REGISTRATION WAS INACTIVATED BECAUSE THERE WERE ONLY 6-DIGIT WASTE CODES ON THE NOR AND NO WASTE ACTIVITY WAS REPORTED IN 1994, 1995 AND 1996.

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR

GENERATOR TYPE: NON-INDUSTRIAL AND/OR MUNICIPAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 04/23/2003

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

WASTE ID: 53585

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: YES

GENERATOR'S DESCRIPTION OF WASTE: NOT REPORTED

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 24

Distance from Property: 0.089 mi. (470 ft.) N
Elevation: 3,708 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 13179
NAME: GOODYEAR TIRE & RUBBER
ADDRESS: 500 E OVERLAND AVE
EL PASO, TX 79901
COUNTY: EL PASO
REGION: 6
TYPE: UNKNOWN
BEGIN DATE: 08/31/1987
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/08/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 04/17/1986
SIGNATURE NAME & TITLE: R M HELDRIDGE, MGR
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN601240856
NAME: MOMSEN GUS LEO & VIRGINIA CUNNINGHAM FRANCES
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: ORGANIZATION
BEGIN DATE: 02/22/1989
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1959	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): NOT REPORTED	EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: NOT REPORTED
TITLE: NOT REPORTED
ORGANIZATION: GOODYEAR TIRE & RUBBER
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (915) 5323401 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **08/31/1988**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **126045**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **0**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

MAP ID# 24

Distance from Property: 0.089 mi. (470 ft.) N
Elevation: 3,708 ft. (Higher than TP)

FACILITY INFORMATION

EPA ID#: TXD004449237

NAME: THE GOODYEAR TIRE & RUBBER COMPANY

ADDRESS: 500 E OVERLAND
EL PASO, TX 79901

OWNER TYPE: NOT REPORTED

OWNER NAME: THE GOODYEAR TIRE & RUBBER
COMPANY

OPERATOR TYPE: NOT REPORTED

OPERATOR NAME: THE GOODYEAR TIRE & RUBBER
COMPANY

CONTACT NAME: J D BOWDEN

CONTACT ADDRESS: 6936 COMMERCE AVE
EL PASO TX 79915

CONTACT PHONE: 915-778-5421

NON-NOTIFIER: NOT A NON-NOTIFIER

DATE RECEIVED BY AGENCY: 08/23/2001

CERTIFICATION - NO CERTIFICATION REPORTED -

INDUSTRY CLASSIFICATION (NAICS) - NO NAICS INFORMATION REPORTED -

CURRENT ACTIVITY INFORMATION

GENERATOR STATUS: **NON-GENERATOR** LAST UPDATED DATE: 03/25/2004

SUBJECT TO CORRECTIVE ACTION UNIVERSE: **NO**

TDSFs POTENTIALLY SUBJECT TO CORRECTIVE ACTION UNDER 3004 (u)/(v) UNIVERSE: **NO**

TDSFs ONLY SUBJECT TO CORRECTIVE ACTION UNDER DISCRETIONARY AUTHORITIES UNIVERSE: **NO**

NON TDSFs WHERE RCRA CORRECTIVE ACTION HAS BEEN IMPOSED UNIVERSE: **NO**

CORRECTIVE ACTION WORKLOAD UNIVERSE: **NO**

IMPORTER: **NO**

UNDERGROUND INJECTION: **NO**

MIXED WASTE GENERATOR: **NO**

UNIVERSAL WASTE DESTINATION FACILITY: **NO**

RECYCLER: **NO**

TRANSFER FACILITY: **NO**

TRANSPORTER: **NO**

USED OIL FUEL BURNER: **NO**

ONSITE BURNER EXEMPTION: **NO**

USED OIL PROCESSOR: **NO**

FURNACE EXEMPTION: **NO**

USED OIL FUEL MARKETER TO BURNER: **NO**

USED OIL REFINER: **NO**

SPECIFICATION USED OIL MARKETER: **NO**

USED OIL TRANSFER FACILITY: **NO**

USED OIL TRANSPORTER: **NO**

COMPLIANCE, MONITORING AND ENFORCEMENT INFORMATION

EVALUATIONS - NO EVALUATIONS REPORTED -

VIOLATIONS - NO VIOLATIONS REPORTED -

ENFORCEMENTS - NO ENFORCEMENTS REPORTED -

HAZARDOUS WASTE

D001 IGNITABLE WASTE

UNIVERSAL WASTE - NO UNIVERSAL WASTE REPORTED -

CORRECTIVE ACTION AREA - NO CORRECTIVE ACTION AREA INFORMATION REPORTED -

CORRECTIVE ACTION EVENT

NO CORRECTIVE ACTION EVENT(S) REPORTED

Resource Conservation & Recovery Act - Non-Generator (RCRANGR06)

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 25

Distance from Property: 0.091 mi. (480 ft.) NNE
Elevation: 3,708 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 11417
NAME: **CENTRAL FIRE STATION**
ADDRESS: **201 S FLORENCE ST**
EL PASO, TX 79901
COUNTY: **EL PASO**
REGION: **6**
TYPE: **FLEET REFUELING**
BEGIN DATE: **07/28/1986**
STATUS: **INACTIVE**
EXEMPT STATUS: **NO**
RECORDS OFF-SITE: **NO**
NUMBER OF ACTIVE UNDERGROUND TANKS: **0**
NUMBER OF ACTIVE ABOVEGROUND TANKS: **0**

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: **05/08/1986**
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: **04/01/1986**
SIGNATURE NAME & TITLE: **CHAS T KIMBALL, ASST CHIEF**
ENFORCEMENT ACTION DATE: **NOT REPORTED**

OWNER

OWNER NUMBER: **CN601410244**
NAME: **CITY OF EL PASO**
CONTACT ADDRESS: **OWNER ADDRESS NOT REPORTED**
CITY NOT REPORTED

TYPE: **CITY GOVERNMENT**
BEGIN DATE: **07/28/1986**
CONTACT ROLE: **NOT REPORTED**
CONTACT NAME: **NOT REPORTED**
CONTACT TITLE: **NOT REPORTED**
ORGANIZATION: **NOT REPORTED**
PHONE: **NOT REPORTED**
FAX: **NOT REPORTED**
EMAIL: **NOT REPORTED**

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: **1** NUMBER OF COMPARTMENTS: **1**
INSTALLATION DATE: **01/01/1981** REGISTRATION DATE: **05/08/1986**
TANK CAPACITY (GAL): **550** EMPTY TANK: **NOT EMPTY**

CONTACT INFORMATION

NAME: **RAUL TARANGO**
TITLE: **CHIEF**
ORGANIZATION: **CENTRAL FIRE STATION**
MAIL ADDRESS: **MAILING ADDRESS NOT REPORTED**
CITY NOT REPORTED
PHONE: **(915) 7711004 0**

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **05/18/1992**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **YES** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **YES** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **27691**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **550**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

INSTALLATION DATE: **01/01/1981**

TANK CAPACITY (GAL): **550**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **05/08/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **07/14/1999**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

Petroleum Storage Tanks (PST)

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **27692**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **550**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1A**

INSTALLATION DATE: **05/26/1992**

TANK CAPACITY (GAL): **550**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **YES**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **08/13/1996**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **07/14/1999**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **27693**

TANK ID: **1A**

Petroleum Storage Tanks (PST)

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **550**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,FLOW**

RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 26

Distance from Property: 0.092 mi. (486 ft.) E
Elevation: 3,707 ft. (Equal to TP)

FACILITY INFORMATION

ID#: 33962
NAME: OCHOA BULK PLANT
ADDRESS: 719 S OCHOA ST
EL PASO, TX 79901
COUNTY: EL PASO
REGION: 6
TYPE: UNKNOWN
BEGIN DATE: 12/03/1986
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/05/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 05/05/1986
SIGNATURE NAME & TITLE: JOHN WATERS, VP
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600746416
NAME: THE SAVAGE OIL COMPANY
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: CORPORATION/COMPANY
BEGIN DATE: 12/03/1986
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 4
INSTALLATION DATE: 01/01/1969
TANK CAPACITY (GAL): 30000
NUMBER OF COMPARTMENTS: 1
REGISTRATION DATE: 05/05/1986
EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: NOT REPORTED
TITLE: NOT REPORTED
ORGANIZATION: OCHOA BULK PLANT
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (915) 5334405 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **07/11/1989**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **83494**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **30000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

INSTALLATION DATE: **01/01/1969**

TANK CAPACITY (GAL): **12000**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **05/05/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **07/11/1989**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

Petroleum Storage Tanks (PST)

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **83495**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **12000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

INSTALLATION DATE: **01/01/1969**

TANK CAPACITY (GAL): **12000**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **05/05/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **07/11/1989**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **83496**

TANK ID: **2**

Petroleum Storage Tanks (PST)

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **12000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1969**

REGISTRATION DATE: **05/05/1986**

TANK CAPACITY (GAL): **500**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **07/11/1989**

INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **83497**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **500**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

Petroleum Storage Tanks (PST)

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Mineral Resource Data System (MRDS)

MAP ID# 27

Distance from Property: 0.098 mi. (517 ft.) ENE
Elevation: 3,707 ft. (Equal to TP)

FACILITY INFORMATION

GEOSEARCH ID: 10178881

DEP ID: 10178881

MINE NAME: (FACILITY) EL PASO LEAD SMELTER

ADDRESS: EL PASO COUNTY

EL PASO, TX 79901

DEVELOPMENT STATUS: PLANT

COMMODITY DETAILS

COMMODITY: CADMIUM

COMMODITY TYPE: METALLIC

COMMODITY GROUP: CADMIUM

IMPORTANCE: SECONDARY

COMMODITY: LEAD, SMELTER

COMMODITY TYPE: METALLIC

COMMODITY GROUP: LEAD

IMPORTANCE: PRIMARY

COMMODITY: SULFUR, SULFURIC ACID

COMMODITY TYPE: NON-METALLIC

COMMODITY GROUP: SULFUR

IMPORTANCE: SECONDARY

COMMODITY: ZINC

COMMODITY TYPE: METALLIC

COMMODITY GROUP: ZINC

IMPORTANCE: TERTIARY

MATERIAL DETAILS NO MATERIAL DETAILS REPORTED

NAME DETAILS

SITE NAME: (FACILITY) EL PASO LEAD SMELTER

STATUS: CURRENT

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 28

Distance from Property: 0.1 mi. (528 ft.) SW
Elevation: 3,733 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRATION#: **38945** EPA ID: **NOT REPORTED**

TNRCC ID #: **15555**

NAME: **A DIVISON OF ANSELL WAREHOUSE**

ADDRESS: **323 CANAL RD**

EL PASO, TX 79901

CONTACT: **ROBERTO SOTO**

PHONE: **NOT REPORTED**

BUSINESS DESCRIPTION: **NOT REPORTED**

INDUSTRIAL WASTE PERMIT #: **NOT REPORTED**

MUNICIPAL WASTE PERMIT #: **NOT REPORTED**

SIC CODE: **NOT REPORTED**

WASTE GENERATOR: **YES**

WASTE RECEIVER: **NO**

WASTE TRANSPORTER: **NO**

TRANSFER FACILITY: **NO**

MAQUILADORA (MEXICAN FACILITY): **NO**

STATUS: **INACTIVE**

AMOUNT OF WASTE GENERATED: **LARGE QUANTITY GENERATOR**

GENERATOR TYPE: **INDUSTRIAL**

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): **06/04/2010**

ACTIVITIES

ACTIVITY TYPE: **UNKNOWN**

ACTIVITY DESCRIPTION: **NOT REPORTED**

WASTE

NO RECORDS

OWNER INFORMATION

NAME: **EDMONT**

ADDRESS: **NOT REPORTED**

PHONE: **NOT REPORTED**

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 28

Distance from Property: 0.1 mi. (528 ft.) SW
Elevation: 3,733 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 14032
NAME: EL PASO DISTRIBUTION CENTER
ADDRESS: 323 CANAL RD
EL PASO, TX 79901
COUNTY: EL PASO
REGION: 6
TYPE: INDUST/MFG/CHEM PLANT
BEGIN DATE: 08/31/1989
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/08/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 04/16/1986
SIGNATURE NAME & TITLE: R C WERT, VP
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN601276660
NAME: PILGRIMS PRIDE CORPORATION
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: CORPORATION/COMPANY
BEGIN DATE: 09/01/1989
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

OPERATOR NUMBER: CN601276660
NAME: PILGRIMS PRIDE CORPORATION
CONTACT ADDRESS: 110 S TEXAS ST
PITTSBURG TX 75686
TYPE: CORPORATION/COMPANY
BEGIN DATE: 09/01/1989
CONTACT ROLE: OPRCON
CONTACT NAME: TROY PENSCHORN
CONTACT TITLE: DIR ENV ENGR

CONTACT INFORMATION

NAME: MARVIN DONALDSON
TITLE: NOT REPORTED
ORGANIZATION: EL PASO DISTRIBUTION CENTER
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (915) 5336951 0

Petroleum Storage Tanks (PST)

ORGANIZATION: **PILGRIMS PRIDE CORPORATION**

PHONE: **(903) 7676182 0**

FAX: **NOT REPORTED**

EMAIL: **NOT REPORTED**

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NOTIFICATION CONSTRUCTION ID: **3899**

APPLICATION RECEIVED DATE: **03/27/2000**

SCHEDULE CONSTRUCTION DATE: **04/03/2000**

GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:

NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: **1**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1974**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **1200**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **04/03/2000**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **33422**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1200**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

Petroleum Storage Tanks (PST)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Superfund Enterprise Management System Archived Site Inventory (SEMSARCH)

[MAP ID# 29](#)

Distance from Property: 0.109 mi. (576 ft.) NW
Elevation: 3,714 ft. (Higher than TP)

FACILITY INFORMATION

EPA ID#: TXD981912355

SITE ID#: 0603496

NAME: EL PASO GAS,ELECTRIC LIGHT & POWER CO.

ADDRESS: CORNER W 3RD & SANTA FE STREET

EL PASO, TX 79901

COUNTY: EL PASO

FEDERAL FACILITY: NOT A FEDERAL FACILITY

NPL: NOT ON THE NPL

NON NPL STATUS: NFRAP-SITE DOES NOT QUALIFY FOR THE NPL BASED ON EXISTING INFORMATION

SEMS SEARCH: [CLICK HERE](#)

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 30

Distance from Property: 0.124 mi. (655 ft.) NNW

Elevation: 3,708 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRATION#: 61442 EPA ID: NOT REPORTED

TNRCC ID #: 19796

NAME: POLICE DEPARTMENT

ADDRESS: 500 E SAN ANTONIO AVE

EL PASO, TX 79901

CONTACT: WILLIAM RODRIGUEZ

PHONE: 915-5414220

BUSINESS DESCRIPTION: THIS REGISTRATION WAS INACTIVATED BECAUSE THIS FACILITY WAS REGISTERED PRIOR TO 1994 AND NO WASTE ACTIVITY WAS REPORTED IN 1994, 1995 AND 1996.

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR

GENERATOR TYPE: NON-INDUSTRIAL AND/OR MUNICIPAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 02/24/2003

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

NO RECORDS

OWNER INFORMATION

NAME: CITY OF EL PASO

ADDRESS: 500 E SAN ANTONIO AVE

EL PASO, TX 79901

PHONE: 1-915-5414220

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 31

Distance from Property: 0.129 mi. (681 ft.) WSW
Elevation: 3,716 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 11757
NAME: **GAS MART USA**
ADDRESS: **401 S SANTA FE ST**
EL PASO, TX 79901
COUNTY: **EL PASO**
REGION: **6**
TYPE: **RETAIL**
BEGIN DATE: **07/29/1986**
STATUS: **INACTIVE**
EXEMPT STATUS: **NO**
RECORDS OFF-SITE: **NO**
NUMBER OF ACTIVE UNDERGROUND TANKS: **0**
NUMBER OF ACTIVE ABOVEGROUND TANKS: **0**

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: **05/08/1986**
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: **04/16/1986**
SIGNATURE NAME & TITLE: **J J GOMEZ, OWNER**
ENFORCEMENT ACTION DATE: **NOT REPORTED**

OWNER

OWNER NUMBER: **CN600892418**
NAME: **HARANN INVESTMENTS INC**
CONTACT ADDRESS: **OWNER ADDRESS NOT REPORTED**
CITY NOT REPORTED

TYPE: **CORPORATION/COMPANY**
BEGIN DATE: **12/02/2002**
CONTACT ROLE: **NOT REPORTED**
CONTACT NAME: **NOT REPORTED**
CONTACT TITLE: **NOT REPORTED**
ORGANIZATION: **NOT REPORTED**
PHONE: **NOT REPORTED**
FAX: **NOT REPORTED**
EMAIL: **NOT REPORTED**

OWNER NUMBER: **CN602593485**
NAME: **FAMILY FINANCIAL GROUP INC**
CONTACT ADDRESS: **OWNER ADDRESS NOT REPORTED**
CITY NOT REPORTED

TYPE: **CORPORATION/COMPANY**
BEGIN DATE: **12/01/2002**
CONTACT ROLE: **NOT REPORTED**
CONTACT NAME: **NOT REPORTED**
CONTACT TITLE: **NOT REPORTED**
ORGANIZATION: **NOT REPORTED**
PHONE: **NOT REPORTED**

CONTACT INFORMATION

NAME: **HARRY GARBAR**
TITLE: **OWNER**
ORGANIZATION: **GAS MART USA**
MAIL ADDRESS: **MAILING ADDRESS NOT REPORTED**
CITY NOT REPORTED
PHONE: **(915) 5446500 0**

Petroleum Storage Tanks (PST)

FAX: **NOT REPORTED**

EMAIL: **NOT REPORTED**

OPERATOR

OPERATOR NUMBER: **CN603041690**

NAME: **GAS MART USA INC**

CONTACT ADDRESS: **OPERATOR ADDRESS NOT REPORTED**
CITY NOT REPORTED

TYPE: **CORPORATION/COMPANY**

BEGIN DATE: **03/11/2005**

CONTACT ROLE: **NOT REPORTED**

CONTACT NAME: **NOT REPORTED**

CONTACT TITLE: **NOT REPORTED**

ORGANIZATION: **NOT REPORTED**

PHONE: **NOT REPORTED**

FAX: **NOT REPORTED**

EMAIL: **NOT REPORTED**

SELF-CERTIFICATION

SELF-CERTIFICATION ID: **43574**

SIGNATURE DATE: **06/14/2006**

SIGNATURE NAME & TITLE: **TERESA CARDENAS, OPERATOR**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **43573**

SIGNATURE DATE: **04/19/2005**

SIGNATURE NAME & TITLE: **TERESA CARDENAS, PRESIDENT**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **43572**

SIGNATURE DATE: **03/12/2004**

SIGNATURE NAME & TITLE: **ARTHUR GARBER, PRESIDENT**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **43571**

SIGNATURE DATE: **10/10/2003**

SIGNATURE NAME & TITLE: **ARTHUR GARBER, OWNER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **43570**

SIGNATURE DATE: **12/04/2002**

SIGNATURE NAME & TITLE: **HARRY A GARBAR, PRESIDENT**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **43569**

SIGNATURE DATE: **05/03/2001**

SIGNATURE NAME & TITLE: **HARRY GARBAR, PRES**

FILING STATUS: **INITIAL**

REGISTRATION FLAG: **YES**

Petroleum Storage Tanks (PST)

CONSTRUCTION NOTIFICATION

NOTIFICATION CONSTRUCTION ID: **29678**

APPLICATION RECEIVED DATE: **06/06/2016**

SCHEDULE CONSTRUCTION DATE: **07/01/2016**

GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:

REMOVAL OF (2) 6000 UNDERGROUND STORAGE TANKS AND PIPING - MAIL TO NEW OWNER BELCAIRE REALTY LTD 4011 COMMERCE ST DALLAS TX 75226

UNDERGROUND STORAGE TANK

TANK ID: **2A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1966**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **2000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **10/31/1990**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **32842**

TANK ID: **2A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **2000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1A**

NUMBER OF COMPARTMENTS: **1**

Petroleum Storage Tanks (PST)

INSTALLATION DATE: **01/01/1966** REGISTRATION DATE: **05/08/1986**
TANK CAPACITY (GAL): **2000** EMPTY TANK: **NOT EMPTY**
STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **10/31/1990**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **32843**

TANK ID: **1A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **2000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1966**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **2000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **10/31/1990**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

Petroleum Storage Tanks (PST)

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **32844**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **2000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1966**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **2000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **10/31/1990**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

Petroleum Storage Tanks (PST)

UST COMPARTMENT ID: **32845**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **2000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **10/01/1990**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **6000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **07/11/2016**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **32846**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **NOT REPORTED**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE

Petroleum Storage Tanks (PST)

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **10/01/1990**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **6000**

EMPTY TANK: **NOT EMPTY**

STATUS: **TEMP OUT OF SERVICE**

STATUS BEGIN DATE: **08/28/2008**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **32846**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH)

Petroleum Storage Tanks (PST)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **10/01/1990**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **6000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **07/11/2016**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **32847**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **NOT REPORTED**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **10/01/1990**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **6000**

EMPTY TANK: **NOT EMPTY**

STATUS: **TEMP OUT OF SERVICE**

STATUS BEGIN DATE: **08/25/2008**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

Petroleum Storage Tanks (PST)

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **32847**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 32

Distance from Property: 0.155 mi. (818 ft.) NW
Elevation: 3,718 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRATION#: 73550 EPA ID: TXD982560583

TNRCC ID #: 27963

NAME: HILTON CAMINO REAL PASO DEL NORTE

ADDRESS: 101 S EL PASO ST

EL PASO, TX 79901

CONTACT: ANA ANTUNEZ

PHONE: 915-5343000

BUSINESS DESCRIPTION: HOTEL

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR

GENERATOR TYPE: NON-INDUSTRIAL AND/OR MUNICIPAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 09/22/2003

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

WASTE ID: 54385

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: YES

GENERATOR'S DESCRIPTION OF WASTE: NOT REPORTED

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 32

Distance from Property: 0.155 mi. (818 ft.) NW
Elevation: 3,718 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 56571
NAME: HILTON CAMINO REAL
ADDRESS: 101 S EL PASO ST
EL PASO, TX 79901
COUNTY: EL PASO
REGION: 6
TYPE: NOT REPORTED
BEGIN DATE: 09/01/1987
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 10/29/1990
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 10/24/1990
SIGNATURE NAME & TITLE: CHARLES COOPER, PRESIDENT
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN601279813
NAME: REAL TURISMO ST DE C V
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: ORGANIZATION
BEGIN DATE: 08/31/1998
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NOTIFICATION CONSTRUCTION ID: 14875
APPLICATION RECEIVED DATE: 10/21/1999
SCHEDULE CONSTRUCTION DATE: 07/26/1999
GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:
NOT REPORTED

CONTACT INFORMATION

NAME: ROBERT GALVAN
TITLE: NOT REPORTED
ORGANIZATION: HILTON CAMINO REAL
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (915) 5343019 0

Petroleum Storage Tanks (PST)

NOTIFICATION CONSTRUCTION ID: 14874

APPLICATION RECEIVED DATE: 10/21/1999

SCHEDULE CONSTRUCTION DATE: 07/26/1999

GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:

NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1

NUMBER OF COMPARTMENTS: 1

INSTALLATION DATE: 05/01/1986

REGISTRATION DATE: 10/29/1990

TANK CAPACITY (GAL): 1000

EMPTY TANK: **NOT EMPTY**

STATUS: **PERM FILLED IN PLACE**

STATUS BEGIN DATE: 07/28/1999

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: 154272

TANK ID: 1

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

Petroleum Storage Tanks (PST)

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 33

Distance from Property: 0.155 mi. (818 ft.) WSW
Elevation: 3,730 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 28267
NAME: EL PASO TERMINAL WAREHOUSE
ADDRESS: 525 CANAL RD
EL PASO, TX 79901
COUNTY: EL PASO
REGION: 6
TYPE: UNKNOWN
BEGIN DATE: 08/31/1987
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/14/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 05/05/1986
SIGNATURE NAME & TITLE: R P YEARGER, VP DEBC CORP
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN601102973
NAME: MUNDELL H B
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: ORGANIZATION
BEGIN DATE: 09/01/1987
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 05/13/1986	REGISTRATION DATE: 05/14/1986
TANK CAPACITY (GAL): NOT REPORTED	EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: B BOLTZ
TITLE: VICE PRES OF MKTG
ORGANIZATION: EL PASO TERMINAL WAREHOUSE
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (915) 7722758 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **12/15/1986**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **130417**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **0**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Superfund Enterprise Management System Archived Site Inventory (SEMSARCH)

[MAP ID# 33](#)

Distance from Property: 0.166 mi. (876 ft.) W
Elevation: 3,730 ft. (Higher than TP)

FACILITY INFORMATION

EPA ID#: TXD987983418

SITE ID#: 0604039

NAME: EL PASO DRUM SITE

ADDRESS: 525 CANAL ROAD

EL PASO, TX 79901

COUNTY: EL PASO

FEDERAL FACILITY: NOT A FEDERAL FACILITY

NPL: NOT ON THE NPL

NON NPL STATUS: NFRAP-SITE DOES NOT QUALIFY FOR THE NPL BASED ON EXISTING INFORMATION

SEMS SEARCH: [CLICK HERE](#)

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 34

Distance from Property: 0.158 mi. (834 ft.) W
Elevation: 3,716 ft. (Higher than TP)

FACILITY INFORMATION

REGISTRATION#: 31088 EPA ID: NOT REPORTED

TNRCC ID #: 8647

NAME: BILLY THE KID

ADDRESS: 394 CHIHUAHUA ST
EL PASO, TX 79901

CONTACT: HARVEY L FALK

PHONE: 915-5454000

BUSINESS DESCRIPTION: NOT REPORTED

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: NOT REPORTED

GENERATOR TYPE: NOT REPORTED

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 12/08/2003

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

WASTE ID: 15973

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: YES

GENERATOR'S DESCRIPTION OF WASTE: NOT REPORTED

WASTE ID: 15974

WASTE CODE STATUS: INACTIVE

WASTE IS RADIOACTIVE: NO

WASTE IS TREATED OFF SITE: YES

GENERATOR'S DESCRIPTION OF WASTE: NOT REPORTED

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 35

Distance from Property: 0.159 mi. (840 ft.) NNE
Elevation: 3,708 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 119493
LPST ID: 119493
FACILITY ID: 55701
NAME: US GENERAL SERVICES ADMIN
ADDRESS: 700 E SAN ANTONIO AVE
EL PASO, TX 79901

LEAKING TANK DETAILS

LPST ID: 119493
NAME: US GENERAL SERVICES ADMIN
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 4.2 - NO GW IMPACT NO APPARENT THREATS OR IMPACTS TO RECEPTORS
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 12/19/14
REPORTED DATE: 05/14/2002
ENTERED DATE: 10/30/2014
CLOSURE DATE: 12/19/2014

PRP INFORMATION

NAME: GENERAL SERVICES ADMINISTRATION
ADDRESS: ADDRESS NOT REPORTED
CITY NOT REPORTED
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1985	REGISTRATION DATE: 07/30/1990
TANK CAPACITY (GAL): 1000	EMPTY TANK: NOT EMPTY
STATUS: PERM FILLED IN PLACE	STATUS BEGIN DATE: 06/12/2002
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
FRP
CORROSION PROTECTION:
FRP TANK OR PIPING (NONCORRODIBLE)
EXTERNAL CONTAINMENT:
TANK VAULT/RIGID TRENCH LINER
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: YES
CORROSION PROTECTION VARIANCE: NO VARIANCE

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **81661**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **MONTHLY TANK GAUGING (FOR EMER. GENERATOR TANKS)**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 35

Distance from Property: 0.159 mi. (840 ft.) NNE
Elevation: 3,708 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 55701
NAME: US FEDERAL BUILDING
ADDRESS: 700 E SAN ANTONIO AVE
EL PASO, TX 79901
COUNTY: EL PASO
REGION: 6
TYPE: NOT REPORTED
BEGIN DATE: 08/30/1990
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 07/30/1990
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 07/26/1990
SIGNATURE NAME & TITLE: DAVID SAENZ, MANAGER
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600311591
NAME: GENERAL SERVICES ADMINISTRATION
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: FEDERAL GOVERNMENT
BEGIN DATE: 08/30/1990
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NOTIFICATION CONSTRUCTION ID: 7542
APPLICATION RECEIVED DATE: 05/15/2002
SCHEDULE CONSTRUCTION DATE: 06/14/2002
GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:
NOT REPORTED

CONTACT INFORMATION

NAME: DAVID SAENZ
TITLE: MANAGER
ORGANIZATION: US FEDERAL BUILDING
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (915) 5346264 0

Petroleum Storage Tanks (PST)

NOTIFICATION CONSTRUCTION ID: 7541

APPLICATION RECEIVED DATE: 05/15/2002

SCHEDULE CONSTRUCTION DATE: 06/14/2002

GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:

NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1

NUMBER OF COMPARTMENTS: 1

INSTALLATION DATE: 01/01/1985

REGISTRATION DATE: 07/30/1990

TANK CAPACITY (GAL): 1000

EMPTY TANK: **NOT EMPTY**

STATUS: **PERM FILLED IN PLACE**

STATUS BEGIN DATE: 06/12/2002

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

TANK VAULT/RIGID TRENCH LINER

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: 81661

TANK ID: 1

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **MONTHLY TANK GAUGING (FOR EMER. GENERATOR TANKS)**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

Petroleum Storage Tanks (PST)

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 36

Distance from Property: 0.16 mi. (845 ft.) NNW
Elevation: 3,710 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 86155
NAME: VACANT
ADDRESS: 104 E SAN ANTONIO AVE
EL PASO, TX 79901
COUNTY: EL PASO
REGION: 6

TYPE: NOT REPORTED
BEGIN DATE: NOT REPORTED
STATUS: PENDING
EXEMPT STATUS: NOT REPORTED
RECORDS OFF-SITE: NO

NUMBER OF ACTIVE UNDERGROUND TANKS: NOT REPORTED
NUMBER OF ACTIVE ABOVEGROUND TANKS: NOT REPORTED

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: NOT REPORTED
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: NOT REPORTED
SIGNATURE NAME & TITLE: SIGNATURE NAME NOT REPORTED, SIGNATURE TITLE NOT REPORTED
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN603028838
NAME: RIVER OAKS PROPERTIES LTD
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: PARTNERSHIP
BEGIN DATE: 06/24/2013
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NOTIFICATION CONSTRUCTION ID: 24272
APPLICATION RECEIVED DATE: 06/24/2013
SCHEDULE CONSTRUCTION DATE: 06/25/2013
GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:
REMOVAL OF (1) GHOST UST DISCOVERED DURING DEMOLITION.

CONTACT INFORMATION

NAME: NOT REPORTED
TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: NOT REPORTED

Petroleum Storage Tanks (PST)

UNDERGROUND STORAGE TANK

NO UNDERGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 37

Distance from Property: 0.169 mi. (892 ft.) WNW
Elevation: 3,718 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 21408
NAME: PASO DEL NORTE PARKING
ADDRESS: 120 W SAN ANTONIO AVE
EL PASO, TX 79901
COUNTY: EL PASO
REGION: 6
TYPE: OTHER
BEGIN DATE: 12/31/1968
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/08/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 03/26/1986
SIGNATURE NAME & TITLE: SA WILLIAMSON, MGR
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600893879
NAME: KARAM ANDRE
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: ORGANIZATION
BEGIN DATE: 12/31/1968
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 12/31/1968	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 1500	EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: ANDRE KARAM
TITLE: OWNER
ORGANIZATION: PASO DEL NORTE PARKING
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (915) 5332223 0

Petroleum Storage Tanks (PST)

STATUS: **PERM FILLED IN PLACE** STATUS BEGIN DATE: **01/01/1969**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **128325**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

INSTALLATION DATE: **12/31/1968**

TANK CAPACITY (GAL): **1500**

STATUS: **PERM FILLED IN PLACE**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **05/08/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **01/01/1969**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

Petroleum Storage Tanks (PST)

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **128326**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 38

Distance from Property: 0.179 mi. (945 ft.) NNW
Elevation: 3,707 ft. (Equal to TP)

FACILITY INFORMATION

ID#: 55225
NAME: U S COURTHOUSE
ADDRESS: 511 E SAN ANTONIO AVE
EL PASO, TX 79901
COUNTY: EL PASO
REGION: 6

TYPE: NOT REPORTED
BEGIN DATE: 07/31/1990
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 07/30/1990
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 07/26/1990
SIGNATURE NAME & TITLE: DAVID A SAENZ, ASSIST BLDGS MGR
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600311591
NAME: GENERAL SERVICES ADMINISTRATION
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: FEDERAL GOVERNMENT
BEGIN DATE: 07/31/1990
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1935	REGISTRATION DATE: 07/30/1990
TANK CAPACITY (GAL): 2800	EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: HUGO PADILLA
TITLE: NOT REPORTED
ORGANIZATION: U S COURTHOUSE
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (915) 5346987 0

Petroleum Storage Tanks (PST)

STATUS: **PERM FILLED IN PLACE** STATUS BEGIN DATE: **05/06/1993**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **YES** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **YES** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **81660**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 39

Distance from Property: 0.19 mi. (1,003 ft.) WNW
Elevation: 3,718 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 24120
NAME: GREYHOUND LINES
ADDRESS: 200 W SAN ANTONIO AVE
EL PASO, TX 79901
COUNTY: EL PASO
REGION: 6
TYPE: FLEET REFUELING
BEGIN DATE: 09/30/1986
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/08/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 05/01/1986
SIGNATURE NAME & TITLE: GK HUSSONG, V PRES
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600325542
NAME: GREYHOUND LINES INC
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: CORPORATION/COMPANY
BEGIN DATE: 09/30/1986
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1971	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 12000	EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: EDDY LIZARRAGA
TITLE: NOT REPORTED
ORGANIZATION: GREYHOUND LINES
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (915) 5332722 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **03/06/1991**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **5570**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **12000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 40

Distance from Property: 0.203 mi. (1,072 ft.) NNW
Elevation: 3,705 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRATION#: 36646 EPA ID: TXT490011798

TNRCC ID #: 13506

NAME: TERRELL PLANT

ADDRESS: 100 N STANTON ST
EL PASO, TX 79901

CONTACT: ENVIRONMENTAL MANAGER

PHONE: 915-4962600

BUSINESS DESCRIPTION: NOT REPORTED

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: NOT A HW GENERATOR

GENERATOR TYPE: NOT REPORTED

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 12/29/2003

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

NO RECORDS

OWNER INFORMATION

NAME: EL PASO NATURAL GAS COMPANY LLC

ADDRESS: 100 N STANTON ST
EL PASO, TX 79901

PHONE: 1-915-4962600

[Back to Report Summary](#)

Industrial and Hazardous Waste Sites (IHW)

MAP ID# 40

Distance from Property: 0.203 mi. (1,072 ft.) NNW
Elevation: 3,705 ft. (Lower than TP)

FACILITY INFORMATION

REGISTRATION#: 36652 EPA ID: TXD008001703

TNRCC ID #: 13512

NAME: EL PASO NATURAL GAS

ADDRESS: 100 N STANTON ST
EL PASO, TX 79901

CONTACT: JOHN C BRIDGES

PHONE: 915-5412879

BUSINESS DESCRIPTION: NOT REPORTED

INDUSTRIAL WASTE PERMIT #: NOT REPORTED

MUNICIPAL WASTE PERMIT #: NOT REPORTED

SIC CODE: NOT REPORTED

WASTE GENERATOR: YES

WASTE RECEIVER: NO

WASTE TRANSPORTER: NO

TRANSFER FACILITY: NO

MAQUILADORA (MEXICAN FACILITY): NO

STATUS: INACTIVE

AMOUNT OF WASTE GENERATED: LARGE QUANTITY GENERATOR

GENERATOR TYPE: NON-INDUSTRIAL AND/OR MUNICIPAL

THIS FACILITY IS A NOTIFIER

THIS FACILITY IS NOT A STEERS REPORTER - (STATE OF TEXAS ENVIRONMENTAL ELECTRONIC REPORTING SYSTEM)

THIS FACILITY IS NOT REQUIRED TO SUBMIT AN ANNUAL WASTE SUMMARY REPORT

THIS FACILITY IS NOT INVOLVED IN RECYCLING ACTIVITIES

LAST UPDATE TO TRACS (TCEQ REGULATORY ACTIVITIES AND COMPLIANCE SYSTEM): 01/21/2003

ACTIVITIES

ACTIVITY TYPE: UNKNOWN

ACTIVITY DESCRIPTION: NOT REPORTED

WASTE

NO RECORDS

OWNER INFORMATION

NAME: EL PASO NATURAL GAS COMPANY LLC

ADDRESS: 100 N STANTON ST
EL PASO, TX 79901

PHONE: 1-915-5412879

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 40

Distance from Property: 0.203 mi. (1,072 ft.) NNW
Elevation: 3,705 ft. (Lower than TP)

FACILITY INFORMATION

ID#: 31486
NAME: 100 NORTH STANTON TOWER
ADDRESS: 100 N STANTON ST
EL PASO, TX 79901
COUNTY: EL PASO
REGION: 6
TYPE: NOT REPORTED
BEGIN DATE: 07/01/1979
STATUS: ACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: YES
NUMBER OF ACTIVE UNDERGROUND TANKS: 1
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 06/15/2018
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 06/15/2018
SIGNATURE NAME & TITLE: MARK HOFFMANN, SR ENVIRONMENTAL ENGINEER
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600352819
NAME: EL PASO ELECTRIC COMPANY
CONTACT ADDRESS: PO BOX 982
EL PASO TX 79960
TYPE: CORPORATION/COMPANY
BEGIN DATE: 03/22/2013
CONTACT ROLE: OWNCON
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: EL PASO ELECTRIC COMPANY
PHONE: (915) 5435956 0
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

OPERATOR NUMBER: CN600352819
NAME: EL PASO ELECTRIC COMPANY
CONTACT ADDRESS: PO BOX 982
EL PASO TX 79999
TYPE: CORPORATION/COMPANY
BEGIN DATE: 03/22/2013
CONTACT ROLE: OPRCON
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED

CONTACT INFORMATION

NAME: MARK HOFFMANN
TITLE: NOT REPORTED
ORGANIZATION: 100 NORTH STANTON TOWER
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (915) 5214651 0

Petroleum Storage Tanks (PST)

ORGANIZATION: EL PASO ELECTRIC COMPANY

PHONE: (915) 5435956 0

FAX: (915) 5435802

EMAIL: AMAURICIO@EPELECTRIC.COM

SELF-CERTIFICATION

SELF-CERTIFICATION ID: 305552

SIGNATURE DATE: 06/15/2018

SIGNATURE NAME & TITLE: MARK HOFFMANN, SR ENVIRONMENTAL ENGINEER

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 285808

SIGNATURE DATE: 04/23/2017

SIGNATURE NAME & TITLE: MARK HOFFMAN, SENIOR ENVIRONMENTAL ENGINEER

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 269107

SIGNATURE DATE: 04/28/2016

SIGNATURE NAME & TITLE: MARK HOFFMANN, SENIOR ENVIRON ENG

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 254392

SIGNATURE DATE: 04/29/2015

SIGNATURE NAME & TITLE: MARK HOFFMAN, SR ENV ENGINEER

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 237346

SIGNATURE DATE: 04/30/2014

SIGNATURE NAME & TITLE: MARK HOFFMAN, SR ENV ENGINEER

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 219550

SIGNATURE DATE: 03/29/2013

SIGNATURE NAME & TITLE: TERRI L PORSBERG, OWNERS AGENT

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 40818

SIGNATURE DATE: 04/25/2008

SIGNATURE NAME & TITLE: TERRI L PORSBERG, MGR

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 40817

SIGNATURE DATE: 04/24/2008

SIGNATURE NAME & TITLE: TERRI L PORSSBERG, MGR

FILING STATUS: INITIAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 40574

SIGNATURE DATE: 06/21/2007

Petroleum Storage Tanks (PST)

SIGNATURE NAME & TITLE: **TERRI L PORSBERG, MGR AGENT**

FILING STATUS: **INITIAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **40573**

SIGNATURE DATE: **03/06/2007**

SIGNATURE NAME & TITLE: **JOHN H ANDERSON, VP FACILITY SERVICES**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **40572**

SIGNATURE DATE: **03/07/2006**

SIGNATURE NAME & TITLE: **JOHN ANDERSON, VP FACILITY SERVICES**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **40571**

SIGNATURE DATE: **03/16/2005**

SIGNATURE NAME & TITLE: **JOHN ANDERSON, NOT REPORTED**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **40570**

SIGNATURE DATE: **03/12/2004**

SIGNATURE NAME & TITLE: **JOHN ANDERSON, VICE PRESIDENT**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **40569**

SIGNATURE DATE: **03/27/2003**

SIGNATURE NAME & TITLE: **JOHN ANDERSON, VP**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **40568**

SIGNATURE DATE: **03/07/2002**

SIGNATURE NAME & TITLE: **ED VALVERDE, MGR**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **40567**

SIGNATURE DATE: **09/13/2000**

SIGNATURE NAME & TITLE: **ED VALVERDE, ADMIN**

FILING STATUS: **INITIAL**

REGISTRATION FLAG: **YES**

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: **1**

INSTALLATION DATE: **07/01/1979**

TANK CAPACITY (GAL): **4000**

STATUS: **IN USE**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **YES**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **05/08/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **07/01/1979**

REGULATORY STATUS: **EMERG POWER GENERATOR**

TANK DESIGN DOUBLE WALL: **NO**

Petroleum Storage Tanks (PST)

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **27662**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4000**

COMPARTMENT RELEASE DETECTION: **VAPOR MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL,SIR (STAT. INVENTORY RECONCILIATION) & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE,ALARM (SET@<=90%) W3A OR 3B**

PIPING SYSTEMS

MATERIAL: **NONMETALLIC FLEXIBLE PIPING**

CORROSION PROTECTION: **NONMETALLIC FLEXIBLE PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET,TRIENNIAL TIGHTNESS TEST (FOR SUCTION/GRAVITY PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 41

Distance from Property: 0.204 mi. (1,077 ft.) WSW
Elevation: 3,730 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 85598
NAME: ROBERTSON-UMENHAUER PLANT
ADDRESS: 800 CANAL RD
EL PASO, TX 79901
COUNTY: EL PASO
REGION: 6

TYPE: EMERGENCY GENERATOR
BEGIN DATE: 03/17/2014
STATUS: ACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: YES
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 2

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/12/2014
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 05/12/2014
SIGNATURE NAME & TITLE: IRAZEMA ROJAS, SIGNATURE TITLE NOT REPORTED
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN603459736
NAME: CITY OF EL PASO PUBLIC SERVICE BOARD
CONTACT ADDRESS: PO BOX 511
EL PASO TX 79961

TYPE: OTHER GOVERNMENT
BEGIN DATE: 03/17/2014
CONTACT ROLE: OWNCON
CONTACT NAME: DAVID ORNELAS
CONTACT TITLE: ENVIRO MANAGER
ORGANIZATION: CITY OF EL PASO PUBLIC SERVICE BOARD
PHONE: (915) 5945730 0
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OWNER NUMBER: CN603459736
NAME: CITY OF EL PASO PUBLIC SERVICE BOARD
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: OTHER GOVERNMENT
BEGIN DATE: 08/31/1987
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED

CONTACT INFORMATION

NAME: GENNARD MOTA
TITLE: NOT REPORTED
ORGANIZATION: ROBERTSON-UMENHAUER PLANT
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (915) 5945402 0

Petroleum Storage Tanks (PST)

FAX: **NOT REPORTED**
EMAIL: **NOT REPORTED**

OPERATOR

OPERATOR NUMBER: **CN603459736**
NAME: **CITY OF EL PASO PUBLIC SERVICE BOARD**
CONTACT ADDRESS: **PO BOX 511**
EL PASO TX 79961
TYPE: **OTHER GOVERNMENT**
BEGIN DATE: **03/17/2014**
CONTACT ROLE: **OPRCON**
CONTACT NAME: **DAVID ORNELAS**
CONTACT TITLE: **ENV MGR**
ORGANIZATION: **CITY OF EL PASO PUBLIC SERVICE BOARD**
PHONE: **(915) 5945730 0**
FAX: **NOT REPORTED**
EMAIL: **NOT REPORTED**

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NOTIFICATION CONSTRUCTION ID: **23403**
APPLICATION RECEIVED DATE: **01/17/2013**
SCHEDULE CONSTRUCTION DATE: **10/01/2013**
GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:
INSTALLATION OF TWO (2) ENGINE GENERATORS.

UNDERGROUND STORAGE TANK

NO UNDERGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

ABOVEGROUND STORAGE TANK INFORMATION

AST ID #: **219611** MULTIPLE COMPARTMENT FLAG: **NO**
TANK ID: **48OVEG** REGISTRATION DATE: **05/12/2014**
INSTALLATION DATE: **03/17/2014** STATUS BEGIN DATE: **03/17/2014**
TANK CAPACITY (GAL): **3900** REGULATORY STATUS: **FULLY REGULATED**
STATUS: **IN USE** SUBSTANCES: **DIESEL**

MATERIAL OF CONSTRUCTION

STEEL: **NO** CORRUGATED METAL: **NO**
FIBERGLASS: **NO** CONCRETE: **NO**
ALUMINIUM: **NO**

CONTAINMENT

EARTHEN DIKE: **NO** CONCRETE: **NO**
CONTAINMENT LINER: **NO** NONE: **NO**
STAGE I VAPOR RECOVERY: **NOT REPORTED**
STAGE I INSTALLATION DATE: **NOT REPORTED**

AST ID #: **219612** MULTIPLE COMPARTMENT FLAG: **NO**
TANK ID: **446OVEG** REGISTRATION DATE: **05/12/2014**
INSTALLATION DATE: **03/17/2014** STATUS BEGIN DATE: **03/17/2014**
TANK CAPACITY (GAL): **2560** REGULATORY STATUS: **FULLY REGULATED**
STATUS: **IN USE** SUBSTANCES: **DIESEL**

Petroleum Storage Tanks (PST)

MATERIAL OF CONSTRUCTION

STEEL: **NO** CORRUGATED METAL: **NO**

FIBERGLASS: **NO** CONCRETE: **NO**

ALUMINIUM: **NO**

CONTAINMENT

EARTHEN DIKE: **NO** CONCRETE: **NO**

CONTAINMENT LINER: **NO** NONE: **NO**

STAGE I VAPOR RECOVERY: **NOT REPORTED**

STAGE I INSTALLATION DATE: **NOT REPORTED**

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 42

Distance from Property: 0.207 mi. (1,093 ft.) E
Elevation: 3,709 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 24256
NAME: WYLER INDUSTRIAL WORKS
ADDRESS: 711 S SAINT VRAIN ST
EL PASO, TX 79901
COUNTY: EL PASO
REGION: 6
TYPE: FLEET REFUELING
BEGIN DATE: 10/01/1986
STATUS: ACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 2
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 08/17/2018
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 08/13/2018
SIGNATURE NAME & TITLE: FRED A DUVALL III, PRESIDENT
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600499818
NAME: WYLER INDUSTRIAL WORKS INC
CONTACT ADDRESS: PO BOX 636
EL PASO TX 79944
TYPE: CORPORATION/COMPANY
BEGIN DATE: 10/01/1986
CONTACT ROLE: OWNCON
CONTACT NAME: FRED A DUVALL
CONTACT TITLE: PRES
ORGANIZATION: WYLER INDUSTRIAL WORKS INC
PHONE: (915) 5421771 0
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

OPERATOR NUMBER: CN600499818
NAME: WYLER INDUSTRIAL WORKS INC
CONTACT ADDRESS: PO BOX 1071
EL PASO TX 79946
TYPE: CORPORATION/COMPANY
BEGIN DATE: 10/01/1986
CONTACT ROLE: OWNOPRCON
CONTACT NAME: FRED A DUVALL
CONTACT TITLE: PRES

CONTACT INFORMATION

NAME: FRED DUVALL
TITLE: PRES
ORGANIZATION: WYLER INDUSTRIAL WORKS
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (915) 5421771 0

Petroleum Storage Tanks (PST)

ORGANIZATION: **WYLER INDUSTRIAL WORKS INC**

PHONE: **(915) 5421771 0**

FAX: **NOT REPORTED**

EMAIL: **NOT REPORTED**

SELF-CERTIFICATION

SELF-CERTIFICATION ID: **309767**

SIGNATURE DATE: **08/13/2018**

SIGNATURE NAME & TITLE: **FRED DUVALL III, PRESIDENT**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **292554**

SIGNATURE DATE: **08/14/2017**

SIGNATURE NAME & TITLE: **FRED DUVAL III, PRES**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **278012**

SIGNATURE DATE: **10/10/2016**

SIGNATURE NAME & TITLE: **FRED DUVALL, PRES**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **263236**

SIGNATURE DATE: **01/11/2016**

SIGNATURE NAME & TITLE: **FRED DUVALL, PRES**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **241682**

SIGNATURE DATE: **07/01/2014**

SIGNATURE NAME & TITLE: **FRED A DUVALL, PRESIDENT**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **59247**

SIGNATURE DATE: **08/08/2012**

SIGNATURE NAME & TITLE: **FRED A DUVALL III, PRES**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **59246**

SIGNATURE DATE: **07/25/2011**

SIGNATURE NAME & TITLE: **FRED A DUVALL III, PRES**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **59245**

SIGNATURE DATE: **07/28/2010**

SIGNATURE NAME & TITLE: **FRED A DUVALL II, PRESIDENT**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **59244**

SIGNATURE DATE: **08/31/2009**

Petroleum Storage Tanks (PST)

SIGNATURE NAME & TITLE: FRED A DUVALL III, PRES

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 59243

SIGNATURE DATE: 07/23/2008

SIGNATURE NAME & TITLE: FRED DUVALL, PRES

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 59242

SIGNATURE DATE: 08/08/2007

SIGNATURE NAME & TITLE: FRED A DUVALL III, PRESIDENT

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 59241

SIGNATURE DATE: 08/01/2006

SIGNATURE NAME & TITLE: L P BERRY, CEO

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 59240

SIGNATURE DATE: 07/20/2005

SIGNATURE NAME & TITLE: L P BERRY, NOT REPORTED

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 59239

SIGNATURE DATE: 07/28/2004

SIGNATURE NAME & TITLE: L P BERRY, CEO

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 59238

SIGNATURE DATE: 07/30/2003

SIGNATURE NAME & TITLE: L P BERRY, CEO

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 59237

SIGNATURE DATE: 07/19/2002

SIGNATURE NAME & TITLE: L P BERRY, NOT REPORTED

FILING STATUS: RENEWAL

REGISTRATION FLAG: YES

SELF-CERTIFICATION ID: 59236

SIGNATURE DATE: 04/26/2001

SIGNATURE NAME & TITLE: L P BERRY, CEO

FILING STATUS: INITIAL

REGISTRATION FLAG: YES

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1A

NUMBER OF COMPARTMENTS: 1

Petroleum Storage Tanks (PST)

INSTALLATION DATE: **01/01/1979** REGISTRATION DATE: **05/08/1986**
TANK CAPACITY (GAL): **2000** EMPTY TANK: **NOT EMPTY**
STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **07/03/1991**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **58050**

TANK ID: **1A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **2000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1979**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **2000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **03/24/1999**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

Petroleum Storage Tanks (PST)

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **58051**

TANK ID: **2A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **2000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1979**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **1000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **01/19/1993**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

Petroleum Storage Tanks (PST)

UST COMPARTMENT ID: **58052**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **02/01/1993**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **600**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **02/01/1993**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **58053**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **600**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL, WEEKLY MANUAL TANK GAUGING (TANKS <= 1000 GAL)**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP, FACTORY - BUILT**

Petroleum Storage Tanks (PST)

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **03/24/1999**

REGISTRATION DATE: **11/22/1999**

TANK CAPACITY (GAL): **3000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **03/24/1999**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **58054**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **3000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL,WEEKLY MANUAL TANK**

GAUGING (TANKS <= 1000 GAL)

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

Petroleum Storage Tanks (PST)

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Brownfields Management System (BF)

MAP ID# 43

Distance from Property: 0.216 mi. (1,140 ft.) N
Elevation: 3,713 ft. (Higher than TP)

SITE INFORMATION

ID#: 12482

NAME: CITY BASEBALL TRAINING FACILITY

ADDRESS: 200 TEXAS AVE
EL PASO, TX 79901

TYPE FUNDING: N/A

PREDOMINANT PAST USE (ACREAGE):

GREENSPACE:
NOT REPORTED

RESIDENTIAL:
NOT REPORTED

COMMERCIAL:
NOT REPORTED

INDUSTRIAL:
NOT REPORTED

FUTURE USE (ACREAGE):

GREENSPACE:
NOT REPORTED

RESIDENTIAL:
NOT REPORTED

COMMERCIAL:
NOT REPORTED

INDUSTRIAL:
NOT REPORTED

PROPERTY HIGHLIGHT:

NOT REPORTED

PROPERTY SIZE (Acres): **NOT REPORTED**

CURRENT OWNER: **NOT REPORTED**

PROPERTY DESCRIPTION/ FORMER USE:

NOT REPORTED

CONTAMINATE(S): **NOT REPORTED**

CONTAMINATE(S) CLEANED UP: **NOT REPORTED**

MEDIA(S) AFFECTED: **NOT REPORTED**

MEDIA(S) CLEANED UP: **NOT REPORTED**

TYPE OF BROWNFIELD GRANT: **ASSESSMENT**

ENVIRONMENTAL ASSESSMENT ACTIVITY: **NOT REPORTED**

ASSESSMENT START DATE: **NOT REPORTED**

ASSESSMENT COMPLETION DATE: **NOT REPORTED**

CLEANUP REQUIRED: **NO**

STATE & TRIBAL ENROLLMENT ID: **NOT REPORTED**

STATE & TRIBAL ENROLLMENT DATE: **NOT REPORTED**

PROPERTY ENROLLED IN A STATE & TRIBAL PROGRAM?: **NOT REPORTED**

ARE INSTITUTIONAL CONTROLS REQUIRED?: **NOT REPORTED**

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 44

Distance from Property: 0.22 mi. (1,162 ft.) NE
Elevation: 3,708 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 33961
NAME: POLOS PLACE
ADDRESS: 115 S VIRGINIA ST
EL PASO, TX 79901
COUNTY: EL PASO
REGION: 6
TYPE: UNKNOWN
BEGIN DATE: 12/03/1986
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 05/05/1986
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 05/05/1986
SIGNATURE NAME & TITLE: JOHN WATERS, VP
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600746416
NAME: THE SAVAGE OIL COMPANY
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: CORPORATION/COMPANY
BEGIN DATE: 12/03/1986
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 2
INSTALLATION DATE: 01/01/1966
TANK CAPACITY (GAL): 1000
NUMBER OF COMPARTMENTS: 1
REGISTRATION DATE: 05/05/1986
EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: NOT REPORTED
TITLE: NOT REPORTED
ORGANIZATION: POLOS PLACE
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (915) 5334405 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **12/31/1986**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **83492**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1**

INSTALLATION DATE: **01/01/1966**

TANK CAPACITY (GAL): **1000**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **05/05/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **12/31/1986**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

Petroleum Storage Tanks (PST)

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **83493**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 45

Distance from Property: 0.221 mi. (1,167 ft.) W
Elevation: 3,714 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 118770
LPST ID: 118770
FACILITY ID: 4637
NAME: QUICK MART
ADDRESS: 311 W PAISANO DR
EL PASO, TX 79901

LEAKING TANK DETAILS

LPST ID: 118770
NAME: QUICK MART
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 4.0 - ASSESSMENT INCOMPLETE NO APPARENT RECEPTORS IMPACTED
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 3/23/12
REPORTED DATE: 01/17/2012
ENTERED DATE: 03/23/2012
CLOSURE DATE: 03/28/2012

PRP INFORMATION

NAME: GUAJARDO, ENRIQUE
ADDRESS: ADDRESS NOT REPORTED
EL PASO TX 79901
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 04/01/1988	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 4019	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 04/01/1988
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: YES

TANK DETAILS

MATERIAL:
STEEL
CORROSION PROTECTION:
CATHODIC PROTECTION - FIELD INSTALLATION
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: 15115

TANK ID: 1

COMPARTMENT LETTER: A

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4019**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE),ISOLATED IN OPEN AREA/2ND CONTAINMENT**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE),ISOLATED IN OPEN AREA/2ND CONTAINMENT**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **04/01/1988**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **4040**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **04/01/1988**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: 15114

TANK ID: 2

COMPARTMENT LETTER: A

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4040**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

Leaking Petroleum Storage Tanks (LPST)

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE),ISOLATED IN OPEN AREA/2ND CONTAINMENT**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE),ISOLATED IN OPEN AREA/2ND CONTAINMENT**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **04/01/1988**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **4000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **04/01/1988**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **15118**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE),ISOLATED IN OPEN AREA/2ND CONTAINMENT**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE),ISOLATED IN OPEN AREA/2ND CONTAINMENT**

PIPE COMPLIANCE FLAG

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 4	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 04/01/1988	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 2005	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 04/01/1988
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: YES

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **15117**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **2005**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE),ISOLATED IN OPEN AREA/2ND CONTAINMENT**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE),ISOLATED IN OPEN AREA/2ND CONTAINMENT**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 5	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 04/01/1988	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 1000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 11/21/2011
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

Leaking Petroleum Storage Tanks (LPST)

TANK DETAILS

MATERIAL:

COATED

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **15116**

TANK ID: **5**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALVE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 45

Distance from Property: 0.221 mi. (1,167 ft.) W
Elevation: 3,714 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 4637
NAME: **QUICK MART**
ADDRESS: 311 W PAISANO DR
EL PASO, TX 79901
COUNTY: EL PASO
REGION: 6
TYPE: **RETAIL**
BEGIN DATE: 05/08/1986
STATUS: **ACTIVE**
EXEMPT STATUS: **NO**
RECORDS OFF-SITE: **NO**
NUMBER OF ACTIVE UNDERGROUND TANKS: 4
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 09/10/2018
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 09/07/2018
SIGNATURE NAME & TITLE: **ENRIQUE GUARJARDO, OWNER**
ENFORCEMENT ACTION DATE: **NOT REPORTED**

OWNER

OWNER NUMBER: **CN603849092**
NAME: **GUAJARDO**
CONTACT ADDRESS: 311 W PAISANO DR
EL PASO TX 79901

TYPE: **INDIVIDUAL**
BEGIN DATE: 02/25/2011
CONTACT ROLE: **OWNCON**
CONTACT NAME: **ENRIQUE GUAJARDO**
CONTACT TITLE: **OWNER**
ORGANIZATION: **GUAJARDO ENRIQUE**
PHONE: (915) 8877427 0
FAX: **NOT REPORTED**
EMAIL: **NOT REPORTED**

OPERATOR

OPERATOR NUMBER: **CN603849092**
NAME: **GUAJARDO**
CONTACT ADDRESS: 311 W PAISANO DR
EL PASO TX 79901

TYPE: **INDIVIDUAL**
BEGIN DATE: 02/25/2011
CONTACT ROLE: **OPRCON**
CONTACT NAME: **NOT REPORTED**
CONTACT TITLE: **NOT REPORTED**

CONTACT INFORMATION

NAME: **ENRIQUE GUAJARDO**
TITLE: **OWNER**
ORGANIZATION: **QUICK MART**
MAIL ADDRESS: **MAILING ADDRESS NOT REPORTED**
CITY NOT REPORTED
PHONE: (915) 8877427 0

Petroleum Storage Tanks (PST)

ORGANIZATION: **GUAJARDO ENRIQUE**

PHONE: **(915) 8877427 0**

FAX: **NOT REPORTED**

EMAIL: **NOT REPORTED**

SELF-CERTIFICATION

SELF-CERTIFICATION ID: **309706**

SIGNATURE DATE: **09/07/2018**

SIGNATURE NAME & TITLE: **ENRIQUE GUARJARDO, OWNER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **295119**

SIGNATURE DATE: **10/01/2017**

SIGNATURE NAME & TITLE: **ENRIQUE GUARJARDO, OPERATOR**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **278199**

SIGNATURE DATE: **10/03/2016**

SIGNATURE NAME & TITLE: **ENRIQUE GUAJARDO, OWNER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **260836**

SIGNATURE DATE: **10/01/2015**

SIGNATURE NAME & TITLE: **ENRIQUE GUAJARDO, OWNER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **244539**

SIGNATURE DATE: **09/12/2014**

SIGNATURE NAME & TITLE: **ENRIQUE GUAJARDO, OWNER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **227687**

SIGNATURE DATE: **09/28/2013**

SIGNATURE NAME & TITLE: **ENRIQUE GUARDO, OWNER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **16782**

SIGNATURE DATE: **11/15/2012**

SIGNATURE NAME & TITLE: **ENRIQUE GUARJARDO, PRES**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **16781**

SIGNATURE DATE: **02/25/2011**

SIGNATURE NAME & TITLE: **ENRIQUE GUAJARDO, OWNER**

FILING STATUS: **RENEWAL**

REGISTRATION FLAG: **YES**

SELF-CERTIFICATION ID: **16780**

SIGNATURE DATE: **08/31/2010**

Petroleum Storage Tanks (PST)

SIGNATURE NAME & TITLE: HERMENEGILDO BUENO, OWNER
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: 16779
SIGNATURE DATE: 04/15/2009
SIGNATURE NAME & TITLE: HERMENEGILDO BUENO, OWNER
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: 16778
SIGNATURE DATE: 05/04/2008
SIGNATURE NAME & TITLE: HERMEN BUENO, OWNER
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: 16777
SIGNATURE DATE: 04/17/2007
SIGNATURE NAME & TITLE: HERMEMEGILDO BUENO, OWNER
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: 16776
SIGNATURE DATE: 01/29/2006
SIGNATURE NAME & TITLE: HERMENEGILDO, OWNER
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: 16529
SIGNATURE DATE: 05/05/2005
SIGNATURE NAME & TITLE: HERMENEGILDO BUENO, OWNER
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: 16528
SIGNATURE DATE: 05/01/2004
SIGNATURE NAME & TITLE: HERMENEGILDO BUENO, NOT REPORTED
FILING STATUS: **INITIAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: 16527
SIGNATURE DATE: 03/25/2003
SIGNATURE NAME & TITLE: ERNESTO F HERNANDEZ, OWNER
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: 16526
SIGNATURE DATE: 03/12/2002
SIGNATURE NAME & TITLE: ERNESTO F HERENANDEZ, OWNER
FILING STATUS: **RENEWAL**
REGISTRATION FLAG: **YES**
SELF-CERTIFICATION ID: 16525
SIGNATURE DATE: 07/24/2000
SIGNATURE NAME & TITLE: ERNESTO F HERNANDEZ, OWNER
FILING STATUS: **INITIAL**

Petroleum Storage Tanks (PST)

REGISTRATION FLAG: **YES**

CONSTRUCTION NOTIFICATION

NOTIFICATION CONSTRUCTION ID: **1443**

APPLICATION RECEIVED DATE: **11/14/2011**

SCHEDULE CONSTRUCTION DATE: **12/14/2011**

GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:

REMOVAL OF (1) 1,000 GAL UST AND UPGRADE (4) EXISTING UST'S TO INCLUDE SUMPS & DOUBLE WALL FRP.

NOTIFICATION CONSTRUCTION ID: **1442**

APPLICATION RECEIVED DATE: **11/14/2011**

SCHEDULE CONSTRUCTION DATE: **12/14/2011**

GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:

REMOVAL OF (1) 1,000 GAL UST AND UPGRADE (4) EXISTING UST'S TO INCLUDE SUMPS & DOUBLE WALL FRP.

UNDERGROUND STORAGE TANK

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **04/01/1988**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **4040**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **04/01/1988**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **15114**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4040**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE),ISOLATED IN OPEN AREA/2ND CONTAINMENT**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

Petroleum Storage Tanks (PST)

INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET,AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **04/01/1988**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **4019**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **04/01/1988**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **15115**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4019**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE),ISOLATED IN OPEN AREA/2ND CONTAINMENT**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET,AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **5**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **04/01/1988**

REGISTRATION DATE: **05/08/1986**

Petroleum Storage Tanks (PST)

TANK CAPACITY (GAL): **1000** EMPTY TANK: **NOT EMPTY**
STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **11/21/2011**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **YES** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **YES** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

COATED

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **15116**

TANK ID: **5**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALVE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

ANNUAL PIPING TIGHTNESS TEST / ANNUAL ELECTRONIC MONITORING (@ 0.1 GPH),AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE PIPING)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

INSTALLATION DATE: **04/01/1988**

TANK CAPACITY (GAL): **2005**

STATUS: **IN USE**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **05/08/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **04/01/1988**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

Petroleum Storage Tanks (PST)

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **15117**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **2005**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE),ISOLATED IN OPEN AREA/2ND CONTAINMENT**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

**INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET,AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE
PIPING)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **04/01/1988**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **4000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **04/01/1988**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

CATHODIC PROTECTION - FIELD INSTALLATION

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

Petroleum Storage Tanks (PST)

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **15118**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **4000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,FLOW RESTRICTOR VALUE**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE),ISOLATED IN OPEN AREA/2ND CONTAINMENT**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

**INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET,AUTO. LINE LEAK DETECTOR (3.0 GPH FOR PRESSURE
PIPING)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 46

Distance from Property: 0.226 mi. (1,193 ft.) N
Elevation: 3,707 ft. (Equal to TP)

FACILITY INFORMATION

ID#: 76678
NAME: VACANT LOT
ADDRESS: 601 MAGOFFIN AVE
EL PASO, TX 79901
COUNTY: EL PASO
REGION: 6
TYPE: NOT REPORTED
BEGIN DATE: 08/31/1987
STATUS: INACTIVE
EXEMPT STATUS: YES
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 08/16/2004
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 08/10/2004
SIGNATURE NAME & TITLE: MIKE COOPER, SIGNATURE TITLE NOT REPORTED
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600311591
NAME: GENERAL SERVICES ADMINISTRATION
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: FEDERAL GOVERNMENT
BEGIN DATE: 08/31/1987
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NOTIFICATION CONSTRUCTION ID: 21426
APPLICATION RECEIVED DATE: 05/17/2004
SCHEDULE CONSTRUCTION DATE: 06/16/2004
GENERAL DESCRIPTION OF PROPOSED CONSTRUCTION:
NOT REPORTED

CONTACT INFORMATION

NAME: NOT REPORTED
TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: NOT REPORTED

Petroleum Storage Tanks (PST)

UNDERGROUND STORAGE TANK

TANK ID: 1
INSTALLATION DATE: 08/31/1987
TANK CAPACITY (GAL): 500
STATUS: **REMOVED FROM GROUND**
INTERNAL PROTECTION DATE: **NOT REPORTED**
TANK DESIGN SINGLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: 1
REGISTRATION DATE: 08/16/2004
EMPTY TANK: **NOT EMPTY**
STATUS BEGIN DATE: 08/27/2004
REGULATORY STATUS: **EXEMPT REM WITHIN 60 DAYS**
TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:
NOT REPORTED
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: 184535
TANK ID: 1
COMPARTMENT LETTER: A
SUBSTANCES: **NOT REPORTED**
OTHER SUBSTANCES: **NOT REPORTED**
CAPACITY (GAL): 500
COMPARTMENT RELEASE DETECTION: **NOT REPORTED**
SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**
CORROSION PROTECTION: **NOT REPORTED**
EXTERNAL CONTAINMENT: **NOT REPORTED**
CONNECTORS & VALVES:
NOT REPORTED
PIPING RELEASE DETECTION:
NOT REPORTED
PIPE COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 47

Distance from Property: 0.241 mi. (1,272 ft.) W
Elevation: 3,731 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 094078
LPST ID: 094078
FACILITY ID: 48223
NAME: EL PASO WASTE MATERIAL
ADDRESS: 900 CANAL ST
EL PASO, TX 79901

LEAKING TANK DETAILS

LPST ID: 094078
NAME: EL PASO WASTE MATERIAL
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 4A - SOIL CONTAMINATION ONLY REQUIRES FULL SITE ASSESSMENT RAP
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 12/11/89
REPORTED DATE: 11/14/1989
ENTERED DATE: 12/11/1989
CLOSURE DATE: 10/13/2000

PRP INFORMATION

NAME: VALBRENT INC EL PASO WST MAT
ADDRESS: ADDRESS NOT REPORTED
EL PASO TX 79913
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 08/31/1987	REGISTRATION DATE: 04/19/1989
TANK CAPACITY (GAL): 560	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 11/01/1989
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
STEEL
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: 112729

TANK ID: 1

COMPARTMENT LETTER: A

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **560**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 47

Distance from Property: 0.241 mi. (1,272 ft.) W
Elevation: 3,731 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 48223
NAME: EL PASO WASTE MATERIAL
ADDRESS: 900 CANAL ST
EL PASO, TX 79901
COUNTY: EL PASO
REGION: 6
TYPE: UNKNOWN
BEGIN DATE: 04/21/1989
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 04/19/1989
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 04/17/1989
SIGNATURE NAME & TITLE: BRUCE ROSEN, PRES
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600890974
NAME: VALBRENT INC
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: CORPORATION/COMPANY
BEGIN DATE: 04/21/1989
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 08/31/1987	REGISTRATION DATE: 04/19/1989
TANK CAPACITY (GAL): 560	EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: BRUCE ROSEN
TITLE: PRESIDENT
ORGANIZATION: EL PASO WASTE MATERIAL
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (915) 5339432 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **11/01/1989**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **112729**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **560**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 48

Distance from Property: 0.241 mi. (1,272 ft.) ENE
Elevation: 3,709 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 57584
NAME: WYLER WAREHOUSE
ADDRESS: 802 S SAINT VRAIN ST
EL PASO, TX 79901
COUNTY: EL PASO
REGION: 6
TYPE: OTHER
BEGIN DATE: 02/20/1991
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 02/13/1991
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 02/11/1991
SIGNATURE NAME & TITLE: L P BERRY, PRES
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600499818
NAME: WYLER INDUSTRIAL WORKS INC
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: CORPORATION/COMPANY
BEGIN DATE: 02/20/1991
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 2	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 08/31/1987	REGISTRATION DATE: 02/13/1991
TANK CAPACITY (GAL): 1000	EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: L P BERRY
TITLE: PRES
ORGANIZATION: WYLER WAREHOUSE
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (915) 5421771 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **12/07/1990**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **58055**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **UNKNOWN**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1**

INSTALLATION DATE: **08/31/1987**

TANK CAPACITY (GAL): **500**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **02/13/1991**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **12/07/1990**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

Petroleum Storage Tanks (PST)

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **58056**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **UNKNOWN**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **500**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 49

Distance from Property: 0.242 mi. (1,278 ft.) WNW
Elevation: 3,716 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 097812
LPST ID: 097812
FACILITY ID: 57702
NAME: NATIONAL RESTAURANT SUPPLY
ADDRESS: 320 W SAN ANTONIO AVE
EL PASO, TX 79901

LEAKING TANK DETAILS

LPST ID: 097812
NAME: NATIONAL RESTAURANT SUPPLY
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 3.5 - A DESIGNATED MAJOR OR MINOR AQUIFER IS IMPACTED
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 1/23/91
REPORTED DATE: 01/02/1991
ENTERED DATE: 01/23/1991
CLOSURE DATE: 08/27/2003

PRP INFORMATION

NAME: NATIONAL RESTAURANT SUPPLY
ADDRESS: ADDRESS NOT REPORTED
EL PASO TX 79901
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 08/31/1987	REGISTRATION DATE: 02/28/1991
TANK CAPACITY (GAL): 1000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 01/02/1991
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
NOT REPORTED
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: NO
CORROSION PROTECTION VARIANCE: NO VARIANCE

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **150661**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **UNKNOWN**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/31/1987**

REGISTRATION DATE: **01/31/1997**

TANK CAPACITY (GAL): **1500**

EMPTY TANK: **NOT EMPTY**

STATUS: **PERM FILLED IN PLACE**

STATUS BEGIN DATE: **12/13/1996**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **EXEMPT REM WITHIN 60 DAYS**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **150662**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

Leaking Petroleum Storage Tanks (LPST)

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Petroleum Storage Tanks (PST)

MAP ID# 49

Distance from Property: 0.242 mi. (1,278 ft.) WNW
Elevation: 3,716 ft. (Higher than TP)

FACILITY INFORMATION

ID#: 57702
NAME: NATIONAL RESTAURANT SUPPLY
ADDRESS: 320 W SAN ANTONIO AVE
EL PASO, TX 79901
COUNTY: EL PASO
REGION: 6
TYPE: FLEET REFUELING
BEGIN DATE: 03/04/1991
STATUS: INACTIVE
EXEMPT STATUS: NO
RECORDS OFF-SITE: NO
NUMBER OF ACTIVE UNDERGROUND TANKS: 0
NUMBER OF ACTIVE ABOVEGROUND TANKS: 0

APPLICATION INFORMATION:

RECEIVED DATE ON EARLIEST REGISTRATION FORM: 02/28/1991
SIGNATURE DATE ON EARLIEST REGISTRATION FORM: 02/07/1991
SIGNATURE NAME & TITLE: BRUCE GULBAS, PRES
ENFORCEMENT ACTION DATE: NOT REPORTED

OWNER

OWNER NUMBER: CN600892103
NAME: GULBAS IRVING & SALLIE
CONTACT ADDRESS: OWNER ADDRESS NOT REPORTED
CITY NOT REPORTED

TYPE: ORGANIZATION
BEGIN DATE: 03/04/1991
CONTACT ROLE: NOT REPORTED
CONTACT NAME: NOT REPORTED
CONTACT TITLE: NOT REPORTED
ORGANIZATION: NOT REPORTED
PHONE: NOT REPORTED
FAX: NOT REPORTED
EMAIL: NOT REPORTED

OPERATOR

NO OPERATOR INFORMATION REPORTED

SELF-CERTIFICATION

-NO SELF-CERTIFICATION INFORMATION REPORTED-

CONSTRUCTION NOTIFICATION

NO CONSTRUCTION NOTIFICATION DATA REPORTED FOR THIS FACILITY

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 08/31/1987	REGISTRATION DATE: 02/28/1991
TANK CAPACITY (GAL): 1000	EMPTY TANK: NOT EMPTY

CONTACT INFORMATION

NAME: NOT REPORTED
TITLE: NOT REPORTED
ORGANIZATION: NATIONAL RESTAURANT SUPPLY
MAIL ADDRESS: MAILING ADDRESS NOT REPORTED
CITY NOT REPORTED
PHONE: (915) 5442121 0

Petroleum Storage Tanks (PST)

STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **01/02/1991**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

NOT REPORTED

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **150661**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **UNKNOWN**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

INSTALLATION DATE: **08/31/1987**

TANK CAPACITY (GAL): **1500**

STATUS: **PERM FILLED IN PLACE**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **YES**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **01/31/1997**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **12/13/1996**

REGULATORY STATUS: **EXEMPT REM WITHIN 60 DAYS**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

Petroleum Storage Tanks (PST)

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **150662**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

PIPING RELEASE DETECTION:

NOT REPORTED

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 50

Distance from Property: 0.254 mi. (1,341 ft.) ENE
Elevation: 3,708 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 112959
LPST ID: 112959
FACILITY ID: NOT REPORTED
NAME: NOT REPORTED
ADDRESS: 1001 E PAISANO
NOT REPORTED, TX

LEAKING TANK DETAILS

LPST ID: 112959
NAME: NOT REPORTED
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 4.1 - GROUNDWATER IMPACTED, NO APPARENT THREATS OR IMPACTS TO RECEPTORS
CORRECTIVE ACTION STATUS CODE: 1A - INCIDENT REPORTED, INITIAL DIRECTIVES NOT YET ISSUED
CORRECTIVE ACTION START DATE: NOT REPORTED
REPORTED DATE: 03/01/98
ENTERED DATE: 02/06/98
CLOSURE DATE: NOT REPORTED

PRP INFORMATION

NAME: JOSEPH LYON
ADDRESS: 6505 SYLVANIA WAY
EL PASO TX 79912
CONTACT: JOSEPH LYON
PHONE: 915/584-7472

UNDERGROUND STORAGE TANK

NO UNDERGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 51

Distance from Property: 0.256 mi. (1,352 ft.) NNW
Elevation: 3,711 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 096541
LPST ID: 096541
FACILITY ID: 19367
NAME: SOUTHWESTERN BELL TELEPHONE CO
ADDRESS: 500 TEXAS AVE
EL PASO, TX 79901

LEAKING TANK DETAILS

LPST ID: 096541
NAME: SOUTHWESTERN BELL TELEPHONE CO
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 4.2 - NO GW IMPACT NO APPARENT THREATS OR IMPACTS TO RECEPTORS
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 8/22/90
REPORTED DATE: 05/09/1990
ENTERED DATE: 08/22/1990
CLOSURE DATE: 01/12/1998

PRP INFORMATION

NAME: SOUTHWESTERN BELL TELEPHONE CO
ADDRESS: ADDRESS NOT REPORTED
DALLAS TX 75202
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 12/01/1980	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 4000	EMPTY TANK: NOT EMPTY
STATUS: PERM FILLED IN PLACE	STATUS BEGIN DATE: 12/30/1991
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
STEEL
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: 113891

TANK ID: 1

COMPARTMENT LETTER: A

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 2

NUMBER OF COMPARTMENTS: 1

INSTALLATION DATE: 12/01/1980

REGISTRATION DATE: 05/08/1986

TANK CAPACITY (GAL): 4000

EMPTY TANK: **NOT EMPTY**

STATUS: **PERM FILLED IN PLACE**

STATUS BEGIN DATE: 12/31/1991

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: 113892

TANK ID: 2

COMPARTMENT LETTER: A

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

Leaking Petroleum Storage Tanks (LPST)

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **12/01/1950**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **295**

EMPTY TANK: **NOT EMPTY**

STATUS: **PERM FILLED IN PLACE**

STATUS BEGIN DATE: **12/30/1990**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **113894**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

Leaking Petroleum Storage Tanks (LPST)

INSTALLATION DATE: **12/01/1950** REGISTRATION DATE: **05/08/1986**
TANK CAPACITY (GAL): **300** EMPTY TANK: **NOT EMPTY**
STATUS: **PERM FILLED IN PLACE** STATUS BEGIN DATE: **12/30/1990**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **YES** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **113893**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

AST ID #: **152098** MULTIPLE COMPARTMENT FLAG: **NO**

TANK ID: **1** REGISTRATION DATE: **05/08/1986**

INSTALLATION DATE: **01/01/1991** STATUS BEGIN DATE: **01/01/1991**

TANK CAPACITY (GAL): **6000** REGULATORY STATUS: **FULLY REGULATED**

STATUS: **IN USE** SUBSTANCES: **DIESEL**

MATERIAL OF CONSTRUCTION

STEEL: **YES** CORRUGATED METAL: **NO**

FIBERGLASS: **NO** CONCRETE: **NO**

ALUMINIUM: **NO**

Leaking Petroleum Storage Tanks (LPST)

CONTAINMENT

EARTHEN DIKE: **NO** CONCRETE: **NO**
CONTAINMENT LINER: **YES** NONE: **NO**
STAGE I VAPOR RECOVERY: **NOT REPORTED**
STAGE I INSTALLATION DATE: **NOT REPORTED**

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 52

Distance from Property: 0.267 mi. (1,410 ft.) N
Elevation: 3,707 ft. (Equal to TP)

FACILITY INFORMATION

GEOSEARCH ID: 100387
LPST ID: 100387
FACILITY ID: 19276
NAME: SW BELL MYRTLE ST PARKING GARAGE
ADDRESS: 614 MYRTLE AVE
EL PASO, TX 79901

LEAKING TANK DETAILS

LPST ID: 100387
NAME: SW BELL MYRTLE ST PARKING GARAGE
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 4A - SOIL CONTAMINATION ONLY REQUIRES FULL SITE ASSESSMENT RAP
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 11/1/91
REPORTED DATE: 06/04/1991
ENTERED DATE: 11/01/1991
CLOSURE DATE: 08/19/1996

PRP INFORMATION

NAME: SOUTHWESTERN BELL TELEPHONE CO
ADDRESS: ADDRESS NOT REPORTED
DALLAS TX 75202
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 12/01/1964	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 2000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 12/30/1991
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
STEEL
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: 113082

TANK ID: 1

COMPARTMENT LETTER: A

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **2000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **EXTERNAL DIELECTRIC COATING/LAMINATE/TAPE/WRAP**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 2

NUMBER OF COMPARTMENTS: 1

INSTALLATION DATE: **12/01/1964**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **2000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **12/30/1991**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: 113081

TANK ID: 2

COMPARTMENT LETTER: A

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **2000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

Leaking Petroleum Storage Tanks (LPST)

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **12/01/1964**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **550**

EMPTY TANK: **EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **12/30/1991**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **113083**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **550**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 53

Distance from Property: 0.284 mi. (1,500 ft.) NNW
Elevation: 3,714 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 109812
LPST ID: 109812
FACILITY ID: NOT REPORTED
NAME: STATE NATIONAL BANK WAREHOUSE
ADDRESS: 417 TEXAS
EL PASO, TX 79901

LEAKING TANK DETAILS

LPST ID: 109812
NAME: STATE NATIONAL BANK WAREHOUSE
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 4.2 - NO GW IMPACT NO APPARENT THREATS OR IMPACTS TO RECEPTORS
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 9/1/95
REPORTED DATE: 05/23/1995
ENTERED DATE: 09/01/1995
CLOSURE DATE: 11/30/1995

PRP INFORMATION

NAME: STATE NATIONAL BANK
ADDRESS: ADDRESS NOT REPORTED
EL PASO TX 79958
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

NO UNDERGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Brownfields Management System (BF)

MAP ID# 54

Distance from Property: 0.289 mi. (1,526 ft.) W
Elevation: 3,715 ft. (Higher than TP)

SITE INFORMATION

ID#: 12479

NAME: 418 S. DURANGO STREET

ADDRESS: 418 S. DURANGO STREET
EL PASO, TX 79901

TYPE FUNDING: N/A

PREDOMINANT PAST USE (ACREAGE):

GREENSPACE:
NOT REPORTED

RESIDENTIAL:
NOT REPORTED

COMMERCIAL:
NOT REPORTED

INDUSTRIAL:
NOT REPORTED

FUTURE USE (ACREAGE):

GREENSPACE:
NOT REPORTED

RESIDENTIAL:
NOT REPORTED

COMMERCIAL:
NOT REPORTED

INDUSTRIAL:
NOT REPORTED

PROPERTY HIGHLIGHT:

NOT REPORTED

PROPERTY SIZE (Acres): **NOT REPORTED**

CURRENT OWNER: **URBAN ASSOCIATES AND ANTONIO DILL**

PROPERTY DESCRIPTION/ FORMER USE:

AUTOMOTIVE GARAGE/MECHANIC SHOP

CONTAMINATE(S): **NOT REPORTED**

CONTAMINATE(S) CLEANED UP: **NOT REPORTED**

MEDIA(S) AFFECTED: **SOIL**

MEDIA(S) CLEANED UP: **NOT REPORTED**

TYPE OF BROWNFIELD GRANT: **ASSESSMENT**

ENVIRONMENTAL ASSESSMENT ACTIVITY: **PHASE I ENVIRONMENTAL ASSESSMENT**

ASSESSMENT START DATE: **9/30/2004 0:00**

ASSESSMENT COMPLETION DATE: **9/30/2004 0:00**

CLEANUP REQUIRED: **YES**

STATE & TRIBAL ENROLLMENT ID: **NOT REPORTED**

STATE & TRIBAL ENROLLMENT DATE: **NOT REPORTED**

PROPERTY ENROLLED IN A STATE & TRIBAL PROGRAM?: **NOT REPORTED**

ARE INSTITUTIONAL CONTROLS REQUIRED?: **NOT REPORTED**

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 55

Distance from Property: 0.304 mi. (1,605 ft.) WNW
Elevation: 3,715 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 101977
LPST ID: 101977
FACILITY ID: 59437
NAME: WRANGLER
ADDRESS: 501 W PAISANO DR
EL PASO, TX 79901

LEAKING TANK DETAILS

LPST ID: 101977
NAME: WRANGLER
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 4A - SOIL CONTAMINATION ONLY REQUIRES FULL SITE ASSESSMENT RAP
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 4/21/92
REPORTED DATE: 01/13/1992
ENTERED DATE: 04/21/1992
CLOSURE DATE: 08/21/1992

PRP INFORMATION

NAME: WRANGLER INC
ADDRESS: ADDRESS NOT REPORTED
EL PASO TX 79936
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 08/31/1987	REGISTRATION DATE: 08/16/1991
TANK CAPACITY (GAL): 2000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 01/13/1992
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
STEEL
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **113694**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **2000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/31/1987**

REGISTRATION DATE: **08/16/1991**

TANK CAPACITY (GAL): **2000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **01/13/1992**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **113695**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **2000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

Leaking Petroleum Storage Tanks (LPST)

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/31/1987**

REGISTRATION DATE: **08/16/1991**

TANK CAPACITY (GAL): **2000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **01/13/1992**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **113698**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **2000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

Leaking Petroleum Storage Tanks (LPST)

INSTALLATION DATE: **08/31/1987** REGISTRATION DATE: **08/16/1991**
TANK CAPACITY (GAL): **2000** EMPTY TANK: **NOT EMPTY**
STATUS: **REMOVED FROM GROUND** STATUS BEGIN DATE: **01/13/1992**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **YES** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **YES** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **113697**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **2000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **5**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **08/31/1987**

REGISTRATION DATE: **08/16/1991**

TANK CAPACITY (GAL): **250**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **02/11/1992**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

CONCRETE

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **113696**

TANK ID: **5**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **250**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 56

Distance from Property: 0.308 mi. (1,626 ft.) NW
Elevation: 3,728 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 102967
LPST ID: 102967
FACILITY ID: 6787
NAME: GREYHOUND BUS MAINTENANCE FAC
ADDRESS: 201 W MAIN DR
EL PASO, TX 79901

LEAKING TANK DETAILS

LPST ID: 102967
NAME: GREYHOUND BUS MAINTENANCE FAC
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 5 - MINOR SOIL CONTAMINATION - DOES NOT REQUIRE A RAP
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 7/9/92
REPORTED DATE: 12/11/1991
ENTERED DATE: 07/09/1992
CLOSURE DATE: 06/06/1992

PRP INFORMATION

NAME: GREYHOUND LINES INC
ADDRESS: ADDRESS NOT REPORTED
DALLAS TX 75266
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 12/01/1991	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 10000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 12/01/2016
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: YES
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: YES

TANK DETAILS

MATERIAL:
COMPOSITE
CORROSION PROTECTION:
COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: YES
CORROSION PROTECTION VARIANCE: NO VARIANCE

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **5569**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **NOT REPORTED**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL,INTERSTITIAL**

MONITORING WITHIN SECONDARY WALL/JACKET

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALVE,ALARM (SET@<=90%) W3A OR 3B

PIPING SYSTEMS

MATERIAL: **NONMETALLIC FLEXIBLE PIPING**

CORROSION PROTECTION: **NONMETALLIC FLEXIBLE PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NONMETALLIC FLEXIBLE PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **12/01/1991**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **12/01/1991**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **5569**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL,INTERSTITIAL**

Leaking Petroleum Storage Tanks (LPST)

MONITORING WITHIN SECONDARY WALL/JACKET

SPILL CONTAINMENT AND OVERFILL PREVENTION: TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT
SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALUE,ALARM (SET@<=90%) W3A OR 3B

PIPING SYSTEMS

MATERIAL: **NONMETALLIC FLEXIBLE PIPING**

CORROSION PROTECTION: **NONMETALLIC FLEXIBLE PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NONMETALLIC FLEXIBLE PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **1A**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1971**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **12/31/1991**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **5564**

TANK ID: **1A**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

Leaking Petroleum Storage Tanks (LPST)

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 2	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 12/01/1991	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 10000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 12/01/2016
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: YES
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: YES

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **5568**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **NOT REPORTED**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL, INTERSTITIAL**

MONITORING WITHIN SECONDARY WALL/JACKET

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP, FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP, DELIVERY SHUT-OFF VALVE, FLOW RESTRICTOR VALVE, ALARM (SET @ <=90%) W3A OR 3B

PIPING SYSTEMS

MATERIAL: **NONMETALLIC FLEXIBLE PIPING**

CORROSION PROTECTION: **NONMETALLIC FLEXIBLE PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NONMETALLIC FLEXIBLE PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 2	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 12/01/1991	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 10000	EMPTY TANK: EMPTY
STATUS: TEMP OUT OF SERVICE	STATUS BEGIN DATE: 03/17/2016
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED

Leaking Petroleum Storage Tanks (LPST)

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **5568**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL, INTERSTITIAL MONITORING WITHIN SECONDARY WALL/JACKET**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP, FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP, DELIVERY SHUT-OFF VALVE, FLOW RESTRICTOR VALVE, ALARM (SET @ <=90%) W3A OR 3B**

PIPING SYSTEMS

MATERIAL: **NONMETALLIC FLEXIBLE PIPING**

CORROSION PROTECTION: **NONMETALLIC FLEXIBLE PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NONMETALLIC FLEXIBLE PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **12/01/1991**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **10000**

EMPTY TANK: **NOT EMPTY**

STATUS: **IN USE**

STATUS BEGIN DATE: **12/01/1991**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **YES**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **YES**

TANK DETAILS

MATERIAL:

COMPOSITE

CORROSION PROTECTION:

COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)

Leaking Petroleum Storage Tanks (LPST)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **5568**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **DIESEL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL, INTERSTITIAL**

MONITORING WITHIN SECONDARY WALL/JACKET

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP, FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP, DELIVERY SHUT-OFF VALVE, FLOW RESTRICTOR VALVE, ALARM (SET @ <=90%) W3A OR 3B

PIPING SYSTEMS

MATERIAL: **NONMETALLIC FLEXIBLE PIPING**

CORROSION PROTECTION: **NONMETALLIC FLEXIBLE PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NONMETALLIC FLEXIBLE PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2A**

INSTALLATION DATE: **01/01/1971**

TANK CAPACITY (GAL): **10000**

STATUS: **REMOVED FROM GROUND**

INTERNAL PROTECTION DATE: **NOT REPORTED**

TANK DESIGN SINGLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

NUMBER OF COMPARTMENTS: **1**

REGISTRATION DATE: **05/08/1986**

EMPTY TANK: **NOT EMPTY**

STATUS BEGIN DATE: **12/31/1991**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **5566**

TANK ID: **2A**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **10000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1971**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **12/31/1991**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **5565**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

Leaking Petroleum Storage Tanks (LPST)

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1971**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **750**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **12/31/1991**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **5567**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **EMPTY**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **750**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 57

Distance from Property: 0.376 mi. (1,985 ft.) N
Elevation: 3,728 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 102724
LPST ID: 102724
FACILITY ID: 61932
NAME: FEDERAL RESERVE BANK OF DALLAS
ADDRESS: 301 E MAIN DR
EL PASO, TX 79901

LEAKING TANK DETAILS

LPST ID: 102724
NAME: FEDERAL RESERVE BANK OF DALLAS
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 4A - SOIL CONTAMINATION ONLY REQUIRES FULL SITE ASSESSMENT RAP
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 6/9/92
REPORTED DATE: 04/20/1992
ENTERED DATE: 06/09/1992
CLOSURE DATE: 06/27/1994

PRP INFORMATION

NAME: FEDERAL RESERVE BANK OF DALLAS
ADDRESS: ADDRESS NOT REPORTED
EL PASO TX 79901
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 04/01/1993	REGISTRATION DATE: 12/06/1991
TANK CAPACITY (GAL): 2000	EMPTY TANK: NOT EMPTY
STATUS: IN USE	STATUS BEGIN DATE: 04/01/1993
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
COMPOSITE
CORROSION PROTECTION:
CATHODIC PROTECTION - FACTORY INSTALLATION, COMPOSITE TANK (STEEL W/FRP EXTERNAL LAMINATE)
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: 142277

TANK ID: 1

COMPARTMENT LETTER: A

SUBSTANCES: DIESEL

OTHER SUBSTANCES: NOT REPORTED

CAPACITY (GAL): 2000

COMPARTMENT RELEASE DETECTION: VAPOR MONITORING,GROUNDWATER MONITORING,AUTOMATIC TANK GAUGE TEST & INVENTORY CONTROL,MONTHLY TANK GAUGING (FOR EMER. GENERATOR TANKS)

SPILL CONTAINMENT AND OVERFILL PREVENTION: TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE,FLOW RESTRICTOR VALVE,ALARM (SET@<=90%) W3A OR 3B

PIPING SYSTEMS

MATERIAL: JACKETED

CORROSION PROTECTION: CATHODIC PROTECTION - FIELD INSTALLATION

EXTERNAL CONTAINMENT: NOT REPORTED

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: CATHODIC PROTECTION - FIELD INSTALLATION

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: YES

CORROSION PROTECTION VARIANCE: NO VARIANCE

TANK ID: 1A

NUMBER OF COMPARTMENTS: 1

INSTALLATION DATE: 01/01/1957

REGISTRATION DATE: 12/06/1991

TANK CAPACITY (GAL): NOT REPORTED

EMPTY TANK: NOT EMPTY

STATUS: REMOVED FROM GROUND

STATUS BEGIN DATE: 04/15/1992

INTERNAL PROTECTION DATE: NOT REPORTED

REGULATORY STATUS: FULLY REGULATED

TANK DESIGN SINGLE WALL: YES

TANK DESIGN DOUBLE WALL: NO

PIPE DESIGN SINGLE WALL: NO

PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: NO

CORROSION PROTECTION VARIANCE: NO VARIANCE

COMPARTMENT DETAILS

UST COMPARTMENT ID: 142276

TANK ID: 1A

COMPARTMENT LETTER: A

SUBSTANCES: DIESEL

OTHER SUBSTANCES: NOT REPORTED

CAPACITY (GAL): 0

COMPARTMENT RELEASE DETECTION: NOT REPORTED

Leaking Petroleum Storage Tanks (LPST)

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Brownfields Management System (BF)

MAP ID# 58

Distance from Property: 0.395 mi. (2,086 ft.) NNE
Elevation: 3,709 ft. (Higher than TP)

SITE INFORMATION

ID#: 79901

NAME: 900 MYRTLE-LA FE COMMUNITY DEVELOPMENT

ADDRESS: 900 MYRTLE

EL PASO, TX 79901

TYPE FUNDING: PETROLEUM

PREDOMINANT PAST USE (ACREAGE):

GREENSPACE:
NOT REPORTED

RESIDENTIAL:
NOT REPORTED

COMMERCIAL:
NOT REPORTED

INDUSTRIAL:
0.71

FUTURE USE (ACREAGE):

GREENSPACE:
NOT REPORTED

RESIDENTIAL:
NOT REPORTED

COMMERCIAL:
NOT REPORTED

INDUSTRIAL:
NOT REPORTED

PROPERTY HIGHLIGHT:

NOT REPORTED

PROPERTY SIZE (Acres): 0.72

CURRENT OWNER: CENTRO DEL SALUD LA FE, INC.

PROPERTY DESCRIPTION/ FORMER USE:

NOT REPORTED

CONTAMINATE(S): **NOT REPORTED**

CONTAMINATE(S) CLEANED UP: **NOT REPORTED**

MEDIA(S) AFFECTED: **NOT REPORTED**

MEDIA(S) CLEANED UP: **NOT REPORTED**

TYPE OF BROWNFIELD GRANT: **ASSESSMENT**

ENVIRONMENTAL ASSESSMENT ACTIVITY: **PHASE II ENVIRONMENTAL ASSESSMENT**

ASSESSMENT START DATE: **3/17/2008 0:00**

ASSESSMENT COMPLETION DATE: **7/28/2008 0:00**

CLEANUP REQUIRED: **NO**

STATE & TRIBAL ENROLLMENT ID: **NOT REPORTED**

STATE & TRIBAL ENROLLMENT DATE: **NOT REPORTED**

PROPERTY ENROLLED IN A STATE & TRIBAL PROGRAM?: **NOT REPORTED**

ARE INSTITUTIONAL CONTROLS REQUIRED?: **NO**

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 59

Distance from Property: 0.411 mi. (2,170 ft.) NNW
Elevation: 3,703 ft. (Lower than TP)

FACILITY INFORMATION

GEOSEARCH ID: 118797
LPST ID: 118797
FACILITY ID: NOT REPORTED
NAME: UNION PACIFIC RR DALLAS MAINT
ADDRESS: 201 PIEDRAS ST
EL PASO, TX 79903

LEAKING TANK DETAILS

LPST ID: 118797
NAME: UNION PACIFIC RR DALLAS MAINT
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 6/8/18
REPORTED DATE: 04/04/2011
ENTERED DATE: 04/19/2012
CLOSURE DATE: 02/05/2018

PRP INFORMATION

NAME: UNION PACIFIC RAILROAD CO
ADDRESS: ADDRESS NOT REPORTED
SPRING TX 77373
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

NO UNDERGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 60

Distance from Property: 0.438 mi. (2,313 ft.) W
Elevation: 3,718 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 099922
LPST ID: 099922
FACILITY ID: 38622
NAME: EDCO CORP
ADDRESS: 694 W PAISANO DR
EL PASO, TX 79901

LEAKING TANK DETAILS

LPST ID: 099922
NAME: EDCO CORP
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 4.2 - NO GW IMPACT NO APPARENT THREATS OR IMPACTS TO RECEPTORS
CORRECTIVE ACTION STATUS CODE: 6P - FINAL PENDING WELL PLUG
CORRECTIVE ACTION START DATE: 1/28/05
REPORTED DATE: 07/31/1991
ENTERED DATE: 09/30/1991
CLOSURE DATE: 01/28/2005

PRP INFORMATION

NAME: YEARWOOD DISTRIBUTING CO INC
ADDRESS: ADDRESS NOT REPORTED
EL PASO TX 79923
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1980	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 560	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 04/01/1992
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
STEEL
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **165017**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **560**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Brownfields Management System (BF)

MAP ID# 61

Distance from Property: 0.442 mi. (2,334 ft.) NW
Elevation: 3,752 ft. (Higher than TP)

SITE INFORMATION

ID#: 12485

NAME: 600 N. EL PASO

ADDRESS: 600 N. EL PASO
EL PASO, TX 79901

TYPE FUNDING: N/A

PREDOMINANT PAST USE (ACREAGE):

GREENSPACE:
NOT REPORTED

RESIDENTIAL:
NOT REPORTED

COMMERCIAL:
NOT REPORTED

INDUSTRIAL:
NOT REPORTED

FUTURE USE (ACREAGE):

GREENSPACE:
NOT REPORTED

RESIDENTIAL:
NOT REPORTED

COMMERCIAL:
NOT REPORTED

INDUSTRIAL:
NOT REPORTED

PROPERTY HIGHLIGHT:

NOT REPORTED

PROPERTY SIZE (Acres): **NOT REPORTED**

CURRENT OWNER: **NOT REPORTED**

PROPERTY DESCRIPTION/ FORMER USE:

NOT REPORTED

CONTAMINATE(S): **NOT REPORTED**

CONTAMINATE(S) CLEANED UP: **NOT REPORTED**

MEDIA(S) AFFECTED: **NOT REPORTED**

MEDIA(S) CLEANED UP: **NOT REPORTED**

TYPE OF BROWNFIELD GRANT: **ASSESSMENT**

ENVIRONMENTAL ASSESSMENT ACTIVITY: **NOT REPORTED**

ASSESSMENT START DATE: **NOT REPORTED**

ASSESSMENT COMPLETION DATE: **NOT REPORTED**

CLEANUP REQUIRED: **NOT REPORTED**

STATE & TRIBAL ENROLLMENT ID: **NOT REPORTED**

STATE & TRIBAL ENROLLMENT DATE: **NOT REPORTED**

PROPERTY ENROLLED IN A STATE & TRIBAL PROGRAM?: **NOT REPORTED**

ARE INSTITUTIONAL CONTROLS REQUIRED?: **NOT REPORTED**

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 61

Distance from Property: 0.466 mi. (2,460 ft.) NW
Elevation: 3,752 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 108482
LPST ID: 108482
FACILITY ID: 17858
NAME: CHEVRON 78065
ADDRESS: 618 S EL PASO ST
EL PASO, TX 79901

LEAKING TANK DETAILS

LPST ID: 108482
NAME: CHEVRON 78065
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 4.2 - NO GW IMPACT NO APPARENT THREATS OR IMPACTS TO RECEPTORS
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 8/14/95
REPORTED DATE: 06/14/1994
ENTERED DATE: 08/14/1995
CLOSURE DATE: 08/20/1996

PRP INFORMATION

NAME: CHEVRON USA INC
ADDRESS: ADDRESS NOT REPORTED
LA HABRA CA 90632
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1970	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 6000	EMPTY TANK: NOT EMPTY
STATUS: PERM FILLED IN PLACE	STATUS BEGIN DATE: 05/01/1987
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
STEEL
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: **NO**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **149496**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **2**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1970**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **PERM FILLED IN PLACE**

STATUS BEGIN DATE: **05/01/1987**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **149498**

TANK ID: **2**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

Leaking Petroleum Storage Tanks (LPST)

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1970**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **PERM FILLED IN PLACE**

STATUS BEGIN DATE: **05/01/1987**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **NO**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **NO**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **149497**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **4**

NUMBER OF COMPARTMENTS: **1**

Leaking Petroleum Storage Tanks (LPST)

INSTALLATION DATE: **01/01/1970** REGISTRATION DATE: **05/08/1986**
TANK CAPACITY (GAL): **500** EMPTY TANK: **NOT EMPTY**
STATUS: **PERM FILLED IN PLACE** STATUS BEGIN DATE: **05/01/1987**
INTERNAL PROTECTION DATE: **NOT REPORTED** REGULATORY STATUS: **FULLY REGULATED**
TANK DESIGN SINGLE WALL: **NO** TANK DESIGN DOUBLE WALL: **NO**
PIPE DESIGN SINGLE WALL: **NO** PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

STEEL

CORROSION PROTECTION:

NOT REPORTED

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **149499**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **NOT REPORTED**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **STEEL**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 61

Distance from Property: 0.455 mi. (2,402 ft.) NNW
Elevation: 3,752 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 118638
LPST ID: 118638
FACILITY ID: NOT REPORTED
NAME: FORMER EL PASO SADDLE BLANKET
ADDRESS: 601 N OREGON ST
EL PASO, TX 79901

LEAKING TANK DETAILS

LPST ID: 118638
NAME: FORMER EL PASO SADDLE BLANKET
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 4.2 - NO GW IMPACT NO APPARENT THREATS OR IMPACTS TO RECEPTORS
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 9/6/11
REPORTED DATE: 06/09/2011
ENTERED DATE: 09/06/2011
CLOSURE DATE: 09/14/2011

PRP INFORMATION

NAME: CITY OF EL PASO
ADDRESS: ADDRESS NOT REPORTED
EL PASO TX 79907
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

NO UNDERGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Brownfields Management System (BF)

MAP ID# 62

Distance from Property: 0.463 mi. (2,445 ft.) NNW
Elevation: 3,728 ft. (Higher than TP)

SITE INFORMATION

ID#: 12476

NAME: 420 N. CAMPBELL STREET

ADDRESS: 420 N. CAMPBELL STREET
EL PASO, TX 79901

TYPE FUNDING: N/A

PREDOMINANT PAST USE (ACREAGE):

GREENSPACE:
NOT REPORTED

RESIDENTIAL:
NOT REPORTED

COMMERCIAL:
NOT REPORTED

INDUSTRIAL:
NOT REPORTED

FUTURE USE (ACREAGE):

GREENSPACE:
NOT REPORTED

RESIDENTIAL:
NOT REPORTED

COMMERCIAL:
NOT REPORTED

INDUSTRIAL:
NOT REPORTED

PROPERTY HIGHLIGHT:

NOT REPORTED

PROPERTY SIZE (Acres): NOT REPORTED

CURRENT OWNER: NOT REPORTED

PROPERTY DESCRIPTION/ FORMER USE:

NOT REPORTED

CONTAMINATE(S): NOT REPORTED

CONTAMINATE(S) CLEANED UP: NOT REPORTED

MEDIA(S) AFFECTED: NOT REPORTED

MEDIA(S) CLEANED UP: NOT REPORTED

TYPE OF BROWNFIELD GRANT: ASSESSMENT

ENVIRONMENTAL ASSESSMENT ACTIVITY: PHASE I ENVIRONMENTAL ASSESSMENT

ASSESSMENT START DATE: 3/31/2002 0:00

ASSESSMENT COMPLETION DATE: 3/31/2002 0:00

CLEANUP REQUIRED: NO

STATE & TRIBAL ENROLLMENT ID: NOT REPORTED

STATE & TRIBAL ENROLLMENT DATE: NOT REPORTED

PROPERTY ENROLLED IN A STATE & TRIBAL PROGRAM?: NOT REPORTED

ARE INSTITUTIONAL CONTROLS REQUIRED?: NOT REPORTED

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 63

Distance from Property: 0.469 mi. (2,476 ft.) NNW
Elevation: 3,741 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 112796
LPST ID: 112796
FACILITY ID: 17831
NAME: CHEVRON USA 73303
ADDRESS: 600 N MESA
EL PASO, TX 79901

LEAKING TANK DETAILS

LPST ID: 112796
NAME: CHEVRON USA 73303
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 4.0 - ASSESSMENT INCOMPLETE NO APPARENT RECEPTORS IMPACTED
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 11/21/97
REPORTED DATE: 11/13/1997
ENTERED DATE: 11/21/1997
CLOSURE DATE: 10/05/1998

PRP INFORMATION

NAME: CHEVRON USA INC
ADDRESS: ADDRESS NOT REPORTED
HOUSTON TX 77210
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1984	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 8000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 11/07/1997
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
FRP
CORROSION PROTECTION:
FRP TANK OR PIPING (NONCORRODIBLE)
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: YES
CORROSION PROTECTION VARIANCE: NO VARIANCE

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: 149381

TANK ID: 1

COMPARTMENT LETTER: A

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 2

NUMBER OF COMPARTMENTS: 1

INSTALLATION DATE: **01/01/1984**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **11/07/1997**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: 149382

TANK ID: 2

COMPARTMENT LETTER: A

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

Leaking Petroleum Storage Tanks (LPST)

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: **3**

NUMBER OF COMPARTMENTS: **1**

INSTALLATION DATE: **01/01/1984**

REGISTRATION DATE: **05/08/1986**

TANK CAPACITY (GAL): **8000**

EMPTY TANK: **NOT EMPTY**

STATUS: **REMOVED FROM GROUND**

STATUS BEGIN DATE: **11/07/1997**

INTERNAL PROTECTION DATE: **NOT REPORTED**

REGULATORY STATUS: **FULLY REGULATED**

TANK DESIGN SINGLE WALL: **YES**

TANK DESIGN DOUBLE WALL: **NO**

PIPE DESIGN SINGLE WALL: **YES**

PIPE DESIGN DOUBLE WALL: **NO**

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **149384**

TANK ID: **3**

COMPARTMENT LETTER: **A**

SUBSTANCES: **GASOLINE**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **8000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP,FACTORY - BUILT**

SPILL CONTAINER/BUCKET/SUMP,DELIVERY SHUT-OFF VALVE

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

Leaking Petroleum Storage Tanks (LPST)

CORROSION PROTECTION COMPLIANCE FLAG: **YES**
CORROSION PROTECTION VARIANCE: **NO VARIANCE**

TANK ID: 4	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 01/01/1984	REGISTRATION DATE: 05/08/1986
TANK CAPACITY (GAL): 1000	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 11/07/1997
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: YES	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: YES	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:

FRP

CORROSION PROTECTION:

FRP TANK OR PIPING (NONCORRODIBLE)

EXTERNAL CONTAINMENT:

NOT REPORTED

TANK COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

COMPARTMENT DETAILS

UST COMPARTMENT ID: **149383**

TANK ID: **4**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **1000**

COMPARTMENT RELEASE DETECTION: **GROUNDWATER MONITORING**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **TIGHT-FILL FITTING CONTAINER/BUCKET/SUMP**

PIPING SYSTEMS

MATERIAL: **FRP**

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **FRP TANK OR PIPING (NONCORRODIBLE)**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **YES**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Leaking Petroleum Storage Tanks (LPST)

MAP ID# 64

Distance from Property: 0.494 mi. (2,608 ft.) ENE
Elevation: 3,708 ft. (Higher than TP)

FACILITY INFORMATION

GEOSEARCH ID: 096365
LPST ID: 096365
FACILITY ID: 56750
NAME: GUILLEN SCHOOL
ADDRESS: 900 S COTTON ST
EL PASO, TX 79901

LEAKING TANK DETAILS

LPST ID: 096365
NAME: GUILLEN SCHOOL
FACILITY LOCATION: NOT REPORTED
PRIORITY CODE: 4A - SOIL CONTAMINATION ONLY REQUIRES FULL SITE ASSESSMENT RAP
CORRECTIVE ACTION STATUS CODE: 6A - FINAL CONCURRENCE ISSUED
CORRECTIVE ACTION START DATE: 8/7/90
REPORTED DATE: 07/27/1990
ENTERED DATE: 08/07/1990
CLOSURE DATE: 01/14/1991

PRP INFORMATION

NAME: EL PASO PUBLIC SCHOOLS
ADDRESS: ADDRESS NOT REPORTED
EL PASO TX 79998
CONTACT: NOT REPORTED
PHONE: NOT REPORTED

UNDERGROUND STORAGE TANK

TANK ID: 1	NUMBER OF COMPARTMENTS: 1
INSTALLATION DATE: 08/31/1987	REGISTRATION DATE: 11/13/1990
TANK CAPACITY (GAL): 9999	EMPTY TANK: NOT EMPTY
STATUS: REMOVED FROM GROUND	STATUS BEGIN DATE: 07/27/1990
INTERNAL PROTECTION DATE: NOT REPORTED	REGULATORY STATUS: FULLY REGULATED
TANK DESIGN SINGLE WALL: NO	TANK DESIGN DOUBLE WALL: NO
PIPE DESIGN SINGLE WALL: NO	PIPE DESIGN DOUBLE WALL: NO

TANK DETAILS

MATERIAL:
NOT REPORTED
CORROSION PROTECTION:
NOT REPORTED
EXTERNAL CONTAINMENT:
NOT REPORTED
TANK COMPLIANCE FLAG
CORROSION PROTECTION COMPLIANCE FLAG: NO
CORROSION PROTECTION VARIANCE: NO VARIANCE

Leaking Petroleum Storage Tanks (LPST)

COMPARTMENT DETAILS

UST COMPARTMENT ID: **64509**

TANK ID: **1**

COMPARTMENT LETTER: **A**

SUBSTANCES: **USED OIL**

OTHER SUBSTANCES: **NOT REPORTED**

CAPACITY (GAL): **9999**

COMPARTMENT RELEASE DETECTION: **NOT REPORTED**

SPILL CONTAINMENT AND OVERFILL PREVENTION: **NOT REPORTED**

PIPING SYSTEMS

MATERIAL: **NOT REPORTED**

CORROSION PROTECTION: **NOT REPORTED**

EXTERNAL CONTAINMENT: **NOT REPORTED**

CONNECTORS & VALVES:

NOT REPORTED

CORROSION PROTECTION: **NOT REPORTED**

PIPE COMPLIANCE FLAG

CORROSION PROTECTION COMPLIANCE FLAG: **NO**

CORROSION PROTECTION VARIANCE: **NO VARIANCE**

ABOVEGROUND STORAGE TANK INFORMATION

NO ABOVEGROUND STORAGE TANK DATA REPORTED FOR THIS FACILITY

[Back to Report Summary](#)

Industrial and Hazardous Waste Corrective Action Sites (IHWCA)

MAP ID# 65

Distance from Property: 0.82 mi. (4,330 ft.) ENE
Elevation: 3,704 ft. (Lower than TP)

PROGRAM ID: T2069

RN NUMBER: RN104858329

NAME: ORTEGA CONSTRUCTION

ADDRESS: 1708 E PAISANO DR
EL PASO, TX 79901

STATUS: INACTIVE

STATUS DATE: 2/1/08

PHASE: COMPLETED WORKLOAD

LOCATION DESCRIPTION:

NOT REPORTED

[Back to Report Summary](#)

Unlocated Sites Summary

This list contains sites that could not be mapped due to limited or incomplete address information.

No Records Found

Environmental Records Definitions - FEDERAL

AIRSAFS Aerometric Information Retrieval System / Air Facility Subsystem

VERSION DATE: 10/20/14

The United States Environmental Protection Agency (EPA) modified the Aerometric Information Retrieval System (AIRS) to a database that exclusively tracks the compliance of stationary sources of air pollution with EPA regulations: the Air Facility Subsystem (AFS). Since this change in 2001, the management of the AIRS/AFS database was assigned to EPA's Office of Enforcement and Compliance Assurance.

BRS Biennial Reporting System

VERSION DATE: 12/31/15

The United States Environmental Protection Agency (EPA), in cooperation with the States, biennially collects information regarding the generation, management, and final disposition of hazardous wastes regulated under the Resource Conservation and Recovery Act of 1976 (RCRA), as amended. The Biennial Report captures detailed data on the generation of hazardous waste from large quantity generators and data on waste management practices from treatment, storage and disposal facilities. Currently, the EPA states that data collected between 1991 and 1997 was originally a part of the defunct Biennial Reporting System and is now incorporated into the RCRAInfo data system.

CDL Clandestine Drug Laboratory Locations

VERSION DATE: 12/29/18

The U.S. Department of Justice ("the Department") provides this information as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments. The Department does not establish, implement, enforce, or certify compliance with clean-up or remediation standards for contaminated sites; the public should contact a state or local health department or environmental protection agency for that information.

DOCKETS EPA Docket Data

VERSION DATE: 12/22/05

The United States Environmental Protection Agency Docket data lists Civil Case Defendants, filing dates as far back as 1971, laws broken including section, violations that occurred, pollutants involved, penalties assessed and superfund awards by facility and location. Please refer to ICIS database as source of current data.

EC Federal Engineering Institutional Control Sites

VERSION DATE: 08/03/15

This database includes site locations where Engineering and/or Institutional Controls have been identified as part

Environmental Records Definitions - FEDERAL

of a selected remedy for the site as defined by United States Environmental Protection Agency official remedy decision documents. A site listing does not indicate that the institutional and engineering controls are currently in place nor will be in place once the remedy is complete; it only indicates that the decision to include either of them in the remedy is documented as of the completed date of the document. Institutional controls are actions, such as legal controls, that help minimize the potential for human exposure to contamination by ensuring appropriate land or resource use. Engineering controls include caps, barriers, or other device engineering to prevent access, exposure, or continued migration of contamination. The data included in this report was extracted from the final CERCLIS dataset (CERCLIS was a Superfund data system that EPA decommissioned in 2014 following its deployment of the Superfund Enterprise Management System), which represents program progress as of the end of fiscal year 2013.

ECHOR06 Enforcement and Compliance History Information

VERSION DATE: 03/09/19

The U.S. Environmental Protection Agency's Enforcement and Compliance History Online (ECHO) database, provides compliance and enforcement information for facilities nationwide. This database includes facilities regulated as Clean Air Act stationary sources, Clean Water Act direct dischargers, Resource Conservation and Recovery Act hazardous waste handlers, Safe Drinking Water Act public water systems along with other data, such as Toxics Release Inventory releases.

ERNSTX Emergency Response Notification System

VERSION DATE: 04/07/19

This National Response Center database contains data on reported releases of oil, chemical, radiological, biological, and/or etiological discharges into the environment anywhere in the United States and its territories. The data comes from spill reports made to the U.S. Environmental Protection Agency, U.S. Coast Guard, the National Response Center and/or the U.S. Department of Transportation.

FRSTX Facility Registry System

VERSION DATE: 04/05/19

The United States Environmental Protection Agency's Office of Environmental Information (OEI) developed the Facility Registry System (FRS) as the centrally managed database that identifies facilities, sites or places subject to environmental regulations or of environmental interest. The Facility Registry System replaced the Facility Index System or FINDS database.

HMIRSR06 Hazardous Materials Incident Reporting System

VERSION DATE: 04/14/19

The HMIRS database contains unintentional hazardous materials release information reported to the U.S. Department of Transportation located in EPA Region 6. This region includes the following states: Arkansas, Louisiana, New Mexico, Oklahoma, and Texas.

Environmental Records Definitions - FEDERAL

ICIS Integrated Compliance Information System (formerly DOCKETS)

VERSION DATE: 03/09/19

ICIS is a case activity tracking and management system for civil, judicial, and administrative federal Environmental Protection Agency enforcement cases. ICIS contains information on federal administrative and federal judicial cases under the following environmental statutes: the Clean Air Act, the Clean Water Act, the Resource Conservation and Recovery Act, the Emergency Planning and Community Right-to-Know Act - Section 313, the Toxic Substances Control Act, the Federal Insecticide, Fungicide, and Rodenticide Act, the Comprehensive Environmental Response, Compensation, and Liability Act, the Safe Drinking Water Act, and the Marine Protection, Research, and Sanctuaries Act.

ICISNPDES Integrated Compliance Information System National Pollutant Discharge Elimination System

VERSION DATE: 07/09/17

Authorized by the Clean Water Act, the National Pollutant Discharge Elimination System (NPDES) permit program controls water pollution by regulating point sources that discharge pollutants into waters of the United States. This database is provided by the U.S. Environmental Protection Agency.

LUCIS Land Use Control Information System

VERSION DATE: 09/01/06

The LUCIS database is maintained by the U.S. Department of the Navy and contains information for former Base Realignment and Closure (BRAC) properties across the United States.

MLTS Material Licensing Tracking System

VERSION DATE: 06/29/17

MLTS is a list of approximately 8,100 sites which have or use radioactive materials subject to the United States Nuclear Regulatory Commission (NRC) licensing requirements. Disclaimer: Due to agency regulations and policies, this database contains applicant/licensee location information which may or may not be related to the physical location per MLTS site.

NPDES06 National Pollutant Discharge Elimination System

VERSION DATE: 04/01/07

Authorized by the Clean Water Act, the National Pollutant Discharge Elimination System (NPDES) permit program controls water pollution by regulating point sources that discharge pollutants into waters of the United States. The NPDES database was collected from the U.S. Environmental Protection Agency (EPA) from December 2002 through April 2007. Refer to the PCS and/or ICIS-NPDES database as source of current data. This database includes permitted facilities located in EPA Region 6. This region includes the following states: Arkansas, Louisiana, New Mexico, Oklahoma, and Texas.

Environmental Records Definitions - FEDERAL

PADS PCB Activity Database System

VERSION DATE: 09/14/18

PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the U.S. Environmental Protection Agency of such activities.

PCSR06 Permit Compliance System

VERSION DATE: 08/01/12

The Permit Compliance System is used in tracking enforcement status and permit compliance of facilities controlled by the National Pollutant Discharge Elimination System (NPDES) under the Clean Water Act and is maintained by the United States Environmental Protection Agency's Office of Compliance. PCS is designed to support the NPDES program at the state, regional, and national levels. This database includes permitted facilities located in EPA Region 6. This region includes the following states: Arkansas, Louisiana, New Mexico, Oklahoma, and Texas. PCS has been modernized, and no longer exists. National Pollutant Discharge Elimination System (ICIS-NPDES) data can now be found in Integrated Compliance Information System (ICIS).

RCRASC RCRA Sites with Controls

VERSION DATE: 04/24/19

The Resource Conservation and Recovery Act (RCRA) gives the U.S. Environmental Protection Agency (EPA) the authority to control hazardous waste from the "cradle-to-grave." This includes the generation, transportation, treatment, storage, and disposal of hazardous waste. RCRA also set forth a framework for the management of non-hazardous solid wastes. The 1986 amendments to RCRA enabled EPA to address environmental problems that could result from underground tanks storing petroleum and other hazardous substances. This listing refers to facilities with institutional controls in place.

SEMCLIENS SEMS Lien on Property

VERSION DATE: 08/13/18

The U.S. Environmental Protection Agency's (EPA) Office of Solid Waste and Emergency Response, Office of Superfund Remediation and Technology Innovation (OSRTI), has implemented The Superfund Enterprise Management System (SEMS), formerly known as CERCLIS (Comprehensive Environmental Response, Compensation and Liability Information System) to track and report on clean-up and enforcement activities taking place at Superfund sites. SEMS represents a joint development and ongoing collaboration between Superfund's Remedial, Removal, Federal Facilities, Enforcement and Emergency Response programs. This is a listing of SEMS sites with a lien on the property.

SFLIENS CERCLIS Liens

VERSION DATE: 06/08/12

A Federal CERCLA ("Superfund") lien can exist by operation of law at any site or property at which United States

Environmental Records Definitions - FEDERAL

Environmental Protection Agency has spent Superfund monies. These monies are spent to investigate and address releases and threatened releases of contamination. CERCLIS provides information as to the identity of these sites and properties. This database contains those CERCLIS sites where the Lien on Property action is complete. Please refer to the SEMSLIENS database as source of current data.

SSTS Section Seven Tracking System

VERSION DATE: 02/01/17

The United States Environmental Protection Agency tracks information on pesticide establishments through the Section Seven Tracking System (SSTS). SSTS records the registration of new establishments and records pesticide production at each establishment. The Federal Insecticide, Fungicide and Rodenticide Act (FIFRA) requires that production of pesticides or devices be conducted in a registered pesticide-producing or device-producing establishment. ("Production" includes formulation, packaging, repackaging, and relabeling.)

TRI Toxics Release Inventory

VERSION DATE: 12/31/16

The Toxics Release Inventory, provided by the United States Environmental Protection Agency, includes data on toxic chemical releases and waste management activities from certain industries as well as federal and tribal facilities. This inventory contains information about the types and amounts of toxic chemicals that are released each year to the air, water, and land as well as information on the quantities of toxic chemicals sent to other facilities for further waste management.

TSCA Toxic Substance Control Act Inventory

VERSION DATE: 12/31/12

The Toxic Substances Control Act (TSCA) was enacted in 1976 to ensure that chemicals manufactured, imported, processed, or distributed in commerce, or used or disposed of in the United States do not pose any unreasonable risks to human health or the environment. TSCA section 8(b) provides the United States Environmental Protection Agency authority to "compile, keep current, and publish a list of each chemical substance that is manufactured or processed in the United States." This TSCA Chemical Substance Inventory contains non-confidential information on the production amount of toxic chemicals from each manufacturer and importer site.

RCRAGR06 Resource Conservation & Recovery Act - Generator

VERSION DATE: 04/01/19

The Resource Conservation and Recovery Act (RCRA) gives the U.S. Environmental Protection Agency (EPA) the authority to control hazardous waste from the "cradle-to-grave." This includes the generation, transportation, treatment, storage, and disposal of hazardous waste. RCRA also set forth a framework for the management of non-hazardous solid wastes. The 1986 amendments to RCRA enabled EPA to address environmental problems that could result from underground tanks storing petroleum and other hazardous substances. This listing refers to facilities currently generating hazardous waste. EPA region 6 includes the following states: Arkansas,

Environmental Records Definitions - FEDERAL

Louisiana, New Mexico, Oklahoma, and Texas.

RCRANGR06 Resource Conservation & Recovery Act - Non-Generator

VERSION DATE: 04/01/19

The Resource Conservation and Recovery Act (RCRA) gives the U.S. Environmental Protection Agency (EPA) the authority to control hazardous waste from the "cradle-to-grave." This includes the generation, transportation, treatment, storage, and disposal of hazardous waste. RCRA also set forth a framework for the management of non-hazardous solid wastes. The 1986 amendments to RCRA enabled EPA to address environmental problems that could result from underground tanks storing petroleum and other hazardous substances. This listing refers to facilities classified as non-generators. Non-Generators do not presently generate hazardous waste. EPA Region 6 includes the following states: Arkansas, Louisiana, New Mexico, Oklahoma, and Texas.

ALTFUELS Alternative Fueling Stations

VERSION DATE: 03/01/19

Nationwide list of alternative fueling stations made available by the U.S. Department of Energy's Office of Energy Efficiency & Renewable Energy. Includes Bio-diesel stations, Ethanol (E85) stations, Liquefied Petroleum Gas (Propane) stations, Ethanol (E85) stations, Natural Gas stations, Hydrogen stations, and Electric Vehicle Supply Equipment (EVSE).

FEMAUST FEMA Owned Storage Tanks

VERSION DATE: 12/01/16

This is a listing of FEMA owned underground and aboveground storage tank sites. For security reasons, address information is not released to the public according to the U.S. Department of Homeland Security.

HISTPST Historical Gas Stations

VERSION DATE: NR

This historic directory of service stations is provided by the Cities Service Company. The directory includes Cities Service filling stations that were located throughout the United States in 1930.

ICISCLEANERS Integrated Compliance Information System Drycleaners

VERSION DATE: 03/09/19

This is a listing of drycleaner facilities from the Integrated Compliance Information System (ICIS). The U.S. Environmental Protection Agency (EPA) tracks facilities that possess NAIC and SIC codes that classify businesses as drycleaner establishments.

Environmental Records Definitions - FEDERAL

MRDS Mineral Resource Data System

VERSION DATE: 03/15/16

MRDS (Mineral Resource Data System) is a collection of reports describing metallic and nonmetallic mineral resources throughout the world. Included are deposit name, location, commodity, deposit description, geologic characteristics, production, reserves, resources, and references. This database contains the records previously provided in the Mineral Resource Data System (MRDS) of USGS and the Mineral Availability System/Mineral Industry Locator System (MAS/MILS) originated in the U.S. Bureau of Mines, which is now part of USGS.

MSHA Mine Safety and Health Administration Master Index File

VERSION DATE: 03/15/19

The Mine dataset lists all Coal and Metal/Non-Metal mines under MSHA's jurisdiction since 1/1/1970. It includes such information as the current status of each mine (Active, Abandoned, NonProducing, etc.), the current owner and operating company, commodity codes and physical attributes of the mine. Mine ID is the unique key for this data. This information is provided by the United States Department of Labor - Mine Safety and Health Administration (MSHA).

BF Brownfields Management System

VERSION DATE: 03/31/19

Brownfields are real property, the expansion, redevelopment, or reuse of which may be complicated by the presence or potential presence of a hazardous substance, pollutant, or contaminant. Cleaning up and reinvesting in these properties takes development pressures off of undeveloped, open land, and both improves and protects the environment. The United States Environmental Protection Agency maintains this database to track activities in the various brown field grant programs including grantee assessment, site cleanup and site redevelopment. This database included tribal brownfield sites.

DNPL Delisted National Priorities List

VERSION DATE: 06/11/19

This database includes sites from the United States Environmental Protection Agency's Final National Priorities List (NPL) where remedies have proven to be satisfactory or sites where the original analyses were inaccurate, and the site is no longer appropriate for inclusion on the NPL, and final publication in the Federal Register has occurred.

NLRRCRAT No Longer Regulated RCRA Non-CORRACTS TSD Facilities

VERSION DATE: 04/01/19

This database includes RCRA Non-Corrective Action TSD facilities that are no longer regulated by the United States Environmental Protection Agency or do not meet other RCRA reporting requirements. This listing includes facilities that formerly treated, stored or disposed of hazardous waste.

Environmental Records Definitions - FEDERAL

ODI Open Dump Inventory

VERSION DATE: 06/01/85

The open dump inventory was published by the United States Environmental Protection Agency. An "open dump" is defined as a facility or site where solid waste is disposed of which is not a sanitary landfill which meets the criteria promulgated under section 4004 of the Solid Waste Disposal Act (42 U.S.C. 6944) and which is not a facility for disposal of hazardous waste. This inventory has not been updated since June 1985.

RCRAT Resource Conservation & Recovery Act - Non-CORRACTS Treatment, Storage & Disposal Facilities

VERSION DATE: 04/01/19

The Resource Conservation and Recovery Act (RCRA) gives the U.S. Environmental Protection Agency (EPA) the authority to control hazardous waste from the "cradle-to-grave." This includes the generation, transportation, treatment, storage, and disposal of hazardous waste. RCRA also set forth a framework for the management of non-hazardous solid wastes. The 1986 amendments to RCRA enabled EPA to address environmental problems that could result from underground tanks storing petroleum and other hazardous substances. This listing refers to facilities recognized as hazardous waste treatment, storage, and disposal sites (TSD).

SEMS Superfund Enterprise Management System

VERSION DATE: 06/11/19

The U.S. Environmental Protection Agency's (EPA) Office of Solid Waste and Emergency Response, Office of Superfund Remediation and Technology Innovation (OSRTI), has implemented The Superfund Enterprise Management System (SEMS), formerly known as CERCLIS (Comprehensive Environmental Response, Compensation and Liability Information System) to track and report on clean-up and enforcement activities taking place at Superfund sites. SEMS represents a joint development and ongoing collaboration between Superfund's Remedial, Removal, Federal Facilities, Enforcement and Emergency Response programs.

SEMSARCH Superfund Enterprise Management System Archived Site Inventory

VERSION DATE: 06/11/19

The U.S. Environmental Protection Agency's (EPA) Superfund Enterprise Management System Archived Site Inventory (List 8R Archived) replaced the CERCLIS NFRAP reporting system in 2015. This listing reflects sites at which the EPA has determined that assessment has been completed and no further remedial action is planned under the Superfund program.

SMCRA Surface Mining Control and Reclamation Act Sites

VERSION DATE: 03/19/19

An inventory of land and water impacted by past mining (primarily coal mining) is maintained by the Office of Surface Mining Reclamation and Enforcement (OSMRE) to provide information needed to implement the Surface Mining Control and Reclamation Act of 1977 (SMCRA). The inventory contains information on the location, type,

Environmental Records Definitions - FEDERAL

and extent of AML impacts, as well as, information on the cost associated with the reclamation of those problems. The inventory is based upon field surveys by State, Tribal, and OSMRE program officials. It is dynamic to the extent that it is modified as new problems are identified and existing problems are reclaimed.

USUMTRCA Uranium Mill Tailings Radiation Control Act Sites

VERSION DATE: 03/04/17

The Legacy Management Office of the Department of Energy (DOE) manages radioactive and chemical waste, environmental contamination, and hazardous material at over 100 sites across the U.S. The L.M. Office manages this database of sites registered under the Uranium Mill Tailings Control Act (UMTRCA).

DOD Department of Defense Sites

VERSION DATE: 12/01/14

This information originates from the National Atlas of the United States Federal Lands data, which includes lands owned or administered by the Federal government. Army DOD, Army Corps of Engineers DOD, Air Force DOD, Navy DOD and Marine DOD areas of 640 acres or more are included.

FUDS Formerly Used Defense Sites

VERSION DATE: 06/01/15

The Formerly Used Defense Sites (FUDS) inventory includes properties previously owned by or leased to the United States and under Secretary of Defense Jurisdiction, as well as Munitions Response Areas (MRAs). The remediation of these properties is the responsibility of the Department of Defense. This data is provided by the U.S. Army Corps of Engineers (USACE), the boundaries/polygon data are based on preliminary findings and not all properties currently have polygon data available. **DISCLAIMER:** This data represents the results of data collection/processing for a specific USACE activity and is in no way to be considered comprehensive or to be used in any legal or official capacity as presented on this site. While the USACE has made a reasonable effort to insure the accuracy of the maps and associated data, it should be explicitly noted that USACE makes no warranty, representation or guaranty, either expressed or implied, as to the content, sequence, accuracy, timeliness or completeness of any of the data provided herein. For additional information on Formerly Used Defense Sites please contact the USACE Public Affairs Office at (202) 528-4285.

FUSRAP Formerly Utilized Sites Remedial Action Program

VERSION DATE: 03/04/17

The U.S. Department of Energy (DOE) established the Formerly Utilized Sites Remedial Action Program (FUSRAP) in 1974 to remediate sites where radioactive contamination remained from the Manhattan Project and early U.S. Atomic Energy Commission (AEC) operations. The DOE Office of Legacy Management (LM) established long-term surveillance and maintenance (LTS&M) requirements for remediated FUSRAP sites. DOE evaluates the final site conditions of a remediated site on the basis of risk for different future uses. DOE then confirms that LTS&M requirements will maintain protectiveness.

Environmental Records Definitions - FEDERAL

NLRRCRAC No Longer Regulated RCRA Corrective Action Facilities

VERSION DATE: 04/01/19

This database includes RCRA Corrective Action facilities that are no longer regulated by the United States Environmental Protection Agency or do not meet other RCRA reporting requirements.

NMS Former Military Nike Missile Sites

VERSION DATE: 12/01/84

This information was taken from report DRXTH-AS-IA-83A016 (Historical Overview of the Nike Missile System, 12/1984) which was performed by Environmental Science and Engineering, Inc. for the U.S. Army Toxic and Hazardous Materials Agency Assessment Division. The Nike system was deployed between 1954 and the mid-1970's. Among the substances used or stored on Nike sites were liquid missile fuel (JP-4); starter fluids (UDKH, aniline, and furfuryl alcohol); oxidizer (IRFNA); hydrocarbons (motor oil, hydraulic fluid, diesel fuel, gasoline, heating oil); solvents (carbon tetrachloride, trichloroethylene, trichloroethane, stoddard solvent); and battery electrolyte. The quantities of material a disposed of and procedures for disposal are not documented in published reports. Virtually all information concerning the potential for contamination at Nike sites is confined to personnel who were assigned to Nike sites. During deactivation most hardware was shipped to depot-level supply points. There were reportedly instances where excess materials were disposed of on or near the site itself at closure. There was reportedly no routine site decontamination.

NPL National Priorities List

VERSION DATE: 06/11/19

This database includes United States Environmental Protection Agency (EPA) National Priorities List sites that fall under the EPA's Superfund program, established to fund the cleanup of the most serious uncontrolled or abandoned hazardous waste sites identified for possible long-term remedial action.

PNPL Proposed National Priorities List

VERSION DATE: 06/11/19

This database contains sites proposed to be included on the National Priorities List (NPL) in the Federal Register. The United States Environmental Protection Agency investigates these sites to determine if they may present long-term threats to public health or the environment.

RCRAC Resource Conservation & Recovery Act - Corrective Action Facilities

VERSION DATE: 04/01/19

The Resource Conservation and Recovery Act (RCRA) gives the U.S. Environmental Protection Agency (EPA) the authority to control hazardous waste from the "cradle-to-grave." This includes the generation, transportation, treatment, storage, and disposal of hazardous waste. RCRA also set forth a framework for the management of non-hazardous solid wastes. The 1986 amendments to RCRA enabled EPA to address environmental problems

Environmental Records Definitions - FEDERAL

that could result from underground tanks storing petroleum and other hazardous substances. This listing refers to facilities with corrective action activity.

RCRASUBC Resource Conservation & Recovery Act - Subject to Corrective Action Facilities

VERSION DATE: 04/01/19

The Resource Conservation and Recovery Act (RCRA) gives the U.S. Environmental Protection Agency (EPA) the authority to control hazardous waste from the "cradle-to-grave." This includes the generation, transportation, treatment, storage, and disposal of hazardous waste. RCRA also set forth a framework for the management of non-hazardous solid wastes. The 1986 amendments to RCRA enabled EPA to address environmental problems that could result from underground tanks storing petroleum and other hazardous substances. This listing refers to facilities subject to corrective actions.

RODS Record of Decision System

VERSION DATE: 05/14/19

These decision documents maintained by the United States Environmental Protection Agency describe the chosen remedy for NPL (Superfund) site remediation. They also include site history, site description, site characteristics, community participation, enforcement activities, past and present activities, contaminated media, the contaminants present, and scope and role of response action.

Environmental Records Definitions - STATE (TX)

GWCC Groundwater Contamination Cases

VERSION DATE: 12/31/17

This is a Joint Groundwater Monitoring and Contamination Report provided by the Texas Commission on Environmental Quality (TCEQ). The annual report describes the status of groundwater monitoring activities conducted or required by each agency at regulated facilities or associated with regulated activities. The report provides a general overview of groundwater monitoring by participating members on a program by program basis. Groundwater contamination is broadly defined in the report as any detrimental alteration of the naturally occurring quality of groundwater.

HISTGWCC Historic Groundwater Contamination Cases

VERSION DATE: 12/31/16

This is a Joint Groundwater Monitoring and Contamination Report provided by the Texas Commission on Environmental Quality (TCEQ) that includes historic groundwater contamination cases reported since 1994. These cases have been closed by a program area or agency, such as the TCEQ, the Railroad Commission of Texas, and/or the Texas Alliance of Groundwater Districts. According to the TCEQ report, although enforcement actions may be closed on these cases, the Activity Status Code descriptions allow that groundwater contamination may still be present at the site and may therefore be of interest to regulatory agencies and the general public.

LANDAPP Land Application Permits

VERSION DATE: 01/03/19

Texas Land Application Permits are a requirement from the Texas Commission on Environmental Quality for any domestic facility that disposes of treated effluent by land application such as surface irrigation, evaporation, drainfields or subsurface land application.

LIENS TCEQ Liens

VERSION DATE: 06/06/18

Liens filed upon State and/or Federal Superfund Sites by the Texas Commission on Environmental Quality.

MSD Municipal Setting Designations

VERSION DATE: 01/16/19

The Texas Commission on Environmental Quality (TCEQ) defines an MSD as an official state designation given to property within a municipality or its extraterritorial jurisdiction that certifies that designated groundwater at the property is not used as potable water, and is prohibited from future use as potable water because that groundwater is contaminated in excess of the applicable potable-water protective concentration level. The prohibition must be in the form of a city ordinance, or a restrictive covenant that is enforceable by the city and filed in the property records. The MSD property can be a single property, multi-property, or a portion of property.

Environmental Records Definitions - STATE (TX)

TCEQ Disclaimer: This data is for informational purposes and may not have been prepared for or be suitable for legal, engineering, or surveying purposes. It does not represent an on-the-ground survey and represents only the approximate relative location of property boundaries.

NOV Notice of Violations

VERSION DATE: 02/24/16

This database containing Notice of Violations (NOV) is maintained by the Texas Commission on Environmental Quality. An NOV is a written notification that documents and communicates violations observed during an inspection to the business or individual inspected.

SIEC01 State Institutional/Engineering Control Sites

VERSION DATE: 01/01/19

The Texas Risk Reduction Program (TRRP) requires the placement of institutional controls (e.g., deed notices or restrictive covenants) on affected property in different circumstances as part of completing a response action. In its simplest form, an institutional control (IC) is a legal document that is recorded in the county deed records. In certain circumstances, local zoning or ordinances can serve as an IC. This listing may also include locations where Engineering Controls are in effect, such as a cap, barrier, or other engineering device to prevent access, exposure, or continued migration of contamination. The sites included on this list are regulated by various programs of the Texas Commission on Environmental Quality (TCEQ).

SPILLS Spills Listing

VERSION DATE: 02/07/19

This Texas Commission on Environmental Quality database includes releases of hazardous or potentially hazardous materials into the environment.

TIERII Tier II Chemical Reporting Program Facilities

VERSION DATE: 12/31/12

The Texas Tier II Chemical Reporting Program in the Department of State Health Services (DSHS) is the state repository for EPCRA-required Emergency Planning Letters (EPLs), which are one-time notifications to the state from facilities that have certain extremely hazardous chemicals in specified amounts. The Program is also the state repository for EPCRA/state-required hazardous chemical inventory reports called Texas Tier Two Reports. This data contains those facility reports for the 2005 through the 2012 calendar years. Please contact the Texas Commission on Environmental Quality Tier II Chemical Reporting Division as the current source for this data, due to confidentiality and safety reasons details such as the location and capacity of on-site hazardous chemicals is only available to local emergency planning agencies, fire departments, and/or owners.

DCR Dry Cleaner Registration Database

VERSION DATE: 06/04/19

Environmental Records Definitions - STATE (TX)

The database includes dry cleaning drop stations and facilities registered with the Texas Commission on Environmental Quality.

IHW Industrial and Hazardous Waste Sites

VERSION DATE: 05/02/19

Owner and facility information is included in this database of permitted and non-permitted industrial and hazardous waste sites. Industrial waste is waste that results from or is incidental to operations of industry, manufacturing, mining, or agriculture. Hazardous waste is defined as any solid waste listed as hazardous or possesses one or more hazardous characteristics as defined in federal waste regulations. The IHW database is maintained by the Texas Commission on Environmental Quality.

PIHW Permitted Industrial Hazardous Waste Sites

VERSION DATE: 05/02/19

Owner and facility information is included in this database of all permitted industrial and hazardous waste sites. Industrial waste is waste that results from or is incidental to operations of industry, manufacturing, mining, or agriculture. Hazardous waste is defined as any solid waste listed as hazardous or possesses one or more hazardous characteristics as defined in federal waste regulations. Permitted IHW facilities are regulated under 30 Texas Administrative Code Chapter 335 in addition to federal regulations. The IHW database is maintained by the Texas Commission on Environmental Quality.

PST Petroleum Storage Tanks

VERSION DATE: 05/02/19

The Petroleum Storage Tank database is administered by the Texas Commission on Environmental Quality (TCEQ). Both Underground storage tanks (USTs) and Aboveground storage tanks (ASTs) are included in this report. Petroleum Storage Tank registration has been a requirement with the TCEQ since 1986.

APAR Affected Property Assessment Reports

VERSION DATE: 04/05/19

As regulated by the Texas Commission on Environmental Quality, an Affected Property Assessment Report is required when a person is addressing a release of chemical of concern (COC) under 30 TAC Chapter 350, the Texas Risk Reduction Program (TRRP). The purpose of the APAR is to document all relevant affected property information to identify all release sources and COCs, determine the extent of all COCs, identify all transport/exposure pathways, and to determine if any response actions are necessary. The Texas Administrative Code Title 30 §350.4(a)(1) defines affected property as the entire area (i.e. on-site and off-site; including all environmental media) which contains releases of chemicals of concern at concentrations equal to or greater than the assessment level applicable for residential land use and groundwater classification.

Environmental Records Definitions - STATE (TX)

BSA Brownfields Site Assessments

VERSION DATE: 05/06/19

The Brownfields Site Assessments database is maintained by the Texas Commission on Environmental Quality (TCEQ). The TCEQ, in close partnership with the U.S. Environmental Protection Agency (EPA) and other federal, state, and local redevelopment agencies, and stakeholders, is facilitating cleanup, transferability, and revitalization of brownfields through the development of regulatory, tax, and technical assistance tools.

CALF Closed & Abandoned Landfill Inventory

VERSION DATE: 11/01/05

The Texas Commission on Environmental Quality, under a contract with Texas State University, and in cooperation with the 24 regional Council of Governments (COGs) in the State, has located over 4,000 closed and abandoned municipal solid waste landfills throughout Texas. This listing contains "unauthorized sites". Unauthorized sites have no permit and are considered abandoned. The information available for each site varies in detail and this historical information is not updated. Please refer to the specific regional COG for the most current information.

DCRPS Dry Cleaner Remediation Program Sites

VERSION DATE: 03/01/19

This list of DCRP sites is provided by the Texas Commission on Environmental Quality (TCEQ). According to the TCEQ, the Dry Cleaner Remediation Program (DCRP) establishes a prioritization list of dry cleaner sites and administers the Dry Cleaning Remediation fund to assist with remediation of contamination caused by dry cleaning solvents.

IOP Innocent Owner / Operator Database

VERSION DATE: 01/01/19

Texas Innocent Owner / Operator (IOP), created by House Bill 2776 of the 75th Legislature, provides a certificate to an innocent owner or operator if their property is contaminated as a result of a release or migration of contaminants from a source or sources not located on the property, and they did not cause or contribute to the source or sources of contamination. The IOP database is maintained by the Texas Commission on Environmental Quality.

LPST Leaking Petroleum Storage Tanks

VERSION DATE: 06/04/19

The Leaking Petroleum Storage Tank listing is derived from the Petroleum Storage Tank (PST) database and is maintained by the Texas Commission on Environmental Quality. This listing includes aboveground and underground storage tank facilities with reported leaks.

Environmental Records Definitions - STATE (TX)

MSWLF Municipal Solid Waste Landfill Sites

VERSION DATE: 06/07/19

The municipal solid waste landfill database is provided by the Texas Commission on Environmental Quality. This database includes active landfills and inactive landfills, where solid waste is treated or stored.

RRCVCP Railroad Commission VCP and Brownfield Sites

VERSION DATE: 04/18/19

According to the Railroad Commission of Texas, their Voluntary Cleanup Program (RRC-VCP) provides an incentive to remediate Oil & Gas related pollution by participants as long as they did not cause or contribute to the contamination. Applicants to the program receive a release of liability to the state in exchange for a successful cleanup.

RWS Radioactive Waste Sites

VERSION DATE: 07/11/06

This Texas Commission on Environmental Quality database contains all sites in the State of Texas that have been designated as Radioactive Waste sites.

STCV Salt Caverns for Petroleum Storage

VERSION DATE: 09/01/06

The salt caverns for petroleum storage database is provided by the Railroad Commission of Texas.

VCP Voluntary Cleanup Program Sites

VERSION DATE: 05/17/19

The Texas Voluntary Cleanup Program (VCP) provides administrative, technical, and legal incentives to encourage the cleanup of contaminated sites in Texas. Since all non-responsible parties, including future lenders and landowners, receive protection from liability to the state of Texas for cleanup of sites under the VCP, most of the constraints for completing real estate transactions at those sites are eliminated. As a result, many unused or underused properties may be restored to economically productive or community beneficial uses. The VCP database is maintained by the Texas Commission on Environmental Quality.

WMRF Recycling Facilities

VERSION DATE: 11/01/12

This listing of recycling facilities is provided by the Texas Commission on Environmental Quality's Recycle Texas Online service. The company information provided in this database is self-reported. Since recyclers post their own information, a facility or company appearing on the list does not imply that it is in compliance with TCEQ

Environmental Records Definitions - STATE (TX)

regulations or other applicable laws. This database is no longer maintained and includes the last compilation of the program participants before the Recycle Texas Online program was closed.

IHWCA Industrial and Hazardous Waste Corrective Action Sites

VERSION DATE: 04/05/19

This database is provided by the Texas Commission on Environmental Quality (TCEQ). According to the TCEQ, the mission of the industrial and hazardous waste corrective action program is to oversee the cleanup of sites contaminated from industrial and municipal hazardous and industrial nonhazardous wastes. The goals of this program are to: Ensure that sites are assessed and remediated to levels that protect human health and the environment; Verify that waste management units or facilities are taken out of service and closed properly; and to Facilitate revitalization of contaminated properties.

SF State Superfund Sites

VERSION DATE: 01/16/19

The state Superfund program mission is to remediate abandoned or inactive sites within the state that pose an unacceptable risk to public health and safety or the environment, but which do not qualify for action under the federal Superfund program (NPL - National Priority Listing). As required by the Texas Solid Waste Disposal Act, Texas Health and Safety Code, Chapter 361, the Texas Commission on Environmental Quality identifies and evaluates these facilities for inclusion on the state Superfund registry. This listing includes any recent developments and the anticipated action for these sites as documented in the annual state Superfund registry publication of the Texas Register as well as the Superfund Webpage on the TCEQ website.

Environmental Records Definitions - TRIBAL

USTR06 Underground Storage Tanks On Tribal Lands

VERSION DATE: 11/01/18

This database, provided by the United States Environmental Protection Agency (EPA), contains underground storage tanks on Tribal lands located in EPA Region 6. This region includes the following states: Arkansas, Louisiana, New Mexico, Oklahoma, and Texas.

LUSTR06 Leaking Underground Storage Tanks On Tribal Lands

VERSION DATE: 11/01/18

This database, provided by the United States Environmental Protection Agency (EPA), contains leaking underground storage tanks on Tribal lands located in EPA Region 6. This region includes the following states: Arkansas, Louisiana, New Mexico, Oklahoma, and Texas.

ODINDIAN Open Dump Inventory on Tribal Lands

VERSION DATE: 11/08/06

This Indian Health Service database contains information about facilities and sites on tribal lands where solid waste is disposed of, which are not sanitary landfills or hazardous waste disposal facilities, and which meet the criteria promulgated under section 4004 of the Solid Waste Disposal Act (42 U.S.C. 6944).

INDIANRES Indian Reservations

VERSION DATE: 01/01/00

The Department of Interior and Bureau of Indian Affairs maintains this database that includes American Indian Reservations, off-reservation trust lands, public domain allotments, Alaska Native Regional Corporations and Recognized State Reservations.