
Special Provision to Special Specification 7196

Water Mains and Service Lines



Special Specification 7196 "Water Mains and Service Lines", is amended with respect to the clauses cited below. No other clauses or requirements of this Item are waived or changed.

Article 2 "Materials", is amended to include the following section:

2.25. Remove Existing Water Lines.

All materials designated to be removed must become the Contractor's property and must be disposed of in an approved and permitted disposal site, The Contractor must obtain City approval before disposing of any material within the City of San Antonio limits.

Article 3 "Construction", is amended to include the following section:

3.16. Remove Existing Water Lines.

Contractor must be responsible for locating all water mains to be removed.

When specified or shown otherwise in the Contract documents, Contractor must remove the water main and all related appurtenances that are to be replaced, or will no longer be in service, and all effort to accomplish this requirement including but not limited to coordination, potholing, excavation and backfill with native or select soil, dewatering of pipe, groundwater dewatering, trenching, backfill and surface restoration, cutting, capping, removal of pipe, disposal of materials and all other items will be considered subsidiary to the work required.

Article 4 "Measurement," is amended to include the following section:

4.50. Remove Existing Water Lines "Remove Existing Water Lines" will be measured by the foot of main removed of the various sizes at the locations as shown on the plans.

Article 5 "Payment," is amended to include the following section:

5.50. Remove Existing Water Lines. Payment for "Remove Existing Water Lines", 16 inches and smaller or larger than 16 inches, for all types of pipe removal, excluding Asbestos Cement (AC) pipe removal, and will be paid for at the contract unit bid price called out in the Measurement article, regardless of the depth of the main, which will include the cost of coordination, potholing, dewatering of pipe, groundwater dewatering, trench excavation, removing the utility, transporting and disposing of the utility, backfill and surface restoration, and all labor, equipment, tools and materials necessary to remove the pipe, pipe bends and all other appurtenances. Asbestos Cement (AC) pipe removal is to be performed and paid in accordance with Articles 3.2.20, 4.13, and 5.13 of Special Specification 7196 "Water Mains and Service Lines".