
Special Provision to Item 6

Control of Materials



For this project, Item 6, "Control of Materials" of the Standard Specifications, is hereby amended with respect to the clauses cited below, and no other clauses or requirements of this Item are waived or changed hereby.

Article 6.10., the second paragraph is voided and replaced by the following:

When the plans specify the removal of an existing paint or coating containing lead or other hazardous materials, the Contractor is responsible to perform the work in accordance with Item 446, "Field Cleaning and Painting Steel" and in accordance with Section 6.10.4., "Asbestos Requirements." When an existing coating containing lead or other hazardous materials needs to be removed to perform work when dismantling steel under Item 496, "Removing Structures," the Contractor is responsible for removing the existing coating.

Section 6.10.1.1., is voided and not replaced.

Section 6.10.3., the first paragraph is voided and replaced by the following:

The plans will indicate locations on elements where asbestos containing materials (ACM) are present. The Contractor is responsible to remove and dispose of asbestos containing materials from members to be demolished to satisfy applicable regulations and rules as listed herein. Notify the Engineer of proposed dates of demolition or removal of structural elements with ACM before beginning work.

Section 6.10.3.1., is voided and not replaced.

Section 6.10.4., is voided and not replaced.

Section 6.10.5. the following is to be added

10.5. Site Health and Safety Plan. The work includes potential exposure to asbestos containing materials. Prepare and follow a Site Health and Safety Plan (SHSP) that has been written in accordance with and in fulfillment of Occupational Safety and Health Administration (OSHA) regulations, and other applicable laws, ordinances, and regulations. Assume sole responsibility for the SHSP and comply with its requirements in performing the work. Maintain a copy of the SHSP, including any revisions or changes, and any required documentation on site and make it available for review by the Engineer. Provide the SHSP to the Engineer upon request, including any revisions or changes, and any required documentation.

Provide training in the SHSP to the Department as needed.