

PLAN VIEW

NOTES:

1. MASONRY BRICK SHALL NOT BE PERMITTED WITH THIS INLET.
2. UNLESS OTHERWISE NOTED IN PLANS, INLET SHALL BE BUILT WITH NO GRATE.
3. ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED.


VERTICAL DIMENSION

MINIMUM LENGTH TO BE LARGER DIMENSION OF

1. LARGEST DEPTH AT POINT (A) PLUS 6 IN. OF ANY TRENCH DISCHARGING INTO INLET.
POINT (A) SHOWN ON TRENCH DETAILS STANDARD.

OR

2. OUTSIDE DIAMETER OF ANY LATERAL PLUS 1 FOOT. USE 30 INCH MINIMUM IF LARGEST OF TWO ITEMS ABOVE IS LESS.



SECTION A-A

SHEET 1 OF 1



TYPE A SPL
INLET - TRENCH DRAIN
CONNECTION

IL-A (SPL) TDC

FILE#	STDD15.DGN	DN#	TxDOT	CK#	TxDOT	DM#	TxDOT	CK#	TxDOT	STD#
©	TxDOT	Feb.	2010	DIST	FED REG	HOUS	6	PROJECT NO.		SHEET
REVISIONS		9/2010 CORRECTED DIMENSION ON SECTION A-A.		COUNTY		CONTROL	SECT	JOB	HIGHWAY	

NOT TO SCALE