



- NOTES:**
1. DETAILS FOR CONSTRUCTION OF RETAINING WALLS ARE SHOWN IN THE STANDARD DRAWING "MECHANICALLY STABILIZED EARTH RETAINING WALL."
 2. ITEM 427 "SURFACE FINISHES FOR CONCRETE" ARE CONSIDERED INCIDENTAL TO ITEM 423 "RETAINING WALL". SEE SHEET TITLED "SURFACE FINISHES FOR CONCRETE".
 3. FORM LINER USED TO PROVIDE TEXTURE SHALL BE OF ONE PIECE CONSTRUCTION. JOINTS SHALL NOT BE PERMITTED IN FORM LINERS.
 4. THE CONTRACTOR SHALL PROVIDE THE ENGINEER AND DISTRICT LANDSCAPE ARCHITECT WITH AN 18" SQUARE OR LARGER SAMPLE OF THE FRACTURED GRANITE FORM LINER FOR APPROVAL PRIOR TO MANUFACTURING RETAINING WALL PANELS.

NOT TO SCALE

Texas Department of Transportation
 Houston District Bridge
 Green Ribbon Project

RETAINING WALL DETAILS
 HORIZONTAL SCHEME

RWD-HS

FILE: STDJ2, DGN	DN:	CK:	DW:	CK:
© TxDOT	DEC 2005	DISTRICT	FED REG	PROJECT NO.
REVISIONS		HOUSTON	6	SHEET
		COUNTY	CONTROL SECT	JOB HIGHWAY